

Indexed  
9/16/84

BOOK 1006

*See Index*

1006

# Field Notes

BOOK 1006

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF-

*No. 1006*

Township *1 N* Range *2 W.*

*Gila and Salt River Base and Meridian*

**ARIZONA.**

*No. 1006*

By *R. C. Powers* D. S.

under contract dated *Oct 24 1882.*

Survey commenced *Jan. 30. 1882.*

Survey completed *Oct. 3 1884.*

*1883*

1A

BOOK 1006  
INDEX DIAGRAM.

Township 1 N.  
Range 2 W.

6	90	5	67	4	52	3	36	2	14	1
88	87	66	51	35	18					
7	86	8	65	9	49	10	33	11	16	12
84	83	64	48	32	15					
18	81	17	62	16	46	15	31	14	14	13
80	79	61	45	29	12					
19	77	20	59	21	44	22	28	23	11	24
76	74	58	42	26	9					
30	73	29	57	28	41	27	25	26	7	25
72	71	55	39	23	6					
31	69	32	54	33	38	34	22	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

BOOK 1006

*Subdivision Lines.*  
*D. 1 N. R 2 W.*

For preliminary notes see Book  
for Gila & Salt River Base  
Line



No. 1006

Subdivisions T. 1 N. R. 2 W.

Gila Salt River Meridian

Survey commenced  
 January 30<sup>th</sup> 1883 with  
 a Burt's Patent Improved  
 Solar Compass made by  
 John Roach of San  
 Francisco California.

---

Before commencing the  
 survey of the subdivision  
 lines, of this township,  
 I carefully examined the  
 adjustments of my solar  
 Compass, particularly  
 the latitude and revers-  
 ing apparatus, and  
 found them correct  
 The instrument was also  
 further tested daily during  
 the survey of the township.

## Subdivisions S. / N.

chain

From the Standard  
Corner to Secs. 35 & 36.  
on S. By of Sp. just  
recently established by  
me, from North bet.  
Secs. 35 & 36.

Var. 13054' E!

(as per notation with Solar Compass)

- 0.30 a Magnolia tree 18 in dia. on line  
40.00 Set a Post 3 ft. long, 3 in. sq.  
with marked stone pins in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on W. face,  
dug pits 18 x 18 x 12 in. W. of  
of post 5 ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post from which a Palovine  
8 in. dia. br. S. 34° E. 26 lbs dist.  
marked  $\frac{1}{4}$  S. B. T.

## R. 2 W. continued

chain

46.20 Descend 15 ft. Enter low  
Bottom, with small cotton-  
woods + Willows.

80.00 Set a Post 4 ft. long, 4 in sq.  
with marked stone 12 in.  
in the ground, for Cor. to  
Secs. 25, 26, 35 + 36. marked  
S. 1 N. S. 25 on N. E.  
R 2 W. S. 86 on S. E.  
S. 35 on S. W. and  
S. 26 on N. W. faces, with  
scratch on Ex S. edges, dig  
pit 18 x 18 x 12 in. in each  
sec. 5/8 ft. dist. and raised  
a mound of earth 4 ft.  
high 4 1/2 ft. base around  
post.

Surface level

Soil sandy + 2.00



## Subdivision S. 1 N.

Lains

some small cottonwoods  
 some Greasewood brush

East on a random line  
 bet. Secs. 25 & 36.

Var. 13° 54' E.

- 4000 Set temporary 1/4 sec. cor.  
 8000 Intersect E. By aft p. 14 lbs  
 N. of cor. to Secs. 25, 30, 31 & 36  
 just recently<sup>re</sup> established  
 by me, Thence I run N. 89°  
 54' W. on a true line, bet.  
 Secs. 25 & 36. with same in  
 4000 Set about aft long, sim. of,  
 with marked stone 12 in.  
 in the ground for 1/4 sec.  
 cor. marked 1/4 S. on N.  
 face, dug pits 18" x 18" x 12"

## R. 2 W. continued

Chairs

in E. W. of post.  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base around Post.

80.00 The corner to Secs. 25, 26, 35 & 36

Surface level

Soil sandy & 2<sup>d</sup> rate  
 Scattering small Cotton-  
 woods & some Greenwood  
 Bush.

North bet. Secs. 25 & 26.

Var.  $130^{\circ} 54' E$

11.24 Enter low Bottom and  
 small Cottonwood

26.69 Left Bank of Gila River  
 low Banks to N. W. & S. E.  $81^{\circ}$   
 shallow water & rapid



## Subdivision T. 1 N.

Chains

Current Measure across.

- 30.69 Right Bank Low Banks  
Enter Arrow Bush  
40.00 Set a Post 2 ft. long 3 in. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face  
dug pits 18 x 18 x 12 in. W. of  
post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2  
ft. high 3 1/2 ft. base around  
post.
- 43.00 Enter scattering Mesquite
- 45.57 cross Road bms E + W.
- 69.30 cross Road bms N. E + S. W  $46^{\circ}$
- 80.00 Set a Post 4 ft. long, 4 in. sq.  
with marked stone 12 in.  
in the ground, for Cor.  
to Secs. 23, 24, 25 + 26. marked

## R. 2 W. continued

chains

S. 1 N. S. 24 on N. E.

R 2 W. S. 25 on S. E.

S. 26 on S. W. and

S. 28 on N. W. faces, with  
 1 notch on E. and 2 notches  
 on S. edges, dug pits 18x18x12  
 in. in each sec. 5/8 ft. dist.  
 and raised a mound of  
 earth 2 ft. high 4/8 ft. base  
 around post.

Surface level

Soil 1<sup>st</sup> + 2<sup>d</sup> rate

Scattering Mesquite trees.  
 Cottonwood along River  
 dense Greasewood brush.

East on a random line  
 bet. Secs. 24 + 25.

## Subdivisions S. 1 N.

dim

Var.  $13^{\circ}54'$  N

4000 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.96 Intersect N. By of Tp. 28 l<sup>th</sup> N.  
 of corner to Secs. 19. 24. 25 & 30.  
 just recently established  
 by me. Hence I run N.  $89^{\circ}$   
 $48'$  W. on a true line bet.  
 Secs. 24 & 25. with same ca.

39.96 Set a Post 3ft. long, circ. sq.  
 with marked stone 12 in. in  
 the ground, for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N. face, dug  
 pits 18 + 18 + 12 in. E. W. of  
 post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high 3 ft. base around  
 post.

79.96 The corner to Secs. 23. 24. 25 & 26  
 surface level



## R. 2 W. continued

dawn

Soil 1<sup>st</sup> rate  
 Scattering Mesquite trees,  
 Dense Greasewood bank.

---

North lat. Secs. 23 + 24.

Var. 13054' E'

4000 Set a Post 3 ft. long, 3 in. sq.  
 with marked stake 12 in. in  
 the ground for  $\frac{1}{4}$  sec. bur.  
 marked  $\frac{1}{4}$  S. on W. face,  
 dug pits 18 + 18 + 12 in. W. S.  
 of post  $\frac{5}{8}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high 3 ft. base, around  
 post. leave Mesquite timber

8000 Set a Post 4 ft. long, 4 in.  
 sq. with marked stake 12 in.  
 in the ground for  $\frac{1}{4}$  sec.

## Subdivisions T. 1 N.

Claim

to Secs. 13, 14, 23 &amp; 24, marked

T. 1 N. S. 13 on N. E.

R. 2 W. S. 24 on S. E.

S. 23 on S. W. and

S. 14 on N. W. faces, with  
notch on E & 3 notches on S.

edges, dug pits 18 x 18 x 12 in.

in each sec. 50 ft. dist. and

raised a mound of earth  
2 ft. high 4 1/2 ft. base around post.

Surface level

Soil 1st. rate

Scattering Magn. trees.

Dense Greenwood Bush.

East on a random line bet.

Secs. 13 &amp; 24.

T. 1 N. S. 13 &amp; 24 E.



## R. 2 W. continued

chains

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.00 Intersect E. Ry of Tp. 23<sup>th</sup> S of cor. to Secs. 13, 18, 19 & 24 first recently<sup>re</sup> established by me, Thence Iron S.  $89^{\circ}50'W$ . on a true line bet. Secs. 13 & 24. with same ca.
- 40.00 Set a post 3 ft. long, 3 in. sq. with marked stone 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18" & 18" & 12 in. E & W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.
- 80.00 The corner W Secs. 13, 14, 23 & 24.  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Dense Greasewood brush.

## Subdivision S. 1 N.

Lairs

North bet. Secs. 13 &amp; 14.

Var. 130 54' E.

40.00 Set a Post 4 ft. long, 4 in. sq.  
with marked stone rim  
in the ground, for 1/4 sec.

Cor. marked 1/4 S. on N.  
face, dug pit 18 x 18 x 12 in.

W. S. of post 5/8 ft. dist. and  
raised a mound of earth  
1/2 ft. high 3 1/2 ft. base around  
post.

80.00 Set a Post 4 ft. long, 4 in. sq.  
with marked stone rim in  
the ground, for cor. to Secs.

11, 12, 13 & 14, marked

S. 1 N. S. 12 on N. E.

R. & W. S. 13 on S. E.

S. 14 on S. W. and

S. 11 on N. W. faces, with

## R 2 W. continued

Chains

Switch on E. 4 switches on S. edge, dug pits 18+18+12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around pit.

Surface level

Sec. 1 rate

Scattering trees.

Some cuts down &amp; some wood brush.

East on a random line bet. Secs. 12 + 13.

Var. 130 54 8'

4000 Set temporary 1/4 sec. cor.

79.98 Intersect N. By of 1/4, 10 lbs  
N. of cor. to Secs. 17, 12, 13 + 18.



# Subdivision S. 1 R

chains

point recently <sup>re-</sup> established  
by my Deuce Iron  
No. 89° 56' N. on a true line  
bet. Secs. 12 & 13. with same cor.

39.99 Set a Post 3 ft. long, 3 in. sq.  
2 1/2 in. in the ground, for 1/4  
sec. cor. marked 1/4 S. on  
N. face from which  
a Mesquite 16 in. dia. br N. 20° E. 74 <sup>ft. high</sup>  
marked 1/4 S. B. P. <sup>and raised a mound of stone around post</sup> another tree within  
limits.

49.98 The corner to Secs. 11, 12, 13 & 14  
Surface level  
Soil 1st rate  
Near Cats claw & Greasewood  
Bunch.

North bet. Secs. 11 & 12

## R. 2 W. continued

Chain

Var.  $13^{\circ}54' E.$ 

40.00

Set a Post 3 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18" x 18" ins. W.S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around post.

80.00

Set a Post 4 ft. long 4 ins. sq 24. ins. in the ground for cor. to Secs. 1, 2, 11 & 12, marked  
S. 1 N. S. 1 on N. E.

R. 2 W. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. face, with 1 notch on E. scratches on S. dug pits 18" x 18" ins. in each cor.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $2\frac{1}{2}$  ft. high  $4\frac{1}{2}$  ft. base from each post edge, from which a Mesquite tree. in N. W.  $N 40^{\circ} W.$



## Subdivisions S. / N.

chain

153 lps dist. marked T, N, R, 2 W, S, 2 B, T.  
no other tree within limits  
Surface level

See C 1<sup>st</sup> rate

Scattering Mesquite

Some Cats clarr & Greasewood  
Brush.

East on a random line bet.

Secs. 1 + 12

Var. 130° 54' E!

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect E. By of T<sub>p</sub>. 16 lps S.  
of Cor. to Secs. 1, 6, 7 + 12, just  
recently <sup>re-</sup> established by my  
Theua Iron. S. 89° 53' W.  
on a true line bet. Sec.  
1 + 12 with same var.

## D. 2 W. continued

deins

4000

Set a Post 4 ft. long, 2 in. sq. with  
marked stone 12 in. in the ground  
for 1/4 sec. br. marked 1/4 S. in.

To face dug pits 18 x 18 x 2 in.

Et W. of post 5 ft. dist.

and raised a mound of  
earth 1 1/2 ft. high 2 ft. base  
around post.

8000

The Corner to Secs. 1, 2, 11 & 12

Surface level

Soil 1st. rot

Scattering Mesquite trees.

Lum Catclaw & Greasewood

Bush.

North on a random line,  
bet. Secs. 1 & 2.

Var. 13° 54' E!

Subdivision T. 1 N.

Chains

- 40.00 Set temporary 1/4 sec. cor.
- 80.10 Intersect N. Ry of Sp. 21 the  
W. of cor. to Secs. 1, 2, 35 & 36.  
point recently established  
by my Thence I run S. 91° W.  
on a true line bet. Secs.  
1 & 2. with same ca.
- 40.10 Set about 2 ft. long, 3 ins.  
square, with marked stone  
12 ins. in the ground, for 1/4  
sec. cor. marked 1/4 S on  
W. face, dug pits 18 x 18 x 12  
ins. N. S. of post 5/8 ft dist.  
and raised a surround of  
earth 1 1/2 ft. high 3/4 ft. base  
around post.
- 80.10 The corner to Secs. 1, 2, 11 & 12  
Surface level  
Soil 1<sup>st</sup> rate



R. 2 W. continued

Chasin

Scattering Mesquite trees.  
Some Greasewood brush.

---

January 30<sup>th</sup> 1883

## Subdivisions T. 1 N.

Quins

From the Standard Cor. to  
Secs. 34 & 35 on S. Ry of  
Op. just recently established  
by me, from North lat.  
Secs. 34 & 35.

Var.  $13^{\circ} 54' E!$ 

- 18.00 Descend 10 ft. Into low Bottom  
with  
some small cottonwoods
- 40.00 Set a Post 2 ft. long, 2 ins. square,  
24 in. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face,  
from which a cottonwood  
2 ins. dia. br. S.  $45^{\circ}$  W. 100 lbs dist marked  
 $\frac{1}{4}$  S. B. T.
- a cottonwood 2 ins. dia. br. N.  $60^{\circ}$  E. 31 lbs dist.  
marked  $\frac{1}{4}$  S. B. T.
- 54.41 Left Bank of Gila River br S. W. N. 8  
35 ft. high Banks & shallow water  
Rapid current, measure across



## R. 2 W. continued

chains

58.90 Right Bank of River High Bank  
 80.00 Set a Post 4 ft. long, 4 in sq. with  
 marked stone 12 in. in the ground  
 for cor. to Sec. 26, 27, 34 + 35, marked  
 S. 1 N. S. 26 on N. E.

R. 2 W. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. faces, with 2  
 notches on E. & 1 notch on S. edge,  
 dug pits 18 x 18 x 12 in. in each sec.  
 5 1/2 ft. dist. and raised a mound  
 of earth 2 ft high 4 1/2 ft base  
 around post

Surface Rolling.

Bottomwood along River  
 dense undergrowth

---

East on a random line bet.

Subdivision J. 1 N.

chains

bet. Secs. 26 & 35.

Var.  $130^{\circ}54' E$

- 29.20 Descend left. enter low Bottom
- 34.25 Right Bank of Gila River deep water low Banks measure across.
- 37.99 Left. Bank of River to N. E.  $S. 71^{\circ}20'$
- 40.00 Enter low bottom & set temporary  $\frac{1}{4}$  sec. cor.
- 80.08 Intersect W.S. line 16 lks S. of Cor. to Secs. 25, 26, 35 & 36. Hence run  $S. 89^{\circ}53' W.$  on a true line bet. Secs. 26 & 35, with same ca.
- 40.04 A Willow in place which I mark  $\frac{1}{4}$  S. on N. face, for  $\frac{1}{4}$  sec. cor. from which a bottomwood 8 ins. dia. to  $S. 34^{\circ} E.$  23 lks dist. marked  $\frac{1}{4}$  S. B. P.
- 80.08 The corner to Secs. 25, 26, 35 & 36.

## R. 2 W. continued

chain

Surface level  
 Soil 1<sup>st</sup> & 2<sup>d</sup> rate  
 Scattering Mesquite 1<sup>st</sup> & 2<sup>d</sup> chs.  
 Small cottonwood along River  
 Dense undergrowth.

---

North bet. Secs. 26 &amp; 27.

Var.  $13^{\circ} 54' E$ 

- 11.93 Cross Road course N. Et S. W.  
 40.00 Set a post 2 ft. long, 2 in. sq. with  
 marked stone 12 in. in the ground  
 for 1/4 sec. Cor. marked 1/4 S. on  
 N. face, dug pits 18 x 18 x 12 in.  
 N. W. of post 5 1/2 ft. dist. and  
 raised a mound of earth 1 1/2  
 ft. high 3 1/2 ft. base around post  
 from which a Mesquite 12 in. dia  
 br.  $960^{\circ} E$ . 10 lbs dist. marked 1/4 S. B. P.



Subdivisions T. 1 N.

Lains

8000 Set a Post 4 ft. long, 4 ins sq.  
 with marked stone rim in  
 the ground, for Cor. to Secs. 22.  
 23. 26 & 27 marked  
 T. 1 N. S. 23 on N. E.  
 R 2 W. S. 26 on S. E.  
 S. 27 on S. W. and  
 S. 22 on N. W. faces, with 2 matches  
 on E & S. edges, dug pits 18 x 18 1/2  
 in. in each sec. 5 1/2 ft. dist.  
 and raised a mound of earth  
 2 ft high 4 1/2 ft. base around  
 post.

Surface level  
~~high~~ <sup>2</sup> ~~low~~ <sup>3</sup> ~~water~~  
 Scattering Mesquite trees.  
 Dense undergrowth.

East on a random line bet.

## N. &amp; W. continued

chain

bet. Secs. 23 &amp; 26.

Cor.  $13^{\circ}54' E$ 40.00 Set temporary  $1/4$  sec. cor.80.00 Intersect N.W. line 18 lks S.  
of cor. to Secs. 23, 24, 25 & 26.Thence run S.  $89^{\circ}57' W$ . on a  
true line bet. Secs. 23 & 26.

with same or.

40.00 Set a post 4 ft. long, 3 in. sq. with  
marked stone pin in the ground  
for  $1/4$  sec. cor. marked  $1/4$  S. on  
N. face dug pits 18 x 18 x 12 in.E. W. of post 50 ft. dist. and  
raised a mound of earth  
 $1/2$  ft. high  $5/8$  ft. base, around  
post, from which a Mercurite  
8 in. dia. ln.  $S 47^{\circ} W$ . 327 lks dist.  
marked  $1/4$  S. B. T.

80.00 The corner to Secs. 22, 23, 26 &amp; 27

## Subdivisions J. / N.

Aims:

Surface level  
 Soil 1<sup>st</sup> rate  
 Scattering trees,  
 Dense Greasewood & Cato claw  
 Bush.

North bet. Secs. 22 + 23.

Var.  $13^{\circ} 54' E$

40.00 Set a Post 3 ft. long, 3 ins. sq.  
 with marked stone 12 ins. in  
 the ground, for  $\frac{1}{4}$  sec. Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pit 18" x 18" x  
 10" N.S. of post 5 ft. dist.  
 and raised a mound of  
 earth 1 1/2 ft. high 3 ft. base  
 around post.

80.00 Set a Post 4 ft. long, 4 ins. sq.  
 with marked stone 12 ins. in



## R. 2 W. continued

Chain

the ground for Cor. to Sec.

14, 15, 22 & 23. marked.

S. 1 N. S. 14 on N. E.

R 2 W. S. 23 on S. E.

S. 22 on S. W. and

S. 15 on N. W. faces, with 2  
notches on E & 3 notches on S.  
edges, dug pits 18" x 18" x 12" in. In  
each sec. 5' aft. dist. and  
raised a mound of earth  
2 ft. high 4' ft. base, around pit.

Surface level

Soil set rate

Scattering Mesquite trees.  
Dense Greewood brush

East on a random line bet.

Secs. 14 & 23.

Subdivisions T. 1 N.

claims

Var. 13° 54' E

- 40.00 Set temporary 1/4 sec. cor.
- 80.06 Intersect N.S. line 12 lbs N. of cor. to Secs. 13. 14. 23 + 24  
Thence I run N. 89° 54' W. on a true line bet. Secs. 14 + 23 with same va.
- 40.03 Set a Post 3 ft. long, sim. sq. with marked stone 12 in. in the ground for 1/4 sec. cor. marked 1/4 S on N face, dug pits 18 + 18 + 12 in. E & W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around post.
- 80.06 The corner to Secs. 14. 15. 22 + 23. Surface Rolling. Soil gravel + 2 d. oak  
Some greasewood brush.

## R. 2 W. continued

claim

North bet. Secs. 14 &amp; 15.

Var.  $13^{\circ} 54' E$ 

40.00 Set a Post 3 ft. long, 3 in. sq. with marked stone 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12 in. W. S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

80.00 Set a Post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground, for cor. to Secs. 10, 11, 14 & 15, marked  
 S. 1 N. S. 11 on N. E.  
 R 2 W. S. 14 on S. E.  
 S. 15 on S. W. and  
 S. 10 on N. W. face, with 2 notches on E. 4 notches on



## Subdivision T. 1 N.

Claim

S' edges, dug pits 18x18x12  
in. in each sec. 57 ft. dist.  
and raised a rounded  
earth aft. by h 4 1/2 ft. base  
round post.

Surface level

Soil 1<sup>st</sup> rate

Scattering trees.

None Greenwood town.

East on a random line bet.

Secs. 11 &amp; 14.

Var.  $13^{\circ} 54' 8''$ 

4600 Set temporary 1/4 sec. cor.

8000 Intersect N.S. line 14 lbs N.  
of Cor. to Secs. 11, 12, 13 & 14.Thence I run N.  $89^{\circ} 54' 7''$ .

on a true line bet. Secs. 11 &amp; 14.

## R. 2 W. continued

Claim

with same ra.

40.03 Set a Post 2 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E. W. of  
post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post.

80.06 The corner to Secs. 10, 11, 14 & 15.  
Surface level

Soil 1st rate

Surrey, Cats claw Bush.

North bet. Secs. 10 &amp; 11.

Var.  $130^{\circ} 54' E!$ 

40.00 Set a Post 2 ft. long, 3 in. sq.  
with marked stone 12 in.

Subdivision S. 1 R.

chain

in the ground, for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N. face, dug  
 pits  $18 \times 18 \times 12$  in. 5 ft. of  
 post 5 ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base, around post

80.00

Set about 4 ft. long, 4 in.  
 sq. with marked stone 12  
 in. in the ground, for cor.  
 to Secs. 2, 3, 10 & 11. marked  
 S. 1 N. S. 2 on N. E.  
 R 2 N. S. 11 on S. E.

S. 10 on S. W. and

S. 3 on N. W. faces, with 2  
 notches on E 5 notches on  
 S. edges, dug pits  $18 \times 18 \times 12$   
 in. in each sec. 5 ft. dist.  
 and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base



R. 2 W. continued

Claim

around pt.  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Dense Gorsewood brush.

---

East on a random line bet.  
 Secs. 2 + 11.

Var. 13° 54' E!

40.00 Set temporary 1/4 sec. cor.  
 80.00 Intersect W.S. line 6th S.  
 of corner to Secs. 1, 2, 11 + 12.  
 Thence I run S. 89° 57' W.  
 on a true line bet. Secs. 2 + 11.  
 with same var.

40.05 Set a Post 3 ft. long, 2 in. sq.  
 with marked stone 12 in. in  
 the ground, for 1/4 sec. cor.  
 marked 1/4 S. on N. face,

Subdivisions S. 1 N.

chains

dig pits 18x18x12 in. E. W.  
 of post 5/8 ft. dist. and  
 raised a mound of earth  
 1/8 ft. high 3/8 ft. base around  
 post.

80.00 Set E corner to Secs. 2, 3, 10 & 11

Surface level

Soil 1st rate

Dense cutover forest. Greenwood  
 brush

North on a random line  
 bet. Secs. 2 & 3.

Var. 13° 54' E.

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect N. Ry of Tp. 16

1/2 mi. W. of cor. to Secs. 2, 3, 34 & 35.  
 just recently established

## R. 2 W. continued

chain

by me, Thence I run S. 71° W.  
on a true line bet. Secs. 2 & 3.  
with same ra.

40.06 Set a Post 3 ft. long, iron sq.  
with marked stone 12 in. in  
the ground, for 1/4 sec. cor.  
marked 1/4 S. on W. face, dug  
pits 18 x 18 x 12 in. W. S. of  
post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post.

80.06 The corner to Secs. 2, 3, 10 & 11.  
Surface level

Soil 1<sup>st</sup> rate

Use Greasewood Brush.

January 31. st. 1883



# Subdivisions T. 1 N.

Claims

Var. 130 54 E.

39.13 Cross Road to N. & S. W.  
 4000 Set temporary 1/4 sec. cor.  
 8000 Intersect the S. line of Sec. 26, 27, 34 & 35.  
 Thence Iron N. 89° 57' W.  
 on a true line bet. Secs.  
 27 & 34. with same as.

4000 Set a Post of pine, 2 ins. sq.  
 24 ins. in the ground for  
 1/4 sec. cor. marked 1/4 S on  
 a Magnet to 20 ins. N. 45° E. of the post.  
 marked 1/4 S. B. P. no other trace  
 within limits.

8000 The corner to Sec. 27, 28, 33 & 34  
 surface beel  
 soil alkali & 2d rate  
 scattering Mesquite trees.

## R. 2 W. continued

claims

Hume Greasewood Brush.

North bet. Secs. 27 &amp; 28.

Twp, 13° 54' E.

40.00 Set a Post 2 ft long 2 ins square  
 24 ins in the ground for 1/4 sec.  
 Cor. marked 1/4 S. on W. face  
 from wheel & Meqns to 15 ins dia  
 ln. S. 30° E. 175 lbs dist. marked 1/4 S. B. T.  
 & Meqns to 20 ins dia ln. S 45° W. 200 lbs dist.  
 marked 1/4 S. B. T.

80.00 Set a Post 4 ft long 4 ins sq. with  
 marked stone 12 ins in the  
 ground for cor. to Secs. 21, 22  
 27 & 28. marked  
 P. 1 N. S. 22 on N. E.  
 R 2 W. S. 27 on S. E.  
 S. 28 on S. W. and  
 S. 21 on N. W. faces, with.

## Subdivisions S. 1 N.

chairs

3 notches on E & 2 notches on S.  
edges, dug pits 18+18+12 ins.  
in each sec. 5 1/2 ft. dist. and  
raised a mound of earth 2 ft.  
high 4 1/2 ft. base around part  
from which a Magnetite 15 in dia.

br. S. 80° E. 175 lbs dist. marked

S. 1 N. R. 2 W. S. 27 B. T.

A Magnetite 15 in dia br. S. 40° W. 250 lbs dist.  
marked S. 2 N. R. 2 W. S. 28 B. T.

Surface bevel

8 in C 1 1/2 rat

Scattering Magnetite traces.

Some underground.

East on a random line bet.

S'ces. 22 + 27.

Far. 13° 54' C!



## P. 2 W. continued

chain

40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.00 Intersect W.S. line at cor.  
to Secs. 22, 23, 26 + 27. Thence  
I run West on a true line  
bet. Secs. 22 + 27. with same on40.00 Set a Post 4 ft. long 4 in. sq.  
with marked stone pins in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E. + W. of post  
5  $\frac{1}{2}$  ft. dist. and raised a mound  
of earth 1  $\frac{1}{2}$  ft. high 2  $\frac{1}{2}$  ft. base  
around post.

80.00 In Cor. to Secs. 21, 22, 27 + 28.

Surface bad

Soil 1<sup>st</sup> rate

Scattering trees.

None undergrowth.

## Sub divisions S. 1 N.

Chains

North bet. Secs. 21 &amp; 22.

Var.  $13^{\circ} 54' E$ 

4000 Set a Post 2 ft. long, 2 in. sq. with marked stone 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4} S$  on W. face, dug pits 18 x 18 in. W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post. from which a Mercurite 8 in. dia. bn.  $N. 30^{\circ} E. 75$  lbs dist. marked  $\frac{1}{4} S. P. T.$

8000 Set a Post 4 ft long, 4 in. sq. with marked stone 12 in. in the ground, for Cor. to Secs. 15, 16, 21 & 22. marked S. 1 N. S. 15 on N. E. N 2 W. S. 22 on S. E. S. 21 on S. W. and

R. 2 W. continued

Stations

S. 16 on N. W. face, with 3  
notches on E. S. edge, dug pit  
18+18+12 in. in each sec. 5 1/2 ft.  
dirt and raised a mound of  
earth 2 ft. high 4 1/2 ft. base around  
post.

Surface level

Soil 1<sup>st</sup> rate

Scattering Mesquite trees.

Some Greasewood Bush.

East on a random line bet.

Secs. 15+22.

Var.  $13^{\circ} 54' E$

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect W.S. line 14 lbs N.  
of corner to Secs. 14. 15. 22+23.

Thence down N.  $89^{\circ} 54' W$ .



## Subdivisions J. 1 N.

chains

on a true line, bet. Secs. 15 & 22  
with same as.

39.97 Set a Post 3 ft. long, circ. sq.  
with marked stone pins on  
the ground, for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18" & 18" diam. E & W of  
post  $\frac{5}{8}$  ft. dist. and raised  
a mound of earth  $\frac{1}{2}$  ft. high  
 $\frac{3}{8}$  ft. base around post.

49.94 The corner to Secs. 15 & 16. 21 & 22.  
Surface level  
Soil 1<sup>st</sup> rate  
Growth greenwood brush.

North bet. Secs. 15 & 16.

Cor. 13054' E!

4000 Set a Post 3 ft. long, circ. sq.

## R. 2 W. continued

Claims

with marked stone 12 ins in  
the ground, for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on W. face, dug  
pits 18 + 18 + 12 ins. N. & S. of post  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

8000

Set a Post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in the  
ground, for Cor. to Secs. 9, 10.  
15 + 16. marked

T. 1 N. S. 10 on N. E.

R. 2 W. S. 15 on S. E.

S. 16 on S. W. and

S. 9 on N. W. face, with 3  
notches on E. & 4 notches on S.  
edges, dug pits 18 + 18 + 12 ins.  
on each sec.  $5\frac{1}{2}$  ft. dist and  
raised a mound of earth

## Subdivisions S. 1 N.

chains

2 ft. high 4 1/2 ft. base around  
post.

Surface level

Soil 1<sup>st</sup> rate

Greasewood Bush.

East on a random line  
bet. Secs. 10 & 15,

Twp. 13 054' 8"

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect red line 8 lks S.  
of cor. W Secs. 10, 11, 14 & 15.

Thence I run S. 89° 57' 17"

on a true line bet. Secs. 10 &amp; 15.

with same or

39.97 Set a Post 3 ft. high, circ. 9.

with marked stone 12 in.

in the ground, for 1/4 sec. cor.



## R. 2 W. continued

Lains

marked  $1/4$  S. on N. face dug  
 pit 18+18+12 ins. E. W. of  
 post  $5/8$  ft. dist. and raised  
 a mound of earth  $1/2$  ft. high  
 $3/8$  ft. base around post.

79.94 The Corner to Sec. 9, 10, 15+16.

Surface level

Scattering trees.

Some greasewood brush.

North bet. Secs. 9+10.

Var. 130 54' C.

4000 Set a Post 2 ft. long, 3 ins. sq.  
 with marked stone 12 ins. in  
 the ground, for  $1/4$  sec. cor.  
 marked  $1/4$  S. on W. face dug  
 pit 18+18+12 ins. N. S. of post.  
 $5/8$  ft. dist. and raised a

## Subdivision P. 1 N.

chain

mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post.

80.00 Set a Post 4 ft. long, 4 in. sq.  
 with marked stone 12 in. in  
 the ground, for cor. to Sec.

3. 4. 9 & 10. marked

P. 1 N. S. 3 on N. E.

R 2 W. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. faces, with 3  
 notches on Ea 5 notches on  
 S. edges, dug pits 18 x 18 x 12  
 in. in each alc.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 around post.

Sinclair level,

Set 1<sup>st</sup> rate

Use greasewood brush.

R. 2 W. continued

chain

East on a random line  
bet. Secs. 3 & 10.

Var.  $13^{\circ} 54' E!$

4500 Set temporary  $1/4$  sec. cor.

79.94 Intersect W.S. line 23 lbs N.  
of cor. to Secs. 2, 3, 10 & 11. Then

I run N.  $89^{\circ} 58' W.$  on a true  
line bet. Secs. 3 & 10. with same cor.

39.97 Set a Post soft-ling, 3 ins. sq.

24 ins. in the ground for  $1/4$

sec. cor. marked  $1/4$  S. cor.  
dig pit 18" x 18" in. E. of post 3 ft. drill and raised a mound  
of earth 1 1/2 ft. high 3 ft. diam around post  
N. fact, from which

A Mesquite tree, 10 ins. dia. in. S. 150 W. 88. 10 dist.  
marked  $1/4$  S.B.P. no other tree within limits.

79.94 The corner to Secs. 3, 4, 9 & 10.

Surface level

Soil 1st rate

Scattering Mesquite

Some greasewood shrub.



## Subdivisions T. 1 N.

chains

North on a random line bet.  
Secs. 3 & 4.

Var.  $130^{\circ} 54' E$

40.00 Set temporary  $1/4$  sec. cor.

80.00 Intersect N. By of T<sub>p</sub>. 7 lbs E.  
of cor. to Secs. 3 & 4, 33 & 34, just  
recently established by survey  
thence from S. 3' E. on a true  
line bet. Secs. 3 & 4, with same <sup>cor.</sup>

40.10 Set a post 6 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground for  $1/4$  sec. cor.  
marked  $1/4$  S. on N. face dug  
pits 18 & 18 & 12 in. N. of  
post  $5/8$  ft. dist. and raised  
a mound of earth  $1 1/2$  ft. high  
3  $1/8$  ft. base around post.

80.10 The corner to Secs. 3, 4, 9 & 10  
Simple level

R. & W. continued

Leaves

Soil 1<sup>st</sup> rate

Scattering trees.

Some greasewood shrub.

January February 1<sup>st</sup> 1883

Subdivisions T. 1 N.

Acres

From the Standard cor.  
to Secs. 32 + 33. on S. 1/4 of  
Tps. just recently established  
by me, I run North bet.  
Secs. 32 + 33.

Var. 13° 54' C!

40.00 Set a Post 3 ft. long 3 in. sq.  
24 in. in the ground for 1/4  
sec. cor. marked 1/4 S on W.  
fence from which

a Mesquite 10 in. dia to S 70° W. 41 1/2 dist.  
marked 1/4 S. B. T.

a Mesquite 12 in. dia to N. 15° E. 18 1/2 dist.  
marked 1/4 S. B. T.

60.37 Cross Road corner to 60° E & 580° W.

80.00 Set a Post 4 ft. long, 4 in. sq. 24  
in. in the ground for cor. to  
Secs. 28, 29, 32 + 33. marked  
T. 1 N. S. 28 on N. E.



R. 2 W. continued

limits

R. 2 W. S. 33 on S. E.

S. 32 on S. W. and

S. 29 on N. W. faces, with  
4 notches on E & 1 notch on S.  
edges, from which

① Mesquite 146m dia. br. S. 15° W. 63 lb dist.  
marked P. 1 N. R 2 W. S. 32 B. P.

② Mesquite 8 dm dia. br. S 40° E. 115 lbs dist.  
marked P. 1 N. R 2 W. S. 33 B. P.

no other trees within limits.

Surface level

S in C 1st rate

Mesquite timber

dense undergrowth.

East on a random line bet.

Secs. 28 & 33.

Var. 13° 54' E.

## Subdivisions S. 1 N.

chains

4000 Set temporary  $1/4$  sec. cor.  
 79.98 Intersect N.S. line 10th N.  
 of Cor. W Secs. 27, 28, 33 & 34.  
 Thence 2 mm N.  $89^{\circ} 56' W.$  on  
 a true line bet. Secs. 28 & 33.  
 with same ca.

39.99 Set a Post 3 ft long, sim. sq. with  
 marked stone 12 in. in the  
 ground, for  $1/4$  sec. cor. marked  
 $1/4 S.$  on N. face, dug pits 18 & 18  $1/2$   
 in. E. W. of post 50 ft. dist.  
 and raised a mound of earth  
 11 ft. high 3 ft. base around  
 post, from which  
 2 Magnets 8 in. dia. N. S. 45 $^{\circ}$  E. 55 ft. dist.  
 marked  $1/4 S. T. 7.$

79.98 The corner W Secs. 28, 29, 32 & 33.  
 Surface level  
 Soil 1st rate

## R. 2 W. continued

Lains

Magnite timber  
 dense undergrowth.

North bet. Secs. 28 & 29.

Cor.  $13^{\circ} 54' E$

0.00 Set a Post 3 ft. long, 3 ins. sq. 24  
 ins. in the ground, for  $1/4$  sec.  
 Cor. marked  $1/4$  S. on W. face,  
 from which a Magnite tim.  
 line br. S. 80° W. 11 lbs dist. marked  
 $1/4$  S. B. D. no other tree within limits.

0.00 Set a Post 4 ft. long, 4 ins. sq. with  
 marked stone 12 ins. in the ground  
 for Cor. W. Secs. 20, 21, 28 & 29. marked  
 S. 1 N. S. 21 on N. E.

R. 2 W. S. 28 or S. E.

S. 29 on S. W. and

S. 20 on N. W. face, with 4



## Subdivisions S. 1 N.

chains

notches on E. and 2 notches on  
S. edges, dug pits 18 + 18 + 12 in.  
in each sec. 5/8 ft. dist. and  
raised a mound of earth 2 ft.  
high 4 1/2 ft. base around post  
Surface broken

Soil Alkali &amp; 2 d rate

Scattering Mesquite trees.

Some greenwood brush.

East on a random line bet.

Secs. 21 + 28.

Cor. 13° 54' E

40.00 Sit temporary 1/4 sec. cor.

79.92 Intersect N.S. line 6 lbs N.  
of corner to Secs. 21, 22, 27 + 28.Thence from N. 89° 54' W.  
on a true line, bet. Secs.

## D. &amp; W. continued

- 2/4 2 P. with same va.
- 9.96 Set a Post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground, for 1/4 sec bar.  
marked 1/4 S. on N. face, dug  
pits 18+18+12 in. E. W. of  
post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post
- 9.92 The corner to Secs. 20, 21, 28+29.  
Surface level  
Soil 1<sup>st</sup> out  
Scattering trees.  
Some Greasewood brush.

North bet. Secs. 20 & 21.

Var. 130° 54' E!

4000 Set a Post 3 ft. long, 3 in. sq.

Subdivisions T. 1 N.

Claim

with marked stone 12 in. in the ground, for 1/4 sec. cor. marked 1/4 S. on W. face, dug pits 18 x 18 x 12 in. Ind. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00

Set a Post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground, for cor. to Sec.

16, 17, 20 & 21. marked

T. 1 N. S. 16 on N. E.

R 2 W. S. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. face, with 4 notches on E. 3 notches on S. edges, dug pits 18 x 18 x 12 in. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 1/2 ft.



N. 2 W. continued

high  $\frac{1}{4}$  ft. base around post.  
 Surface level  
 Scattering trees.  
 Dense Greasewood Bush.

East on a random line bet.  
 Secs. 16 + 21.

Var.  $13^{\circ} 54' E$

4000 Set temporary  $\frac{1}{4}$  sec. cor  
 1996 Intersect w. s. line 16 lbs N. ✓  
 of corner to Secs. 15, 16, 21 + 22  
 Thence I run N.  $89^{\circ} 53' W.$   
 on a true line bet. Secs. 16 + 21.

with same or

1998 Set a Post 3 ft. long, 3 ins. sq.  
 with marked stone pins in  
 the ground, for  $\frac{1}{4}$  sec. Co. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 + 18 + 12

Subdivisions S. 1 N.

chain

ins. Ex W. of post. 5 1/2 ft. dist.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around  
post

79.96 The corner to Secs. 16, 17 & 20 & 22,  
Surface level  
Soil 1<sup>st</sup> rate  
Some Greasewood Bush

North bet. Secs. 16 & 17.

Var. 13° 54' E.

40.00 Set a Post 3 ft. long 3 ins. sq.  
with marked stone 12 ins. in  
the ground for 1/4 sec. cor.  
marked 1/4 S. on W. face,  
dug pits 18 x 18 x 12 ins. W. S.  
of post. 5 1/2 ft. dist. and  
raised a mound of earth

No. 1006

R. 2 W. continued

1 1/2 ft. high 3 1/2 ft. base around post.

Set a Post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground for Cor. to Secs. 8, 9, 16 & 17. marked S. 1 N. S. 9 on N. E.

R. 2 W. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. faces, with 4 notches on S. & E. edges, dug pit 18 x 18 x 12 in. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post.

Surface level

Soil 1st, silt

Some Greasewood & Cateclaw  
Brush.



## Subdivisions P., N., R. &amp; W. continued

Chain

Post on a random line, bet. Secs.  
9 & 16.

Var.  $130^{\circ} 54' E$

40.00 Set temporary  $1/4$  sec. cor.

80.04 Intersect N.S. line at corner  
to Secs. 9, 10, 15 & 16. Hence from  
West on a true line bet. Secs.  
9 & 16. with same as

40.02 Set a Post 3 ft. long, sim. sq.  
with marked stone rim in the  
ground for  $1/4$  sec. cor. marked  
 $1/4$  S. on N. face, dug pits  $18 \times 18 \times 1/2$   
in. E & W. of post  $5 \times 1/2$  ft. dist.  
and raised a mound of earth  
 $1 1/2$  ft. high  $3 1/2$  ft. base around  
post

80.04 The corner to Secs. 8, 9, 16 & 17.

Surface level,

5' or 1<sup>st</sup> rate.

some Greenwood brush

## Subdivisions S. 1 N. R. 2 W. continued

Chains

North bet. Secs. 8 &amp; 9.

Var.  $13^{\circ} 54'$  E.

40.00 Set a Post 3 ft. long, 3 in. sq. with  
marked stone 12 in. in the ground  
for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S. on W.  
face, dug pit  $18 \times 18 \times 12$  in. W. of  
post  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high.  
 $3\frac{1}{2}$  ft. base around post.

80.00 Set a Post 4 ft. long, 4 in. sq. with  
marked stone 12 in. in the ground  
for Cor. W Secs. 4, 5, 8 & 9, marked  
S. 1 N. S. 4 on N. E.

R. 2 W. S. 9 on S. E.

S. 8 on S. W. and

S. 5 on N. W. faces, with 4  
notches on E. 5 notches on S.  
edge, dug pit  $18 \times 18 \times 12$  in.  
in each sec.  $5\frac{1}{2}$  ft. dist. and

## Subdivision T. 1 N.

claims

rained a mound of earth 2 ft.  
high 4 1/2 ft. base around post.  
Surface level  
Soil 1<sup>st</sup> rat  
Scattering Greasewood Bush.

East on a random line bet.  
Secs. 4 & 9.

Var.  $130^{\circ} 54' 8''$

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect N.S. line 16 lbs S.  
of corner to Sec. 3:4: 9 & 10

Thence S. run  $89^{\circ} 53' 11''$ .

on a true line bet. Secs. 4 & 9.  
with same va.

39.97 Set a post 3 ft long, 3 in. sq. with  
marked stone 12 in. in the ground  
for 1/4 sec. cor. marked 1/4 sec.



## R. 2 W. continued

Chains

on N. face, dug pits  $18 \times 18 \times 12$   
in. E. & W. of post  $5 \frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $\frac{1}{4}$  ft. by  $2 \frac{1}{2}$  ft. base around  
post.

79.94 The corner to Secs. 4, 5, 8 & 9.  
Surface level  
Soil 1st site  
Scattering trees.  
Some Greasewood Bush.

North on a random line bet.  
Secs. 4 & 5.

Var.  $N 54^{\circ} E$

4000 Set temporary  $\frac{1}{4}$  sec. cor.

79.92 Intersect N. by  $4 \frac{1}{2}$  ft. 18 lbs E.  
of cor. to Secs. 4, 5, 32 & 33.  
Just recently established

## Subdivision D. 1 N.

chains

by way of Huce Iron S. 91 E.  
on a true line bet. Secs. 4 & 5.  
with same ca.

39.92 Set a Post 3 ft. long, sim. sq. with  
marked stone 12 in. in the ground  
for 1/4 sec. cor. marked 1/4 sec.  
on N. face dug pit 18" x 18" x 12"  
sim. W. S. of post. 57" ft. dist.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around  
post

79.92 The corner to Secs. 4, 5, 8 & 9.  
Surface level  
Soil 1st rate  
Dense Greasewood brush.

February 2<sup>d</sup> 1883.

## R. 2 W. continued

Chains

Standard

From the <sup>corner</sup> to Secs. 31 & 32  
on S. By of Tp. first recently  
established by me, from  
North bet. Secs. 31 & 32.

Var.  $13^{\circ} 54' E$

31.50 Cross Road to E & W.

4000 Set a Post 3 ft. long, 2 in. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. Cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pit 18" x 18"  
in. W. S. of post 57 ft. dist.  
and raised a mound of  
earth  $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post. from which  
a Magnet 24 in. dia. to N.  $70^{\circ} E$ . 75 lbs. dist.  
marked  $\frac{1}{4}$  S. B. S.

8000 Set a Post 4 ft. long, 4 in. sq. 2 in.  
dia. in the ground, for Cor.  
to Secs. 29, 30, 31 & 32, marked



## Subdivision P. 1 N.

Lains

T. 1 N. S. 29 on N. E.

R. 2 W. S. 32 on S. E.

S. 31 on S. W. and

S. 30 on N. W. faces, with 5  
notches on E & 1 notch on S.  
edges, dug pits 18 x 18 x 12 in.

in each sec. 5/2 ft. dist. and  
raised a mound of earth  
2 ft. high 4/2 ft. base around  
post. from which

a Mesquite 14 in. dia. br. S. 150 W. 63 lbs dia.  
marked T. 1 N. R. 2 W. S. 31 B. P.

a Mesquite 8 in. dia. br. N. 40 E. 115 lbs dia.  
marked T. 1 N. R. 2 W. S. 29 B. P.

Surface bed

Soil 1st set

Scattering Mesquite trees.

Cluse undergrowth

## R. 2 W. continued

claims

East on a random line bet. Secs  
29 & 32.

Var.  $13^{\circ} 54' E'$

40.00 Set temporary  $1/4$  sec. cor.

79.94 Intersect N&S line 16 $1/2$  blks N.  
of cor. to Secs. 28, 29, 32 & 33.

Thence down N.  $89^{\circ} 53' W.$   
on a true line bet. Secs. 29 & 32  
with same ca.

39.97 Set a post  $3/4$  long, 2 in. sq.

with marked stone pin in  
the ground for  $1/4$  sec. cor.

marked  $1/4$  S. or N. face, dug  
pit 18 x 18 x 2 in. E & W. of

post  $5/8$  ft. dist. and raised  
a mound of earth  $1/2$  ft. high  
 $3/4$  ft. base around post.

79.94 The corner to Secs. 29, 30, 31 & 32

Surface level

## Subdivision P. 1 N.

claim

Set 1st rate  
 scattering Mesquite trees.  
 some greenwood tomb.

West on a random line bet.  
 Secs. 30 & 31.

Var. 13054' 2"

- 40.00 Set temporary 1/4 sec. cor.  
 80.00 Intersect West By of Op. 8 lbs  
 N of cor. to Secs. 25, 30, 31 & 36.  
 Just recently established  
 by my fence from 1889  
 57' E. on a true line, bet. Secs.  
 30 & 31 with same cor.  
 40.00 Set post 3 ft. high iron sp.  
 with marked stone 12 in. in  
 the ground for 1/4 sec. cor.  
 marked 1/4 S. on N. face, dug



R. 2 W. continued

chains

pit 18x18x12 in. E of W. of post  
5/8 ft. dist. and raised a mound  
of earth 1 1/2 ft. high 3/4 ft. base  
around post.

8000

The corner to Secs. 29, 30, 31 & 32.

Surface level

S on l 1st set

Mesquite timber

Sure Greenwood bank.

(1)

North lot. Secs. 29 & 30.

Cor. 130 54' 8"

4000

Set a Post 2 ft. long, 2 in. sq.  
with marked stone 12 in in  
the ground, for 1/4 sec. Cor. marked  
1/4 S. on W. face, dug pits 78x48x2  
in. W. of post 5/8 ft. dist. and  
raised a mound of earth 1 1/2 ft. high 3/4 ft.  
base around post.

## Subdivisions T. 1 N.

chains

8000

Set a Post 4 ft. long, 4 ins. g.  
with marked steel lines in  
the ground, for Cor. to Secs. 19, 20, 29,  
marked T. 1 N. S. 20m N. E.

R 2 W. S. 29 on S. E.

S. 30m S. W. and

S. 19 on N. W. faces, with  
scratches on E & 2 scratches on  
S. dgs, dug pits 18" x 18" x 12 ins.  
in each sec. 5' ft. dist. and  
raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around  
post.

Surface level

8' or 10' sat

sure Goussier wood & ash

East on a random line bet.

## R. 2 W. continued

chain

Secs. 20 &amp; 29.

Var.  $13^{\circ} 54' E$ 4000 Set temporary  $1/4$  sec. cor.8006 Intersect N.S. line 4 lbs N.  
of corner of Secs. 20, 21, 28 & 29.Thence Iron S.  $89^{\circ} 58' W$ .  
on a true line bet. Secs.  
20 & 29. with same va.40.03 Set a post 4 ft. long iron sq.  
with marked stone rim.  
in the ground for  $1/4$  sec.Cor. marked  $1/4$  S. on N. face  
dug pits  $18 \times 18 \times 12$  in. E & W  
of post  $5/8$  ft. dist. and  
raised a mound of earth  
 $1 1/2$  ft. high  $3 1/2$  ft. base around  
post.Surface level  
Soil  $1/2$  rate



## Subdivisions N. 1 N.

Claims

8006 The Corner to Secs. 19, 20, 29 + 30.  
 Surface well  
 Soil 1st rate  
 Some greasewood brush.

✓

West on a random line bet.  
 Secs. 19 + 30

Var. 13° 54' E

- 4000 Set temporary 1/4 sec. cor
- 79.92 Intersect W. By of Tp. 12 lbs  
 N. of cor. to Secs. 19, 24, 25 + 30  
 just recently established  
 by me & since I was N. 89° 55'  
 on a true line bet. Secs. 19 + 30.  
 with same var.
- 39.92 Set a Post 3 ft. long, 2 in. sq  
 with marked stone 12 in. in  
 the ground for 1/4 sec. cor.

## N. &amp; W. continued

chains

marked  $\frac{1}{4}$  S on W face, dug  
pits 18x18x12 in. E & W. of post  
5/8 ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post.

70.92 The Corner to Secs. 19, 20, 29 & 30.

Surface level

Soil 1st rate

course of greenwood brook.

North lot. Secs. 19 & 20.

Var.  $130^{\circ}54'$  E.

4.000 Set a Post east-long, 3 in. sq.  
with marked stone 12 in.  
in the ground for  $\frac{1}{4}$  sec. Cr.  
marked  $\frac{1}{4}$  S on W. face  
dug pits 18x18x12 in. E & W.  
of post 5/8 ft. dist. and

## Subdivision P. 1 N.

chains

raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 post.

8000 Set a Post 4 ft. long, 4 in.  
 sq. with marked stone 12  
 in. in the ground, for  
 cor. to Secs. 17, 18, 19 & 20.  
 marked S. 1 N. S. 17 on N. E.  
 R 2 W. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. faces, with  
 switches on E. switches on  
 S. edge, dug pits  $18\frac{1}{2} \times 12$   
 in. in each sec.  $5\frac{1}{2}$  ft. dist.

and raised a mound of  
 earth 4 ft. high 4 ft. base  
 around post.

Surface level

Soil 1st rate

Use freewood to mark



## R. 2 W. continued

Chains

Point on a random line,  
bet. Secs. 17 & 20.

Var.  $13^{\circ}54'8''$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

20.12 Intersect W.S. line 20th N.  
of corner to Secs. 16, 17, 20 & 21

Thence I run N.  $89^{\circ}55'W$ .

on a true line bet. Secs. 17 & 20

with same or

40.06 Set a pit 4 ft. long, 2 in. sq.

with marked star pins.

in the ground, for  $\frac{1}{4}$  sec.

Cor. marked  $\frac{1}{4}$  S. on N. face,

dig pits 18 & 18 & 12 in. E. W.

of post 5 ft. dirt. and

raised a mound of earth

1 1/2 ft. high @ 1/2 ft. base around

post.

## Subdivisions P. 1 N.

chains

80.12

The corner to Secs. 17, 18, 19 & 20  
 Surface level  
 Soil 1st rate  
 dense Greasewood brush.

West on a random line,  
 bet. Secs. 18 & 19.

Var.  $13^{\circ} 54' E$

40.00

Set temporary  $1/4$  sec. cor.

79.96

Intersect N. By of S. 23  
 the N. of cor. to Secs. 13, 18, 19 & 24  
 post recently established  
 by my Uncle John N.  $89^{\circ} 56' E$   
 on a true line bet. Secs. 18 & 19.  
 with same va.

39.96

Set a Post sp. long 3 in. sq.  
 with marked on 12 in.

## R. 2 W. continued

chains.

in the ground, for  $\frac{1}{4}$  sec.  
 Cor. marked  $\frac{1}{4}$  S on S. face,  
 dug pits 18+18+12 in. E. W.  
 of post 5 ft. dist. and  
 raised a mound of earth  
 $\frac{1}{4}$  ft. high 3 ft. base around  
 post.

79.96 The corner to Secs. 17, 18, 19+24  
 Surface level  
 Soil 1st rate  
 Dense green wood brush

---

North bet. Secs. 17+18.

Var.  $13^{\circ} 54' E$ .

4000 Set a post 5 ft. long 3 in. sq.  
 with marked stone 12 in. in  
 the ground, for  $\frac{1}{4}$  sec. cor.



## Subdivisions S. 1 N.

chains

marked  $\frac{1}{4}$  S. on W. face, dug  
 pits 18 + 18 + 12 ins. N. S. of post  
 5  $\frac{1}{2}$  ft. dist. and raised a  
 mound of earth 1  $\frac{1}{2}$  ft. high  
 3  $\frac{1}{2}$  ft. base around post.

8000 Set a Post 4 ft. long, 4 in.  
 sq. with marked stone 12  
 ins. in the ground, for cor.  
 to Secs. 7, 8, 17 + 18 marked  
 S. 1 N. S. 8 on N. E.

R. 2 W. S. 17 on S. E.

S. 18 on S. W. and

S. 7 on N. W. face, with  
 5 notches on E. 4 notches  
 on S. edge, dug pits 18 + 18 +  
 12 ins. in each sec. 5  $\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 2 ft. high 4  $\frac{1}{2}$  ft. base

## P. 2 W. continued

Main

around post.

Surface level

Soil set rate

Scattering Mesquite trees,  
& some Greenwood Bush.

East on a random line bet.

Secs. 8 &amp; 17.

Cor. 13° 54' 2"

40.00 Set temporary 1/4 Sec. cor.

79.90. Intersect W.S. line 24 W. N.  
of corner. to Sec. 8. 9. 16 & 17.Thence I run N. 89° 49' 77."  
on a true line bet. Secs. 8 & 17.  
with same on39.95 Set a Post 2 ft. long, 3 in. dia.  
with marked stone 12 in.

Subdivisions P. 1 N.

claims

in the ground for 1/4 sec. cor.  
marked 1/4 S. on N. face dug  
pits 18 x 18 x 12 in. Ea. W of  
post 57 ft. dist. and raised  
a mound of earth 1 1/2 ft. high  
3/4 ft. base around post.

79.90 The corner to Secs. 7, 8, 17 & 18.

Surface level

Soil 2 d. rate

Scattering trees.

Some Greenwood & Birch.

West on a random line bet  
Secs. 7 & 18.

Var. 13° 54' E!

4000 Set temporary sp. sec. cor.

79.88 Intersect N. By of 1/4 p. 14



## R. 2 W. continued

claim

oko N. of cor. to Secs. 7, 12, 13 & 18.  
 just recently established by  
 me, I run I run N. 89°  
 54' E. on a true line bet.  
 Secs. 7 & 18. with same va

79.88

Set a Post of long iron sp.  
 with marked stone pins in  
 the ground, for 1/4 sec. cor.  
 marked 1/4 5' on N. face, dug  
 pits 18 & 18 & 12 in. Et W. of  
 post 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft.  
 high 3 1/2 ft. base around post

79.88

The corner to Sec. 7, 8, 17 & 18.  
 Surface level  
 Soil 2 d. rate  
 Scattering trees.  
 dense greasewood brush.

## Subdivision S. 1 N.

Claim

North bet. Secs. 7 &amp; 8.

Var. 13° 57' E.

4000 Set a Post 4 ft. long, 3 in. dia.  
with marked stone 12 in.  
in the ground for 1/4 sec.

Cor. marked 1/4 S. on N.  
face dug pit 18 x 18 x 12

in. W. of post 5/8 ft.

dist. and raised a mound  
of earth 1 1/2 ft. high 3 ft.  
base around post.

8000 Set a Post 4 ft. long, 4 in.

dia. with marked stone 12  
in. in the ground for cor.

to Secs. 5, 6, 7 & 8. marked

S. 1 N. S. 5 on N. E.

R 2 N. S. 8 on S. E.

S. 7 on S. W. and

## R. 2 W. continued

Lains

S. 6 on R. W. faces, with 5  
 notches on E. S. edge, dug  
 pits  $18 \times 18 \times 12$  in. in each  
 sec. 5/8 ft. dist. and raised  
 a mound of earth 2 ft. high  
 flat base, around post.

Stripes Rolling

Soil gravel 2<sup>d</sup> rate

Scattering trees.

Some Greenwood brush.

East on a random line bet.

Seco. 5 & 8.

Var.  $B \circ 54' E'$

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect Prop. line 14 S. of  
 cor. to Seco. 4, 5, 8 & 9. Then  
 Run S.  $89 \circ 54' W.$  on a true



## Subdivisions S. 1 N.

chains

line, bet. Secs. 5 & 8. with  
same ca.

40.05 Set a Post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. line.  
marked  $\frac{1}{4}$  S. on N face, dug  
pits 18 & 18 1/2 in. E & W of  
post 5 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post.

80.10 The corner to Secs. 5, 6, 7 & 8.  
Surface level  
Soil gravel & 2<sup>d</sup> rate  
Scattering trees.  
Some greasewood Bush.

West on a random line  
bet. Secs. 6 & 7.

## R. 2 W. continued

Chains

Var.  $13^{\circ} 54' 21''$ 

4000 Set temporary  $1/4$  sec. cor.  
 79.88 Intersect W. By of Tp.  
 14 Ch. S. of Cor. to Secs. 16. 7+12  
 just recently established  
 by me, Thence down S.  $89^{\circ} 54' 21''$   
 on a true line bet. Secs. 6+7.  
 with same wa.

39.88 Set a post 3 ft. long, 3 in. sq.  
 with marked stone 12 in in  
 the ground for  $1/4$  sec. cor.  
 marked  $1/4$  S. on N. face, dug  
 pits 18+18+12 in. E. W. of  
 post 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft.  
 high 3 1/2 ft. base, around post.

79.88 The Cor. to Secs. 5. 6. 7+8.  
 Surface level  
 Soil gravel + 2% rat

## Subdivisions S. 1 N.

Lains

Scattering trees.  
 some greasewoods cactus  
 Bush.

North on a random line  
 bet. Secs. 5 & 6.

Var. B. 54' E.

- 4000 Set temporary 1/4 sec. Cor.  
 74.96 Intersect N. Ry of S. 10 lbs  
 West of corner to Secs.  
 5 & 6. 31 + 32. just recently  
 established by me. True  
 9 mi S. 5' N. on a true  
 line bet. Secs. 5 & 6. with  
 same variation.
- 39.96 Set a Post 2 ft long, sim.  
 sq. with marked stone  
 12 ins. on the ground



R. 2 W. continued

claim

for 1/4 sec. ber. marked 1/4  
 5' on W. face, dug pit  
 18 x 18 x 12 in. W. S. of post  
 5' left. dist. and raised  
 mound of earth 1 1/2 ft.  
 high 3' left. base around  
 post.

79.96

The Cor. to Sec. 5, 6, 7 & 8.

Surface rolling.

5 or 2 d. rat

Scattering trees.

None greasewood brush.

February 3<sup>d</sup> 1883

Final Oaths of Assistants.

We hereby certify that we assisted Ridgely  
LaPowers U. S. Deputy Surveyor, in surveying  
 the Exterior, & Subdivision Lines  
 of Tps 1 N. Rs. 2. 3. & 4 W. Tps 1 S.  
 Rs. 2. 3. 4 & 5 W. Tps 2 S. Rs. 5 W.  
 & <sup>part of</sup> Tps 3 S. Rs. 5 W.

of the principal base and meridian in the Territory of Arizona,  
 as are represented in the foregoing field notes as having been  
 surveyed by him and under his direction; and that said Survey  
 has been in all respects, to the best of our knowledge and belief,  
 well and faithfully surveyed, and the corner monuments es-  
 tablished according to the instructions furnished by the U. S.  
 Surveyor-General for Arizona.

Ridgely M. Laird (Chairman)  
Frank Hammer (" )  
Richard Hoop (" )  
Wm. W. Winters (" )  
Joseph Lehman (Ex. Secy)  
Oscar Keller (" )

Subscribed and sworn to before me this 10th  
 day of January 1883

R. C. Powers  
 Notary Public.



Final Oath of U. S. Deputy Surveyor.

I Rigley C. Powers

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from J. W.

Robbin U. S. Surveyor General for Arizona bearing date of the \_\_\_\_\_ day of \_\_\_\_\_

1882 I have well, faithfully, and truly, in my own proper person and in strict conformity, with the instructions furnished by the U. S. Surveyor General for Arizona, the surveying manual and the laws of the United States surveyed the \_\_\_\_\_

*Exterior & Subdivision lines of  
Tp 1 N. R 2, 3, & 4 W. Tps 1 S.  
R 2, 3, 4 & 5 W. Tps 2 S. R 5 W.  
part of  
Tp 3 S. R 5 W.*

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing fields notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of the said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the U. S. Surveyor General for Arizona, and in the



specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

*Ridley C. Powers*  
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 3<sup>d</sup> 7<sup>5</sup>

day of February 1883

*Paul Riccker*  
Notary Public.



## U. S. Surveyor General's Office,

TUCSON, ARIZONA,

February 21, 1883,

The foregoing Field Notes of the Survey of the

Subdivision Lines,

of  
Township 1 N. Range  
2 W.

Of the Gila and Salt River Base and Meridian, Arizona, executed by

R. L. Powers.

Deputy Surveyor, under his contract of the

24<sup>th</sup>

day of

October

, 1882, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. W. Robbins  
Surveyor General.