

*Indexed
T. C. A.*

BOOK 1007

No. 1007

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF — *No. 1007*

Township 1 N. Range 3 W.

Gila and Salt River Base and Meridian

ARIZONA.

By *R. C. Powers.* D. S.

under contract dated Oct 24, 1882.

Survey commenced Jan. 25, 1882

Survey completed January 29, 1882

1A

BOOK 1007

INDEX DIAGRAM.

Township 17N

Range 3W

6	96	5	70	4	57	3	34	2	18	1
-95-	-	-93-	-	-68-	-	-50-	-	-33-	-	-17-
7	91	8	66	9	48	10	31	11	15	12
-89-	-	-88-	-	-65-	-	-47-	-	-30-	-	-14-
18	86	17	63	16	45	15	24	14	12	13
-85-	-	-83-	-	-61-	-	-44-	-	-27-	-	-11-
19	81	20	60	21	42	22	25	23	9	24
-80-	-	-78-	-	-59-	-	-41-	-	-24-	-	-8-
30	76	29	57	28	39	27	23	26	7	25
-75-	-	-74-	-	-55-	-	-37-	-	-21-	-	-5-
31	72	32	54	33	36	34	20	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

Subdivision Siles
T. 1 N. R. 3 W.

See page 69

For Preliminary and final
paths see Books for Giles &
Salt River Base line, and
Sp. 1 N. R. 2 W. respectively

No. 1007

Subdivision T. 1 N. R. 3 W.

Gila + Salt River Meridian

Survey commenced
 January 25 1883
 with a Burt's Patent
 Improved Solar Compass
 made by John
 Roach of San Francisco
 California,

Before commencing the
 survey of the subdivision
 of this Township, I carefully
 examined the adjustments
 of my Solar Compass,
 particularly the latitude
 and reversing apparatus
 and found them correct.
 I further tested instrument
 daily during the survey of
 the township.

Subdivision T. 1 N.

chain

Standard

From the Corner to Seco.

35 & 36 on South
 Boundary of Township,
 run North let. Secs. 35 & 36

Var. 13054' E.

(as per observation with Solar compass)

4000 Set a post 3 ft. long, 3 ins. sq. 24
 ins. in the ground, for 1/4
 Sec. Cor. marked 1/4 S on
 W. face, from which

A Magnet with true N. to N. 20° W. 111' bearing
 marked 1/4 S. B. P. and raised a mound of

8000 Set a post 4 ft. long, 4 ins. sq.
 with marked stone 12 ins. in
 the ground, for Cor. to Seco.

25.26. 35 & 36. marked

T. 1 N. S. 25 on N. E.

R. 3 W. S. 36 on S. E.

S. 35 on S. W. and

R. 3 W. continued

chains

S. 26 on N. W. face, with
 1 notch on E. S. edge, dug
 pits 18x18x12 in. in each sec.
 5 ft. dist. and raised a mound
 of earth 2 ft. high 4 ft. base
 around post.

Surface level

Soil 1st rate

Scattering Mesquite trees.
 Dense Greasewood Bush.

East on a random line, bet.
 Secs. 25 & 36.

Var. 13° 54' E

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect E. By of township.

4 lks N. of cor. to Secs. 25, 30.

31 & 36. Thence 2 mm

Subdivisions T. 1 N.

chains

N. $89^{\circ}58'W.$ on a true line
bet. Secs. 25 & 36.

Var. $13^{\circ}54'E.$

40.00 Set a Post 3 ft. long, 3 in. sq.
with marked stone 12 in in
the ground, for $\frac{1}{4}$ sec. Cor.
marked $\frac{1}{4}$ S. on N. face, dug
pits 18 x 18 x 12 in. E. & W. of
post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post. from which
a Mesquite 8 in. dia. br. N. $110^{\circ}W.$ of the dist.
marked $\frac{1}{4}$ S. B. T.

80.00 The Cor. to Secs. 25, 26, 35 & 36.
Surface level
Soil 1st rate
Scattering Mesquite trees.
Some Greasewood Bush

R. 3 W. continued

chains

North bet. Secs. 25 & 26.

Twp. 13° 54' E.

40.00

Set a post 3 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits 18 x 18 x 12 ins. N. & S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. sq. 24 ins. in the ground, for cor. to Secs. 23, 24, 25 & 26. marked N. N. S. 24 on N. E. R. 3 W. S. 25 on S. E. S. 26 on S. W. and S. 23 on N. W. faces, with 1 notch on E. and 2 notches on S. edges, from which

Subdivision S. 1 N.

chains

A Mesquite vine dia. br. $520^{\circ} W. 62$ lbs dist
marked S. 1 N. R. 3 W. S. 26 B. T.

A Mesquite sim. dia. br. N. $150^{\circ} E. 12$ lbs dist
marked S. 1 N. R. 3 W. S. 24 B. T.
and raised a mound of stave around part
no other trees within limits.

Surface level

Soil 1st rate

Scattering Mesquite trees,
Some Greasewood brush.

East on a random line, bet.
Secs. 24 & 25.

Var. $13^{\circ} 54' E.$

40.00 Set temporary $1/4$ sec. cor.

79.96 Intersect E. Ry of Sp. 42 lbs

N. of cor. to Secs. 19, 24, 25 & 30.

Thence S. mm N. $89^{\circ} 42' W.$

on a true line bet. Secs. 24 & 25.

R. 3 W. continued

chains

with same va.

- 39.98 Set a Post 3 ft. long, 3 in. sq.
with marked Stone 12 in. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face, dug
pit $18 \times 18 \times 12$ in. E. & W. of
post $5\frac{1}{2}$ ft. dist and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.
- 79.96 The corner to Secs. 23, 24, 25 & 26.
Surface level
Soil 1st rate
dense Greasewood brush.

North bet. Secs. 23 & 24.

Var. $13^{\circ}54' E.$

- 40.00 Set a Post 3 ft. long, 3 in. sq.
with marked Stone 1 in.

Subdivisions S. 1 N.

chains

in the ground, for $\frac{1}{4}$ sec.
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. W. S.
 of post $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post.

8000 Set a Post 4 ft. long 4 ins. sq.
 with marked stone 12 ins in
 the ground for cor. to Secs.
 13. 14. 23 + 24. marked
 S. 1 N. S. 13 on N. E.
 R. 3 W. S. 24 on S. E.
 S. 23 on S. W. and
 S. 14 on N. W. face, with
 1 notch on E. and 3 notches
 on S. edges, dug pits $18 \times 18 \times 12$
 ins. in each sec. $5\frac{1}{2}$ ft.
 dist. and raised a mound

R. 3 W. continued

Chains

of earth 2 ft. high 4 1/2 ft. base
around post.

Surface level

Soil 1st rate

Dense Greasewood brush.

East on a random line
bet. Secs. 13 + 24

Var. $13^{\circ} 54' E$

40.00 Set temporary 1/4 sec. Cor.
79.96 Intersect E. Ry of Sp. 23
1/2 N. of Cor. to Secs. 13, 18.
19 + 24. Thence I run
N. $89^{\circ} 50' W$. on a true line
bet. Secs. 13 + 24. with same
va.

39.98 Set a Post 3 ft. long, 3 ins. sq.
with marked stone pins.

Subdivision S. 1 N.

Chains

in the ground for 1/4 Sec. corner
marked 1/4 S. on N. face, dug
pits 18+18+12 ins. E. W. of
post 57 ft. dist. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post.

79.96

The corner to Secs. 13, 14.
23+24.

Surface level

Soil 1st rate

Scattering Pinnerod trees.

Some greasewood brush.

+

North bet Secs. 13 & 14

Var. 13° 54' E.

40.00

Set a Post 3 ft. long 3 ins sq.
with marked stone 12 ins.

R. 3 W. continued

Claims

in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face dug
pits 18+18+12 in. N. S. of
post 5/8 ft. dist. and raised
a mound of earth 1/8 ft.
high 3/8 ft. base around post

8000

Set a post 4 ft. long, 4 in.
sq. with marked stone,
12 in. in the ground for
cor. to Secs. 11, 12, 13 & 14.
marked S. 1 N. S. 12 on N. E.
R. 3 W. S. 13 on S. E.

S. 14 on S. W. and

S. 11 on N. W. faces, with
1 notch on E. & 4 notches on
S. edges, dug pits 18+18+12
in. in each sec. 5/8 ft. dist.
and raised a mound of
earth 2 ft. high 3/8 ft. base

Subdivisions S. 1 N.

Claims

around post
 Surface level
 Soil 1st rate
 Scattering trees.
 Dense Greasewood brush.

East on a random line
bet. Secs. 12 & 13.

Var. 13° 54' 8"

4000 Set temporary 1/4 sec. cor.
 8000 Intersect E. By of Tp. 11 lbs
 S of cor. to Secs. 7, 12, 13 & 18.
 20. Find true S. 89° 55' W.
 on a true line bet. Secs.
 12 & 13. with same va.

4000 Set a post 2 ft long, 3 ins.
 sq. with marked stone
 in the ground for.

R. 3 W. continued

Claims

$\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S.
on N. face, dug pits 18" x 18" x 12"
in. E. W. of post $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

8000 The Cor. to Secs. 11, 12, 13 & 14.

Surf level

Soil 1st set

Saw Catalpa and Grease-
wood Bush.

North bet. Secs. 11 & 12.

Var. 13° 54' E.

4000 Set a post 3 ft. long, 3 in. sq.
with marked star pin in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face

Subdivisions T. 1 N.

Chains

Dug pits $18 \times 18 \times 12$ ins. $W \times D$,
 off post $5 \frac{1}{2}$ ft. dist. and raised
 a mound of earth $1 \frac{1}{2}$ ft. high
 $3 \frac{1}{2}$ ft. base around post.

8000

Got a Post 4 ft. long, 4 in.
 sq. with marked stone 12
 in in the ground, for cor.
 to Secs. 1, 2, 11 & 12, marked
 T. 1 N. S. 1 on N. E.
 R. 3 W. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. faces, with
 1 notch on E. 5 notches
 on S. edge, Dug pits $18 \times 18 \times 12$
 in. in each sec. $5 \frac{1}{2}$ ft. dist.
 and raised a mound of
 earth 2 ft. high $4 \frac{1}{2}$ ft. base
 around posts
 Surface rolling.

R. 3 W. continued

Lains

Soil rocky & 2^d rate
 Scattering trees.
 Dense Greenwoods & catclaw
 Bush.

Post on a random line
 bet. Secs. 1 & 12.

Var. $13^{\circ}54' E$

40.00 Set temporary $1/4$ sec. cor.

80.14 Intersect E. By of Tp. 23th.

S of cor. to Secs. 1, 6, 7 & 12.

Thence $0^{\circ}00' S$. $89^{\circ}50' W$.

on a true line bet. Secs. 1 & 12.

with camera.

40.07 Set a post 3 ft long, sim. sq.

with marked stone pins in

the ground, for $1/4$ sec. cor.

marked $1/4$ S. on N face

Subdivisions S. 1 N.

Quins

dug pits 18x18x12 in.

2¹/₂ m. of post 5¹/₂ ft. dist.
and raised a mound of
earth 1¹/₂ ft. high 3¹/₂ ft. base
around post.

80.14 The Cr. to Secs. 1, 2, 11 & 12

Surface rolling.

Soil rocky & 2^d ratedense Cat's claw & Green-
woodbush.

North on a random line
bet. Secs. 1 & 2, 20

Twp. 13054 E!

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. By of Twp.

8 lks E. of cor. to Secs.

1, 2, 35 & 36. post. rescutly

R. 3 W. continued

chains

established by my Neve.
 Iron 5' 0" 3' 8" on a true
 line bet. Secs. 1 & 2, with same on.

40.10 Set a granite stake 16 x 12 x 8
 ins. 11 ins. in the ground
 for 1/4 sec. cor. marked
 1/4 on W. face and raised
 a round of stone alongside
 Pit impracticable

80.10 The cor. to Secs. 1, 2, 11 & 12
 Surface rolling.
 Soil rocky & 2^d rate
 some catclaw, Greasewood,
 & cactus brush

January 25th 1883

Subdivisions T. 1 N.

chain

Standard

From the Corner to Secs.

34 & 35 on S. By a
 Sp. just recently est-
 ablished by run from
 North bet. Secs. 34 & 35.

Var. $13^{\circ} 54' 8''$

40.00 Set a Post 4 ft. long, 4 ins. sq.
 with marked stone 12 ins.
 in the ground for $\frac{1}{4}$ sec.
 Cor. marked $\frac{1}{4}$ S. on W.
 face, dug pits 18 & 18 & 12 ins.
 Nes. of post $5\frac{1}{2}$ ft. dist.
 and raised a mound
 of earth $1\frac{1}{2}$ ft. high $2\frac{1}{2}$ ft.
 base around post

80.00 Set a Post 4 ft. long, 4 ins.
 square with marked
 stone 12 ins. in the
 ground for cor. to Secs.

R. 3 W. continued

Lamin

26, 27, 34 & 35, marked with
 S. 1 N. S. 26 on N. E. R. 13 W. S. 35 on S. E. S. 34 on S. W. and S. 27 on N. W. faces,
 with 2 notches on E & 1 notch on S.

edges, dug pits 18 x 18 x 18 ins.
 in each sec. 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base around
 part from which

All Cornwood 10 ins. dia. br. S. 15° E. 110 ft. dist.
 marked S. 1 N. R. 3 W. S. 35. B. T.

Surface level

Soil 1st rate

Scattering Cornwood & Mesquite
 dense Grasswood Bush.

East on a random line bet.

Secs. 26 & 35,

Var. 13° 54' N.

4000 Set temporary 1/4 sec. Cor.

Subdivisions P. 1 N.

chains

- 79.93 Intersect N.S. line 20th
N. of Cor. to Secs. 25, 26, 35 & 36.
Thence Iron N. $89^{\circ} 57' W.$
on a true line bet. Secs. 26 &
35 with same or
- 39.96 Set about 3ft. long, sim. sq.
with marked stone pins
in the ground, for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ S on N face,
dug pits 18+18+12 in. E & W,
appot 5ft. dist. and
raised a mound of earth
 $2\frac{1}{2}$ ft. high 3ft. base
around post
- 79.93 The Cor. to Secs. 26, 27, 34 & 35.
Surface level
Soil 1st rate
Scattering Ironwoods
Some greasewood

R. 3 W. continued

chains

North bet. Secs 26 & 27.

Var 13° 54' E.

40.00

Set a Post 3 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, for 1/4 sec. Cor. marked 1/4 S on W. face, dug pits 18 x 18 x 12 ins. W. S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3/4 ft. bare around post.

80.00

Set a Post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for cor. to Secs. 22, 23, 26 & 27, marked S. 1 W. S. 23 on N. E. R. 3 W. S. 26 on S. E. S. 27 on S. W. and S. 22 on N. W. faces,

Subdivisions S. 1 N.

Dains

with 2 notches on E. S. edges,
dug pits 18" x 18" x 12 ins. in
each sec. 5 ft. dist. and
raised a mound of earth
2 ft high 4 ft. base around
post.

Surface level

Soil 1st rate

Scattering Ironwood

Mesquite trees.

Some Greasewood Bush.

East on a random line bet.

Secs. 23 + 26.

Var. $13^{\circ} 54' E$

4000 Set temporary 1/4 sec. cor.

8000 Intersect N. S. line 16 Chs N.
of cor. to Secs. 23, 24, 25 & 26

R. 3 W. continued

chains

Plunge 3 mm N. $89^{\circ} 53' W.$
on a true line bet. Secs. 23 & 26.
with same ra.

40.00 Set. apart 3 ft. long, sim.
sq. with marked stone 12
in. in the ground for $1/4$
sec. Cor. marked $1/4$ 8" on
N. face, dug pits 18 + 18 + 12
in. E & W. of post 5/8 ft.
dist. and raised a mound
of earth $1 1/2$ ft. high 5/8 ft.
over mound post.

80.00 The cor. to Sec. 23. nt. 25 & 26
Surface level
Soil 1st rate
Some greasewood brush.

x

North bet. Secs. 22 & 23.

Subdivisions S. 1 R.

- | chain | Var. $13^{\circ} 54' E$ |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 40.00 | Set a post 3 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits 18 x 18 x 12 ins. N.S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post |
| 80.00 | Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for cor. W Secs. 14, 15, 22 & 23. marked S. 1 N. S. 14 on N. E. R. 3 W. S. 23 on S. E. S. 22 on S. W. and S. 15 on S. W. face, with 2 notches on E |

R. 3 W. continued

chains

and 3 notches on S. edges,
dug pits 18 x 18 x 12 ins. in
each sec. 5/8 ft. dist. and
raised a mound of earth
2 ft. high 4 1/8 ft. base around
post.

Surface level

Soil 1st rate

Dense Greasewood shrub.

X

Cast on a random line, bet.
Secs. 14 + 23.

Var. 13° 54' 8"

4000

Set temporary 1/4 sec. cor.

8000

Intersect N & S. line
at corner to Secs. 13, 14, 23 & 24.

Thence I run West on a
true line, bet. Secs. 14 + 23

Subdivision S. 1 N.

4000

with same va.

4000 Set about 2 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12 ins. Et W. of first $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

8000 The Cor. to Secs. 14, 15, 22 x 23.

Surface level

Soil 1st rate

Scattering Mesquite & Ironwood.

Dense greasewood brush.

R. 3 W. continued

chain

North bet. Secs. 14 & 15.

Var. $130^{\circ} 54' E$

40.00

Set a Post 3 ft. long, 2 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times 12$ ins. West of post $5 \frac{1}{2}$ ft. dist. and raised a mound of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base around post.

80.00

Set a Post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 10, 11, 14 & 15, marked S. 1 N. S. 11 on N. E.

R. 3 W. S. 14 on S. E.

S. 15 on S. W. and

S. 10 on N. W. faces,

Subdivision S. 1 N.

chains

with 2 notches on E & 4 notches
on S. edges, dug pits $18 \times 18 \times 12$
ins. in each sec. $5 \frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high $4 \frac{1}{2}$ ft. base
around post.

Surface level

Soil 1st rate

Dense Greasewood Bush.

East on a random line
bet. Secs. 11 & 14

Var. $130^{\circ} 54' E$

40.00 Set temporary $1/4$ sec. cor.

79.96 Intersect N. & S. line 21 ch
S. of cor. to Secs. 11, 12, 13 & 14

Hence run S. $89^{\circ} 51' W$.

on a true line bet. Secs.

R. 3 W. continued

chains

11 & 14. with same va.

39.98 Set a post 3 ft. long, 2 in. sq. with marked stone 12 in. in the ground, first sec. cor. marked 1/4 S. on N. face, dug pit 18 x 18 x 12 in. Ex N. of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

79.96 The corner to Secs. 10, 11, 14 & 15.
 Surface level
 Soil gravelly + 2^d rate
 Scattering trees.
 Some greasewood bush.

North bet. Secs. 10 & 11.
 Var. 13° 54' E.

Subdivision S. 1 N.

chain

40.00

Set a Post 3 ft. long, 2 in. sq. with marked stone 12 in. in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on W face, dug pits 18 \times 18 \times 12 in. N. S. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around post

80.00

Set a Post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground for Cor. to Sec. 2, 3, 10 \times 11. marked S. 1 N. S. 2 on N. E. R. 3 W. S. 11 on S. E.

S. 10 on S. W. and

S. 3 on N. W. faces, with 2 notches on E 5 notches

R. 3 W. continued

Leirs

on S. edges, dug pits 18x18
x 12 ins. in each sec. 5 1/2
ft. dist. and raised a
mound of earth 2 ft high
4 1/2 ft. base around post.
Surface rolling

Soil rocky and 2d rate
dense Greasewood Bush

East on a random line
bet. Secs. 2 & 11.

Var. 130° 54' E

4000 Set temporary 1/4 sec. cor.
8000 Intersect old line 12 lbs S.
of cor. to Secs. 1, 2, 11 & 12.

Thence I run S. 89° 55' W.
on a true line bet. Secs. 2 & 11
with same va.

Subdivisions S. 1 R.

Chains

40.04 Set a Post 3ft. long, 2 in. dia.,
with marked stone 12 in. in
the ground, for $1/4$ sec. cor.
marked $1/4$ S. on N. face
dug pits 18 x 18 x 12 in. E & W.
of post 5 ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
around post.

80.08 The Cor. to Secs. 2, 3, 10 & 11.
Surface rolling
Soil rocky & 2^d rate
dense Greasewood brush

North on a random line
bet. Secs. 2 & 3.

Var. $13^{\circ} 54' 8''$

40.00 Set temporary $1/4$ sec. cor.

R. 3 W. continued

Main

80.34 Intersect N. By of Township.
16 lks E of cor. to Secs. 2, 3, 34 & 35.
Thence I run S. 7' E. on a
true line bet. Secs. 2 & 3.

with same va.

40.34 Set a post 3 ft. long, 2 in. sq.
with marked stone 12 in.
in the ground, for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ S. on N.
face, dug pits 18 x 18 x 12 in.
West of post $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post.

80.34 The Corner to Secs. 2, 3, 10 & 11.
Surface rolling.
Soil rocky & 2d rate
some Greasewood
Bunch.

January 26, 1883

Subdivisions N. 1 N.

Chains

Standard

From the ^{Cor.} to Secs. 33 & 34.

33 & 34 on S. By of Sp.

just recently established
by me, I own both
bet. Secs. 33 & 34.

Var. 130 54 E!

40.00 Set a Post 3 ft long, 3 in. sq.
with marked stone 12 in.
in the ground, for 1/4 sec.
Cor. marked 1/4 S on W face
dug pit 18 x 18 x 12 in. W. S.
approx 5/8 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3/4 ft
base around post.

47.92 Cross Road corner N. W. & S. E.

80.00 Set a Post 4 ft. long, 4 in.
sq. with marked stone
12 in. in the ground, for

R. 3 W. continued

Desires

Cor. to Secs. 27, 28, 33 & 34
marked S. 1 N. S. 27 on N. E.

R. 3 W. S. 34 on S. E.

S. 33 on S. W. and

S. 28 on N. W. faces, with
bristles on E & 1 notch on
S. edges, dug pits 18+18+12
ins. in each sec. 5 1/2 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post.

Surface level

Soil 1st rate

Use Grass and Brush.

East on a random line
bet. Secs. 27 & 34.

Var. 13° 54' 21"

Subdivisions S. 1 N.

chains

40.00 Set temporary $\frac{1}{4}$ sec. cor.80.08 Intersect N.E. line 6th

N. of cor. to Secs. 26.27.

24 & 35. Thence 2 mm N.

89057' N. on a true line
bet. Secs. 27 & 34. with
same ra.

40.04 Set a Post 5 ft. long, 2 in. dia.
with marked stone 12 in.
in the ground, for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. on N. face,
dug pit 18 x 18 x 12 in. E. N.
of post 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth
1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
around post

80.08 The corner to Secs. 27, 28, 33 & 34

Surface level

Soil 1 $\frac{1}{2}$ rate

R. 3 W. continued

claim

Bluse Greasewood Bush.

North bet. Secs. 27 & 28.

Var $13^{\circ} 54' E$

40.00

Set a Post 3 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times 12$ ins. N. S. of post $57\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{4}$ ft. high $3\frac{1}{2}$ ft. bare around post.

80.00

Set a Post 4 ft. long, 4 ins. sq. with marked stone, 12 ins. in the ground for. Cor. of Secs. 21, 22, 27 & 28. marked S. 1 N. S. 22 on N. E.

Subdivisions J. 1 h.

chains

R 3 W. S. 27 on S. E.

S. 28 on S. W. and

S. 21 on N. W. ^{with samples on E. 2 corners} faces, ^{24' x 20'} dug

pits 18 x 18 x 12 in. in each sec.

5/8 ft. dist. and raised a
mound of earth 2 1/8 ft. high
4 3/8 ft. base around post.

Surface level

Soil 1st rate

Some Greenwood wood.

Cart on a random line
bet. Secs. 22 x 27.
Kart 13° 54' E!

~~4000 Set a Post 1/4 mi. long 3 in.
sq. with marked stakes
12 in. in the ground for
1/4 sec. cor. marked 1/4 8.~~

R. 3 W. continued

chains

on N. face dug pits 18" x 18" x 18"
 in E. W. of post 5/8 ft. dist.
 and raised a mound of
 earth 1/2 ft. high 3/4 ft. base
 around post.

80.00 Set a Post 4 ft. long 4 in.
 sq. with marked stone 12
 in. in the ground for Cor to
 Sec 20

Cast on a random line
 bet. Secs. 22 + 27.

Var. 13° 54' 8"

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect N. S. line at
 Cor. to Secs. 22, 23, 26, & 27.

Thence I run West on a
 true line bet. Secs. 22 + 27.
 with same or

40.00 Set a Post 3 ft. long, 4 in.

Subdivision S. 1 N.

claim

sq, with marked stone 12
ins. in the ground, for
1/4 sec. cor. marked 1/4 S.
on N. face, dug pits 18x18x12
ins. E. W. of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2
ft. base around post.

80.00 The Cor. to Secs. 21, 22, 27 & 28.
Surface level
Soil gravel & 2^d rate
Dense Greasewood Bush.

North bet. Secs. 21 & 22
Var. 13° 54' E.

40.00 Set a Post 4 ft. long, 4
ins. sq. with marked stone
12 ins. in the ground, for

R. 3 W. continued

claims

1/4 sec. cor. marked 1/4 S.
 on W. face, dug pits 18x18x12
 in. N. S. of post 5 1/2 ft.
 dist. and raised a mound
 of earth 1 1/2 ft. high 3 ft.
 base around post.

80.00 Set a Post 4 ft. long, 4 ins.

sq. with marked stone 12
 in. in the ground for cor.
 to Sec. 15, 16, 21 & 22. marked
 S. 1 N. S. 15 on N. E.

R. 3 W. S. 22 on S. E.

S. 21 on S. W. and

S. 16 on W. W. face, with
 3 notches on E & S. edges,
 dug pits 18x18x12 in.
 in each sec. 5 1/2 ft. dist.
 and raised a mound
 of earth 2 ft. high 4 1/2 ft.

Subdivisions S. 1 N.

chains

base, around post.

Surface level

Soil 1st rate

Scattering Palo Verde trees

Have Greasewood & Bush.

East on a random line
bet. Secs. 15 & 22.

Var. $130^{\circ} 54' 2''$ 40.00 Set temporary $1/4$ sec. cor.

80.04 Intersect N&S line 16

lks N. of cor. to Secs.

14, 15, 22 & 23. ~~Thence~~run N. $89^{\circ} 53' N.$ on a

true line bet. Secs. 15 & 22

with same va.

40.02 Set about 3 ft. long, sim.

sq. with marked stone

R 3. W. continued

Chains

12 in. in the ground, for
 $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S.
 on N. face, dug pits 18" x 18" x
 12 in. E. W. of post $5\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
 base around post.

80. of The Cor. to Secs. 15, 16, 21 & 22

Surface level
 Soil 1st rate
 Scattering Paloverde &
 Ironwood trees.
 Dense Greasewood brush.

North bet. Secs. 15 & 16
 Var. 13054187

4000 Set a post 2 ft. long, 3 in.
 sq. with marked stone

Subdivisions S. 1 N.

Claims

12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S.
 on W. face, dug pits 18" x 18"
 ins. N. S. of post $\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth $\frac{1}{2}$ ft. high $\frac{3}{4}$ ft
 base around post.

8000 Set Post 4 ft. long, 4 ins. sq.
 with marked stone 12 in.
 in the ground, for cor.
 to Secs. 9, 10, 15 & 16. marked
 S. 1 N. S. 10 on N. - E.
 R. 3 N. S. 15 on S. E.
 S. 16 on S. W. and
 S. 9 on N. W. face, with
 3 notches on E. 4 notches
 on S. edges, dug pits to 18" x 18"
 ins. in each sec. $\frac{1}{2}$ ft.
 dist. and raised a

R. 3 W. continued

Lains

mound of earth 2 ft high
 4 ft. base around post.
 Surface level
 Soil gravel 2^d rate
 Scattering Palo verde &
 Ironwood trees.
 Some undergrowth.

East on a random line
 bet. Secs. 10 & 15.

Var. $130^{\circ}54'21''$

40.00 Set temporary 1/4 sec. cr.

79.96 Intersect N.S. line 12th

N of Cr. to Secs. 10, 11, 14 & 15.

Since I run N $89^{\circ}55'11''$.

on a true line bet. Secs.

10 & 15. with same va

39.98 Set up post 3 ft. long pins.

Subdivisions S. 1 N.

Chains

eg. with marked stone 12
 in. in the ground, for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ 5 on
 N. face dug pits 18x18x12
 in. E. W. of post $5\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
 ft. base around post

79.96 The Corner to Secs. 9, 10, 15 & 16
 Surface level
 Soil gravel 2^d rate
 Scattering Palo Verde
 Ironwood trees.
 Nurse Cat. class & Yucca
 wood brush.

North bet. Secs. 9 & 10.
 Var. 13054' E'

R. 3 W. continued

Claims

4000

Set a post 3 ft long, 2 in. sq. with marked stone in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits 18 x 18 x 12 in. Int. at post 5 ft. dist. and raised a mound of earth $\frac{1}{2}$ ft. high 3 ft. base around post.

8000

Set a post 4 ft. long, 4 in. sq. with marked stone in the ground, for cor. to Secs. 3, 4. 9 x 10. marked

P. 1 S. 3 on N. E.

R. 3 W. S. 10 on S. E.

P. 9 on S. W. and

S. 4 on N. W. face, with 3 notches on E. 5 notches on S. edge, dug pits 18 x 18 x 12

Subdivisions S. 1 N.

chains

ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft. base
around post.

Surface level

Soil 2^d rate

Scattering Palo verde trees

None greasewood Bush

East on a random line
bet. Secs. 3 & 10.

Cor. 13054 &

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.02 Intersect N. & S. line 18th S.
of Cor. to Secs. 2, 3, 10 & 11.

Thence I run S. $89^{\circ} 57' 44''$

on a true line bet. Secs.

3 & 10. with same or.

R. 3 W. continued

chains

40.01 Set a Post 2 ft. long, 3 in. sq. with marked stone 12 in. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N face, dug pits $18 \times 18 \times 12$ in. N. S. of post. 5 ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. low around post.

80.02 The Cor. to Secs. 3, 4, 9 & 10
 Surface Rolling
 Soil rocky & 2^d rate
 Scattering trees.
 Dense *Galearwoods* etc.
 clear brush.

North on a random line
 bet. Secs. 3 & 4.

Subdivisions S. 1 N.

chains

Var. 13034' 2'

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 50.00 Dry wash soft. deep. 112 lbs
 with cone S. 150' 2'
- 80.00 Intersect N. By of Sp. 28 lbs
 E. of cor. to Secs. 3, 4, 33, & 34.
 Hence Iron S. 12' 2'.
 on a true line bet. Secs.
 3 & 4. with same var.
- 40.06 Set a Granite stone 16x12x8
 in. 11 in. in the ground
 for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on N. face, and raised
 a mound of stone
 alongside, Pt. imp.
 practicable
- 80.06 The Cor. to Secs. 3, 4, 9 & 10.
 Surface rolling rocky
 Soil 3d rate

R. 3 W. continued

chains

Some Cholla Cactus
Greasewood bush
Scattering Plover
Ironwood.

January 27. 1883

Subdivision S. 1 N.

chain

Standard

From the corner to Secs.

32 + 33 on S. By of
 Sp. just recently established
 from north bet. Secs.

32 + 33. Var. $13^{\circ} 54' 81''$

40.00 Set a Post 3 ft. long, 2 ins. sq.
 with marked stone 12 ins.
 in the ground for $\frac{1}{4}$ sec.
 Cor. marked $\frac{1}{4}$ S on W. face
 dug pits $18 \times 18 \times 12$ ins. N. E.
 S. of post $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post.

80.00 Set a Post 4 ft. long, 4 ins. sq.
 with marked stone 12 ins.
 in the ground for cor. to
 Secs. 28, 29 + 32 + 33. marked
 S. 1 N. S. 28 on N. E.

R. 3 W. continued

claims

R. 3 W. S. 33 on S. E.

S. 32 on S. W. and

S. 29 on N. W. face, with
4 notches on E, 1 notch on
S. edges, dug pits $18 \times 18 \times 12$
ins. in each sec. 5/8 ft. dist.and raised a mound
of earth 2 ft. high, 4 1/2 ft.
base around post.

Surface level.

Soil. 1st rateScattering Paloverde trees.
Dense Greasewood & Cat-
claw Bush.East on a random line
bet. Secs. 28 & 33.To $130^{\circ} 54' E$

Subdivision S. 1 N.

Chain

23.10 Cross Road corner N. W. 2 S. E.

40.00 Set temporary 1/4 sec cor.
~~with marked stone 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 S. on N. face, dug pits 18+18+12 ins. at each of post.~~

80.00 Intersect W. S. line, ^{at cor. to Secs} 27, 28, 33 & 34. Thence I run West on a true line bet. Secs. 28 & 33. with same cor.

40.00 Set a post 2 ft long, 3 ins. sq. with marked stone 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 S. on N. face, dug pits 18+18+12 ins. E. W. of post 5 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 ft. base

R. 3 W. continued

chain

around post.

80.00 The corner to Secs. 28, 29, 32 & 33.

Surface level

Soil 1st rate

Use Greasewood brush.

North bet. Secs. 28 & 29.

Var. 13° 54' 18"

40.00 Set a post 3ft. long, 4 ins.

square, with marked stan

12 ins. in the ground, for 1/4

sec. cor. marked 1/4 S. on

W. face, dug pits 18 & 18 x 12

ins. N. & S. of post 5 1/2 ft.

dist. and raised a mound

of earth 1 1/2 ft. high 3 1/2 ft.

base around post.

46.52 Cross Road corner N. W. & S. E.

Subdivisions P. 1 N.

chains

80.00

Set about 4 ft. long, 4 ins. sq.
with marked stone 12 ins.
in the ground, for cor. to
Secs. 20, 21, 28 + 29, marked
P. 1 N. S. 21 on N. E.

R. 3 W. S. 28 on S. E.

S. 29 on S. W. and

S. 20 on N. W. faces, with
4 notches on E. 2 notches
on S. edges, dug pits 18 x 18 x 1/2
ins. in each sec. 5 1/2 ft. dia.
and raised a mound of
earth 5 ft. high 4 1/2 ft. base
around post.

• Simple coal

Soil gravel & 2^d rate
Scattering Paloverde
Some Greasewood
Cats claw. Burbs

R. 3 W. continued

chains

East on a random line bet.
Secs. 21 & 28.

Cor. $13^{\circ} 54' E$

4000 Set temporary $1/4$ sec. cor.

79.94 Intersect West line 16 lks N.
of Cor. to Secs. 21, 22, 27 & 28.

Thence run N. $89^{\circ} 53' W$.
on a true line bet. Secs.
21 & 28. with same va.

39.97 Set a post 3 ft long, sim-
ilar with marked stake &
iron in the ground for $1/4$
sec. cor. marked $1/4$ S. on
N face dug pits 18 & 18 1/2
ins. E & W. of post 5/8 ft
dist. and raised a mound
of earth 1 1/2 ft high 3/4 ft.
base around post

79.94 Th. Cor. to Secs. 20, 21, 28 & 29.

Subdivisions T. 1 N.

chains

Surface level

Soil 1st rate

Dense Greasewood brush

North bet. Secs. 20 & 21.

Var. $13^{\circ} 54' 8''$

40.00 Set a post 8 ft. long, 4 ins.
sq. with marked stone,
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S on
W. face, dug pits $18 \times 18 \times 12$
ins. N. & S. of post $5\frac{1}{2}$ ft.
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post.

30.00 Set a post 7 ft. long 4 ins.
sq. with marked stone 12
ins. in the ground, for

R. 3 W. continued

chains

Cor. to Secs. 16, 17, 20 & 21.
marked T. 1 N. S. 16 on N. E.
R. 3 W. S. 21 on S. E.

S. 20 on S. W. and
S. 17 on N. W. faces, with
4 notches on E. & 3 notches on
S. edges, dug pits 18x18x12
in. in each sec. 5/8 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post.

Surface level

Soil 1st rate

Dense Greasewood brush

East on a random line
bet. Secs. 16 & 21.

Cor. 13° 54' E.

Subdivisions T. 1 N.

chains

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.10 Intersect W.S. line 23
 lbs N of Cor. to Secs. 15, 16, 21 & 22
 Thence I run N. $89^{\circ} 50' W.$
 on a true line bet. Secs. 16 & 21
 with same va.
- 40.05 Set a Post 3 ft long iron
 square, with marked dot on
 12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S.
 on N. face, dug pits $18 \times 18 \frac{1}{2}$
 ins. E & W. of post $5 \frac{1}{2}$
 ft. dist. and raised
 a mound of earth $1 \frac{1}{2}$
 ft. high $3 \frac{1}{2}$ ft. base around
 post.
- 80.10 The Cor. to Secs. 16, 17, 20 & 21
 Surface level
 Soil 1st rate

No. 1007

R. 3 W. continued

Lains

Scattering Palo Verde & Iron-wood trees.

Some cat clarr & Grease-wood Bush.

North bet. Secs. 16 & 17.

Var. 13° 54' 8"

40.00 Set a Post 3 ft. long 3 in. sq. with marked stake 12 in. in the ground for 1/4 sec. Cor. marked 1/4 S on N. face dug pits 18 x 18 x 12 in. N.S. of post 5/8 ft. dist. and raised a mound of earth 1 1/2 ft. high 3/4 ft. base around post.

80.00 Set a Post 4 ft. long, 4 in. sq. with marked stake 12

Subdivisions S. 1 N. R. 3 W. continued

Chain

ins. in the ground, for Cor.
to Secs. 8, 9, 16 & 17. Marked
S. 1 N. S. 9 on N. E.

R 3 W. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. faces, with
4 notches on E. S. edges,
dug pits 18 x 18 x 12 ins. in
each sec. 5' apart dist. and
raised a mound of
earth 2 ft. high 4' apart
base around post.

Surface level

Soil gravel & 2^d rate
Some greasewood &
Cactus Bush.

Subdivisions T. 1 N. R. 3 W. continued

chains

East on a random line,
bet. Secs. 9 & 16.

Var. 130 54 E!

40.00 Set temporary $\frac{1}{4}$ sec. cor.

53.10 by wash sp. deep 40 lbs
wide, course South.

80.04 Intersect N. S. line 23 lbs N.
of Cor. to Secs. 9, 10, 15 & 16.

Then I run N 89° 50' W.

on a true line bet. Secs. 9 & 16.
with same va.

40.02 Set a Post 3 ft. long 4 in. sq.

with marked stone 12 in. in
the ground for $\frac{1}{4}$ sec. cor.

marked $\frac{1}{4}$ S. on N face
dug pits 18 + 18 + 12 in. E. W.
of post 57 ft. dist. and
raised a mound of

Subdivisions T. 1 N.

Saline

earth $1\frac{1}{2}$ ft. high 3 ft. base
around post. from which
An Ironwood tree die. Co. S. 30° W.
12th dist. marked $\frac{1}{4}$ S. B. T.

80.04 The Ar. to Secs. 8, 9, 16 & 17.

Surface level

Soil gravelly & 2^d rate

Scattering Palo Verde & Iron-
wood trees.

Some Greasewood & Cactus
Brush.

North bet. Secs. 8 & 9.

Var. 13054' E.

16.00 by mark 3 ft. deep. 15th. wide,
course S. 18° W.

40.00 Set a post 3 ft. long 3 in.

R. 3 W. continued

Chains

sq. with marked stone 12 ins.
in the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face, dug
pits 18 x 18 x 12 ins. W. of
post. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.

63.00 Dry wash 4 ft. deep, balks wide
course S. 31° E.

80.00 Set a Post 4 ft. long 4 ins.
sq. with marked stone 12 ins.
in the ground, for cor. to
Secs. 4, 5, 8 & 9, marked
S. 1 N. S. 4 on N. E.
R. 3 W. S. 9 on S. E.
S. 8 on S. W. and
S. 5 on N. W. faces, with
4 notches on E. 5 notches

Subdivision T. 1 N.

Claims

on E. edge, dug pits 18x18 1/2
ins. in each sec. 57 ft. dist.
and raised a mound of
earth 2 ft high 4 ft. base
around post.

Surface level

Soil gravel 2^d rate
dense greasewood &
cactus Bunch.

East on a random line
bet. Secs. 4 & 9.

Var. 13° 54' E.

23.00 Dry wash 12 ft. deep. 216 lbs
wide, curve South

38.00 Dry wash 8 ft. deep. 80 lbs wide
curve S. 15° W.

R. 3 W. continued

chain

- 4000 Set temporary $\frac{1}{4}$ Sec. Cor.
- 8000 Intersect N.S. line 10 lks N.
of Cor. to Secs. 3, 4, 9 & 10.
Thence I run N. $89^{\circ} 51' W.$
on a true line, bet. Secs.
4 & 9, with same on
- 4000 Set a granite stone $15 \times 12 \times 9$
in. diam. in the ground,
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
N face, and raised a
mound of stone alongside.
Pit impracticable.
- 8000 The cor. to Secs. 4, 5, 8 & 9.
Surface rolling & rocky
Soil 3d rate
Scattering Palo Verde trees.
Dense Locowood Bush

Subdivisions T. 1 N.

chains

North on a random line,
bet. Secs. 4 & 5.Var. $13^{\circ} 54' E$

11.00 Enter Foot hills

40.00 Set temporary $1/4$ sec. cor.

41.00 Base of White Park Mts.

Ascend South end

80.12 Intersect N. By of Twp. 18

lbs East of corner to Secs.

4, 5, 32 & 33. Thence I run

S. $8' E$ on a true line

bet. Secs. 4 & 5, with same cor.

40.12 Set a granite one $15 \times 12 \times 9$

ins. 10 ins. in the ground for

 $1/4$ sec. cor. marked $1/4$

on W. face, and raised

a mound of stone along

side, pits impracticable

R. 3 W. continued

chains

84.12

The Corner to Secs. 4, 5, 8 & 9.
Surface unmountainous
Soil 4th rate
Greasewood Bush.

January 28. 1883

Subdivisions S. 1 N.

Chain

Standard

From the corner to Secs.
31 & 32. on S. Bay of Sp.
just recently established
by rule, from North bet
Secs. 31 & 32.

Var. $13^{\circ} 54' E$

4000 Set a Post 3 ft. long, 3 ins.
sq. with marked stone 12
ins. in the ground, for $\frac{1}{4}$
sec. Cor. marked $\frac{1}{4}$ S.
on N. face, dug pits $18 + 18 + \frac{1}{2}$
ins. W. of post $\frac{1}{4}$ ft.
dist. and raised a
mound of earth $1\frac{1}{2}$ ft.
high $\frac{3}{4}$ ft. base around
post.

5000 Set a Post 4 ft. long, 4 ins.
sq. with marked stone

R. 3 W. continued

claims

12 ins. in the ground, for
 Cor. to Secs. 29, 30, 31 & 32.
 marked S. 1 N. S. 29 on N. E.
 R 3 W. S. 32. on S. E.

S. 31 on S. W. and

S. 30 on N. W. faces, with
 5 notches on N and 1 notch
 on S. edges, dug pits 18" x 18"
 ins. in each sec. 5' x 5' dist.
 and raised a mound of
 earth 2 ft. high 4' x 4' base
 around post

Scattering Plover etc

Ironwood

Some Greasewoods etc -
 clear Brush.

Subdivisions S. 1 N.

chains

Cast on a random line, bet.
Secs. 29 & 32.

Var. $130^{\circ} 54' E$

40.00 Set temporary $1/4$ sec. cor.

79.93 Intersect N. S. line at
cor. to Secs. 28, 29, 32 & 33.

Thence run West on a
true line bet. Secs. 29 & 32
with same or.

39.96 Set a post 3 ft. long 3 in.
square, with marked stone
12 in. in the ground, for
 $1/4$ sec. cor. marked $1/4 S$.
on N. face, dug pits 18 x 18 in.
in. E. W. of post 5 ft.
dist. and raised a
mound of earth 1 ft.
high 3 ft. base around

R. 3 W. continued

chain

part.

79.93 The Cor. to Secs. 29, 30, 31 & 32

Surface level

3' in 1st set

Scattering Palo Verde trees.

Some Greasewood Bush.

West on a random line
bet Secs. 30 & 31.

Var. $13^{\circ} 54' E$

4000 Set temporary 1/4 sec. Cor.

79.82 Intersect West By of Tp.

20 lbs. No. 100 to Secs.

25, 30, 31 & 36. Hence I

run N. $89^{\circ} 51' E$ on a

true line bet. Secs.

Subdivisions S. 1 N.

chains

30 + 31. with same as

39.82 Set a Post 2 ft. long, 3 ins. sq.
with marked stone 12 ins.
in the ground for $\frac{1}{4}$ sec.
Cm. marked $\frac{1}{4}$ S. on N.
face, dug pits $18 \times 18 \times 12$
ins. E & W. of post 5 ft.
dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft.
base around post.

79.82 The corner to Secs. 29, 30, 31 + 32
Surface level
Soil 1st rate
Scattering Palo Verde trees
some greasewood brush

North bet. Secs. 29 & 30.

R. 3 W. continued

chain

Var. 13° 54' E

4000 Set a post 3 ft. long, 3 in. sq. with marked stone pins in the ground, for 1/4 sec. Cor. marked 1/4 S. on N. face dug pits 18 x 18 x 1 in. W. of post 5/8 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

8000 Set a post 4 ft. long, 4 in. sq. with marked stone pins in the ground, for Cor. to Sec. 19, 20, 29 + 30. marked
 S. 1 N. S. 20 on N. E.
 R. 3 W. S. 29 on S. E.
 S. 30 on S. W. and
 S. 19 on N. W. face, with

Subdivisions N. 1 N.

claim

5 notches on E & 2 notches on
S. edge, dug pits 18 x 18 x 12
ins. in each sec. 5/8 ft.

Dist. and raised a mound
of earth 2 ft. high $\frac{1}{2}$ ft.
base around post.

Surface level

Soil 1st sat

Scattering Peloverde
Grease wood Birch.

East on a random line, bet.
Secs. 20 & 29.

Var. $13^{\circ} 54' E$

4000 Set temporary 14 sec. Cor.
48.30 bridge road on N. 1/2 S. 21/39°

80.08 Intersect red line 6th
S. of cor. to Secs. 20, 21, 28 & 29

R. 3 W. continued

claims

Shuce I. m m S. $89^{\circ} 57' N.$
on a true line bet. Secs. 20 & 29.
with same ca.

40.04 Set a Post 2 ft. long, 3 ins. \varnothing .
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face, dug
pits $18 \times 18 \times 12$ ins. Ex. W. of
post $5\frac{1}{2}$ ft. dist and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post.

80.08 The cor. W Secs. 19, 20, 29 & 30
S. surface level
Soil 1. st. rate
Scattering Palo Verde &
Ironwood trees.
Greasewood & Bush

Subdivisions S. 1 N.

x

chains

West on a random line
bet. Secs. 19 & 30.

Var. $130^{\circ}54'E$

4000 Set temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect W. By of corner
lip 12 lbs N of cor. to Secs.

19, 24, 25 & 30. Hence I run

N. $89^{\circ}55'E$ on a true line,
bet. Secs. 19 & 30. with same on

39.84 Set a post 3 ft. long circ. sq.

with marked star 12 in.

in the ground, for $\frac{1}{4}$ sec.

Cor. marked $\frac{1}{4}$ S on N.

face, dug pit 18 x 18 x 12

ins. Et W. of post $5\frac{1}{2}$

ft. dist. and raised

a mound of earth $1\frac{1}{2}$

ft. high 2 ft base

R. 3 W. continued

claims

around post

79.84 The Cr. to Secs. 19, 20, 29 & 30.

Surface level

Soil 1st rate

Scattering Palo Verde

Ironwood trees.

Some Greasewood Bush.

North bet. Secs. 19 & 20.

Var. $15^{\circ} 54' E$ 38.90 Dry Wash aft. deep 20 lbs wide
course S. $10^{\circ} E$ 40.00 Set a Post aft. long 3 in sq.
with marked stone pin.
in the ground, for 1/4 sec.
Cor. marked 1/4 S. on W.
face, dug pit 18" x 12"

Subdivisions N. 1 N.

class

W. S. of post 5 1/2 ft. dia.
and raised a mound of
earth 1 1/2 ft. high 3 ft.
base around post.

58.48 Cross Road to N. W. & S. E.

8000 Set a Post 4 ft. long 4 in.

sq. with marked stone
pins in the ground, for

Cor. to Secs. 17, 18, 19 & 20.

marked N. 1 N. S. 17 on N. E.

R 3 W. S. 20 on S. E.

5¹ 19 on S. W. and

5² 18 on N. W. faces, with
5 notches on E & 3 notches
on S. edges, dug pits 18 1/2 in
dia. in each sec. 5 ft.

dia. and raised a mound
of earth 2 ft. high 4 ft. base

R. 3 W. continued

chain

around post. from which
An Ironwood line. dia. to $\approx 30^\circ W.$
99th dist. marked P. 14. R. 3 W. S. 18 B. S.

Surface level

Soil 1st rate

Scattering Palo Verde
Ironwood trees.

Some greasewoods

Cactus Bush.

East on a random line
bet. Secs. 17 & 20.

Var. $13^\circ 54' E.$

40.00 Set temporary $1/4$ sec. cor.

79.98 Intersect N. S. line at
cor. to Secs. 16, 17, 20 & 21.

Thence Iron West

Subdivisions S. 1 N.

Claim

on a random line, bet. Secs. 17 & 20. with same or.

3999

Set a Post 3 ft. long, 4 in. sq.
 24 in. in the ground for
 1/4 sec. cor. marked 1/4 S.
^{diag. 1/2" x 1/2" E. 1/2" of post 1/2" dia. and raised 1/2" from ground}
^{of depth 1 1/2 ft. L. 3 1/4 ft. please arm of post}
 on N. 1/4 sec. from which
 a Ironwood 8 in. dia. tree. S. 41° 08' 28" the tree
 marked 1/4 S. B. P. no other tree
 within limits.

79,98

The Cor. to Secs. 17, 18, 19 & 20.
 Surface level
 Soil 1st set
 Scattering Ironwood &
 Paloverde trees.
 Dense Greasewood &
 Cats claw Bunch.

R. 3 W. continued

chains

West on a random line
bet. Secs. 18 & 19.

Var. $130^{\circ}54'21''$

17.16 cross Road runs N. W. & S. E.

40.00 Set temporary $1/4$ sec. cor.

79.78 Intersect W. By of Tp. at
cor. to Secs. 13, 18, 19 & 24.

Thence 2 mm East on
a true line bet. Secs. 18 & 19,
with same var.

89.078 Set a Post 3 ft. long, sim. sq.
with marked stone 12 mm.
in the ground, for $1/4$ sec.
Cor. marked $1/4$ S. on N face
dug pit 18 & 18 & 12 mm. E. W.
of post, 5 ft. dist. and
raised a mound of
earth 1 ft. high 3 ft. base

Subdivisions S. 1 N.

datum

around post.

79.78 The Cor. to Secs. 17, 18, 19 & 20.

Surface level.

Soil 1st rateScattering Ironwood &
Paloverde trees.

Scuse Greasewood Bush.

North bet. Secs. 17 & 18.

Var. $13^{\circ}54' E$

40.00 Set a Post 3 ft. long, 3 ins.
sq. with marked stone 12
ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on W.
face, dug pits 18 & 18 1/2
ins. N. S. of post 5 ft.
dist. and raised a mound

R. 3 W. continued

Chairs

of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
low around post.

55.26 Dry mesh 2 ft. long 20 lbs wide
course S 40° W.

80.00 Set a Post 4 ft. long 4 in.
sq. with marked stones 12
in. in the ground for
C. to Secs. 7, 8, 17 & 18. marked
S. 1 S. S. 8 on N. E.
R. 3 W. S. 17 on S. E.
S. 18 on S. W. and
S. 7 on N. W. face, with
5 notches on E. 4 notches
on S. edge, dug pits 18 x 18 x 12
in. in each sec. $5\frac{1}{2}$ ft. diam.
and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft. base
around post.

Subdivisions A. 1 N.

Lamin

Sagebrush

Soil 1000 ft

Scattering Palo Verde
Ironwood trees.Dense Greasewood brush
& Cotsclair brush.

Plot on a random line bet.
Secs. 8 & 17.

Cor. 1305418!

14.88 Dry wash approx. deep 15 lbs wide
course S. 150 W.

22.73 Dry wash approx. deep 20 lbs wide
course S. 150 W.

4000 Set temporary 1/4 sec. cor.

79.98 Intersect red line 23 lbs
S. of cor. to Sec. 8, 9, 16 & 17.

R. 3 W. continued

chains

thence I run S. $89^{\circ} 50' W.$
on a true line bet. Secs.

8 & 17. with same va.

39.99 Set a Post 3 ft. long rim. sq.

24 in. in the ground for
~~diag. post 18 in. x 18 in. E. of N. of post 3 ft. dia. and visible around~~
~~of earth 1 1/2 ft. high 3 1/4 ft. low ground post~~
 1/4 sec. cor. marked 1/4 S.

on N. face from which
 a Paloverde rim. N.E. to. S. $80^{\circ} E. 2 1/2$ ch.

dist. marked 1/4 S. B. T.

79.98 The cor. to Secs. 7, 8, 17, & 18.

Surface rolling

soil good & 29. rate

Scattering Paloverde tree.

dense Greasewood brush.

West. on a random line
 bet. Secs. 7 & 18.

Subdivision S. 1 N.

Chain

Var. $13^{\circ} 54' 8''$

- 3.88 By metal sp. deep 3alks wide course $S 25^{\circ} 11'$
- 27.96 " " 3, " 43, " $S. 45^{\circ} W.$
- 34.00 " " 4 " " 30 " " $S. 70^{\circ} E'$
- 4000 Set temporary $1/4$ sec. cor.
- 62.55 By metal sp. deep 30 lks wide course $S 40^{\circ} E'$
- 73.83 Cross Road course N. W. & S. E.
- 79.60 Intersect W. Ry of Twp 10 lks N.
 of cor. to Secs. 7, 12, 13 & 18.
 Hence I run N. $89^{\circ} 56' E.$ on
 a true line bet. Secs. 7 & 18.
 with same var.
- 39.60 Set a Post 3 ft. long, circ. sp.
 with marked stone 12 ins. in
 the ground, for $1/4$ sec. cor.
 marked $1/4$ S. on N. face dug
 pit 18 & 18 & 12 ins. Ex W. of
 post or left dist. and varied

R. 3 W. continued

chains

a mound of earth 14 ft. high
3/4 ft base around post

79.60

The cor. to Secs. 7, 8, 17 & 18

Surface level

Soil 1st rate

Paloverde & Ironwood trees.

Greasewood & Cateclaw

Bush.

North bet. Secs. 7 & 8,

Var. B 054⁸

4.17

Dry well 4 ft. deep 115 lbs wide, course S. 45° W.

22.92

" " 5 " " 20 " " " S. 15° W.

40.00

Set a Post 3 ft. long 2 in. sq. with
marked at one 12 in. in the
ground, for 1/4 sec. cor.
marked 1/4 S. on N. face,

Subdivisions T. 1 N.

chains

dug pits 18x18x12 ins. No. 5 of post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

52.00 by road 8 ft. deep 93 lbs each, come S. 15° W.

71.00 " " 8 " " 20 " " S. 20° E.

80.00 Sit a Post 4 ft. long 4 ins. sq. with marked stone 12 ins.

in the ground, for cor. to Secs. 6, 7 & 8. marked

S. 1 N. S. 5 on N. E.

R 3 W. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. face, with 5 notches on E & S. edges dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of

R, 3 W. continued

Plains

earth 2 ft. high $4\frac{1}{2}$ ft. base
around post.

Symplocos mollis.

Soil gravel & 2 d oak

Scattering Palo Verde trees.

Dense Greasewood brush.

East on a random line
bet. Secs. 5 & 8.

Var. 13° 54' 2"

13.61	dry wash 18 ft. deep. 205 lbs wide across	S. 40° E.
26.00	" " 15 " " 60 " " "	S. 20° E.
31.60	" " 15 " " 40 " " "	S. 10° E.
40.00	Set temporary $\frac{1}{4}$ sec. cor.	
41.10	dry wash 10 ft. deep. 60 lbs wide across	S. 10° W.
52.00	" " 15 " " 55 " " "	S. 40° E.
57.80	" " 10 " " 40 " " "	S. 15° E.
69.22	" " 10 " " 110 " " "	S. 20° E.

Subdivisions S. 1 N.

Chains

80.21 Intersect N & S. line 1/4 lb. S. of cor. to Secs. 4, 5, 8 & 9. Thence Iron S. 89.5° W. on a true line bet. Secs. 5 & 8. with same or.

40.10 Set a Post 3 ft. long, 3 in. sq. with marked stone 12 in. in the ground, for 1/4 sec. cor. marked 1/4 S. on N. face, dug pit 18x18x12 in. E & W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

80.21 The corner to Secs. 5, 6, 7 & 8. Surface rolling & rocky Soil 2d. sat
 some Ploverdes Grass

R. 3 W. continued

Leino

woodbrush.

West on a random line,
bet. Secs. 6 & 7.

Var. $130^{\circ}54'E$ 46.8 *Survey* *west* *1/4* *sec.* *20* *tho* *wide*, *course* $3.30^{\circ}E$.10.25 " " 10 " " 80 " " " $8.45^{\circ}E$.

Thence over rolling Hills

40.00 Set temporary $1/4$ sec. cor.79.58 Intersect W. By of Sp. 22 lbs
N of cor. to Sec. 1.6. 7 & 12Thence from N. $89^{\circ}50'E$
on a true line bet. Secs.
6 & 7. with sand va.39.58 Set a Post 3 ft. long, 3 in. sq.
with marked stone pin.
in the ground for $1/4$ sec.

Subdivisions S. 1 N.

Claim

Cor. marked $1/4$ S. on N. face,
dug pits $18 \times 18 \times 12$ in.

Ex. W. of post $5/8$ left. dist.
and raised a mound of
earth $1/2$ ft. high $3/4$ ft.
base around post.

79.58. The Cor. to Secs. 5, 6, 7 & 8.
Surface mountainous
Soil 3d rate
Greasewoods & Cactus
Brush.

North on a random
line bet. Secs. 5 & 6.

Var. $13^{\circ} 54' E!$

6.84.	dry	wind	10 ft.	dep.	as	the	with	course	$S. 30^{\circ} E!$
25.10	"	"	10 "	"	100 "	"	"	"	$S. 45^{\circ} E!$
34.50	"	"	15 "	"	60 "	"	"	"	$S. 41^{\circ} E!$

R. 3 W. continued

Chain

Enter rolling Hills

40.00 Set temporary $\frac{1}{4}$ sec. cor.40.10 Intersect N. By of Tp. 10th
E of Cor. to Secs. 5, 6, 31 & 32.Thence 1 mm S. 4' E! on
a true line, bet. Secs. 5 & 6.
with same ca.40.10 Set a post 3 ft. long, 3 in.
sq. with marked stone
peins. in the ground,
for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W. face, dug
pits 18 x 18 x 12 in. Prod.
appost 57 ft. dist. and
raised a mound of
earth 11 ft. high 3 ft.
base around post.

40.10 The Corner to Secs. 5, 6, 7 & 8.

Subdivisions N. 1 W.

claims

Surface Mountains
& rocky
Soil 3^d rate
Greasewood Brush.

January 29th 1883

R. 3 W. continued

General Description

This Township is a level land, except a small portion of the north end, along the foot of the White Park Mountains, where it is broken & rocky, intersected with numerous washes, which soon disappear on reaching the level land. There is scattering Ironwood & Paloverde trees, and dense underbrush throughout the township. The land slopes gently to the south nearly all the level land is 1st and 2^d rate

100
BOOK 1007

BOOK 1007

Chains

and will produce
any thing in abundance
if irrigated

For Pinal Oaths see Book for
Sp. U. R. 2 W.

U. S. Surveyor General's Office,
Tucson, Arizona, Feb. 21, 1883

The foregoing Field Notes of the survey of

Subdivision lines

of

Township 1 North.

Range 3 West,

of the Gila and Salt River Base and Meridian, Arizona,
executed by R. C. Powers,

D. S., under his contract of the 24th day of

October, 1882, having been critically ex-

amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

J. W. Robbins

Surveyor General.