

BOOK 1008

No. 1008

# Field Notes

BOOK 1008  
OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

Township *1 N.* Range *4 W*

*Gila and Salt River Base and Meridian*

**ARIZONA.** *No. 1008*

By *R. C. Powers.* D. S.

under contract dated *Oct 24<sup>th</sup>* 1882.

Survey commenced *Jan. 20* 1882.

Survey completed *Jan. 24* 1882.

1008

1A

BOOK 1008

BOOK 1008

INDEX DIAGRAM.

Township 1 N.

Range 4 W.

6	91	5	68	4	57	3	35	2	19	1
89	88	67	50	34	17					
7	86	8	65	9	48	10	32	11	16	12
85	83	64	47	31	14					
18	82	17	62	16	45	15	29	14	13	13
81	79	60	44	28	11					
19	78	20	59	21	42	22	26	23	9	24
77	75	57	41	25	8					
30	74	29	56	28	39	27	23	26	7	25
72	71	54	38	22	5					
31	70	32	53	33	37	34	21	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

Subdivision Lines  
D. R. R. 4 W.

For preliminary and final notes  
see Books for Gila & Salt River  
Base line and N. 1 N. R. 2 W.  
respectively.



No. 1008

BOOK 1008

Subdivision N. 1 R. 4 W.

Gila & Salt River Meridian

Survey commenced  
 January 20<sup>th</sup> 1883.  
 with a Burto Patent  
 Improved Solar Compass  
 made by John  
 Roach of San Francisco,  
 California.

---

Before commencing the  
 survey of the subdivision  
 lines, of this township,  
 I carefully examined  
 the adjustments of my  
 Solar Compass particularly  
 the latitude and  
 reversing apparatus  
 and found them correct.  
 I further tested instrument daily  
 during the survey of this township.

## Subdivisions S. 1 N.

chain

From the Standard  
Corner to Secs. 35 & 36.  
on South Boundary  
of Tps. just recently  
established by me, from  
North bet. Secs. 35 & 36.

Var.  $13^{\circ} 54' E$

(As per observation with solar compass)

40.00 Set a Post 3 ft. long, 2 in. sq.  
with marked stone 12 in.  
in the ground, for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face  
dug pits  $18 \times 18 \times 12$  in. W. of  
post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

80.00 Set a Post 4 ft. long, 4 in.  
sq. with marked stone

## R. 4 W. continued

chain

12 ins. in the ground, for  
 Cor. to Secs. 25, 26, 35 & 36.  
 marked  $\Delta$  1 N. S 25 on  $\Delta$  E.  
 R. 4 W. S. 36 on S. E.  
 S. 35 on S. W. and  
 S. 26 on N. W. faces, with  
 scratch on E & S. edge, dug  
 pits 18" x 18" x 12 ins. In each  
 sec. 5' ft. dist. and  
 raised a mound of earth  
 2 ft. high 4' ft. base, around  
 post.  
 Surface level  
 Soil 10% rate  
 Some Greenwood bomb.

East on a random line  
 bet. Secs. 25 & 36.



Subdivision S. 1 N.

Stains

Var.  $13^{\circ} 54' E$

40.00 Set temporary  $\frac{1}{4}$  sec. Cor.

80.00 Intersect E. By of T<sub>6</sub>.

6 l<sup>ts</sup> N. of cor. to Secs. 25.30.

recently ~~discovered~~ by me  
31 + 36. Hence I run S 89° 38' 1/2

on a true line bet. Secs. 25 + 36.

with same va.

40.00 Set a post 3 ft. long, 3 ins. sq.

with marked stone pins.

in the grounds for  $\frac{1}{4}$  sec.

cor. marked  $\frac{1}{4}$  S. on N. face,

dug pits 18 + 18 + 12 ins. E + W.

of post 5 ft. dist. and

raised a mound of

earth 1 ft. high 3 1/2 ft. base

around post.

80.00 The Cor. to Secs. 25.26.35 + 36.

Surface level

Soil 1st rate

## R 4 W. continued

chains

dense greasewood brush.

North bet. Secs. 25 &amp; 26

Var.  $13^{\circ} 54' E$ 36.10 Dry wash 2 ft. deep, 15 lbs wide, course  
 $S 40^{\circ} E$ 40.00 Set a post 2 ft. long, 3 in. sq.  
with marked steel pins  
in the ground, for  $1/4$  sec.  
Cor. marked  $1/4 S$  on W.  
face, dug pits  $18 \times 18$  in.  
N.S. of post  $5 1/2$  ft. dist.  
and raised a mound  
of earth  $1 1/2$  ft. high  $3 1/2$  ft.  
base, around post.80.00 Set a post 4 ft. long 4 in.  
square, with marked steel  
pins in the ground, for



## Subdivisions S. 1 N.

chain

Cor. to Secs. 23, 24, 25 & 26.  
marked S. 1 N. S. 24 on N. E.  
R 2 W. S. 25 on S. E.

S. 26 on S. W. and

S. 23 on N. W. faces, with  
notch on E. and 2 notches  
on S. edge, dug pits 18" x 18" x 12"  
in. in each sec. 5' ft. dist.  
and raised a mound of  
earth 2 ft. high 4' ft. base  
around pit.

Surface level

Soil 1<sup>st</sup> rate

Pure Greasewood Bush.

East on a random line  
bet. Secs. 24 & 25.

Var. 13° 54' 8"

## R. 4 W. continued

chains

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 30.04 Intersect E. By of T<sub>10</sub> 10th  
 N of cor. to Secs. 19, 24, 25 & 30,  
 thence Iron N. 89° 55' W.  
 on a true line bet. Secs. 24 & 25  
 with same var.
- 40.02 Set a post 3 ft. long, circ. sq.  
 with marked stakes in  
 in the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  S. on N.  
 face, dug pits 18" x 18" min.  
 Ex N. of post 5 ft. dist.  
 and raised a mound of  
 $1\frac{1}{2}$  ft. high 3 ft. base, around  
 post.
- 30.04 The cor. to Secs. 23, 24, 25 & 26.  
 Surface level  
 Soil 1st rate  
 dense greasewood brush.

## Subdivisions S. 1 N.

chains

North bet. Secs. 23 + 24.  
Cor.,  $13^{\circ} 54' E.$ 

4000 Set a post 3 ft. long 3 in. sq. with marked stone 12 ins. in the ground for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S. on W. face, dug pits  $18 \times 18 \times 12$  ins. W. of post 5 ft. dist. and raised a mound of earth 1 ft. high 3 ft. base around post.

8000 Set a post 4 ft. long, 4 in. sq. with marked stone 12 ins. in the ground for Cor. to Secs. 13, 14, 23 + 24. marked S. 1 N. S. 13 on N. E. R 4 W. S. 24 on S. E. S. 23 on S. W. and



## R. 4 W. continued

Claims

S. 14 on N. W. face, with  
 1 notch on E & 3 notches  
 on S. edges, dug pits 18x18  
 x 12 in. in each sec. 5/4 ft.  
 dist. and raised a mound  
 of earth 2 ft. high 4/4 ft.  
 base around post.

Surface level

Soil 1<sup>st</sup> rate

Scattering Ironwood &

Paloverde

Scuse Yucca wood trunk.

East on a random line  
 bet. S. 13 & 24.

Var. 13° 54' E.

4000 Set temporary 1/4 sec. cor.

8000 Intersect E & B of N.

## Subdivisions S. 1 N.

Lains

6 lbs S of Cor. to Secs. 13, 18.  
<sup>recently established by me</sup>  
 19<sup>s</sup> 24<sup>n</sup> Thence S 89° 58' W. on a true  
 line bet. Secs. 13 & 24.  
 with same va.

4000 Set a post 3 ft. long 3 ins.  
 sq. with marked stone  
 ins. in the ground, for 1/4  
 sec. Cor. marked 1/4 S. on  
 N. facey dug pits 18<sup>s</sup> 18<sup>n</sup>  
 ins. E. W. of post 5 1/2 ft.  
 dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2  
 ft. base around post.

8000 The corner to Secs. 13, 14, 23 & 24  
 Surface level  
 Soil 1st rate  
 Scattering Paloverde,  
 & Ironwood.



## R 4 W. continued

chains

1 Heuse Yuccawoodbush.

North bet. Secs. 13 & 14.

Var.  $13^{\circ} 54' E$

23.90 Dry wash 2 ft. deep. 15 lbs wide course  $S. 60^{\circ} E$

40.00 Set a post 2 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4} S.$  on W. face  
dug pits 18 x 18 x 12 ins. W. of  
post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

53.47 Dry wash  $\frac{1}{2}$  ft. deep. 15 lbs wide, course  $S. 40^{\circ} E$ .

57.19 " " 6 " " 18 " " " East.

71.90 Ascend rocky ridge

75.70 Top 50 ft. high to  $E$  &  $W$ .

## Subdivisions T. 1 N.

chains

78.60

Foot of ridge

80.00

Set a granite stone  $14 \times 14 \times 10$   
ins. 4 ins. in the ground for  
cor. to Secs. 11, 12, 13 & 14,  
marked with 1 notch on  
E & 4 notches on S. edges,  
and raised a mound  
of stone along side ~~to~~  
impracticable.

Surface rolling & rocky  
Soil 3<sup>d</sup> rate

Boxwood, Palo verde,  
Greasewood brush.

East on a random line bet.  
Secs. 12 & 13.

Var.  $13^{\circ} 54' E$

along South Side of Mtn Ridge

## R. &amp; W. continued

claim

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 71.00 Ascending S. W. slope of Ridge
- 80.08 Intersect E. B. of T. 6 to N. <sup>recently established by me</sup>  
of corner to Secs. 7, 12, 13 & 18.  
Thence Iron N.  $89^{\circ} 57' W.$   
on a true line bet. Secs. 12 & 13.  
with same co.
- 40.04 Set algram stake 16+14+14  
in. in. in the ground for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  sec. on  
N. side and raised a mound  
of stone alongside. It is imp-  
racticable
- 80.08 The corner to Secs. 11, 12, 13 & 14  
Surface rolling & rocky  
Soil 4th rate  
Scattering Palo Verde & Green-  
wood Bush.



## Subdivisions S. 1 N.

Chain

North bet. Secs. 11 + 12.

Var.  $13^{\circ} 57' 8''$ 

- 10.00 Ascending along W. side of  
Butte
- 32.64 By wash 8 ft. deep. 30 lbs iron  
course  $S 70^{\circ} W$ .
- 40.00 Set a Post 3 ft. long, 4 ins. sq.  
24 in. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S. on W.  
face from which a Plowline  
8 in. dia. br. N.  $80^{\circ} W$ . 30 lbs dist.  
marked  $\frac{1}{4}$  S. B. T.
- 46.36 By wash 12 ft. deep. 34 lbs iron  
course  $S. 30^{\circ} W$ .
- 80.00 Set a Post 4 ft. long, 4 ins. sq.  
with marked stone 12 in. in  
the ground, for cor. to Secs.  
1. 2. 11 + 12. marked  
S. 1 N. S. 1 on N. E.

## R. 4 W. continued

Division

R 4 W. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. faces, with 1  
notch on E. and 5 notches  
on S. edge, dug pits 18 x 18 in  
in. in each sec. 5 ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post.

Surface rolling &amp; rocky

Soil 3<sup>rd</sup> rate

Scattering Ironwood &amp;

Paloverde &amp; Greasewood

Bunch.

East on a random line bet.

Secs. 14 &amp; 17.

Var. 130° 54' E.



Subdivision S. 1 N.

chains

Over Rolling Hills

- 38.50 Dry Wash 10 ft. deep. 115 lbs width, come S 30° W.  
 4000 set temporary 1/4 sec. cor.
- 42.88 Cross Road come N. W. & S. E.
- 48.80 Dry wash 8 ft. deep. 40 lbs width, come S 20° W.
- 76.57 " " 50 " 60 " " S. 20° W.
- 80.10 Intersect E. by of N. 14 lbs N.  
 recently established by  
 of Cor. to Sec. 1, 6, 7 & 12, Stone  
 Iron N. 89° 54' W. on a  
 true line bet. Secs. 1 & 12.  
 with same va.
- 40.05 Set a Post 3 ft. long sim. eq.  
 with marked Stone pins in  
 the ground, for 1/4 sec. Cor.  
 marked 1/4 S. on N. face dug  
 pits 18 & 18 & 12 ins. E & W. of  
 post 5/8 ft. dist. and  
 raised a mound of earth  
 1 1/2 ft. high 3/4 ft. base around  
 post.

## R. 4 W. continued

Chains

80.10

The Cor. to Secs. 1, 2, 11 &amp; 12.

Surface rolling

Soil 3<sup>d</sup> rate

dense greasewood brush.

North on a random line  
bet. Secs. 1 & 2.

Var.  $B^{\circ} 54' E!$ 

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

53.41

Cross Road corner N. W. S. E.

80.16

Intersect N. Ry. of N. 7<sup>th</sup> E.  
of Cor. to Secs. 1, 2, 3, 5 & 36.  
recently established by rail.

Thence I run  $S^{\circ} 3' E!$  on a  
true line bet. Secs. 1 & 2.  
with same va.

40.16

Set a Post 4 ft. long sim.  
square, with marked  
stone 12 ins. in the ground

## Subdivision S. 1 N.

chains

for 1/4 sec. cor. marked 1/4 S.  
on W face dug pits 18 x 18 cm  
sq. W.S. of post 3/4 ft. dia.  
and raised a mound of  
earth 1/4 ft. high 3/4 ft. base  
around post.

80.16 The cor. W Secs 1, 2, 11 & 12.  
Surface Rolling.  
Soil 2<sup>d</sup> rate  
None Greasewood & Cactus  
Bunch.

---

January 20<sup>th</sup> 1883.



## R 4 W. continued

Chains

Standard

From the Corner to Secs.

34 & 35. on S. Ry of township.  
 just recently established  
 by me I run North.  
 bet. Secs. 34 & 35.

Var. 13054' E!

40.00

Set a post 2 ft. long, 3 in. sq.  
 with marked stake 12 in. in  
 the ground for  $\frac{1}{4}$  sec. Cor.  
 marked  $\frac{1}{4}$  S. on W. face, dug  
 pits 18 x 18 x 12 in. W & S of  
 post 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft.  
 high 3/4 ft. base around post.

80.00

Set a post 4 ft. long, 4 in.  
 sq. with marked stake 12  
 in. in the ground for cor.  
 to Secs. 26, 27, 34 & 35,  
 marked N. 1 N. S. E. on N. E.

Subdivisions S. 1 N.

chains

R. 4 W. S. 35 on S. E.

S. 34 on S. W. and  
S. 27 on N. W. faces, <sup>with 2 rods from E & match on S. E.</sup> dug

pits 18 x 18 x 12 ins. in each  
sec. 5/8 ft. dist. and  
raised a mound of earth  
8 ft. high 4 1/2 ft. base around  
pit.

Surface level

Soil 1<sup>st</sup> rate

Use Greasewood brush.

East on a random line  
bet. Secs. 26 & 35.

Var. 13° 54' E!

40.00 Set temporary 1/4 sec. Cor.

80.04 Intersect N.W. line of N.  
of corner to Secs. 25-26.



## R. 4 W. continued

Chain

35236 Hence Iron N.  
 $89^{\circ}58'$  W. on a true line  
 bet. Secs. 26 & 35, with  
 same ca.

40.02 Set about 2 ft. long, 3 in. sq.  
 with marked stone 12 in in  
 the ground, for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N face, dug  
 pits 18 x 18 x 12 in. Ex W. of  
 post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high 3 ft. base around post.

80.04 The corner to Secs. 26, 27, 34 & 35.  
 Surface level  
 Soil 10" set  
 Hence greasewood trunk.

North bet. Secs. 26 & 27.

## Subdivisions S. 1 N.

chains

Var. 13° 54' E!

4000 Set a Post 3 ft. long, 3 in. sq. with marked stake 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked 1/8 S on W. face, dug pits 18" & 18" x 12 in. W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

8000 Set a Post 4 ft. long 4 in. sq. with marked stake 12 in. in the ground, for cor. to Secs. 22, 23, 26, & 27, marked S. 1 N. S. 23 on N. E. R. 4 W. S. 26 on S. E. S. 27 on S. W. and S. 22 on N. W. faces, with notches on E & S. edge,

## R. &amp; W. continued

chains

dug pits 18+18+12 in. in  
each sec. 57 ft. dist. and  
raised a mound of  
earth 2 ft high 4 ft. base  
around post.

S' in face level

Sec 1<sup>st</sup> rate

Less Greenwood

Cats Claw Brush.

East on a random line  
bet. Secs. 23+26.

Var.  $13^{\circ}54' E$

40.00 Sit temporary of sec Cor.

80.04 Intersect N.S. line 14 lbs.

Prof Cor. to Secs. 23, 24, 25 & 26

Thence I run N.  $89^{\circ}54' W$ .

on a true line bet. Secs.



# Subdivisions S. 1 N.

chains

23 + 26, with same va.

40.02 Set a Post 3 ft. long sim. sq.  
 24 ins. in the ground for  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  S on  
 N. face from which  
 an Ironwood 10 ins. dia br.  $345^{\circ} E$ .  
 50 lbs dist. marked  $\frac{1}{4}$  S. P.  $7^{\circ}$   
 and raised by mound of stone around post.  
 no other tree within limits.

80.04 The corner to Secs. 22, 23, 26 & 27  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Dense greenwood Ironwood  
 Brush.

North bet. Secs. 22 + 23.  
 Var.  $130^{\circ} 54' E$

40.00 Set a Post 3 ft. long, sim. sq.  
 with marked stone

## R. 4 W. continued

chains

12 in. in the ground, for  
 $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S.  
 on W. face, dug pits  $18 \times 18 \times \frac{1}{2}$   
 in. W.S. of post  $5 \frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base  
 around post.

8000

Set a post 4 ft. long 4 in. sq.  
 with marked stone 12 in.  
 in the ground for Cor. to  
 Secs. 14, 15, 22 + 23. marked  
 S. 1 W. S. 14 on N. E.  
 R. 4 W. S. 23 on S. E.  
 S. 22 on S. W. and  
 S. 15 on N. W. face, with  
 2 notches on E. and 3 notches  
 on S. edge, dug pits  $18 \times 18 \times \frac{1}{2}$   
 in. in each sec.  $5 \frac{1}{2}$  ft.  
 dist. and raised a mound

## Subdivision S. 1 N

chain

of earth 2 ft. high 4 1/2 ft.  
base around post.

Surface level

Soil 1st rate

Some greenwood timber.



East on a random line  
bet. Secs. 14 & 23.

Var.  $13^{\circ}54'21''$

- 4000 Set temporary 1/4 sec. Cor.  
79.93 Intersect N.S. line 10 lks N.  
of Cor. to Secs. 13, 14, 23 & 24.  
Thence I run N.  $89^{\circ}56'24''$   
on a true line bet. Secs.  
14 & 23. with same var.  
39.96 Set a Post 3 ft. long, 3 ins.  
sq. with marked stars 12  
ins. in the ground, for



## R. 4 W. continued

Chain

$\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on  
N. face, dug pits 18" x 18" x 12"  
in. Ex N. of post  $\frac{1}{2}$  ft.  
dirt. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

79.93 The cor. to Secs. 14, 15, 22 &amp; 23.

Surface level

Soil 1<sup>st</sup> rate

Scuse greasewood &amp;

Paloverde Brush.

North bet. Secs. 14 &amp; 15

Var. to 54' E.

40.00 Set a post 3 ft. long, 2 in. sq.  
with marked stone 12 in.  
in the ground, for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face

## Subdivisions T. 1 N.

Claim

dug pits  $18 \times 18 \times 12$  ins. Prod.  
of post  $5/8$  ft. dist. and  
raised a mound of earth  
 $1/2$  ft. high  $3/4$  ft. base around  
post.

8000 Set a post 4 ft. long, 4 ins.  
square, with marked staves  
12 ins. in the ground for  
Cov. W Secs. No. 11, 14 & 15,  
marked T. 1 N. S. 11 on N. E.  
R 4 W. S. 14 on S. E.  
S. 15 on S. W. and  
S. 10 on N. W. faces, with  
2 notches on E & 4 notches  
on S. edges, dug pits  $18 \times 18 \times 12$   
ins. in each sec.  $5/8$  ft. dist.  
and raised a mound of  
earth  $1/2$  ft. high  $4/8$  ft. base  
around post.

# R. 4 W. continued

Chains

Surface level.  
 Soil 100' etc  
 dense grasswood  
 brush.

---

East on a random line  
 bet. Secs. 11 + 14.

Var  $130^{\circ}54' S!$

- 17.10 Dry wash 2ft. deep. 16 lbs wide, course  $S. 30^{\circ} E!$
- 25.64 " " 4 " " 36 " " "  $S. 10^{\circ} E!$
- 34.00 Ascend N. end of Butte  
4000 ft. deep. 1/4 sec. cor. highest point 8 chas south
- 50.00 Top of N. W. slope. Descend
- 60.00 Foot of Butte enter valley
- 80.14 Intersect W. S. line 22 lbs N.  
 of Cor. to Secs. 11, 12, 13 + 14.  
 Hence I run N.  $89^{\circ}50' W.$  on  
 a true line bet. Secs. 11 + 14  
 with same va.



## Subdivisions T. 1 N.

chains

- 4000 Set a granite stone  $18 \times 12 \times 8$  ins.  
12 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S on  
N. face, and raised a mound  
of stone along side, 100 up  
reachable
- 80.14 The Corner to Secs. 10. 11. 14 & 15  
Surface mountainous.  
Soil 3<sup>d</sup> rate  
Greasewoods Cactus  
" Bushy

North bet. Secs. 10 &amp; 11.

Var. 13051 E.

- 4000 Set a post 3 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on W. face,

## R. &amp; W. continued

chain

dug pits  $18 \times 18 \times 12$  ins. W.S.  
 of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post.

8000 Set a Post 4 ft. long, 4 ins. sq.  
 with marked stone 12 ins. in  
 the ground, for cor. to Sec.

2, 3, 10 & 11. marked

S. 1 N. S. 2 on N. E.

R. & W. S. 11 on S. E.

S. 10 on S. W. and

S. 3 on N. W. faces, with  
 2 notches on E & 5 notches  
 on S. edges, dug pits  $18 \times 18 \times 12$   
 ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 around post.

Surface level

## Subdivision S. 1 N. R. 4 W.

chains

Soil 2<sup>d</sup> rate

dense greasewood brush.

East on a random line  
bet. Secs. 2 & 11Var.  $13^{\circ} 54' E$ 32.00 dry mark 5 ft. deep. 10 lbs with cone  $2.10^{\circ} W$ .40.00 Set temp. any  $1/4$  sec. Cor.80.00 Intersect N. & S. line 6 lbs N.  
of Cor. to Secs. 1, 2, 11 & 12.Thence Iron N.  $89^{\circ} 58' W$ .  
on a true line, bet. Secs.  
2 & 11. with same va.40.00 Set apart 3 ft. long, 3 in.  
sq. with marked stone 12  
in. in the ground, for  
 $1/4$  sec. cor. marked  $1/4 S$ .  
on N. face, dug pits 184 & 184 1/2





Subdivision N. 1 N.

Chain

40.12 Set a Post 3 ft. long, circ. g. 24.  
 in. in the ground, for 1/4 sec.  
 br. marked 1/4 S. on N. face  
 dug pits 8" x 12 in. E. of post 5 ft. dist. and marked  
 ground east of post with 1/4 S. on N. face around post.  
 from which

A Pilovande 8 in. dia. br. S. 25° E. 115 lbs dist.  
 marked 1/4 S. B. P. or other tree within  
 limits.

80.12 The cor. to Secs. 2, 3, 10 & 11.  
 Surface level  
 Soil 2<sup>d</sup> rate  
 Dense greasewood brush.

January 21, 1883

## R. &amp; W. continued

claims

From the Standard Cor. to  
Secs. 33 & 34 on S. By of  
Sp. just recently established  
by this  
From North bet. Secs. 33 & 34.

Var.  $13^{\circ} 54' E$

4000 Set a Post 3 ft. long, 4 in. sq. with  
marked stone 12 in. in the ground  
for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S on  
W face dug pits  $18 \times 18 \times 12$  in.  
W. of post  $5 \frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base around  
post.

8000 Set a Post 4 ft. long, 4 in. sq.  
with marked stone 12 in. in  
the ground, for Cor. to Secs.  
27, 28, 33 & 34. marked  
S. 1 N. S. 27 on N. E.  
R. & W. S. 34 on S. E.



Subdivisions S. 1 N.

chain

S. 33 on S. W. and  
 S. 28 on N. W. faces, with  
 3 notches on E. 1 notch on  
 S. edges, dug pits 18 x 18 x 12  
 cm. in each sec. 5' aft. dist.  
 and raised a mound of  
 earth 2 ft. high 4' aft. base  
 around pit.

Surface level

Soil sand loam 1st rate  
 Hume Greasewood Bush,

East on a random line  
 bet. Secs. 27 & 34.

Var. 13° 54' E.

40.00 Set temporary 1/4 sec. cor  
 79.94 Intersect N.S. line 14 lbs  
 N. of cor. to Secs. 26. 27. 34 & 35.

R. 4 W. continued

claim

Thence Iron N. 89° 54' W.  
on a true line bet. Secs.

27 & 34. with same oa.

39.97 Set a Post 2 ft. long, 3 ins sq.  
with marked stone 12 ins.

in the ground, for  $\frac{1}{4}$  sec.

Cor. marked  $\frac{1}{4}$  S. on N. face

dug pits 18 x 18 x 12 ins. E. W.

of post  $5\frac{1}{2}$  ft. dist. and raised

a mound of earth  $1\frac{1}{2}$  ft high

$3\frac{1}{2}$  ft. base, around post.

79.94 The corner to Secs. 27, 28, 33 & 34.

Surface level

5 or 1  $\frac{1}{2}$  oak

Some green woods Catclaw  
Bunch.

North bet. Secs. 27 & 28.

## Subdivisions S. 1 N.

Claims

Var. 13° 54' E

40.00 Set a Post 3 ft. long 3 in. sq. with marked stone 12 in. in the ground for the sec. cor. marked  $1/4$  S. on N. face dug pits 18 x 18  $1/2$  in. In S. of post 5  $1/2$  ft. dist. and raised a mound of earth 1  $1/2$  ft. high 3  $1/2$  ft. base around post.

80.00 Set a Post 4 ft. long 4 in. sq. with marked stone 12 in. in the ground for cor. to Secs. 21, 22, 27 & 28. marked S. 1 N. S. 22 on N. E. R. 4 N. S. 27 on S. E. S. 28 on S. W. and S. 21. on N. W. face, with 3 notches on E. &



## R &amp; W. continued

Chains

2 catches on S. edge, dug pits  
18x18x12 in. in each sec.

5 1/2 ft. dist. and raised a  
mound of earth 2 ft high  
4 1/2 ft. base, around post.

Surface level

Soil 1st rate

Some Greenwood & Cat-  
claw Bush.

East on a random line  
bet. Secs. 22 & 27.

Var. 13054' E

4000 Set temporary 1/4 sec. cor.

8006 Intersect N+S line at cor.

to Secs. 22, 23, 26 & 27. Then

run West a true line

bet. Secs. 22 & 27. with same cor.

## Subdivisions S. 1 N.

chains

40.03

Set a Post 3 ft. long, sim. sq.  
with marked stake 12 in.  
in the ground, for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  S. on N face,  
dig pits 18" x 18" 12 in. E. N.  
of post 5 ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base, around post.

80.06

The corner to Seco. 21, 22, 27 & 28.

Surface level

S. on C 1<sup>st</sup> rate

same as wood tomb.

North bet. Seco. 21 & 22.

Var. 130 54' E.

40.00

Set a Post 3 ft. long, sim.  
sq. with marked stake

## D. 4 W. continued

chains

12 in. in the ground, for  $\frac{1}{4}$  Sec. ter. marked  $\frac{1}{4}$  S on W face dug pits  $18 \times 18 \times 12$  in. W. S. of post 5 ft. dist. and raised a mound of earth 11 in. high 2 ft. base around post.

8000

Set a Post 4 ft. long, 4 in. square, with marked stone chains in the ground for Cor. W Secs. 15, 16, 21 & 22, marked N. 1 N. S. 15 on N. E. R.  $\frac{1}{4}$  W. S. 22 on S. E. S. 21 on S. W. and S. 16 on N. W. face, with 3 butches on E. S. edges, dug pits  $18 \times 18 \times 12$  in. in each sec. 5 ft. dist. and raised a mound of



## Subdivision T. 1 N.

Chains

earth 2 ft. high, 4 1/2 ft.  
ft. base around post.

Surface level

5 in C 1<sup>st</sup> sat

Some yellowwood  
Bunch.

East on a random line  
bet. Secs. 15 & 22.

Var. 130° 54' 8"

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect N.S. line 10<sup>th</sup>  
Prof. Cor. to Secs. 14, 15, 22 & 23.

Thence I run N. 89° 58' W.  
on a true line bet Secs.  
15 & 22. with same cor.

40.00 Set a Post 3 ft. long, 3 in.  
sq. with marked stone

## P. 4 W. continued

Dains

12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. in surface, dug pit 18x18x12 in. Ex W. of post. 5/8 ft. dist. and raised a mound of earth 1/8 ft. high 3/8 ft. base around post. from which a Paloverde 4 in. dia. to S. 50° W. with the <sup>1/4</sup> S. B. S. marked  $\frac{1}{4}$  S. B. S.

80.00 The corner to Secs. 15, 16, 21 &amp; 22.

Surface level

S. or 1<sup>st</sup> setSome G. case woods  
Paloverde Birch,

North bet. Secs. 15 &amp; 16.

Var. 130° 54' 21"

40.00 Set up at 3 ft. long, 3 in. sq.

Subdivisions S. 1 N.

4000

with marked stone 12 ins. in the ground for 1/4 sec. cor. marked 1/4 S. on N. face, dug pits 18x18x12 ins. W.S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3/2 ft. base around post.

8000

Set a Post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground for cor. to Secs. 9, 10, 15 & 16. marked S. 1 N. S. 10 on N. E. R. 4 W. S. 15 on S. E. S. 16 on S. W. and S. 9 on N. W. faces, with 3 notches on E & 4 notches on S. edges, dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of



## R. &amp; W. continued

chain

earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil 1<sup>st</sup> rate

Scattering Paloverde &

Pronwood, <sup>oaks</sup> & dense green-  
wood brush.

East on a random line bet.

Secs. 10 & 15.

40.00 Set temporary <sup>Var. 13° 54' E</sup> <sup>circ.</sup> <sup>circ.</sup>

57.63 Dry wash 2 ft. deep 12 lbs wide curve S. 20° E.

59.00 " " 2 " " 15 " " " S. 10° E.

80.00 Intersect N.S. line 18 lbs N.  
of corner to Secs. 10, 11, 14 & 15.

Thence I run N. 89° 51' W.  
on a true line bet. Secs. 10 & 15.  
with same oa.

## Subdivisions S. 1 N.

chain

- 40.00 Set a post 2 ft. long, 3 ins. sq. with marked stone pins in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18" x 18" pins. E & W. of post 5 ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high 3 ft. base around post
- 80.00 The corner to Secs. 9, 10, 15 & 16.  
Surface level  
Soil 2<sup>d</sup> rate  
Scattering Paloverde, &  
Ironwood, & <sup>some</sup> dense undergrowth.

North lat. Secs. 9 & 10.

Var.  $130^{\circ}54'$  E.

- 40.00 Set a post 2 ft. long, 3 ins. sq.

No. 1008

R. 4 W. continued

Dairs

with marked stone pins  
in the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  s. on W. face dug  
pits 18+18+1 pins. W.S. of post  
 $\frac{5}{8}$  ft. dist and raised a  
mound of earth  $\frac{1}{2}$  ft.

high  $\frac{3}{8}$  ft. base around post.

80.00 Set a Post 4 ft. long 4 in. sq.

with marked stone pins in  
the ground, for ca. 6 sec.

3. 4. 9 + 10. marked

S. 1 N. S. 3 on N. E.

R. 4 W. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. face, with  
3 notches on E + 5 notches  
on S. edge, dug pits 18+18+1/2  
in. in each sec.  $\frac{5}{8}$  ft.

dist. and raised a mound



## Subdivision S. 1 N.

claims

of earth 2 ft. high 4' left line  
around post.

Surface level

Soil 1<sup>st</sup> rate

Dense greenwood brush.

---

East on a random line  
bet. Secs. 3 & 10.

Var.  $13^{\circ}54'18''$

40.00 Set temporary  $1/4$  sec. Cor.

80.12 Intersect N & S line, 16  
lk. S. of cor. to Secs. 2, 3, 10 & 11.

Thence I run S.  $89^{\circ}53'N$ .  
on a true line bet. Secs.

3 & 10. with same va.

40.06 Set a Post 3 ft. long, circ. sq.  
with marked stone rim.  
in the ground, for  $1/4$  sec.

R. 4 W. continued

chains

Cor. marked  $\frac{1}{4}$  S. on In. face,  
dug pits  $18 \times 18 \times \frac{1}{2}$  in. E. W. of  
post  $5 \frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1 \frac{1}{2}$  ft. high  
 $3 \frac{1}{2}$  ft. base, around post.

80.12

The corner to Secs. 3, 4, 9 & 10.

Surface level

Soil 1 $\frac{1}{2}$  ft. rate

Dense greasewood brush

North on a random line  
bet. Secs. 3 & 4.

Var.  $130^{\circ} 54' E$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.22

Intersect N. By of T. P. 16 lks E.  
recently established by one  
of corners to Secs. 3, 4, 33 & 34.  
Place Iron S.  $7' E$  on  
a true line bet. Secs. 3 & 4.

## Subdivisions T. 1 N.

Latus

with same ea.

- 40.22 Set a Post 3ft. long, square,  
with marked stone 12 in.  
in the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on W. face, dug  
pits 18 x 18 x 12 in. N. of post  
5 ft. dist. and raised a  
mound of earth 1 ft. high  
3 ft. base around post.
- 80.22 The corner to Sec. 3, 4, 9 & 10.  
Surface level  
Soil 1<sup>st</sup> rate  
Growth Greasewood brush.

---

 January 22<sup>d</sup>. 1883



## R. 4 W. continued

4000

Standard

From the corner to Secs.

32 & 33. on S. By of township.  
 just recently established  
 by me, I was North bet.  
 Secs. 32 & 33.

Nor.  $13^{\circ} 54' 8''$ 

4000

Set a Post 3 ft. long, 2 in. sq.  
 with marked stone 12 in.  
 in the ground, for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  S. on N.  
 face, dug pits 18 & 18 & 12 in.

W. of post 5 ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 post.

8000

Set a Post 4 ft. long, 4 in.  
 sq. with marked stone 12  
 in. in the ground, for cor.  
 to Secs. 28, 29, 32 & 33. marked

Subdivisions S. 1 N.

claims

S. 1 N. S. 28 on N. E.

R 4 N. S. 33 on S. E.

S. 32 on S. W. and

S. 29 on N. W. faces, with  
4 notches on E. 1 notch  
on S. edge, dug pits 18x18x  
3m. in each sec. 50ft. dist.  
and raised a mound of  
earth 2ft high 4 1/2ft. base  
around post.

Surface level

Soil 1<sup>st</sup> rate

Use Greasewood  
Bunch.

East on a random line  
bet. Secs. 28 & 33.

Var.  $130^{\circ} 54' E$

## R. 4 W. continued

Claim

- 4000 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.08 Intersect N.S. line 10th  
N. of Cor. to Secs. 27, 28, 33 & 34.  
Thence I run N.  $89^{\circ} 56'$  W. on  
a true line bet. Secs. 28 & 33,  
with same ca.
- 40.04 Set about 2 ft. long, circ.  $\frac{1}{4}$  in.  
with marked stone pins  
in the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E. W. of  
post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high &  $3\frac{1}{2}$  ft. bare around  
post.
- 80.08 The Corner to Secs. 28, 29, 32 & 33.  
Simple level  
Soil 1st rate  
Some Greasewood shrub.



Subdivision S. 1 N.

chain

North bet. Secs. 28 + 29.

Var.  $13^{\circ} 54' E$

4000

Set a post 2 ft. long, six sq. with marked stone rim in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18 + 18 + 12 rim. Put a post 5 ft. dia. and raised a mound of earth  $1\frac{1}{2}$  ft. high 3 ft. base around post.

8000

Set a post 4 ft. long 4 in. sq. with marked stone rim in the ground for Cor. to Secs. 20, 21, 28 + 29. marked S. 1 N. S. 21 on N. E. R. 4 W. S. 28 on S. E. S. 29 on S. W. and S. 20 on N. W. face with

## R. 4 W. continued

Stakes

4 notches on E & 2 notches on  
S' edges, dug pits 18" x 12"  
ins. in each sec. 5' left. dist.  
and raised a mound of  
earth aft. high 4' left. base  
around post.

Surface level

S' of 1st stab

Dense greenwood brush.

East on a random line  
bet. Secs. 21 & 28.

Var. 130° 54' 2"

400 Set temporary 1/4 sec. cor.

79.98 Intersect N.S. line

14 lbs N of cor. to Secs.

21. 22. 27. &amp; 28. Thence

I run N. 89° 54' W.

Subdivisions P. 1 N.

chains

on a true line bet. Secs  
21 & 28. with same on

39.99 Set a post 2 ft long 3 in.  
sq. with marked stone  
12 in. in the ground for  
1/4 sec. cor. marked 1/4 S.  
on N. face, dug post  
18 x 18 x 12 in. Ex N. of  
post 5 1/2 ft. dist. and  
raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft.  
base around post.

79.98 The Corner to Secs. 20, 21, 28 & 29.  
Surface level  
5' or 10' set  
dense Greasewoodland.



## R. 4 W. continued

chains

North bet. S'ecs. 20 &amp; 21.

Var. 13° 51' E.

40.00 Set a Post 2 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S. on W. face dug pits 18 x 18 x 12 ins. 2 ft S. of post 5 ft. dist. and raised a mound of earth 1 ft. high  $\frac{3}{4}$  ft. base around post.

80.00 Set a Post 4 ft. long 4 ins. sq. with marked stone 12 ins. in the ground for corner to Secs. 16-17. 20 & 21 marked

T. 1 N. S. 16 on 16 E.

R. 4 W. S. 21 on S. E. 0

## Subdivision S. 1 N. 1

Leirs

S. 20 on S. W. and  
 S. 17 on N. W. faces,  
 with 4 notches on E & 3  
 notches on S. edges,  
 Aug pits 18+18+12 ins.  
 in each sec. 5' apart dist.  
 and raised a mound  
 of earth 2 ft. high 4 1/2  
 ft. base around post.  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Dense greasewood  
 Brush.

East on a random line  
 bet. Secs. 16 & 21.

Var. 13° 54' E.

4000 Set temporary 1/4 sec. Cr.

## R. 4 W. continued

chains

80.14 Intersect N. S. line 2000  
N. of cor. to Secs. 15, 16, 21 & 22  
Thence I run N.  $89^{\circ} 51' W.$   
on a true line bet. Secs.  
16 & 21. with curve on

40.07 Set a Post 3 ft. long, 2 in.  
sq. with marked stake  
12 in. in the ground, for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
S on N face, dug pits 18 & 18 in.  
in. E. W. of post  $5\frac{1}{2}$  ft.  
dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around  
post.

80.14 The corner to Secs. 16, 17,  
20 & 21

Surface level  
S' orl 1st rate



## Subdivision S. 1 N.

claims

Dense Greasewood  
Bunch.

January 16. 1883.

North bet. Secs. 16 &amp; 17.

Var.  $13^{\circ} 54' E$ .

- 40.00 Set a Post 2 ft. long 2 ins.  
sq. with marked stone  
12 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on W. face, dug  
pit to 18 & 18 & 12 ins.  
W. S. of post 3/4 ft.  
dirt and raised a  
mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. low  
around post.
- 80.00 Set a post 4 ft. long,

## R. 4 W. continued

dorm

4 ins. sq. with marked  
stone 12 ins. in the ground  
for cor. to Sec. 8, 9, 16 & 17.  
marked

S. 1 N. S. 9 on N. E.

R 4 W, S. 16 on S. E.

S. 17 on S. W. end

S. 8 on N. W. faces, with  
4 notches on E & S. edges,  
dug pits 18 x 18 x 12 in. in  
each cor. 5/8 of dist.

and raised & mounded  
of earth 2 ft. high 4 1/2  
ft. bare ground post.

Surface level

Soil 1st rate

Some Greasewood

Bunch

Subdivision P. 1 N. R 4 W. continued

chain

East on a random line  
bet. Secs. 9 & 16.

Then  $13^{\circ} 54' 21''$

40.00 Set temporary  $1/4$  sec. cor.

80.00 Intersect N & S line, 18 lbs  
S of cor. to Secs. 9, 10, 15 & 16.  
Thence I run S.  $89^{\circ} 51' 11''$   
in a true line bet. Secs.  
9 & 16. with same oa.

40.04 Set a post  $3/4$  ft. long, 4 in.  
sq. with marked stone  
12 in. in the ground  
for  $1/4$  sec. cor. marked  
 $1/4$  S on N face, dug pit  
18 x 18 x 12 in. E & W. of  
post  $5/8$  ft. dist. and raised  
a mound of earth  $1/4$  ft.  
high  $3/4$  ft. base around  
post. pit



## Subdivision S. 1 N. R 4 W. continued

chains

20.00 The corner to Secs. 8, 9, 16 &amp; 17.

Surface level

Soil 1<sup>st</sup> rate

Scattering Pals under

Ironwood trees &amp; some

Greenwood brush.

North bet. Secs. 8 &amp; 9.

Var. 13054' E.

40.00 Set a post 3 ft. long, 3 in. sq.  
with marked stone 12 in.  
in the ground for 1/4 sec.

Cor. marked 1/4 S on N.

base, dug pits 18 x 18 x 12  
in. W. of post 5 ft.dist. and raised a mound  
of earth 1/2 ft. high 5 ft.  
ft. base around post

## Subdivisions S. 1 N.

chains

8000

Set a Post 4 ft. long, 4 in. sq.  
with marked stone 12 in. in  
the ground, for Cor. to Secs.

4, 5, 8 & 9. marked

S. 1 N. S. 4 on N. E.

R. 4 W. S. 9 on S. E.

S. 8 on S. W. and

S. 5 on N. W. facing with

4 notches on E. 5 notches

on S. edges, dug pits 18 x 18 x 12

ins. in each sec. 5/2 ft. dist.

and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil 1st rate

Dense Greasewood  
Bunch

## R. &amp; W. continued

Claims

East on a random line bet.  
Secs. 4 & 9.

Var.  $13^{\circ} 54' E$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.14 Intersect N.S. line 24 lks S.  
of cor. to Secs. 3, 4, 9 & 10. Hence  
I run  $S. 89^{\circ} 49' W.$  on a true  
line bet. Secs. 4 & 9 with same var.

40.00 Set a post 2 ft. long, 3 in sq.  
with marked stone 12 in in  
the ground, for  $\frac{1}{4}$  Sec. cor.  
marked  $\frac{1}{4}$  S. on N. face  
dug pits 18 + 18 + 12 in. E & W.  
of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high 3 ft. base around post.

80.14 The corner to Secs. 3, 4, 9 & 10.  
Surface level  
Soil 1st rate



## Subdivisions N. 1 N.

chains  
 Here Greasewood Bush.

North on a random line  
 bet. Secs. 4 + 5.

Var.  $13^{\circ}54' E$

40.00 Set temporary  $1/4$  sec. cor.

80.22 Intersect N. Pt. of No. 16 lps  
 recently established by me  
 $E$  of cor. to Secs. 4, 5, 32 + 33.

Thence I run  $S^{\circ}0^{\circ}7' E$  on  
 a true line bet. Secs. 4 + 5,  
 with same on

40.22 Set about off. long, surs. sq.  
 with marked stone rim.

in the ground for  $1/4$  sec.  
 cor. marked  $1/4 S$ . on N. face  
 dug pits 18 x 18 x 12 ins. W. S.  
 of post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of

## R. 4 W. continued

Chain

earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

80.22 The Corner to Secs. 4, 5, 8 & 9

Surface level

Soil 1<sup>st</sup> rate

Some greasewood & Palo-  
verde Bush.

Jan. 23. 1883.

Subdivisions S. 1 N.

chains

Standard

From the corner to Secs.  
31 + 32 on S. By of No.  
just recently established  
by me from North bet.  
Secs. 31 + 32.

Cor.  $13^{\circ} 54' E.$

40.00

Set a post 2 ft. long, 3 ins. sq.  
with marked steel pins in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on W. face, dug  
pits 18 + 18 + 12 ins. W. of  
post 5 ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base, around post.

80.00

Set a post 4 ft. long, 4 ins. sq.  
with marked steel pins  
in the ground for Cor. to Secs.  
29, 30, 31 + 32. marked  
S. 1 N. S. 29 on N. E.



## R. &amp; W. continued

chain

R & W. S. 32 on S. E.  
 S. 31 on S. W. and  
 S. 30 on N. W. faces, with  
 5 notches on E. and 1 notch  
 on S. edges, dug pits 18x18x12 in.  
 in each sec. 5/8 ft. dist. and  
 raised a mound of earth 2 ft  
 high 4/8 ft. base around post.  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Live Greasewood Bush.

---

East on a random line bet.  
 Secs. 29 & 32.

Var.  $13^{\circ} 54' E$

4000 Sit. temporary 1/4 sec. cor.  
 80.20 Intersect N.S. line 100 ft N.  
 of corner to Secs. 28, 29, 32 & 33.

## Subdivisions S. 1 N.

chain

Place Iron N.  $89^{\circ} 56' 97''$   
on a true line bet. Secs. 29 & 30  
with same va.

40.10 Set a post 3 ft. long, circ. sq.  
with marked stone pins in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. or N. face,  
dig pits  $18 \times 18$  pins. & N.  
of post  $3\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post.

80.20 The corner to Secs. 29, 30, 31 & 32  
Surface level  
Soil 1<sup>st</sup> rate  
None Greasewood brush.

---

West on a random line bet.

## R. 4 W. continued

chains

bet. Secs. 30 + 31

Var.  $13^{\circ}54'E$ 4000 Set temporary  $1/4$  sec. cor.79.94 Intersect W. B. of N. 16th A.  
recently established by me  
of cor. to Secs. 29, 30, 31 + 32.Thence Iron N.  $89^{\circ}53'E$  on  
a true line bet. Secs. 30 + 31  
with same va.39.94 Set about 2 ft long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $1/4$  sec. cor. marked  
 $1/4$  S. on N. face, dug pit 18 + 18 +  
ins. E. W. of post  $5/8$  ft. dist.  
and raised a mound of earth  
 $1/2$  ft. high  $3/8$  ft. base around  
post.79.94 The corner to Secs. 29, 30, 31 + 32  
Surface level  
Soil 1 ft rate



## Subdivisions T. 1 N.

chain

Near Greasewood bush.

North bet. Secs. 29 + 30.

Twp.  $13^{\circ} 54' E$ 

40.00 Set a post 2 ft. long, 2 in. sq. with marked stone 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on W. face, dug pit  $18 \times 18 \times 12$  in. W. S. of post  $5 \frac{1}{2}$  ft. dist. and raised a mound of earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground, for cor. to secs. 19, 20, 29 + 30. marked T. 1 N. S. 20 on N. E.

## R. 4 W. continued

chains

R 4 W. S. 29 on S. E.

S. 30 on S. W. and

S. 19 on N. W. face,  
 with 5 notches on E. and  
 2 notches on S. edge, dug  
 pits 18+18+18 ins. in each  
 Sec. 5 ft. dist. and raised  
 a mound of earth 2 ft. high  
 4 ft. base around pit.

Surface Rolling

Soil 1st rate

Seed Greasewood bush.

East on a random line bet.

Secs. 20+29.

Var.  $13^{\circ} 54' E$ 

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect N + S line 14 lbs.

## Subdivisions S. 1 N.

claims

N. of Cor. to Secs. 20. 21. 28 & 29.  
 Plunge Iron N.  $89^{\circ} 54' N.$   
 on a true line bet. Secs.  
 20 & 29. with curve va.

4000 Set a Post 2 ft. long, circ. sq.  
 with marked stone 12 ins. in  
 the ground, for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N. face,  
 dug pits 18 & 18 & 12 ins. E. N.  
 of post 5  $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around  
 post.

8000 The corner to Secs. 19. 20. 29 & 30.  
 Surface level  
 Soil 1 $\frac{1}{2}$  rate  
 Dense Greasewood brush.



## R. 4 W. continued

chain

West on a random line  
bet. Secs. 19+30.

Var.  $130^{\circ} 54' E$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.96 Intersect W. Proj of P. 8 lks  
S of cor. to Secs. 19. 24. 25+30.

Just recently established  
by me, thence I run  $S 89^{\circ}$   
 $57' E$  on a true line bet.

Secs. 19+30. with same va.

39.96 Set a post 3 ft. long, circ. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  Sec. Cor.

marked  $\frac{1}{4}$  S. on N. face,  
dug pits  $18 \times 18 \times 12$  in. E. W. of  
post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post.

79.96 The corner to Secs. 19. 20. 29+30.

## Subdivisions T. 1 N.

chains

Surface level

Soil 1<sup>st</sup> rate

Dense Greasewood Bush.

North bet. Secs. 19 &amp; 20.

Var.  $13^{\circ} 54' 0''$ 

40.00 Set a Post 3 ft. long, 2 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on W. face, dug  
pits 18 & 18 & 12 ins. N. & S. of  
post  $\frac{5}{8}$  ft. dist. and raised  
a mound of earth  $\frac{1}{2}$  ft.  
high  $\frac{3}{4}$  ft. base around post.

80.00 Set a Post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for Cor. to Secs.  
17, 18, 19 & 20. marked.

## R. 4 W. continued

Lains

S. 17 on N. E.

R 4 W. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. faces, with  
5 notches on E. and 3 notches  
on S. edges, dug pits 18" x 18" x 12"  
in. in each sec. 5/8 ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil 1<sup>st</sup> rate

Venee Greasewood Bush.

East on a random line bet.

Seco. 17 + 20.

Var. 13° 54' E.

4000 Set temporary 1/4 sec. Cor.



## Subdivision S. 1 N.

chains

- 80.06 Intersect W.S. line 20th N.  
of corner to Secs. 16, 17, 20 & 21  
thence Smm N.  $89^{\circ} 51' W.$   
on a true line bet. Secs.  
17 & 20. with same or.
- 40.03 Set a post 2ft. long, circ. of  
with marked stone 12 in.  
in the ground, for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits 18 x 18 x 12 in. E. W.  
of post  $3\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around  
post.
- 80.06 The corner to Secs. 17, 18, 19 & 20  
Surface level  
Soil 1<sup>st</sup> rate  
Use Greasewood Bush.

## N. &amp; W. continued

chains

West on a random line, bet.  
Secs. 18 & 19.

Var.  $13^{\circ} 54' E$ .

40.00 Set temporary  $1/4$  sec. cor.

63.00 Day wash 4 ft. deep, 30 lbs wide  
course  $S 30^{\circ} E$ .

79.76 Intersect W. By of Np. 18 lbs N.  
of cor. to Secs. 13, 18, 19 & 24.

just recently established by me,  
thence 3 rrm  $N 89^{\circ} 51' E$   
on a true line bet. Secs. 18 & 19,  
with same on.

39.76 Set a post 3 ft. long, 3 ins. sq. with  
marked stone 12 ins. in the  
ground, for  $1/4$  sec. cor. marked  
 $1/4 S$  on N. face, dug pits 18 & 18  $1/2$   
ins. E & W. of post  $5/2$  ft. dist.  
and raised a mound of  
earth  $1/2$  ft. high  $3/2$  ft. base

## Subdivisions N 1 W

Chains

around post.

79.76 The corner to Secs. 17, 18, 19, & 20  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Dense Greasewood brush.

North bet. Secs 17 &amp; 18.

Corr.  $13^{\circ} 54' 8''$ 

40.00 Set a Post 2 ft. long, circ. sq.  
 with marked stone 12 in.  
 in the ground, for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  S. on W.  
 face, dug pits  $18 \times 18 \times 12$  in.  
 N & S. of post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post.

80.00 Set a Post 4 ft. long, 4 in.



R. W. continued

chains

sq. with marked stave 12  
in. in the ground, for Sec.  
to Secs. 7, 8, 17 & 18. marked

S. 1 N. S. 8 on N. E.

R 4 W. S. 17 on S. E.

S. 18 on S. W. and

S. 7 on N. W. faces, with  
5 notches on E. and 4 notches  
on S. edges, dug pits 18 x 18 x 12  
in. in each sec. 5 1/2 ft. dist.

and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil 1<sup>st</sup> rate

Large Greasewood Bush.

East on a random line

## Subdivision D. 1 N.

Chain

bet. Secs. 8 &amp; 17.

Var.  $13^{\circ}54'E$ 4000 Set temporary  $1/4$  Sec. Cor.79.93 Intersect N.S. line 8 lps S.  
of Cor. to Secs. 8, 9, 16 & 17.Place Iron S.  $89^{\circ}57'N$ .  
on a true line, bet. Secs. 8 & 17.  
with same va.39.96 Set a Post 3ft. long, circ. sq.  
with marked stone pins  
in the ground, for  $1/4$  sec.  
Cor. marked  $1/4$  S. on N.  
face, dug pits  $18 \times 18 \times 12$  in.  
E & W. of post  $5/2$  ft. dist.  
and raised a mound  
of earth  $1/2$  ft. high  $3/2$  ft. base  
around post.79.93 The Corner to Secs. 7, 8, 17 & 18.  
Surface level

## R. 4 W. continued

Lains

Soil 1<sup>st</sup> rate  
 Hues Greenwood Bush.

West on a random line  
 bet. Secs. 7 & 18.

Var.  $13^{\circ} 54' E!$

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

74.43 Dig Wash 6 ft. deep  
 25 lbs wide, corner  
 $S 35^{\circ} E!$

79.68 Intersect W. B<sub>4</sub> of 1<sup>st</sup>.  
 12 lbs N. of cor. to Secs.

7.12, 13 & 18. just recently  
 established by my Neuse  
 Imm N.  $89^{\circ} 55' E!$  on a  
 true line bet. Secs. 7 & 18.  
 with same va.

39.68 Set a Post 3 ft. long, 3 ins.



Subdivisions S. 1 N.

Claims

sq. with marked stone 12  
ins. in the ground, for 1/4  
sec. cor. marked 1/4 S on  
N. face, dug pits 18 x 18 x 12  
ins. E & W. of post 5 ft.  
dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base, around post.

79.68 The Corner to Secs. 7, 8, 17 & 18.  
Surface level  
Soil 1st and 2d rate  
None greasewood brush.

North bet. Secs. 7 & 8.

Var. 13° 54' E!

40.00 Set a Post 3 ft long 3 ins,  
sq. with marked stone  
12 ins. in the ground, for

## R. 4 W. continued

claims

$\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S.  
on W. face, dug pits  $18 \times 18 \times 12$   
ins.  $\frac{1}{2}$  S. of post  $5 \frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base  
around post.

80.00 Set a Post 4 ft. long, 4 ins. sq.  
with marked stone pins in  
the ground, for Cor. to Secs.  
5, 6, 7 & 8. marked  
S. 1 N. S. 5 on N. E.  
R 4 W. S. 8 on S. E.  
S. 7 on S. W. and  
S. 6 on N. W. faces, with  
5 notches on E. S. edges,  
dug pits  $18 \times 18 \times 12$  ins. in  
each sec.  $5 \frac{1}{2}$  ft. dist. and  
raised a mound of earth  
2 ft. high  $4 \frac{1}{2}$  ft. base around

## Subdivisions S. 1 N.

Chain

post.

Surface level

Soil 1<sup>st</sup> rate

Succ. Greasewood shrub.

Post on a random line,  
bet. Secs. 5 & 8.

Var. 13° 54' E'

40.00 Set temporary post Sec  
Corner.

80.00 Intersect. N. S. line  
8 lks N. of Cor. to Secs.

4.5. 8 & 9. Thence 1000  
N. 89° 57' W. on a true  
line bet. Secs. 5 & 8. with  
same or.

40.00 Set a Post 4 ft. long, 3 in.  
sq. with marked stone



## R. 4 W. continued

Chain

12 in. in the ground, for  
 1/4 sec. cor. marked 1/4 S. on  
 N. face dug pits 18 x 18 x 12  
 ins. E. W. of post 5 1/2 ft.  
 dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base around post.

80.00 The Corner to Secs. 5, 6, 7 & 8  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Runi Greasewood Bench.

Went on a random line  
 bet. Secs. 6 & 7.

Var.  $13^{\circ} 54' E!$

40.00 Set temporary 1/4 sec. cor.

42.00 Dug wash 4 ft. deep. 20 lbs. with  
 course  $S 41^{\circ} W$ .

Subdivisions T. 1 N.

chains

79.58 Intersect W. By of T<sup>p</sup>. 18  
lks N. of Cor. to Secs. 1. 6. 7 & 12  
just recently established  
by rule, Thence I run N.  
89° 52' E. on a true line,  
bet. Secs. 6 & 7. with same ca.

39.58 Set a Post 2 ft. long, 2 in. dia.  
with marked stone 12 in. in  
the ground, for 1/4 sec. cor.  
marked 1/4 S. on N face,  
dug pit 18 x 18 x 12 in. E & W.  
of post 5 1/2 ft. dist. and  
raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
around post.

79.58 The Corner to Secs. 5. 6. 7 & 8.  
Surface rolling  
Soil 2<sup>d</sup> rate  
Some greasewood brush

## R. 4 W. continued

Lains

North on a random line  
bet. Secs. 5 & 6.

Var.  $13^{\circ} 54' E$

40.00 Set temporary  $1/4$  sec. cor.  
80.30 Intersect N. By of Sp. 38  
lks E. of Cor. to Secs. 5, 6. 3/4<sup>32</sup>.

just recently established  
by me, Hence I run

$S. 0^{\circ} 16' E$  on a true line  
bet. Secs. 5 & 6. with same.

40.30 Set a Post 3ft. long, 3in. sq.  
with marked stone 12in.  
in the ground, for  $1/4$  sec.  
Cor. marked  $1/4$  S. on W.

face, dug pits  $18 \times 18 \times 12$   
in. N.W. of post  $5 1/2$  ft.  
dist. and raised a mound  
of earth  $1 1/2$  ft. high  $3 1/2$  ft.  
base around post.



Subdivisions P. 1 W.

chains

80.30 The Corner to Secs. 516. 7 & 8.

Surface level

Soil 1<sup>st</sup> rate

Some Greenwoodbush.

January 24, 1883

## R &amp; W. continued

## General Description

This Township is level land sloping gently to the South, with some small Buttes in N. E. cor. The soil is sandy, <sup>lean</sup> and mostly 1<sup>st</sup> rate & well adapted for agricultural purposes. There is considerable scattering Palo Verde & Ironwood on the Tp. and a dense growth of Greasewood brush covers the entire Tp. There is some grass,

The land could easily be utilized by bringing the Waters of the Gila River, in Ditches upon

*the land,*

*For final notes see Book for  
Sp 1 N. R. 2 W.*



U. S. Surveyor General's Office,

TUCSON, ARIZONA,

February 21 1883,

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 1 N. Range  
4 West.

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by R. L. Powers,

Deputy Surveyor, under his contract of the 24<sup>th</sup>  
day of October, 1882, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

J. W. Robbins  
Surveyor General.