

*Indexed*

*No. 1009*

BOOK 1009

# Field Notes

OF THE SURVEY OF THE BOOK 1009

SUBDIVISION LINES

— OF —

Township 2 N. Range 2 W.

*Gila and Salt River Base and Meridian*

ARIZONA. *No. 1009*

By R. C. Powers. D. S.

under contract dated Jan. 2<sup>nd</sup>, 1883.

Survey commenced Feb 8<sup>th</sup>, 1883.

Survey completed Feb 12<sup>th</sup>, 1883.

6007

BOOK 1009

Subdivision Lines  
P. 2 N. R 2 W.

---

BOOK 1009

## INDEX DIAGRAM.

Township 2 N.Range 2 W.

6	92	5	68	4	57	3	35	2	19	1
<del>91</del>		<del>89</del>		<del>66</del>		<del>50</del>		<del>34</del>		<del>17</del>
7	87	8	65	9	48	10	32	11	15	12
<del>86</del>		<del>85</del>		<del>63</del>		<del>47</del>		<del>31</del>		<del>14</del>
18	83	17	62	16	45	15	29	14	13	13
<del>82</del>		<del>80</del>		<del>60</del>		<del>44</del>		<del>28</del>		<del>11</del>
19	79	20	59	21	42	22	26	23	10	24
<del>77</del>		<del>76</del>		<del>57</del>		<del>41</del>		<del>25</del>		<del>8</del>
30	74	29	56	28	40	27	23	26	7	25
<del>73</del>		<del>72</del>		<del>54</del>		<del>38</del>		<del>22</del>		<del>5</del>
31	70	32	53	33	37	34	21	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

No. 1009

Subdivisions T. 2 N. R. 2 W.

Gila Salt River Meridian

Survey commenced February  
8<sup>th</sup> 1883. with a Burt's  
Patent Improved Solar  
Compass, made by John  
Roach of San Francisco  
California.

---

Before commencing the  
survey of the subdivision  
lines of this Township,  
I carefully examined the  
adjustments of my Solar  
Compass and found them  
correct, the instrument  
was also examined  
daily during the survey  
of this township.

---

Subdivision P<sub>2</sub> N

chains

From the corner to Secs.

1. 2. 3 57 36. on S. Ry of  
 Tp. just recently established  
 by me, from North  
 bet. Secs. 3 57 36.

Var.  $13^{\circ}56' E$

- 4.000 (as per observation with solar compass)
- 4.000 Set a post 3 ft. long, 3 ins. sq.  
 with marked stone 12 ins. in  
 the ground, for 1/4 sec. Cor-  
 marked 1/4 S. on W. face dug  
 pits 18 + 18 + 12 ins. N.W. of  
 post 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft.  
 high 3 1/2 ft. base around post.
- 8000 Set a post 4 ft. long, 4 ins. sq.  
 with marked stone 12 ins.  
 in the ground, for Cor. to  
 Secs. 25. 26. 3 57 36. marked

## R. 2 W. continued

Chains

S. 2 N. S. 25 on N. E.

R. 2 W. S. 36 on S. E.

S. 35 on S. W., and

S. 26 on N. W. faces, with 1  
notch on E. S. edge, dug  
pits 18x18x12 in. in each  
sec. 5 ft. dist. and raised  
a mound of earth 2 ft.  
high 4 ft. base, around  
pit.

Surface level

Soil pt. rate.

Scattering Magnit trees.

Dense Cuto clant Greenwood  
Brush.

---

East on a random line  
bet. Secs 25 & 36.

## Subdivisions S. 2 N.

Chains

Var.  $13^{\circ} 54' E$ .

- 40.00 Set temporary  $1/4$  sec. cor.
- 80.06 Intersect E. By of Sp. 8 Chs N.  
of Corner to Secs. 25, 30, 31 & 36.  
Just recently established by  
me, thence I run N.  $89^{\circ} 57' W$ .  
on a true line bet. Secs.  
25 & 36. with same co.
- 40.03 Set a Post 3 ft. long 3 in sq.  
with marked stone 12 in in  
the ground, for  $1/4$  sec. cor.  
marked  $1/4$  S. on N. face, dig  
pits 18 x 18 x 12 in. E. W. of  
post  $5 1/2$  ft. dist. and raised  
a mound of earth  $1 1/2$  ft.  
high  $3 1/2$  ft. base around post.
- 80.06 The Corner to Secs. 25, 26, 35 & 36.  
Surface level  
Soil 1<sup>st</sup> rate

## R. 2 W. continued

chains

Scattering Mesquite trees.  
Dense Cato claw & Greasewood-  
Burrh.

North bet. Secs. 25 & 26.

Var.  $13^{\circ} 56' E$

4000 Set about 3 ft. long, 3 in. sq. with  
marked stone 12 in. in the  
ground for  $\frac{1}{4}$  sec. bur. marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18 & 18  $\frac{1}{2}$   
in. N. S. of post 5 ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

8000 Set about 4 ft. long, 4 in. sq.  
with marked stone 12 in.  
in the ground for cor. to  
Secs. 23, 24, 25 & 26. marked



## Subdivisions S. 2 N.

Lains

S. 2 N. S. 24 on N. E.

R 2 W. S. 25 on S. E.

S. 26 on S. W. and

S. 23 on N. W. faces, with  
 1 notch on E. & 2 notches  
 on S. edge, dug pits 18" x 18" x 12  
 in. in each sec. 5' apart. dist.  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft. base  
 around foot.

Surface level

Soil 1st rate

Some greenwood stumps.

East on a random line  
 bet. Secs. 24 & 25.

Var. 130° 54' E.

37.00 Cross Road to N. W. &amp; S. E.

## D. 2 W. continued

Stations

4000 Set temporary  $\frac{1}{4}$  sec. cor.8000 Intersect E. By of Sp. 12  
Ck S. of cor. to Secs. 19, 24, 25 & 20.  
just recently established  
by me, Hence I run  
S.  $89^{\circ}55'W.$  on a true line  
bet. Secs. 24 & 25, with same cor.4000 Set about 3 ft. long, rim sq.  
with marked stone pins in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E. W. of  
post 3  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base, around  
post.8000 The corner to Secs. 23, 24, 25 & 26.  
Surface level  
Soil 1st set

Subdivision S. 2 N.

claim

sure Greasewood Bush.

North bet. Secs. 23 & 24.

Var. 13° 56' E.

40.00 Set a Post 2 ft. long, 4 in. sq.  
with marked stone rim in  
the ground for 1/4 sec. Cor.  
marked 1/4 S. on N. face  
dug pits 18+18+12 in. W. of  
of post 5/8 ft. dist. and  
raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around  
post.

67.60 Cross Road to N. W. S. E.

80.00 Set a Post 4 ft. long, 4 in. sq.  
with marked stone rim  
in the ground for cor.  
to Secs. 13, 14, 23 & 24 marked

## R. 2 W. continued

Claims

S. 2 N. S. 13 on N. E.

R 2 W. S. 24 on S. E.

S. 23 on S. W. and

S. 14 on N. W. faces, with  
notch on E. & 3 notches onS. edges, dug pits 18+18+12  
ins. in each sec. 5/8 ft. dist.and raised a mound of  
earth 2 ft. high 4/8 ft. base  
around post.

Surface level

Soil gets rather

Scattering Ironwood & Mesquite  
trees.

Some greasewood brush.

East on a random line  
bet. Secs. 13 + 24.

## Subdivision S. 2 N. 1

Sain

Var.  $13^{\circ} 54' E$ 

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 79.96 Intersect E. Pg of Sp. at  
corner to Secs. 13, 18, 19 & 24.  
Just recently established  
by me, Hence Iron West  
on a true line bet. Secs.  
13 & 24. with same on
- 39.98 Set a Post sp. long, 3 ins. sq.  
with marked stone 12 in in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face,  
dug pits 18" x 18" x 12 in. E & W.  
of post 5 ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.
- 79.96 The corner to Secs. 13, 14, 23 & 24.  
Surface level.

## R. 2 W. continued

Claim

Soil 1<sup>st</sup> rate  
 Scattering trees.  
 Dense Greenwood Bush.

---

North bet. Secs. 13 &amp; 14.

Nor 13° 56' E.

- 40.00 Set a Post 3 ft. long, 3 in. sq.  
 with marked stone 12 in. in  
 the ground, for 1/4 sec. cor.  
 marked 1/4 S. on N. face, dug  
 pits 18 x 18 x 12 in. W. of  
 post 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft.  
 high 3 1/2 ft. long, around post
- 80.00 Set a Post 4 ft. long, 4 in. sq.  
 with marked stone 12 in.  
 in the ground for cor.  
 to Secs. 11, 12, 13 & 14 marked

## Subdivisions S &amp; N.

Lains

S. 2 N. S. 12 on N. E.

R 2 W. S. 13 on S. E.

S. 14 on S. W. and

S. 11 on N. W. face, with  
1 notch on E & 4 notcheson S. edges, dug pits 18x18x12  
ins. in each sec. 5/8 ft. dia.and raised a mound of  
earth 2 ft. high 4/8 ft. base  
around post.

Surface level

S on L 1st rate

Scattering Ironwood trees.

None Greasewood Bush

East on a random line bet.

Secs. 12 &amp; 13.

Ver. 13° 56' 8".

## R. 2 W. continued

chains

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.06 Intersect E. Ry of Tp. 7th.  
S of cor. to Secs. 7, 12, 13 & 18.  
Just recently established  
by me. Hence I run  
S.  $89^{\circ} 50'$  W. on a true  
line bet. Secs. 12 & 13. with  
same oa.
- 40.03 Set a Post 3 ft. long, sim. sq.  
with marked stone 12 in in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 & 18 & 12 in. E. W.  
of post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.
- 80.06 The Corner to Secs. 11, 12, 13 & 14  
Surface level



Subdivisions S. 2 N.

Lines

Soil 1 $\frac{1}{4}$  rate  
 Scattering timber  
 Greasewood Bush.

---

North bet. Sec. 11 & 12  
 Twp. 13036' E!

4000 Set a post 2 ft. long, 2 in.  
 sq. with marked stone 12  
 in. in the ground for  $\frac{1}{4}$   
 sec. Cor. marked  $\frac{1}{4}$  Sec.  
 W face, dug post 18" x 12"  
 in. Dist. of post 50 ft.  
 dist. and raised a  
 mound of earth 1 ft.  
 high  $2\frac{1}{2}$  ft. base around  
 post.

8000 Set a Post 4 ft. long, 4 in.  
 sq. with marked stone.

## R. 2 W. continued

Chairs

12 ins. in the ground for Cor. to Secs.

S. 2, 11 &amp; 12, marked

S. 2 N. S. 1 on N. E.

R. 2 W. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. facing, with 1  
scratch on E. scratches onS. edge, dug pits 18x18x2  
in. in each sec. 50 ft. dist.and raised a mound of  
earth 4 ft. high 4 ft. base  
around pit.

Surface level

Soil 1st rate

Dense Greenwood Park.

East on a random line bet.

Secs. 1 &amp; 12.

## Subdivisions T. 2 N.

chains

Var. 130 56' 8"

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.92 Intersect E. B. of S. p. 23.

Cor. S. of Cor. to Secs. 16, 7+12  
 just recently established  
 by my friend Jim S. 89° 50' N.  
 on a true line bet. Secs.

1+12 with same va.

34.96 Set a Post 3 ft. long, rim. 4.  
with marked stone pins.

in the ground for  $\frac{1}{4}$  sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pits 18+18+12 in. E. N.  
 of post 51/2 ft. dist. and  
 raised a mound of earth  
 1 1/2 ft. high 34 ft. base, around  
 post.

79.92 The corner to Secs. 1, 2, 11+12.  
 Surface level

## R. 2 W. continued

Chain

Soil 1<sup>st</sup> rate  
 same as Greenwood Park.

North on a random line  
 bet. Secs. 1 & 2.

Var. 13° 56' E

40.00 Sit temporary 1/4 sec. cor.

80.06 Intersect N. By of Sp. 18<sup>th</sup> Sec.  
 E of cor. to Secs. 1, 2, 3, 5 & 36.

just recently established  
 by my Nephew I mean  
 S. 008' E on a true line  
 bet. Secs. 1 & 2, with same or.

40.06 Sit at Post 2 ft. long 3 in. sq.  
 with marked at one 12  
 ins. in the ground for  
 1/4 sec. cor. marked 1/48.  
 on N. face, dug pits 18 1/2 x 12

Subdivisions T. 2 N.

charms

sur. W. S. of post  $5\frac{1}{2}$  ft. dist.  
and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base, around post.

80.06 The corner to Secs. 1, 2, 11, 12

Surface level

Soil 1 $\frac{1}{4}$  mts

Some grass and wood.

February 8<sup>th</sup> 1883

## R. 2 W. continued

Chains

From the Corner to Secs.  
2, 3, 34 & 35 on S. By of  
Tp. — recently est-  
ablished by my Iron  
North bet. Secs. 34 & 35.  
Variation  $13^{\circ} 56' E.$

4000 Set a Post 3 ft. long, 3 in.  
sq. with marked stem  
12 in. in the ground  
for  $\frac{1}{4}$  sec. Cor. marked  
 $\frac{1}{4}$  S. on W. fence dug  
pit 18 x 18 x 12 in. Posts  
opposite  $\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high 2  $\frac{3}{4}$  ft.  
long, around post.

8000 Set a Post 4 ft. long 3 in.  
sq. with marked stem  
12 in. in the ground.

## Subdivisions S. 2 N.

Sims

for corner to Secs. 26, 27, 34 & 35  
marked S. 2 N. S. 26 on N. E.

R. 2 W. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. face, with 2  
notches on E. & 1 notch on S.  
edge, dug pits 18+18+12 ins.  
in each sec. 5' ft. dist. and  
raised a mound of earth  
2 ft. high 4' ft. base, around  
post.

Surface level

S. on S. 1<sup>st</sup> set

No trees

Some Greasewood Bush.

East on a random line,  
bet. Secs. 26 & 35.

Var. 13° 56' E.

## R. 2 W. continued

Chain

40.00 Set temporary  $\frac{1}{4}$  sec. cor.67.00 Cross Road course N. W. S. E  $20^{\circ}$ 80.04 Intersect W. S. line 16 lbs N.  
of cor. to Secs. 25, 26, 35 & 36.Thence I run N.  $89^{\circ} 53' W.$   
on a true line bet. Secs.  
26 & 35. with same ca.40.02 Set about 2 ft. long, zinc sq.  
with marked stone 12 in in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 + 18 + 12 in. E + W. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base around post.

80.04 The corner to Secs. 26, 27, 34 &amp; 35.

Surface level

Soil 1<sup>st</sup> rateNo trees, greasewood Bush.



## Subdivisions S. 2 N.

Lines

North bet. Secs. 26+27.

Var. 13° 56' E

40.00

Set a Post 3 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. Cor. marks  
 $\frac{1}{4}$  S. on W. face, dug pits 18" x 12"  
ins. No. 1. off post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth 1 ft. high  $3\frac{1}{2}$  ft. base  
around post.

80.00

Set a Post 4 ft. long 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for cor. to Secs.

22, 23, 26+27. marked

S. 2 N. S. 23 on N. E.

R. &amp; W. S. 26 on S. E.

S. 27 on S. W. and

S. 22 on N. W. face, with  
2 notches on E. S. edge,

## R. 2 W. continued

chain

dig pits 18+18+12 in. in each  
 sec. 5/8 ft. dist. and raise a  
 mound of earth 2 ft. high 4/8  
 ft. base, around post.

Surface level

Soil 1st rate

Scattering Ironwood & Magnolia trees,  
 dense greenwood bush.

East on a random line bet.

Secs. 23+26.

Var.  $13^{\circ} 56' E!$

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect N.S. line at cor. to  
 Secs. 23, 24, 25 & 26. Hence Iron

West on a true line bet. Secs.

23 & 26. with same cor.

40.03 Set a Post 3 ft. long, 2 in. sq.

## Subdivision S. 2 N.

Chain

with marked stone 12 ins. in  
the ground, for  $1/4$  sec. cor.  
marked  $1/4$  S. on N. face dug  
pit 18 + 18 + 12 ins. E. W. of  
post  $5 1/2$  ft. dist. and raised  
a mound of earth  $1 1/2$  ft. high  
 $3 1/2$  ft. long, around post.

80.06 The Cor. to Secs. 22, 23, 26 + 27.

Surface level

Soil 1<sup>st</sup> rate

Scattering Ironwood + Magnolia  
trees, dense undergrowth.

North bet. Secs. 22 + 23.

Var.  $13^{\circ} 56' E$ 

40.00 Set a Post 3 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $1/4$  sec. cor.

## R. 2 W. continued

Chains

marked  $\frac{1}{4}$  S. on W. face, dug  
 pits  $18 \times 18 \times 12$  in. No. of  
 post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base around post  
 8000 Set a Post 4 ft. long, 4 in. sq.  
 with marked stone 12 in. in  
 the ground, for cor. to Secs.

14, 15, 22 & 23. marked

S. 2 N. S. 14 on N. E.

R. 2 W. S. 23 on S. E.

S. 22 on S. W. and

S. 15 on N. W. face, with  
 2 notches on E. & 3 notches

on S. edge, dug pits  $18 \times 18 \times 12$   
 in. in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 around post.

## Subdivisions S. 2 N.

chain

Surface level

Soil 1<sup>st</sup> rate

Scattering Mesquite &amp; Palo

Verde Timber &amp; Ironwood

Dense Mesquite wood Bush.

East on a random line bet.

Secs. 14 &amp; 23.

Var.  $130^{\circ} 56' E$ .

4000 Set temporary 1/4 sec. cor.

74.75 brass Road course N. W. S. E.

8000 Intersect W. S. line at cor.

to Secs. 13, 14, 23 & 24. Thence

Iron, West on a true  
line bet. Secs. 14 & 24, with  
same var.

4000 Set a Post 3 ft. long, sim. sq,  
with marked stone 12 in.

## R. 2 W. continued

Lains

in the ground for  $\frac{1}{4}$  sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face,  
 dug pits  $18 \times 18 \times 12$  in. E. & W.  
 of post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 post

80.00 The Corner to Secs. 14, 15, 22 & 23

Surface level

Soil 1st rate

Scattering Ironwood & Magnolia  
 trees.

Dense greenwood & Catalpa  
 Bush.

North bet. Secs. 14 & 15.

Var.  $13^{\circ} 56' E$

40.00 Set a Post 3 ft. long, 3 in.  $\phi$

## Subdivisions T. 2 N.

Claims

with marked stone 12 in in  
the ground for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S<sup>1</sup> on W. face, dug  
pits 18 + 18 + 12 in. W. S. of  
post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post.

8000 Set a Post 4 ft. long, 4 in sq.  
with marked stone 12 in in  
the ground for Cor. to Secs.  
10, 11, 14 + 15. marked

S. 2 N. S. 11 on N. E.

R 2 W. S. 14 on S. E.

S. 15 on S. W. and

S. 10 on N. W. faces, with 2  
notches on E. 4 notches  
on S. edges, dug pits 18 + 18 + 12  
in. in each sec.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of

## R. 2 W. continued

Chain

earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil 1st rate

None greasewood brush.

East on a random line bet.

Secs. 11 + 14.

Cor.  $13^{\circ} 56' E$ .

40.00 Set temporary 1/4 sec. Cor.

61.23 cross Road thro N.S.

80.10 Intersect N.S. line 18 ch N.  
of cor. w Secs. 11, 12, 13 + 14. Then

run N.  $89^{\circ} 52' W$ . on a true  
line bet. Secs. 11 + 14. with  
same co.

40.05 Set a Post 2 ft. long, 3 in. sq.  
with marked stone pins.



## Subdivisions J. 2 N.

claim

in the ground for  $\frac{1}{4}$  sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pit 18+18+12 in. E. W. of  
 post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base around post.

80.10 The Corner to Secs. 10, 11, 14+15.

Sanga level

Soil 1st rate

Greasewood Bush.

North bet. Secs. 10+11.

Var.  $130^{\circ} 56' E$ 

40.00 Set a Post 3 ft. long, 3 in. sq.  
 with marked stone pins in  
 the ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on W. face, dug  
 pit 18+18+12 in. W. S. of

## R. 2 W. continued

ains

post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base, around post.  
 80.00 Set a Post 4 ft. long, 4 ins. sq.  
 with marked stone pins in  
 the ground, for cor. to Sec.

2, 3, 10 & 11. marked

S. 2 W. S. 2 on N. E.

R. 2 W. S. 11 on S. E.

S. 10 m S. W. and

S. 3 on N. W. face, with 2 notches  
 on E. & 5 notches on S. edge,  
 dug pits  $18 \times 18 \times 12$  ins. in each  
 sec.  $5\frac{1}{2}$  ft. dist. and raised

a mound of earth 2 ft high  
 $4\frac{1}{2}$  ft. base around post.

Surface level

Soil set rate

Some Greenwood Bush.

## Subdivisions N. 2 N.

Chains

East on a random line bet.  
Secs. 2 + 11.

Var.  $13^{\circ} 56' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
61.21 cross Road course N.S.  
80.10 Intersect N.S. line 14 lbs S.

of Cor. to Secs. 1, 2, 11 + 12.

Then run S.  $89^{\circ} 54' W$ .  
on a true line bet.

Secs. 2 + 11. with same cor.

40.05 Set a Post 3 ft. long, 3 in. sq.  
with marked stone pin in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 + 18 + 12 in. E + W. of  
post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high 3 ft. base around  
post.

## R. 2 W. continued

chains

80.10 The Corner to Secs. 2, 3, 10 & 11  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Dense greasewood Bush.

---

North on a random line bet.  
 Secs. 2 & 3.

Var.  $13^{\circ} 56' E.$

- 36.00 Cross road to N. W. & S. E. 30°  
 40.00 Set temporary  $1/4$  sec. Cor.  
 80.06 Intersect N. Ry of T. P. & L.  
 East of cor. to Secs. 2, 3, 34 & 35.  
 first recently established  
 by me, New Iron  $S. 0^{\circ} 3' E.$   
 on a true line bet. Secs. 2 & 3.  
 with same or.  
 40.06 Set a Post 3 ft. long, 2 in. sq.  
 with marked stake 12 in.

## Subdivisions S. 2 N.

Chains

in the ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N. face,  
 dug pits  $18 \times 18 \times 12$  in. Mod.  
 of post  $5 \frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft. base around  
 posts.

80.06 The corner to Sec. 2, 3, 10 & 11.  
 Surface level  
 Soil 1st rate  
 Scattering trees.  
 Greasewood brush.

February 9<sup>th</sup> 1883

R. 2 W. continued

claim

From the corner to Secs  
3.4. 33 & 34. on S. 1/4 of  
Sp. just recently established  
by me from North bit.  
Secs. 33 & 34.

Var. 13° 56' E.

40.00 Set a post 3 ft. long, 2 in. sq.  
with marked stone 12 in. in  
the ground, for 1/4 sec. cor.  
marked 1/4 S. on W. face, dug  
pits 18 + 18 + 12 in. W. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high  
3 1/2 ft. base, around post.

80.00 Set a post 4 ft. long, 4 in. sq.  
with marked stone 12 in. in  
the ground, for cor. to Secs. 27, 28.  
33 & 34. marked  
S. 2 W. S. 27 on N. E.

## Subdivisions P. 2 N.

chains

R. 2 W. S. 34 on S. E.

S. 33 on S. W. and

S. 28 on N. W. face, with  
3 notches on E. 1 notch on S.  
edges, dug pits 18+18+12 in.  
in each sec. 50 ft. dist.and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil 1st rate

Scattering Mesquite trees.  
dense Greasewood brush.East on a random line,  
bet. Secs. 27 + 34.

Var. 13° 56' E.

40.00 Sit temporary 1/4 sec. cor.

R. 2 W. continued

stains

80.04 Intersect N.S. line 16 blocks  
of Cor. to Secs. 26. 27. 34 & 35.  
Thence I run N. 89° 53' W.  
on a true line bet. Secs. 27 & 34  
with same or.

40.02 Set a Post 3 ft. long, 3 in. sq.  
with marked it on 12 in. in  
the ground, for 1/4 sec. Cor.  
marked 1/4 S. on N. face, dug  
pits 18 x 18 x 12 in. E & W of.  
post 3 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post

80.04 The corner to Secs. 27. 28. 33 & 34.  
Surface level  
Soil 1st rate  
Scattering Mesquite trees.  
Scuse from wood trunk.



Subdivisions T. 2 N.

Chains

North bet. Secs. 27 + 28.

Var.  $130^{\circ} 56' E$

4000 Set a post 3 ft. long, 3 in. sq. with marked stake in the ground for  $1/4$  sec. cor. marked  $1/4 S$  on N. face, dug pits 18 + 18 + 12 in. W. of post  $5 1/2$  ft. dist. and raised a mound of earth  $1 1/2$  ft. high  $3 1/2$  ft. base around post.

8000 Set a post 4 ft. long, 4 in. sq. with marked stake in the ground for cor. to Secs.

21, 22, 27 + 28. marked

S. 2 N. S. 22 on N. E.

R 2 N. S. 27 on S. E.

S. 28 on S. W. and

S. 21 on N. W. face, with 3 notches on E + 2 notches on

## R. 277. continued

chain

S. edges, dug pits 18+18+12  
ins. in each sec. 5 1/2 ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. base,  
around post.

Surface level

Soil 1<sup>st</sup> rate, No trees.

Dense Greenwood Bush

East on a random line  
bet. Secs. 22+27.

Var. 13056 'E'

40.00 Set temporary 1/4 sec. cor.

80.03 Intersect N. S. line at cor.  
to Secs. 22, 23, 26+27. Then

Turn West on a true line  
bet. Secs. 22+27. with same cor.

40.01 Set a Post 3 ft. long, 3 ins. sq.

## Subdivisions T. 2 N.

Chain

with marked stone 12 in in  
the ground, for  $\frac{1}{4}$  sec. Cor  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E & W. of  
post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base around post.

80.03 The corner to Sec. 22 &amp; 27.

Surface level

Soil 1<sup>st</sup> rate

Dense greasewood brush.

North bet. Secs. 21 &amp; 22.

Var. 13056' E!

40.00 Set a Post 2 ft. long, 3 in sq.  
with marked stone 12 in.  
in the ground, for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  S. on N.

## R. 2 W. continued

chains

face, dug pits 18+18+12 ins.

N. S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base, around post.

80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground for cor. to Sec. 15, 16, 21 & 22. marked T. 2 N. S. 15 on N. E. R. 2 W. S. 22 on S. E.

S. 21 in S. W. and

S. 16 on N. W. face, with 3 notches on Ex S. edge, dug pits 18+18+12 ins. in each sec 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post. from which a Plover's 14 in. dia. br. 9.50° N. 383 lbs dist. marked T. 2 N. R. 2 W. S. 16 B. P.

## Subdivisions S. 2 N.

Chains

Surface level

Soil 1<sup>st</sup> rate

Scattering Mesquite &amp; Ploverde trees.

Dense Greasewood brush.

East on a random line,  
bet. Secs. 15 & 22.

Var.  $13^{\circ} 56' 8''$ 40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.15 Intersect No. 1 line 6 lbs S. of  
cor. to Secs. 14, 15, 22, 23.

Thence I run  $S^{\circ} 89^{\circ} 58' 19''$   
on a true line bet. Secs. 15 & 22,  
with same va.

40.07 Set about 3 ft. long, 2 in.  
sq. with marked stones  
in. in the ground for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{16}$  on

## R. 2 W. continued

chain

N. face, dug pits  $18 \times 18 \times 12$  in.  
 Ex W. of post  $5 \frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1 \frac{1}{2}$   
 ft. high  $3 \frac{1}{2}$  ft. base around  
 post.

80.15 The corner to Secs. 15, 16, 21 &amp; 22

Surface bed

Soil 1st rate

Scattering Mesquite & Palo Verde  
 trees, Greasewood scrub.

North bet. Secs. 15 &amp; 16.

Var.  $130^{\circ} 56' E$ 

4000 Set a Post 2 ft. long, 2 in. sq.  
 with marked stone 12 in. in  
 the ground, for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N. face, dug  
 pits  $18 \times 18 \times 12$  in. N. of post

## Subdivisions S. 2 N.

Chain

post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base around post.  
 80.00 Set a Post 4 ft. long, 4 in. sq.  
 with marked stone 12 in.  
 in the ground for cor. to Sec.  
 9, 10, 15 & 16. marked  
 S. 2 N. S. 10 on N. E.  
 R 2 N. S. 15 on S. E.  
 S. 16 on S. W. and  
 S. 9 on N. W. faces, with  
 3 notches on E & 4 notches  
 on S. edges, dug pits 18 & 18 in.  
 in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 around post.  
 Surface level  
 Soil 1st rate

## R. 2 W. continued

Chino

Lure Greasewood brush.

East on a random line  
bet. Secs. 10 & 15.

Var.  $13^{\circ} 56' E$

4000 Set temporary  $1/4$  sec. cor.

8000 Intersect nat. line 6 lts S.  
of cor. to Secs. 10, 11, 14 & 15.

Thence Iron  $S. 89^{\circ} 54' W$ .  
on a true line bet. Secs. 10 & 15.  
with same va.

4000 Set a post 3 ft. long, 3 ins. dia.  
with marked stone 12 ins in  
the ground for  $1/4$  sec. cor.  
marked  $1/4$  sec. on N. face  
dug pit 18 x 18 x 12 ins. E. W.  
of post  $57/2$  ft. dist. and  
raised a mound of earth



## Subdivisions N. 2 N.

Chains

1 1/2 ft high 3 1/2 ft. base around  
post from which an Iron-  
wood blin. dia. tree. h 27° N. 38 lbs dist.  
marked 1/4 S. B. D.

80.00 The corner to Secs. 9, 10, 15 & 16  
Surface level  
Soil 1<sup>st</sup> rate  
Scattering trees.  
Some greenwood brush.

North bet. Secs. 9 & 10.

Var. 13° 56' E!

40.00 Set a Post 3 ft. long, 3 in sq.  
with marked stone pin  
in the ground for 1/4 sec.  
Cor. marked 1/4 S. on N.  
face dug pits 18 x 18 x 12 in.  
W. S. of post 5 1/2 ft. dist.

## R. 2 W. continued

chain

and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

80.00 Set a Post 4 ft. long, 4 in.

sq. with marked stone 12 in. in the ground, for cor.

to Sec. 3, 4, 9 & 10. marked

S. 2 N. S. 3 on N. E.

R 2 W. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. face, with 3 sutches on E & 5 sutches on

S. edge, dug pits 18" x 18" x 12 in.

N. S. of post  $5\frac{1}{2}$  ft. dist.

and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post.

Surface level

Soil 1<sup>st</sup> rate

## Subdivisions S. 2 N.

Claim

Scattering trees.  
 Greasewood Bush.

---

East on a random line  
 bet. Secs. 3 & 10.

Var. 13° 56' E.

40.00 Set temporary  $1/4$  sec. cor.  
 80.14 Intersect  $1/4$  sec. line 10 lbs N.  
 of Cor. to Secs. 2, 3, 10 & 11.

Thence I run N. 89° 56' W.  
 on a true line bet. Secs. 3 & 10.  
 with same on

40.07 Set a Post 3 ft. long, 2 ins.  
 sq. with marked stone 12  
 ins. in the ground, for  
 $1/4$  sec. cor. marked  $1/4$  S.  
 on N. face, dug pit 18" x 18" x  
 3 in. E. & W. of post  $5\frac{1}{2}$

R. 2 W. continued

claims

ft. dist. and raised a mound  
of earth approx. high 3/4 ft.  
base around pt.

80.14 The corner to Secs. 3, 4, 9 & 10.

Surface level

Soil 1st rate

Scattering trees.

Some greewood brush

North on a random line bet.

Secs. 3 & 4.

Var. 13° 56' E.

4000 Sit temporary 1/4 sec. Cor.

80.15 Intersect N. Ry of Sp. 10ths  
E. of Cor. to Secs. 3, 4, 33 & 34.

first recently established  
by my Thence I run

S 0° 4' E. on a true line

## Subdivisions S. 2 N.

chain

bet. Secs. 3 & 4, with same on  
 40.15 Set a Post 3 ft long, 3 in. dia.  
 with marked stone 12 in.  
 in the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  S. on N.  
 faces dug pits 18 x 18 x 12  
 in. W. of post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base, around post.

80.15 The corner to Secs. 3, 4, 9 & 10.  
 Simple level  
 Set 1<sup>st</sup> rate  
 scattering trees.  
 Some grasswood & brush

J. E. May 10th. 1883

## R. 2 W. continued

Claims

From the Corner to Secs.  
4, 5, 32 + 33. on S. Ry of  
Sp. just recently estab-  
lished by road from  
North bet. Secs. 32 + 33.

Nov. 13 1881

40.00 Set a Post 3 ft. long 3 in.  
sq. with marked stone  
12 in. into the ground for  
 $\frac{1}{4}$  sec. Cor. marked 1/4 S.  
on W. face dug pits  
18 x 18 x 12 in. No. of  
post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $2\frac{1}{2}$  ft.  
high around post.

80.00 Set a Post 4 ft. long, 4 in.  
square, with marked  
stone 12 in. on the ground

## Subdivisions T. 2 N.

chains

for corner to Secs. 28, 29, 32 & 33.  
marked T. 2 N. S. 28 on N. E.

R 2 W. S. 33 on S. E.

S. 32 on S. W. and

S. 29 on N. W. faces, with  
4 notches on E & 1 notch on

S. edges, dug pits 18 x 18 x 12  
in. in each sec. 5/8 ft.

dist. and raised a mound  
of earth 2 ft high & 4/8 ft base  
around post.

Surface level

Soil 1st rate

Scattering Ironwood trees.

Rare Greasewood brush.

East on a random line  
bet. Secs. 28 & 33.

## R. 2 W. continued

Date

Var.  $13^{\circ} 56' E$ 

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 79.96 Intersect W.S. line 10th N. of corner to Secs 27, 28, 33 & 34. Thence I run N.  $89^{\circ} 56' W$ . on a true line bet. Secs. 28 & 33. with same va.
- 39.98 Set a Post 3ft. long, 3 in. sq. with marked stone 12 in. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. in N. face dug pit 18x18x12 in. E. W. of post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around post.
- 79.96 The corner to Secs. 28, 29, 32 & 33. Surface level Soil 1st rate



## Subdivisions S. 2 N.

claim

Scattering trees.

Some Greasewood & Cedar  
Bunch.

North bet. Secs. 28 &amp; 29.

Var. 13° 56' 18"

4000

Set a Post 2 ft. long, 3 ins.  
sq. with marked stone 12  
ins. in the ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S. on  
W. face, dug pits 18 + 18 + 12  
ins. N. of post 5 ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

8000

Set a Post 4 ft. long, 4 ins.  
square 12 ins. in the ground  
for Cor. to Secs. 20, 21, 28 & 29.

## R. 2 W. continued

chains

marked S. R. N. S. 21 on N. E.

R 2 W. S. 28 on S. E.

S. 29 on S. W. and

S. 20 on N. W. faces, with  
4 notches on S. & 2 notches  
on S. edges, dug pits 18" x 18" x  
in. in each sec. 5/8 ft.dist. and raised a mound  
of earth 2 ft. high 4/8 ft.  
base around post.

Surface level

Soil 1st rate

Scattering trees.

Some greasewood catclaw  
Burrch.East on a random line  
bet. Secs. 21 & 28.

## Subdivisions S. 2 N.

Claims

Var. 13° 56' 18"

4000 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.04 Intersect W.S. line at cor.  
 to Secs 21, 22, 27 + 28. Thence  
 run West on a true line  
 bet. Secs. 21 + 28. with same  
 cr.

4002 Set a Post 3 ft. long, 3 in. sq.  
 with marked stone 12 in.  
 in the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  S. on N.  
 face, dug pits 18 + 18 + 12 in.  
 E + W. of post  $5\frac{1}{2}$  ft. dist  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post.

80.04 The Corner to Secs. 20, 24, 28 + 29  
 Surface level  
 Soil 1<sup>st</sup> rate

## R. 2 W. continued

claim

Scattering Mesquite & Palo Verde  
trees.

dense greasewoods Cactus Bush

North bet. Secs. 20 &amp; 21

Twp. 13056' E.

4000

Set a Post 3 ft. long, 3 in sq.  
with marked stone 12 in. in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S on W. face, dug  
pits 18 x 18 x 12 in. W. S. of  
post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 11  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base around post.

8000

Set a Post 4 ft. long 4 in.  
sq. with marked stone 12  
in. in the ground for  
cor. to Secs. 16, 17, 20 & 21

Subdivisions P. 2 N.

Claims

marked P. 2 N. S. 16 on N. E.  
R 2 W. S. 21 on S. E.  
S. 20 on S. W. and  
S. 17 on N. W. faces, with 4  
notches on E. Notches on  
S. edges, dug pits 18+18+12  
in. in each sec. 5/2 ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil 1st rate

Scattering Ironwood trees  
Some greasewood Bush.

East on a random line  
bet. Secs. 16 + 21.

Var. 13° 56' E.

## R. 2 W. continued

Datum

40.00 Set temporary  $1/4$  sec. cor.  
 80.12 Intersect N.W. line at cor.  
 to Secs. 15, 16, 21 & 22. Hence  
 Iron ~~Set~~ on a true line  
 bet. Secs. 16 & 21. with same  
 ea.

40.06 Set a post 3 ft. long, 3 in sq.  
 with marked stone 12 in in  
 the ground for  $1/4$  sec. cor.  
 marked  $1/4$  S. on N. face  
 dug pits 18" x 18" x 12 in. E & W.  
 of post 5' ft. dist. and  
 raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post.

80.12 The Corner to Secs. 16, 17, 20 & 21  
 surface level  
 Soil 1st rate  
 Scattering trees.

## Subdivisions S. 2 N.

chains

Horse Catochans & Grasse-  
wood Bush.

North bet. Secs. 16 &amp; 17.

Var.  $13^{\circ} 56' 8''$ 

40.00 Set about 3 ft. long 3 in. sq.  
with marked stone 12 in.  
in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits 18 + 18 + 12 in. N.W.  
of post 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around  
post.

80.00 Set about 4 ft. long, 4 in.  
sq. with marked stone  
12 in. in the ground  
for Cor. to Secs. 8, 9, 16 & 17.

R. 2 W. continued

Stabno

marked S. 2 N. S. 9 on N. E.  
R 2 W. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. face, with  
4 notches on E. S. edges,  
Aug pits 18+18+18 in  
each sec. 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft. high 4 1/2 ft base around  
post.

Surface slightly rolling,  
intersected by small washes,  
Soil 1st rate

Scattering trees.

Some Greasewood brush.

on a random line  
East <sub>n</sub> bet. Secs. 9 & 16.  
Twp. 130 56' 2'



Subdivisions N. 2 N. R. 2 W. Antelope

chains

40.00 Set temporary 1/4 sec. Cor.

80.01 Intersect W. S. line at  
Cor. to Secs. 9, 10, 15 & 16. Then  
I run West on a true line  
bet. Secs. 9 & 16. with same on

40.02 Set a Post 3 ft. long, 3 in.  
square with marked stone  
12 in. in the ground for  
1/4 sec. Cor. marked 1/4 S.  
on N. face, dug pit 18" x 12"  
in. Et W. of post 5/8 ft.  
dist. and raised a mound  
of earth 1 1/2 ft. high 3/8 ft.  
base around post.

80.01 The corner to Secs. 8, 9, 16 & 17.

Surface level

8' or 1st rate

Scattering boxes.

Some greasewood Bush

## Subdivisions T. 2 N. R. 2 W. continued

chains

North bet. Secs. 8 &amp; 9.

Var. 130° 56' E.

4000 Set a Post 3 ft. long, 2 in. sq. with marked stone 12 in. on the ground, for  $\frac{1}{4}$  sec. on marked  $\frac{1}{4}$  S. on W. face dug pits 18" & 18" in. N. of post 3  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around post.

8000 Set a Post 4 ft. long 4 in. sq. with marked stone pins on the ground, for cor. to Secs. 4, 5, 8 & 9, marked T. 2 N. S. 4 on N. E. R. 2 W. S. 9 on S. E. S. 8 on S. W. and S. 5 on N. W. faces, with

## Subdivisions T. 2 N.

Culms

4 notches on E. 5 notches  
 on S. edges, dug pits 18" x 12"  
 two in each sec. 5' x 1/2 ft.  
 dist. and raised a  
 mound of earth 2 ft.  
 high 4 1/2 ft. base around  
 post from which  
 at clove side 10 in. dia. br. h. 75' E. 128' S. 42' W.  
 marked T. 2 N. R. 2 W. S. 4 B. 7.  
 Surface level  
 Soil 1st rate  
 Scattering trees.  
 Greasewood Bush.

Cost on a random line  
 bet. Secs. 4 & 9.

For. 1305' 8"

40.00 Set temporary 1/2 sec. cor.

## R. 2 W. continued

Chairs

- 80.16 Intersect N.W. line at cor.  
to Secs. 3, 4, 9 & 10. Thence I  
run West on a true line  
bet. Secs. 4 & 9. with same cor.
- 40.08 Set a Post 3 ft. long, 3 in. dia.  
with marked at one 12 in. in  
the ground, for  $1/4$  sec. cor.  
marked  $1/4$  S. on 2 feet dug  
pit 18 x 18 x 12 in. Ex W. of  
post 5 1/2 ft. dist. and  
raised a mound of earth  
 $1/2$  ft. high 3 1/2 ft. base, around  
post.
- 80.16 The corner to Secs. 4, 5, 8 & 9.  
Surface level  
Soil 1st rate  
Scattering trees.  
Some grasswoods at claw  
Bunch.

## Subdivisions P. 2 N

Claims

North on a random line  
bet. Secs. 4 & 5,

Var. 13° 56' 2"

40.00 Set temporary 1/4 sec. cor  
80.04 Intersect N Ry. sp.

at corner to Secs. 4, 5, 32 & 33.

Just recently established  
by me, Thence I run

South on a true line  
bet. Secs. 4 & 5, with same  
va.

40.04 Set a post 2 ft. long 3 in. dia.

with marked stone 12

in. in the ground for

1/4 Sec. cor. marked 1/4

5 in N. face, dug pits

18 x 18 x 12 in. W. of post

5 1/2 ft. dist. and raised

a mound of earth

R. 2 W. continued

chain

1 1/2 ft. high 3 1/4 ft. base  
around post.

80.04 The corner to Sec. 4. 5. 8. & 4.

Surface level

80.11 ft. set

Scattering trees.

Along Greenwood Bank.

February 11<sup>th</sup> 1883

Subdivisions T. 2 N.

chains

From the corner to Sec.  
 5. 6. 31 & 32. on S. Ry of  
 Sp. just recently est-  
 ablished by me, from  
 North bet. Secs. 31 & 32.

Var 130 56' 8"

4000 Set a Post 3 ft. long, 3 in.  
 sq. with marked stone 12  
 in. in the ground for 1/4  
 sec. cor. marked 1/4 S. on  
 W. face, dug pit 18 x 18 x 12  
 in. W. S. of post 5 1/2 ft.  
 dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base around post.

8000 Set a Post 4 ft. long 4 in.  
 sq. 24 in. in the ground  
 for cor. to Secs. 29, 30, 31 & 32.  
 marked T. 2 N. S. 29 on N. E.

## R. 2 W. continued

chains

R 2 W. S. 32 on S. E.

S. 31 on S. W. and

S. 30 on N. W. faces, with  
5 notches on E. 1 notch on  
S. edges dug pits 18 x 18 x 12  
ins. in each sec. 5 1/2 ft.dist. and raised a mound  
of earth 2 ft high 4 1/2 ft.base around post. from  
which are Ironwood 20 ins. dia. br. 9.57 97. 40 lbs dia.  
marked T. 2 N. R 2 W. S. 30 B. P.As Ironwood 20 ins. dia. br. 9.46 8.67 1/2 dist  
marked T. 2 N. R 2 W. S. 29 B. P.

Surface Rolling.

Soil 2<sup>d</sup> rate

Scattering trees.

Slime catclaw + grease  
wood Bush



## Subdivisions N. 2 N.

Line

Post on a random line  
bet. Secs. 29 & 32.Cor.  $13^{\circ} 56' E$ 40.00 Set temporary  $1/4$  sec. cor.  
80.10 Intersect N.S. line at cor.  
to Secs. <sup>28</sup> 29 32 & 33. HenceI run West on a true  
line bet. Secs 29 & 32.  
with same or40.05 Set a post 2 ft. long, 3 in.  
sq. with marked stone  
pins on the ground for  
 $1/4$  sec. cor. marked  $1/4$  s.  
on N face dug pits 18" & 18" & 2  
ins. E & W of post 5 ft.  
dist. and raised a  
mound of earth  $1/2$  ft.  
high  $3/4$  ft. base around  
post.

## R. 2 W. continued

Chains

87.10

The corner to Secs. 29, 30, 31 & 32  
 Surface level  
 Soil 1 $\frac{1}{4}$  rate  
 Scattering trees.  
 Sparse grasswood & catclaw.  
 Brush.

---

West on a random line  
 bet. Secs. 30 & 31.

Var. 1056' E'

4000

Set temporary 1/4 sec. cor.

79.57

Intersect W. By aft. P.

23 Chs N of Cor. to Secs. 25, 30,

31 &amp; 36, just recently est.

abandoned by us. These

form N. 89° 50' E' on a

true line bet. Secs.

30 &amp; 31, with same va.

Subdivisions N. 2 N.

Lines

39.51 Set a granite stone 18x12x8  
in. pins in the ground  
for 1/4 sec. bur. marked  
1/4 S. on N. face and  
raised a mound of  
stone along side, Pts  
impracticable

79.51 The Corner to Sec. 29. 30. 31 & 32  
Surface Rolling  
Soil rocky & 2 d. rate  
Scattering trees.  
Dense Cats claw & Goose wood  
Brush.

North let Sec. 29 & 30.  
Var. 130 56' E!

40.00 Set a Post 3 ft. long 3 in.  
sq. with marked stones

## R. 2 W. continued

chains

12 ins in the ground for  
 1/4 sec. cor. marked 1/4 S.  
 on W. face, dug pits 18+18+2  
 ins. N + S. of post 5/8 ft.  
 dist. and raised a mound  
 of earth 1/2 ft. high 3/4 ft.  
 base, around post

- 43.40 Dry wash, ap. deep, 60 ft. wide corner S 3/4 W 2/4
- 80.00 Set a Post 4 ft. long, 4 ins sq.  
 with marked stone 12 ins.  
 in the ground for cor. to  
 Sec. 19, 20, 29 + 30. marked  
 S. 2 N. S. 20 on N. E.  
 N 2 W. S. 29 on S. E.  
 S. 30 on S. W. and  
 S. 19 on N. W. faces, with  
 5 notches on E + 2 notches  
 on S. edge, dug pits 18+18+2  
 ins. in each sec. 5/8 ft. dist.

## Subdivisions S. 2 N.

chain

and raised a mound of  
earth app. high 4 1/2 ft. base  
around part.

Surface rolling  
Soil rocky & 2d rate  
Scattering trees.  
Mound Catalpa & Mesquite  
Bunch.

East on a random line  
bet. Secs. 20 & 29.

Var.  $13^{\circ} 56' E$

4000 Sit temporary 1/4 sec. cor.

8000 Intersect Nat. line S. 2 N.  
of Cor. Secs. 20, 21, 28 & 29.

Thence I run N.  $89^{\circ} 57' W$ .  
on a true line bet. Secs.  
20 & 29. with same va

## R. 2 W. continued

Chadron

40.03

Set a Post 2 ft. long, circ. sq.  
with marked stem 12 in. in  
the ground, for  $\frac{1}{4}$  sec. bar.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E. W. of  
post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post.

80.07

The corner to Secs. 19, 20, 29 + 30  
Surface level  
Soil 1<sup>st</sup> rate  
Scattered trees.  
Some Greenwood timber.

West on a random line  
bet. Secs. 19 + 30.

## Subdivision N. 2 N.

chain

Var. 130° 56' E.

- 32.60 Dry wash up, deep 70 lbs wide curve S. 35° E.
- 79.86 Intersect W. By of Tps. 18 lbs S.  
of corner to Sec. 19, 24, 25 & 30.  
first recently established by  
me, thence down S: 89° 52' E.  
on a true line bet. Secs. 19 & 30  
with same on.
- 39.86 Set a granite stone 14 x 12 x 8  
in. 10 in. in the ground for  
1/4 sec. cor. marked 1/4 on  
In face, and raised a mound  
of stone alongside, Pat. imp-  
rectifiable.
- 79.86 <sup>the cor to sec 19, 24, 25, & 30</sup>  
Slope on rolling  
Soil rocky & 2 d. with  
scattering trees.  
Some cat claws & greasewood brush

## R. 2 W. continued

chains

North bet. Secs. 19 &amp; 20.

Var  $13^{\circ} 56' E$ 4000 Set a Graniteton  $16 \times 9 \times 8$  ins.11 in. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside, Pt. imp. racticable

8000 Set a Post 4 ft. long 4 ins. sq. 24 ins. in the ground for cor.

to Secs. 17, 18, 19 &amp; 20. marked S. 2 N. S. 17 on N. 2.

R. 2 W. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. faces, with 5 notches on 2 &amp; 3 notches on S. edges, from which

a Ironwood 6 in. diam. N.  $68^{\circ} W$ . 23 lbs dist.



## Subdivisions T. 2 N.

chain

marked T. 2 N. R. 2 W. S. 18 B. T.  
and build a mound of stone around  
post.

Surface rolling

Soil rocky & 2 d. red

Scattering trees.

Some balsam & juniper wood  
Bunch.

East on a random line bet.  
Secs. 17 & 20.

Var.  $13^{\circ} 56' E$

4000 Set temporary  $1/4$  sec. cor.

79.96 Intersect n.w. line 6 lbs S.  
of corner to Secs. 16, 17, 20 & 21.

Thence Iron S.  $89^{\circ} 58' W$ .  
on a true line bet. Secs.

## N. 2 W. continued

chains

17+20. with same on

39.98 Set about 2 ft. long, 3 in. sq.  
with marked stone rim.in the ground for  $\frac{1}{4}$  sec. cor.marked  $\frac{1}{4}$  S. on N face, dug  
pts 18+18+12 in. EA W. ofpost  $5\frac{1}{2}$  ft. dist. andraised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around  
post.79.96 The corner to Secs. 17. 18. 19+20  
Surface levelSoil 1 $\frac{1}{2}$  ft. rate

No trees.

Some Greasewoods, etc. clear.

Brush.

## Subdivision S. 2 N.

Chains

Went on a random line  
bet. Secs. 18 & 19.

Var.  $130^{\circ} 56' E$ .

37.00 Day mark 15 ft. deep, 185 lbs in the corner S.  $10^{\circ} E$ .

40.00 Set temporary  $1/4$  sec. cor.

79.84 Intersect West Ry of Sp. 16 lbs  
N. of corner to Secs. 13, 18, 19 & 24  
part recently established  
by me. Hence I run N.  $89^{\circ} 53' E$   
on a true line bet. Secs. 18 & 19.  
with same ca.

39.84 Set a granite stone 16 + 12 + 109/100.  
11 ins. in the ground for  $1/4$   
sec. cor. marked  $1/4$  on N.  
face and raised a mound  
of stone along side. Plt  
imp. at least

79.84 The corner to Secs. 17, 18, 19 & 20.

R. 2 W. continued

Sains

Surface Rolling.  
Soil rocky & 2<sup>nd</sup> rate  
Scattering trees.  
Some Citelidans & Green  
wood brnk.

North bet. Secs. 17+18.

Var. 13° 56' E.

- 40.00 Set a granite stone 18+12+10  
ins. diam. in the ground  
for 1/4 sec. cor. marked 1/4  
on N. face, and raised a  
mound of stone along-  
side Pt. impracticable
- 69.00 Set a post 4 ft. deep 80 lbs. in the corner East
- 80.00 Set a Post 4 ft. long, 4 in. sq.  
with marked stone 12 in. in

# Subdivisions N. 2 N.

claim

The ground for Cor. 18 Secs 7, 8, 17 & 18.  
marked N. 2 N. S. 8 on N. E.

R. 2 N. S. 17 on S. E.

S. 18 on S. W. and S

S. 7 on N. W. faces, with  
5 notches on E & 4 notches on  
S. edges, dug pits 18" x 18"  
ins. in each sec. 5' ft.

dist. and raised a mound  
of earth 2' ft. high 4' ft.  
base around post.

Surface Rolling  
Soil rocky & 2d rate  
Scattering trees.

None bet. clear & grease-  
wood brush.

## R. 2 W. continued

chain

East on a random line  
bet. Secs. 8 & 17.

Var.  $13^{\circ} 56' E$

4000 Set temporary  $\frac{1}{4}$  sec. cor.  
79.98 Intersect W. line 16 lbs S.  
of cor. to Secs. 8, 9, 16 & 17.

Thence I run S.  $89^{\circ} 53' W$ .  
on a true line bet. Secs.  
8 & 17. with same ca.

39.99 Set a Post 3 ft. long, 2 in.  $\varnothing$ .  
with marked stone 12 in.  
in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  S. on N.  
face, dug pits 18 & 18 & 12 in.  
in each sec. 5 ft. dist.  
and raised a mound  
of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.  
base around post.

## Subdivisions S. 2 N.

Claims

79.98 The corner to Secs. 7, 8, 17 & 18.  
 Surface little broken  
 Soil 1<sup>st</sup> & 2<sup>d</sup> rate  
 Scattering trees,  
 Dense greasewood brush.

West on a random line  
 bet. Secs. 7 & 18.

Var. 13056 'E'.

4000 Sit temporary 1/4 sec. cor.

64.00 Base of White Tank Mountain  
 and ascend

79.81 Intersect. W. B. of T. 23.  
 lbs S of cor. to Secs. 7, 12, 13 & 18.  
 just recently established  
 by me, Thence from  
 S. 89° 50' E. on a true

## R. 2 W. continued

Hains

line bet. Secs. 7 & 18, with  
same ca.

39.81 Set a granite stone 18" x 48"  
ins. 12 ins. in the ground  
for 1/4 sec. cor. marked 1/4  
on N face and raised  
a mound of stone along-  
side. Pts impracticable.

79.81 The corner to Secs 7, 17, <sup>6-17-</sup>18.  
Surface mountainous  
Soil rocky + 3<sup>d</sup> rate  
Scattering trees.  
Dense greasewood brush

North bet. Secs. 7 &amp; 8.

Var 13° 56' E.

40.00 Set a Post 2 ft. long sim.



Subdivisions S. 2 N.

divis

sq. with marked stone 12  
in. in the ground for  $\frac{1}{4}$   
ac. cor. marked  $\frac{1}{4}$  S on  
W. face, dug pits 18 x 18 x 12  
in. N. S. of post 5 1/2 ft.  
dist. and raised a mound  
of earth 14 ft. high 3 1/2 ft.  
base, around post.

54.00 Dug well 4 ft. deep. to S. 60° E. 318 lbs with

80.00 Set a post 4 ft. long in sq.  
with marked stone 12 in.

in the ground for cor. to  
Secs. 5, 6, 7 & 8, marked

T 2 N. S. 5 on N. 2.

R 2 W. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. face, with  
5 notches on E. S. edge,

## R. 2 W. continued

Lains

dug pits 18+18+12 ins. in  
each sec. 5/8 ft. dist. and  
raised a mound of  
earth 2 ft high 4/8 ft. base  
around post.

Surface rolling & rocky

Soil 1<sup>st</sup> & 2<sup>d</sup> rate

Scattering trees.

Some greasewood brush.

East on a random line bet.

Secs. 5 & 8.

Var 13° 56' E.

4000 Set temporary 1/4 sec. cor.

7994 Intersect N & S. line 32 lbs

N of cor. to Sec. 4. 5. 8 & 9.

Thence I run N. 89° 46' W.

Subdivisions A. 2 N.

Chains

on a true line, bet. Secs.  
5 & 8. with same on.

39.97 Set a post 3 ft. long, 3 in. dia.  
with marked stone pins  
in the ground for  $\frac{1}{4}$  sec.  
hor. marked  $\frac{1}{4}$  S. on N.  
four dug pits 18 + 18 + 12 in.  
E. & W. of post 5 ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

74.94 The corner to Secs 5, 6, 7, & 8.  
Surface Broken <sup>soil</sup>  $\frac{1}{2}$  d. rate  
Scattering trees  
some cat clarr & green-  
wood brush.

R. 2 W. continued

Claims

West on a random line  
bet. Secs. 6 & 7.

Var.  $13^{\circ} 56' E$

4000 Set temporary  $1/4$  sec. cor.

5000 Base of Mountain & around

79.94 Intersect W. By of Tps. 28th  
S. of corner to Secs. 16. 7 & 12

point recently established  
by me. Hence I run

S.  $89^{\circ} 48' E$  on a true  
line bet. Secs. 6 & 7. with  
same va.

38.94 Set a Post 3 ft long, 2 in.

sq. with marked stone 12

in. in the ground for  $1/4$

sec. cor. marked  $1/4$  S. on

W. face, dug pits 18" x 18" x 2

in. Ex W. of post 5 1/2 ft. dist.

## Subdivision J. 2 N.

Chain

and raised a mound  
of earth 1 1/2 ft. high  $2\frac{3}{4}$  ft.  
base around post.

79.94 The corner to Secs. 5, 6, 7 & 8.

Surface mountainous  
Soil rocky + 3<sup>d</sup> rate  
Scattering trees.

Some yellow wood brush.

North on a random line  
bet. Secs. 5 & 6.

For 130.56' E.

4000 Set temporary 1/4 sec. cor.

79.98 Intersect N. By of Sp. 16 No  
E. of corner to Secs. 5, 6, 31 & 32  
put recently established  
by me, thence from S. 0° 7' E. on

R. 2 W. continued

Line

a true line bet. Secs. 5 & 6.  
with same on

39.98 Set a Post 4 ft. long, 3 in.  
sq. with marked stake 12  
in. in the ground for  $\frac{1}{4}$   
sec. Cor. marked  $\frac{1}{4}$  S. on  
W. face, dug pits 18" x 18" x 2  
in. 3/4 S. of post 5/8 ft.  
dirt. and raised a  
mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around  
post.

79.98 The corner to Secs. 5, 6, 7 & 8  
Surface Broken  
Soil rocky + 2<sup>d</sup> rate  
Scattering trees.  
Some Greenwood + Cats claw  
Bunch.

February 12<sup>th</sup> 1883

## General Description

This Township is mostly level land except along the East Base of the White Park Mountains where the ridges begin to extend westerly towards the summit of the Mountain, the adjoining township was therefore not surveyed by rail the land lying in the White Park Mountains,

The Soil is a rich loamy and 1<sup>st</sup> rate, and would produce fine crops if irrigated, a dense growth of Greasewood

BOOK 1009

BOOK 1009

Brush, and some scattering  
Number covers the entire town-  
ship.

~~at the ... ..~~



BOOK 1009

## U. S. Surveyor General's Office,

TUCSON, ARIZONA, February 27, 1880

The foregoing Field Notes of the Survey of the

Subdivision lines,

of  
Township 2 North, Range  
2 West.

Of the Gila and Salt River Base and Meridian, Arizona, executed by R. C. Powers,

Deputy Surveyor, under his contract of the 2nd  
day of January, 1853, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. M. Robbins  
Surveyor General.