

Indexed

No. 1010

BOOK 1010

# Field Notes

BOOK 1010

OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

Township 2 N. Range 4 W.

*Gila and Salt River Base and Meridian*

**ARIZONA.** No. 1010

By R. C. Powers D. S.

under contract dated Jan 2nd 1883.

Survey commenced Feb 13. 1883.

Survey completed Feb 17<sup>th</sup> 1883.

1010

BLK 1010

Subdivision Lines.  
T 2 N. R. 4 W.

BOOK 1010

INDEX DIAGRAM.

Township 2 N.

Range 4 W.

6	96	5	71	4	54	3	35	2	19	1
<del>94</del>		<del>93</del>		<del>69</del>		<del>53</del>		<del>34</del>		<del>18</del>
7	91	8	68	9	57	10	33	11	16	12
<del>89</del>		<del>88</del>		<del>66</del>		<del>49</del>		<del>31</del>		<del>15</del>
18	86	17	65	16	47	15	29	14	13	13
<del>85</del>		<del>83</del>		<del>63</del>		<del>46</del>		<del>28</del>		<del>12</del>
19	81	20	61	21	44	22	27	23	10	24
<del>80</del>		<del>78</del>		<del>60</del>		<del>43</del>		<del>25</del>		<del>8</del>
30	77	29	59	28	41	27	24	26	7	25
<del>76</del>		<del>74</del>		<del>57</del>		<del>39</del>		<del>23</del>		<del>5</del>
31	73	32	56	33	38	34	21	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

Subdivisions S. 2 N. R. 4 W.  
Gila & Salt River Meridian  
chains

Survey commenced  
February 13 1883. with  
a Burt's Patent Improved  
Solar Compass, made by  
John Rosch of San  
Francisco California.

---

Before commencing the  
survey of the subdivision  
lines of this Township.  
I carefully examined the  
adjustments of my Solar  
Compass, and found them  
correct. the instrument was also  
examined every day during the survey of the  
township.

## Subdivisions S. 2 N.

claims

From the Corner to Secs.  
1. 2. 35 & 36. on S. Ry of  
Dp. just recently establish-  
ed by rail, from North  
bet. Secs. 35 & 36.

Var.  $130^{\circ}54' E$ 

Cape observation with Solar Compass

40.00 Set a Post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S on N. face, dug  
pits 18 + 18 + 12 in. N. & S. of  
post  $5\frac{1}{2}$  ft. dist, and  
raised a mound of  
earth 11 ft. high  $3\frac{1}{2}$  ft.  
base around post.

80.00 Set a Post 4 ft long, 4 in. sq.  
with marked stone 12 in.  
in the ground for cor.

## R. 4 W. continued

chains

to Secs. 25, 26, 35 &amp; 36. marked

P. 2 N. S. 25m N. E.

R. 4 W. S. 36m S. E.

S. 35 on S. W. and

S. 26 on N. W. faces, with 1  
notch on E & S. edges, dug  
pits 18+18+12 ins. in each sec.5 1/2 ft. dist. and raised a  
mound of earth 2 ft high  
4 1/2 ft. base around post.

Surface level

Soil 1st rate

Scattering Paloverde trees.

Dense Catclaw & Greasewood  
Brush.

East on a random line bet.

Secs. 25 &amp; 36.

Subdivisions S. 2 N.

Lines

Var.  $130^{\circ} 54' E$

40.00 Set temporary  $1/4$  sec. cor.

68.00 dug wash 10ft. deep, 6ft. wide  
course  $S 110^{\circ} E$ .

80.00 Intersect E. By of Sp. 6 lbs S.  
of corner to Secs. 25, 30, 31 + 36.

just recently established by  
me, Thence Iron  $S 89^{\circ} 57' W$ .  
on a true line, bet. Secs. 25 + 26.  
with same va.

40.00 Set a Post 2 ft. long, 3 in. sq.  
with marked stone rim in  
the ground, for  <sup>$1/4$  sec</sup> cor. marked  
 $1/4$  S. on N. face, dug pits  $18 \times 18 \times 12$   
in. E + W. of post  $5/8$  ft. dist.  
and raised a mound of  
earth  $1 1/2$  ft. high  $3/8$  ft. base,  
around post.

80.00 The corner to Secs. 25, 26, 35 + 36

## R. 4 W. continued

chains

Surface level

Soil 1<sup>st</sup> rate

Scattering trees.

dense Yucca wood bank.

North bet. Secs. 25 &amp; 26.

Var. 13° 54' E.

4000 Set a Post 3 ft. long 3 in. sq. with marked stone pins in the ground, for 1/4 sec. Cor. marked 1/4 S. on W. face dug pits 18 x 18 x 2 in. N.E. of post 5/8 ft. dist. and raised a mound of earth 1 1/2 ft. high 3/4 ft. base around post.

8000 Set a Post 4 ft. long, 4 in. sq. with marked stone pins in the ground, for cor. to Secs.



## Subdivisions S. 2 N.

chain

23, 24, 25 & 26. marked  
 S. 2 N. S. 24 on N. E.  
 R 4 W. S. 25 on S. E.  
 S. 26 on S. W. and  
 S. 23 on N. W. faces, with  
 notch on E. 2 notches on  
 S. edges, dug pits 18 & 18 1/2  
 ins. in each sec. 5 1/2 ft. dist.  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft. base  
 around pit.

Surface level.

Soil gravel & 2 d. rat  
 scattering trees.

Some butcher & greasewood  
 brush.

East on a random line bet.

## R. 4 W. continued

Chains

Secs. 24 + 25.

Var.  $13^{\circ} 54' E!$ 21.54 Day wash 11 ft. deep. 30 ft. wide, course  $S. 30^{\circ} E!$ 28.00 " " 10 " " 40 " " "  $S. 10^{\circ} E!$ 39.00 " " 12 " " 25 " " "  $S. 40^{\circ} E!$ 40.00 Set temporary  $1/4$  sec. cor.80.00 Intersect E. By of T. P. 16 lbs N.  
of corner to Secs. 19, 24, 25 + 30.just recently established by  
me, Thence I run  $N. 89^{\circ} 53' W.$   
on a true line bet. Secs. 24 + 25.  
with same va.40.00 Set a post 3 ft. long, 3 ins. sq. with  
with marked stone 12 ins. in  
the ground, for  $1/4$  sec. cor.  
marked  $1/4$  S. on N. face, dug  
pits  $18 \times 18 \times 12$  ins. E + W. of  
post 5  $1/2$  ft. dist. and raised  
a mound of earth  $1 1/2$  ft. high

Subdivision N. 2 N.

chains

3 1/2 ft. base, around post.

80.00 The corner to Secs. 23, 24, 25 & 26

Surface level

Soil 1<sup>st</sup> rate

Dense undergrowth.

North bet. Secs. 23 & 24.

Var. 130° 54' 18"

34.80 by mark 8 ft. deep, 2.5 lbs wide corner S. 50° W.

36.80 " " 6 " " 30 " " " S. 10° W.

39.64 same " 8 " " 30 " " " S. 20° E.

40.00 Set a Post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground for 1/4 sec. cor.,  
marked 1/4 S. on W. face, dug  
pits 18 + 18 + 12 in. W. S. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high

## R. 4 W. continued

chain

3/4 ft. base around post, from  
which Pilorend 8 diam. dia. to S. 15° E. 22 lbs dist.  
marked 1/4 S. B. T.

45.35 Small dry wash 6 ft. deep 25 lb. wide, course S. 41° W.

53.27 Another " " 4 " " 10 " " " S. 10° W.

80.00 Set a Post 4 ft. long 4 in. sq. with marked  
stone 12 in. in the ground, for Cor. to  
Secs. 13, 14, 23 + 24. marked

S. 2 N. S. 13 on N. E.

R. 4 W. S. 24 on S. E.

S. 23 on S. W. and

S. 14 on N. W. face, with 1 notch  
on E + 3 notches on S. edges, dug  
pits 18 + 18 + 12 in. in each sec. 5 1/2  
ft. dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft. base  
around post.

Surface broken

Soil gravelly + 3 d. rate

Subdivision N. 2 N.

Claim

Scattering Paloverde Ironwoods  
 Blue Greenwood & Cactus  
 Bush.

East on a random line bet. Secs.  
 13 + 24.

Var.  $130^{\circ} 54' E$

21.26 Dry wash 2 ft. deep. 85 lbs. side, course  $S 40^{\circ} W$ .

39.54 Dry wash 4 ft. deep. 50 " " "  $S 40^{\circ} W$ .

40.00 Set temporary  $1/4$  sec. Cor.

63.18 Dry wash 10 ft. deep. 230 lbs. side, course  $S 50^{\circ} W$ .

80.06 Intersect E. Ry. of N. 2 N. of Cor. to Secs.

13. 18. 19 + 24. just recently  
 established by me, & hence I  
 run N.  $89^{\circ} 57' W$ . on a true  
 line bet. Secs. 13 + 24. with  
 same or

40.03 Set a Post 3 ft. long, 3 ins. dia.

## D. &amp; W. continued

chains

with marked stone 12 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits, 18+18+12  
ins. E. W. of post. 5 ft. dist.  
and raised a mound of  
earth 1 ft. high 3 ft. base  
around post.

80.06 The corner to Secs. 13, 14, 23+24.  
Surface level  
Soil 2d. rate  
Some *Pelouzet* grasswood  
Brush.

North bet. Secs. 13+14

Var.  $13^{\circ} 54' E.$

40.00 Set a Post 3 ft. long, 2 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.

Subdivision S. 2 N.

chains

marked  $1/4$  S. on W. face, dug pits  $18 \times 18 \times 12$  ins. E & S. of post  $5 \frac{1}{2}$  ft. dist. and raised a mound of earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base around post.

76.27 by wash 10 ft. deep. 39 galts in diameter S.  $80^\circ$  W.

80.00 Set a Post 4 ft. long, 4 ins. sq. with marked stone 1 in. in the ground for corner to Secs. 11, 12 13 & 14. marked S. 2 N. S. 12 on N. E. R 4 W. S. 13 on S. E. S. 14 on S. W. and S. 11 on N. W. faces, with vent on E. and 4 notches on S. edge, dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5 \frac{1}{2}$  ft. dist. and raised

## R. 4 W. continued

Chain

a mound of earth 2 ft. high  
 4 1/2 ft. base, around post  
 surface Polling  
 Soil gravelly + 2 d. rate  
 None Greenwoods + Cactus Bush.

Part on a random line bet.  
 Secs. 12 & 13.

Var. 13054' 0"

- 8.00 by mark 12 ft. deep. 280 lbs in the corner S. 45° 0' W.  
 29.92 " " 6 " " 22 " " " S. 44° 0' W.  
 40.00 Set temporary 1/4 sec. cor.  
 58.40 by mark 16 ft. deep. 120 lbs in the corner S. 46° 0' W.  
 80.14 Intersect E. Ry of Tp. 6 lbs S. of Cor.  
 to Secs. 7, 12, 13 + 18. just recently  
 established by my Thence Iron  
 S. 89° 58' W. on a true line bet.  
 Secs. 12 & 13. with same or.



Subdivisions S. 2 N.

Chasms

40.07 Set a Post 3 ft. long sim. sp. 24 in. <sup>dig pit 15' x 12' in. E. of post 5' in. dia. 3' deep. Love am. post</sup>  
 in the ground for 1/4 sec. <sup>marked 1/4 S. on Reface, from</sup>  
 marked 1/4 S. on Reface, from  
 which at 1500 ft. to S. 150 W. 85 lbs. dist.  
 marked 1/4 S. P. T. another face  
 within limits.

80.14 The corner to Secs. 11, 12, 13 + 14.  
 Surface Rolling  
 Soil gravel + 2<sup>d</sup> rat  
 scattering Paloverde + Ironwood  
 trees.  
 Some Greasewood + Cactus  
 Bush.

North bet. Secs. 11 + 12.

Var. 130541 E!

17.14 Dry wash 8 ft. deep. both wide, come S 60° W.

32.85 + 25 + 90 + 4 S. 45 W.

## R. &amp; W. continued

chains

40.00

Set a Malpais rock  $20 \times 16 \times 10$  in.  
 15 cm. in the ground for  $\frac{1}{4}$  sec.  
 Cor. marked  $\frac{1}{4}$  on W. face,  
 and raised a mound of stone  
 alongside. Pls impracticable

41.00

By wash 15 ft. deep. 110 lbs. in sh. corner S.  $60^\circ$  W.

74.33

" " 25" " 310 " " " S.  $60^\circ$  W.

80.00

Set a Granite stone  $24 \times 14 \times 10$  in. 18 cm.  
 in the ground for Cor. to Secs. 1, 2,  
 11 & 12, marked with 1 notch on  
 E & 5 notches on S. edges, and  
 raised a mound of stone  
 alongside from which a  
 Peloverde is in dir. to. S.  $30^\circ$  E. 95 lbs. dist. marked

S. 2 N. R. 4 W. S. 12 B. 1.

Surface Rolling. & rocky

Soil 3<sup>d</sup> out

Scuse under growth.

## Subdivisions T. 2 N.

chain

East on a random line bet.  
Secs. 14 & 12.

Var.  $130^{\circ} 54' 0''$

- 12.76 Dry wash 12 ft. deep. 50 lbs wide corner S.  $70^{\circ} 30''$   
 18.00 " " 25 " " 90 " " " S.  $80^{\circ} 30''$   
 20.64 " " 12 " " 240 " " " S.  $45^{\circ} 30''$   
 40.00 Set temporary  $\frac{1}{4}$  sec. corr.  
 58.00 Dry wash 16 ft. deep. 180 lbs wide corner S.  $47^{\circ} 30''$   
 79.98 Intersect E. By of Tp. 8 lks S. of  
 cor. to Secs. 1, 6, 7 & 12. just recently  
 established by me, thence  
 run S.  $89^{\circ} 54' 30''$  W. on a true  
 line bet. Secs. 14 & 12. on the same cor.  
 39.99 Set a Slate stone  $14 \times 12 \times 8$  in. 10  
 in. in the ground, for  $\frac{1}{4}$  sec. corr.  
 marked  $\frac{1}{4}$  on N. face, and  
 raised a mound of stone  
 along side, Pk impracticable  
 79.98 The corner to Secs. 1, 2, 11 & 12

## R. &amp; W. continued

Chains

Surface rolling & rocky  
 S' or E 3 d rate  
 dense undergrowth.

---

Growth on a random line bet.

Secs. 1 & 2.

Var. B 0 54' E!

- 1.20 By road soft def. 200 lbs with corner S. 70° W.  
 11.40 " " 10 " " 90 " " " S. 60° W.  
 25.10 " " 15 " " 110 " " " S. 45° W.  
 33.00 " " 20 " " 100 " " " S. 70° W.  
 40.00 Sit temporary 1/4 sec. bar.  
 80.06 Intersect N. By of Sp. 8 lbs W.  
 of corner to Secs. 1, 2, 35 & 36.  
 first recently established  
 by me, Hence I am S 0° 3' W.  
 on a true line bet. Secs. 1 & 2.  
 with same va.

## Subdivisions N. 2 N.

Chain

40.06 Set alfoamite stone  $14 \times 14 \times 10$   
 in. Goin. in the ground for  
 $1/4$  sec. Cor. marked  $1/4$  on  
 N face, and raised a row  
 of stone along side, *at impracticable*

80.06 The corner to Sec. 1, 2, 11 & 12.  
 Surface rolling & rocky  
 Soil 3 d. rate  
 Plow and Ironwood Green  
 wood Brush.

---

February 13 1883

## R. &amp; W. continued

chains

From the corner to Secs.  
2, 3, 34 & 35, on S. By of  
Sp. post recently established  
by me, 1 mm North bet  
Secs. 34 & 35.

Var.  $13^{\circ}54' E!$ 23.60 Cross Road corner N. ~~W~~ S. E

40.00 Set a Post 3 ft. long 3 ins. sq. with  
marked stone 12 ins. in the ground  
for  $1/4$  sec. cor. marked  $1/4$  S.  
on W. face, dug pit 18  $\times$  8  $\times$  12 ins.  
W. of post  $5/8$  ft. dist. and  
raised a mound of earth  $1/2$   
ft. high  $3/8$  ft. base around post.  
from which a Peloverde 8 ins. dia  
br N.  $40^{\circ} E$  133 lbs dist. marked  $1/4$  S. 35.

80.00 Set a Post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground for cor. to Secs. 26, 27, 34 & 35

## Subdivisions S. 2 N.

dains

marked S. 2 N. S. 26 on N. E.

R. 4 W. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. faces, with 2  
notches on E. & 1 notch on S.  
edges, dug pits 18" + 18" + 12 ins.in each sec. 5 ft. dist. and  
raised a mound of earth  
2 ft. high 4 1/2 ft. base around  
post.

Surface level

8' or 1st rate

Scattering Plover & trees  
greasewood brush &  
dense mcdry growth

East on a random line bet.

Secs. 26 + 35

R. 4 W. continued

claims

Var.  $13^{\circ}54' E$

4000 Set temporary  $1/4$  sec. cor.

79.98 Intersect N.E. line 16 lbs S. of corner to Secs. 25, 26, 35 & 36. Thence S.  $89^{\circ}53' W.$  on a true line bet. Secs. 26 & 35. with same va.

39.99 Set a post 3 ft. long 3 in. sq. with marked stone 12 in. in the ground for  $1/4$  sec. cor. marked  $1/4$  S. on N. face, dug pit 18" x 12" in. E. W. of post 5" left. dial and raised a mound of earth  $1 1/2$  ft. high  $3 1/2$  ft. base around post.

79.98 The corner to Secs. 26, 27, 34 & 35. Surface level Soil 1st sat dense Cat's claw & Junewood brush.



Subdivisions S. 2 N.

chains

North bet. Secs. 26 & 27.

Var. 13054' E.

4000 Set a post 4 ft. long, 4 in. sq.  
with marked stone 12 in. in  
the ground for 1/4 sec. Cor.  
marked 1/4 S. on N. face dug  
pits 18 x 18 x 12 in. 1/2 ft. apart  
3 1/2 ft. dist and raised a  
mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post.

8000 Set a post 4 ft. long, 4 in. sq.  
with marked stone 12 in.  
in the ground for cor. to Secs.

22, 23, 26 & 27, marked

S. 2 N. S. 23 on N. E.

R 4 W. S. 26 on S. E.

S. 27 on S. W. and

S. 22 on N. W. face, with  
2 notches in E. S. edge.

## R. 4 W. continued

Chairs

dug pits 18x18x12 ins. in each sec. 5 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base, around post.

Surface hole

Soil 1st rate

Large Cts. claws & grease-wood Bark.

East on a random line bet  
Secs. 23 + 26.

Var. 13054' S.

6.66 Dry mark 4 ft. deep 20 lbs. each can  
8.140 W.

21.00 Ascend West side of Butte

40.00 Set temporary 1/4 sec. Cr.

42.15 Top of Butte about 125 ft high

# Subdivisions S. 2 N.

chains

Resound

64.00 Enter Valley

80.00 Intersect West line at Cor.

to Secs. 23, 24, 25 & 26. Then

run West on a true line  
 bet. Secs. 25 & 26. on the same

line

40.00 Set a granite stone 18" x 10" x 8" in.

12" in the ground for 1/4  
 sec. Cor. marked 1/4 on

N. face and raised a mound  
 of stone along side, Pits  
 impracticable.

80.00 The Corner to Secs. 22, 23,

26 & 27.

Surface mountainous  
 rocky soil. 3<sup>rd</sup> site

Greasewood & Cactus.

Bunch.

R. 4 W. continued

divisions

North lot. Secs. 22 + 23.

Cor. 13° 54' E.

4000 Set a post 8 ft. long, 8 in. sq. with  
 marked stone 12 in. in the ground  
 for 1/4 sec. Cor. marked 1/4  
 S. on N. face, dug pits 18 + 18 1/2  
 in N.W. of post 5 ft. dist.  
 and raised a mound of  
 earth 1 1/2 ft. high 3 1/2 ft. base,  
 around post,

8000 Set a post 4 ft. long, 4 in. sq.  
 with marked stone 12 in. in  
 the ground for Cor. to Secs.  
 14, 15, 22 + 23. marked  
 S. 2 N. S. 14 on N. E.  
 R. 4 W. S. 23 on S. E.  
 S. 22 on S. W. and  
 S. 15 on N. W. face, with  
 2 scratches on E & 3 scratches

## Subdivision S. 2 N.

chains

on S. edges, dug pits  $18 \times 18 \times 12$   
in. in each sec.  $5 \frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $4 \frac{1}{2}$  ft. high  
around post.

Surface level

for 2 d. rate

Scattering trees.

Pure greenwoods  
class Bunch.

East on a random line,  
bet. Secs. 14 & 23.

Var.  $130^{\circ} 54' E$ .

40.00 Set temporary  $1/4$  sec. cor.

80.06 Intersct W.S. line 16 lbs S.

of corner to Secs. 13, 14, 23, & 24

Then I run S.  $89^{\circ} 53' W$ .

R. & W. continued

dains

on a true line bet. Secs. 14 & 23.  
with same va.

40.03 Set of granite stone 18+12+86m.  
12m. in the ground for 1/4  
Sec. cor. marked 1/4 on N.  
face and raised a mound  
of stone alongside. Pt. imp-  
secticable.

8006 The corner to Secs. 14, 15, 22 & 23.  
Surface rolling some small  
mounds,  
Soil rocky & 2<sup>d</sup> rate  
Scattering trees.  
Some cat's claw & green-  
wood Bush.

North bet. Secs. 14 & 15.  
Var. 13054' E!

## Subdivisions P. 2 N.

chains

20.20 Dry wash 4 ft. deep. 15 lbs with corner S. 38° W.

40.00 Set a Post 3 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground for 1/4 sec. cor.  
marked 1/4 S. on W. face, dug  
pits 18 + 18 + 12 ins. W. S. of post.  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft high  
3 1/2 ft. base around post.

41.00 Dry wash 5 ft. deep. 30 lbs with corner S. 40° W.

62.69 " " 5 " " 25 " " " S. 40° W.

68.00 " " 12 " " 40 " " " S. 40° W.

80.00 Set a Post 4 ft. long 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for Cor. 6 Secs. 10. 11.  
14 + 15. marked

P. 2 N. S. 11 on N. E.

R 4 W. S. 14 on S. E.

S. 15 on S. W. on A

## R. 4. W. continued

Quirns

S. 1000 N. W. faces, with 2 notches  
on E & 4 notches on S. edges,  
dug pits 18+18+12 in. In each  
sec. 5 1/2 ft. dist. and raised  
a mound of earth 4 ft high  
4 1/2 ft. base, around post.

Surface rolling

Soil gravel & 2d rate

Scattering Plover & Iron-  
wood trees.

Some greasewood brush.

East on a random line bet.

Secs. 11 & 14.

Nov. 13 054' 2'

18.20 by wash 10 ft deep 40 lbs on side corner S. 40° W.  
30.00 " " 10 " " 65 " " " S. 30° W.  
40.00 Pit temporary 1/4 sec. cr.



# Subdivisions P. 2 N.

Chairs

58.00 by mark 1 ft. deep. 35 lbs wide, corner S. 35° W.

80.00 Intersect west line 18 lbs S. of corner to Secs. 11, 12, 13 & 14.

Thence I run S. 89° 57' W. on a true line bet. Secs. 11 & 14, with corner on.

4003 Set a post 4 ft. long 2 in sq. with marked stone 12 in. in the ground for 1/4 sec. cor. marked 1/4 S. on N. face, dug pits 18 x 18 x 12 in. E. W. of post 5 1/2 ft. dist. and raised a mound of earth 1/2 ft. high 3 1/2 ft. base around post.

80.06 The corner to Secs. 10, 11, 14 & 15.

Surface rolling.  
Soil rocky & 2 ft. rate  
Pato verde Ironwood &  
Yucca wood Birch.

## R. &amp; W. continued

claim

North bet. Secs. 10 &amp; 11.

Var.  $13^{\circ} 54' E$ .

- 3.88 Dry wash 20ft. deep. 140 lbs wide course  $S. 44^{\circ} W$ .
- 11.46 " " 15 " 60 " " "  $S. 45^{\circ} W$ .
- 34.65 " " 10 " 75 " " "  $S. 45^{\circ} W$ .
- 40.00 Set a Post 5ft. long sim. sq. with  
marked stone 12 in. in the ground  
for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S. on  
W face, dug pits 18x18x12 in.  
N.S. of post 5ft. dist. and  
raised a mound of earth  
1 1/2 ft. high 3 ft. base around  
post.
- 43.00 Dry wash 20ft. deep. 210 lbs wide, course  $S. 41^{\circ} W$ .
- 56.95 " " 15 " 115 " " "  $S. 45^{\circ} W$ .
- 77.29 " " 10 " 30 " " "  $S. 20^{\circ} W$ .
- 80.00 Set a granite stone 16x14x8 in.  
11 in. in the ground for Cor. to  
Secs. 2, 3, 10 & 11. marked with

# Subdivisions N. 2 N.

chains

2 notches on E & 5 notches on  
 S. edge, and raised a mound  
 of stone along side. Pkts  
 impracticable.

Surface rolling & rocky  
 Soil 3<sup>d</sup> rate

Some Yucca wood shrub.  
 L. Paloverde & C. claws.

East on a random line bet.  
 Secs. 2 & 11.

Var.  $13^{\circ} 54' E$

- |        |  |
|--------|--|
| 148    | by mark 6 ft. deep. 40 lbs in db. course $S 45^{\circ} W$ .                  |
| 14, 47 | " " 10. " 35 " " " $S 20^{\circ} W$ .  |
| 40.00  | S. of timbering $1/4$ sec. cor.  |
| 43.53  | by mark 15 deep. 65 lbs in db. course $S 60^{\circ} W$ .                     |
| 73.83  | " " 20 " 250 " " " $S 25^{\circ} W$ .  |
| 80.10  | Intersect road line 18 lbs in of<br>cor. to Secs. 1, 2, 11 & 12. Thence down |

## R. &amp; W. continued

claim

N.  $89^{\circ} 52' W.$  on a true line bet.

Secs. 2 &amp; 11. with same or

40.05 Set a granite stone  $12 \times 10 \times 8$  ins. 8  
ins. in the ground, for  $1/4$  sec. cor.  
marked  $1/4$  on N. face, dug pits  
 $18 \times 18 \times 12$  ins. E & W. of post  $5 1/2$  ft.  
dist. and raised a mound of earth  
 $1 1/2$  ft. high  $3 1/2$  ft. bore along side.

80.10 The corner to Secs. 2, 3, 10 & 11  
Surface rolling & rocky  
Soil 3<sup>d</sup> rate  
Some greasewood & cactus  
Bunch.

North on a random line bet.

Secs. 2 &amp; 3.

Var.  $13^{\circ} 54' E!$ 

33.67 By mark 12 ft. deep 282 lbs on the corner  $S 40^{\circ} W.$

## Subdivision P. 2 N.

chains

- 40.00 Set temporary  $1/4$  sec. cor.
- 60.00 By mark 16 ft. deep. 24 olbs wide cone S.  $45^{\circ}$  W.
- 80.12 Intersect N. Ry of T<sub>1</sub>. 6 lbs E of cor  
to Secs. 2, 3, 34 + 35 just recently est-  
ablished by rail, Hence I run  
 $80^{\circ} 3' E.$  on a true line bet. Secs.  
2 + 3. with same cor.
- 40.12 Set a Post 3 ft. long, 2 ins. sq. with  
marked stone 12 in. in the ground  
for  $1/4$  sec. cor. marked  $1/4$  S on  
N. face, dug pits 18 + 18 + 12 in.  
W. of post 5  $1/2$  ft. dist. and  
raised a mound of earth  $1 1/2$   
ft. high  $3 1/2$  ft. bar around post.
- 80.12 The Cor. to Secs. 2, 3, 10 + 11.  
Surface rolling & rocky  
Soil 3<sup>d</sup> rate  
Greewood & Polorode Brush

February 14<sup>th</sup> 1883



## Subdivisions S. 2 N.

Sains

From the corner to Secs. 3. 4.  
33 & 34. on S. Ry of T<sub>6</sub>. just  
recently established by us  
From North let. Secs 33 & 34.  
Var.  $13^{\circ} 56' E$ .

40.00 Set a Post. 3 ft. long, 3 in. sq. with  
marked stone 12 in. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on  
N. face, dug pits 18 & 18 & 12 in.  
Ned. of post 5 ft. dist and  
raised a mound of earth 14 ft.  
high 3 ft. base, around post.

71.21 Dry wash 8 ft. deep 20 in. wide, course  
 $S 41^{\circ} W$ .

80.00 Set a Post 4 ft. long, 4 in. sq. with  
marked stone 12 in. in the  
ground, for cor. of Secs. 27, 28, 33 & 34.  
marked S. 2 N.  $\odot$  27 on N. E.  
R. 4 N. S. 34 on S. E.

## R. 4 W. continued

Chain

S. 33 on S. W. end  
 S. 28 on N. W. face, with 3  
 notches on E. 1 notch on S.  
 edges, dug pits 18 x 18 x 12 in.  
 in each sec. 57 ft. dist. and  
 raised a mound of earth  
 2 ft. high 4 ft. base around  
 post.

Surface level

Soil gravel + 2<sup>d</sup> rate

Quini Greasewood + Cactus  
 Brush.

East on a random line bet.

Secs. 27 + 34.

Var. 13° 54' E.

11.00 Ray wash 2 ft. deep. 14' to wide curve  
 S. 51° W.



## Subdivisions S. 2 N.

Chains

- 40.00 Set temporary  $\frac{1}{4}$  sec. Cor.
- 58.10 Cross Road to N. W. & S. E.  $22^\circ$
- 79.97 Intersect N. S. line 21 Chs. N.  
of corner to Secs. 26, 27, 34 & 35.  
Thence Iron N.  $89^\circ 51' W.$   
on a true line bet. Secs. 27 & 34  
with same va.
- 39.98 Set a Post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face,  
dug pits 18 & 18 & 12 in. E. W.  
of post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around  
post.
- 79.97 The Corner to Secs. 27, 28, 33 & 34.  
Surface level  
Soil 1st rate

FOOK 1010

R. 4 W. continued

chains

Dense Greasewood & Catclaw brush.

North bet. Secs. 27 & 28.

Var.  $13^{\circ} 54' E!$

40.00 Set a post 3 ft. long, 3 in. sq. with marked stone 12 in. on the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S on W. face dug pit 18 + 18 + 12 in. W. of post 5 ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high 3 ft. base around post.

47.50 Sly wash sp. deep 15 lbs. side same  $S 40^{\circ} W.$

54.30 " " 4 " " 20 " "  $S. 50^{\circ} W.$

73.00 " " 3 " " 20 " "  $S. 54^{\circ} W.$

80.00 Set a post 4 ft. long, 4 in. sq.

## Subdivision S. 2 N.

chains

with marked stone pins in  
the ground, for Cor. to Sec. 21, 22  
27 + 28. marked

S. 22 on N. E.

R. 4 W. S. 27 on S. E.

S. 28 on S. W. and

S. 21 on N. W. faces, with  
3 notches on E. 2 notches on  
S. edge, dug pits 18 + 18 + 12 in.  
in each sec. 5/8 ft. dist. and  
raised a mound of earth  
2 ft high 4 1/2 ft. base around  
post.

Surface rolling

Soil gravel & 2 d. rate

Stump Greenwoods Catcher  
Brush.

R. 4 W. continued

claims

East on a random line bet.  
Secs. 22 + 27.

Var.  $13^{\circ}54' E$

4. 15 Dug mark 4 ft. deep 10 lbs wide, course  $S 47^{\circ} 08'$

40.00 Set temporary  $1/4$  sec. cor.

57.25 Cross Road to N.S.

80.02 Intersect N.S. line at cor. to  
Secs. 22. 23. 26 + 27. Thence I.  
run West on a true line bet.  
Secs. 22 + 27. with same  $\pm$ .

40.01 Set a Post 2 ft. long, 3 in. sq. with  
marked stone 12 in. in the  
ground, for  $1/4$  sec. cor. marked  
 $1/4$  S. on N. face, dug pits 18" x 18" x  
in. E + W. of post  $5/8$  ft. dist.  
and raised a mound of  
earth  $1 1/2$  ft. high 3 ft. base  
around post.

80.02 The corner to Secs. 21. 22. 27 + 28

Subdivision S. 2 N.

Chain

Surface level intersected by  
 small wash,  
 Soil 1<sup>st</sup> rate  
 Scattering trees.  
 Dense Cuts clarr & greasewood  
 Brush.

---

North bet. Secs. 21 & 22.

Var 13° 54' E.

- 4000 Set a Post 4 ft. long 3 ins. sq. with  
 marked stone rim in the  
 ground, for 1/4 sec. Cor. marked  
 1/4 S. on N. face Aug pit 78418412  
 in N. S. of post 5 1/2 ft. dist.  
 and raised a mound of earth  
 1 1/2 ft. high 3 ft. base around post
- 46.20 Lay wash 4 ft. deep. 15ths wide  
 course S 60° W.

R. 4 W. continued

chain

75.00

<sup>Rock top</sup>  
cross, N. W. & S. E. 80°

80.00

Set a Post 4 ft. long, 4 in sq.  
with marked stone pins in  
the ground, for cor. to Sec.

15. 16. 21 & 22, marked

S. 2 N. S. 15 on N. E.

R 4 W. S. 22 on S. E.

S. 21 on S. W. and

S. 16 on N. W. faces, with  
3 notches on E. S. edges, dug  
pits 18 x 18 x 12 in. in each  
sec. 5 ft. dist. and raised a  
mound of earth 2 ft. high 4 1/2  
ft. base around post.

Surface rolling.

Soil gravel & 2% oate  
some greenwood & Catalpa  
Burrh.

## Subdivisions A. &amp; N.

Chains

East on a random line bet.  
Secs. 15 & 22.Cor.  $130^{\circ} 54' 18''$ 36.55 By mark 4 ft. deep 15 lbs wide, corner  
 $S 10^{\circ} 47'$ 40.00 Set temporary  $1/4$  sec. cor.

45.06 cross Road bet. N. &amp; S.

47.65 By mark 4 ft. deep. 15 lbs wide, corner  $S 25^{\circ} 41'$ 62.94 " " 3 " " 20 " " "  $S. 35^{\circ} 41'$ 

80.06 Intersect N. &amp; S. line 18 lbs N.

of corner to Secs. 14, 15, 22 &amp; 23.

Thence I run N.  $89^{\circ} 52' 11''$ 

on a true line bet. Secs. 15 &amp; 22

with same or

40.03 Set a Post opt. long, sim. sq.

with marked stone 12 ins.

in the ground, for  $1/4$  sec.Cor. marked  $1/4$  S. or N. face,

dug pits 18 &amp; 18 &amp; 12 ins. E. &amp; W.

R. + W. continued

chains

off post 3 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

8006 The corner to Secs. 15, 16, 21 + 22  
Surface Rolling.  
Soil gravelly + 3<sup>d</sup> rate  
Dense Greasewood Bush.

North bet. Secs. 15 + 16.  
Var. 13054' E!

- 8.68 Dry wash 4 ft. deep. 20th midy, course S. 45° W.
- 17.78 " " 15" " 36. " " S. 50° W.
- 29.76 " " 16 " " 32 " " " S. 60° W.
- 35.73 " " 15 " " 64 " " " S. 150° W.
- 40.00 Set a Post 1 ft. long, 3 ins. sq. with marked stone 12 ins. in dia ground for 1/4 sec. Cor.



## Subdivisions T. 2

Chains

marked  $1/4$  S. on N. face, dug  
 pits  $18 \times 18 \times 12$  in. Ex. of post  
 $5/8$  ft. dist. and raised a  
 mound of earth  $1/2$  ft. high  
 $3/4$  ft. base around post.

55.00 by road 15 ft. deep, 4 ft. wide, course S  $40^{\circ}$  W.

78.00 " " 3 " " 60 " " S. " S.  $60^{\circ}$  W.

87.00 Set a post 4 ft. long, 4 in. sq.  
 with marked stone 12 in. in  
 the ground for Cor. to Secs.

9, 10, 15 & 16. marked

T. 2 N. S. 10 on N. E.

R 4 N. S. 15 on S. E.

S. 16 on S. W. and

S. 9 on N. W. faces, with  
 3 notches on E. 4 notches on  
 S. edges, dug pits  $18 \times 18 \times 12$  in.  
 in each sec.  $5/8$  ft. dist.

and raised a mound of

## R. 4 continued

claim

earth 2 ft. high 4 ft. base  
 around post. from which  
 a bearing was. Az.  $65^{\circ} E$ . 77' the dist  
 marked R. 2 N. R. 4 W. S. 15. B. T.

Surface bed

Soil gravel & 2' oak  
 scattering Ironwood & Palo  
 Verde trees.

Dense Greasewood brush.

East on a random line bet.

Secs. 10 & 15.

Var.  $130^{\circ} 54' E$

2.00	dry wash 2 ft. deep. 36' wide, course S. $25^{\circ} W$ .
25.64	" " 8' " 45' " " S. $30^{\circ} W$ .
39.64	" " 16' " 50' " " S. $80^{\circ} W$ .
40.00	Set temporary 1/4 sec. cor.
67.18	dry wash 2 ft. deep. 140' wide, course S. $45^{\circ} W$ .

## Subdivision S. 2 N

chains

80.00

Intersect 1/4 S. line at corner  
 to Secs. 10, 11, 14 & 15. Then  
 run West on a true line  
 bet. Secs. 10 & 15. with same  
 var.

40.00

Set a Post 2 ft. long, 3 in. g. with  
 marked stone 12 in in the  
 ground, for 1/4 sec. Cor. marked  
 1/4 S. on face, dug pits 18 1/4 ft  
 in. Ex N. of post 5 1/2 ft. dist.  
 and raised a mound of  
 earth 1 1/2 ft. high 3 1/2 ft. diam.  
 around post

80.00

The corner to Secs. 9, 10, 15 & 16.  
 Surface rilling.

Soil gravel & 2<sup>d</sup> rate  
 scattering Ironwood & Palo  
 verde trees.

Some Jessewood trunk.

## R. 4 W. continued

chain

North bet. Secs. 9+10.

Var.  $13^{\circ}54' E$ .

- 16.79 Dry wash 12ft. deep. 42lbs wide, corner  $57^{\circ} W$ .
- 33.00 " " 15 " 55 " "  $5.10^{\circ} W$ .
- 36.00 " " 18 " 60 " " West
- 40.00 Set a post 3ft. long, 3 in. sq. with marked stone 12 in. in the ground for  $1/4$  sec. Cor. marked  $1/4$  S. on W. face, dug pits  $18 \times 18 \times 12$  in. N.S. of post  $5 1/2$  ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post
- 63.47 Dry wash 12ft. deep. 32lbs wide corner  $57^{\circ} W$ .
- 65.60 " " 10 " 25 " "  $3.70^{\circ} W$ .
- 80.00 Set a post 4ft. long, 4 in. sq. with marked stone 12 in. in the ground for Cor. to Secs. 3+4 + 9+10. marked

Subdivision S. 2 N.

chain

S. 2 N. S. 3 on N. E.  
 R 4 W. S. 10 on S. E.  
 S. 9 on S. W. and  
 S. 4 on N. W. faces with 2 notches  
 on E. and 5 notches on S. edges,  
 dug pits 18+18+12 in. in each  
 sec. 5/8 ft dist. and raised a  
 mound of earth 2 ft high 4 1/2  
 ft. base around post. from which  
 a bearing line is to S. 65° E. 77 lbs dist.  
 marked S. 2 N. R 4 W. S. 10 B. 1.  
 Surface broken & rocky  
 Soil 3<sup>d</sup> rate  
 Scattering Palo Verde & Ironwood  
 trees.  
 Some Cato claw & greasewood  
 Bush.

## R. 4. W. continued

Chain

East on a random line bet.

Secs. 3 &amp; 10.

Var.  $13^{\circ}54' E$ .20.61 Dry wash 4 ft. deep, 20 lbs wide, course S.  $15^{\circ} W$ .40.00 Set temporary  $1/4$  sec. cor.64.00 Dry wash 10 ft. deep, 60 lbs wide, course S.  $34^{\circ} W$ .

80.12 Intersect N.S. line 10 lbs S. of cor.

to Secs 2, 3, 10 &amp; 11. Thence I run

S.  $89^{\circ}56' W$ . on a true line  
bet. Secs. 3 & 10. with sauce on.40.06 Set a granite stone  $18 \times 16 \times 8$  in.12 in. in the ground, for  $1/4$  sec.Cor. marked  $1/4$  on N. face,

and raised a mound of

stone alongside, *Platyrhynchus*

80.12 The corner to Secs. 3, 4, 9 &amp; 10.

Surface rolling.

Soil rocky & 3<sup>d</sup> rate

Scattering Palo Verde trees.

## Subdivisions S. 2 &amp; 4

chains

thence Greasewood & Catclaw,  
Ranch.

---

North on a random line bet.  
Secs. 3 & 4.

Var.  $13^{\circ} 54' E$

22.00 Day wash 10ft deep. 32 lbs wash,  
course S.  $20^{\circ} W$ .

40.00 Set temporary  $1/4$  sec. cor.

44.35 Day wash 4ft deep. 35 lbs wash, course S.  $10^{\circ} W$

66.00 " " 6 " " 25 " " " S.  $30^{\circ} W$ .

77.00 " " 8 " " 20 " " " S.  $30^{\circ} W$ .

80.34 Intersect N. Ry of Sp. 12 lbs E.

of corner to Secs. 3, 4, 33 & 34.

Just recently established by me

thence 100m S.  $0^{\circ} 5' E$  on a

true line bet. Secs. 3 & 4.

with same or.

40.34 Set a Post 2ft. long, same or.

## R. &amp; W. continued

Lains

with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. br. marked,  
 $\frac{1}{4}$  S. on W. face, dug pits 18" x 18" x 4"  
in. W. of post 5' left. dist. and  
raised a mound of earth  $1\frac{1}{2}$  ft.  
high 3' left. base around post.

80.34 The corner to Secs. 3, 4, 9 &amp; 10.

Surface Rolling.

Soil gravel & 3<sup>d</sup> rateScattering Palooches & Iron-  
wood.

Some fraserwood &amp; Osage &amp; Beech

February 15<sup>th</sup> 1883



## Subdivisions S. 2 N.

Chains

From the corner to Secs. 4, 5,  
32 & 33. on S. By of Tp. just  
recently established by me,  
I run North bet. Secs. 32 & 33.

Var.  $13^{\circ} 54' E$ .

4000

Set a Post 3 ft. long 3 in. sq.  
with marked stone 12 in. in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face dug  
pit 18 x 18 x 12 in. W. S. of  
post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base, around  
post

8000

Set a Post 4 ft. long, 4 in. sq.  
with marked stone 12 in. in  
the ground, for cor. to Secs.  
28, 29, 32 & 33. marked  
S. 2 N. S. 28 on N. E.

## N. &amp; W. continued

chains

R. 4 N. S' 33 on S. E.

S. 32 on S. W. and

S. 29 on N. W. faces, with 4  
notches on E. and notch  
on S. edges, dug pits 18 x 18 1/2  
ins. in each sec. 5/8 ft. dist.  
and raised a mound of  
earth 2 1/2 ft. high 4/8 ft. base  
around pit.

Surface level

Soil 2 d rate

Scattering Paloverde trees.

Dense Greasewood Bush.

East on a random line bet.

Secs. 28 + 33.

Var. 130° 54' E.

4000 Set temporary 1/4 sec. cor.

## Subdivisions S. 2 N.

chain

- 80.17 Intersect Mrs. line 4 lbs S.  
of Cor. to Secs. 27, 28, 33 & 34.  
Thence Iron S.  $89^{\circ} 58' W.$   
on a true line bet. Secs. 28 & 33.  
with same or.
- 40.08 Set a post 2 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pit 18 x 18 x 12. ins. E. W. of  
post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. bare around post.
- 80.17 The Corner to Secs. 28, 29, 32 & 33.  
Surface level  
Soil 1<sup>st</sup> rate  
Scattering trees  
None greasewood Bush.

No. 1010

R. 4 W. continued

chains

North bet. Secs. 28 & 29.

Cor 130 54' E

40.00 Set a Post 3 ft. long, 2 in. sq. with marked stone 12 in. in the ground, for 1/4 sec. cor. marked 1/4 S. on W. face, dug pits 18 x 18 x 12 in. W. S. of post 3 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00 Set a Post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground for Cor. to Secs. 20, 21, 28 & 29.

marked P. 2 N. S. 21 on N. E.

R. 4 W. S. 28 on S. E.

S. 29 on S. W. and

S. 20 on N. W. faces, with 4 watches or 2 watches on

S. edges, dug pits 18 x 18 x 12

## Subdivisions T2N. R4W

chains

ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth 2 ft high  $4\frac{1}{2}$  ft. base  
around post.

Surface level

Soil 1<sup>st</sup> rate

Some Cedar & Juniperwood  
Bunch.

East on a random line bet.

Secs. 21 & 28.

Var.  $130^{\circ}54' E$ ?

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.94 Intersect N.S. line 23 lbs S.

of cor. to Secs. 21, 22, 27 & 28.

Thence I run S.  $89^{\circ}50' W.$  on  
a true line bet. Secs. 21 & 28.  
with same va.

Subdivisions S. 2 N. R. 4 W. continued

Chains

- 39.97 Set a Post 3 ft. long, circ. sq with marked stone pin. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S on N. face, dug pits 18 x 18 x 12 ins. E. W. of post 57 ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around post.
- 79.94 The Corner to Secs 20, 21, 28 & 29.  
 Surface level  
 Soil 1st rate  
 Scattering trees.  
 some Junewood Bush.

North bet. Secs. 20 & 21.

Var.  $13^{\circ} 54' E$

- 7.70 Dry Wash 4 ft. deep 26 lbs with course S.  $50^{\circ}$  W.  
 23.90 " " 2 " " 10 " " " S.  $40^{\circ}$  W.  
 31.40 " " 2 " " 22 " " " S.  $60^{\circ}$  W.

Subdivision S. 2 N.

Claim

4000

Set a Post 2 ft long, 3 in sq. with marked stone 12 ins. in the ground for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins.  $\frac{1}{4}$  S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

52.07 by mark esp. deep. 10 lbs wide corner S. 50° W.

71.57 " " 24 " 15 " " " S. 30° W.

80.00

Set a Post 4 ft. long, 4 in sq. with marked stone 12 ins. in the ground for cor. to Secs. 16, 17, 20 & 21, marked S. 2 N. S. 16 are N. E. R 4 W. S. 21, or S. E. S. 20 on S. W. and S. 17 on N. W. faces, with 4 stakes on E & 3 on W.

## R 4 W. continued

chains

in S. edges, dug pits 10' x 10' x 2  
in. in each sec. 5' ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post.

Surface level

Soil gray 2' or more  
Some Greenwood Bush,

East on a random line bet.  
Secs. 16 + 21.

Var. 13° 54' E

- 28.00 Dug wash 3 ft. deep. 15 lbs m. m. more S. 50° W.  
34.00 " " 3 " " 20 " " " S. 30° W.  
4.00 Set temporary 1/4 sec. Cor.  
57.00 Dug wash 4 ft. deep. 20 lbs m. m. more S. 70° W.  
75.30 Cross Road come N. W. + S. E. 37°  
80.09 Intersect road line 16 lbs N.



## Subdivisions S. 2 N.

chain

of cor. to Secs. 15-16. 21 &amp; 22.

Thence 90m S. 89° 53' W. on  
a true line bet. Secs. 16 & 21.  
with same or.

40.05 Set a post 3 ft. long, 3 ins. dia.  
with marked stone 12 in in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on W. face  
dig pits 18 & 18 in. E & W.  
of post 5 ft. dist. and raised  
a mound of earth  $\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post.

80.09 The corner to Secs. 16, 17, 20 & 21.  
Surface level

Soil gravel & 2<sup>d</sup> rate  
Some Petricoles & grasswood  
Brush.

R. & W. continued

chains

North lot. Secs. 16 & 17.

Var.  $13^{\circ} 54' E$

40.00 Set a Post 3 ft. long, 3 ins. sq. with  
marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18 1/4 ft  
ins. W. of post 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
around post

48.50 Dig mark sp. dep. 22 lbs. incl. come  $S. 65^{\circ} W.$

52.35 " " 4 " 18 " " "  $S. 45^{\circ} W.$

58.64 " " 4 " 23 " " "  $S. 70^{\circ} W.$

74.35 Cross Road come N. W. S. E.

80.00 Set a Post 4 ft. long 4 ins. sq.  
with marked stone 12 ins. in the  
ground for cor. to Secs. 8, 9, 16 & 17.  
marked N. 2 N. S. 9 on N. E.

## Subdivisions S. 2 N.

chains

R. 4 N. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. face, with 4  
notches on E. S. edge, deep  
feet 18 + 18 + 12 in. in each  
sec. 5/8 ft. dist. and raised  
a round fence the 2 ft. high  
4/8 ft. base around post.

Surface level

Soil gravel & 2<sup>d</sup> rate

Ironwood Paloverde &amp;

Mesquite trees.

None Gorsewood brush.

---

 Part on a random line bet.

Secs. 9 + 16.

Nos. 13 + 34 + 8!

## R. 4 W. continued

claims

- 23.00 Dry Wash apt. 15 lbs wide course S. 45° W.
- 38.22 " " 6 " 32 " " " S. 50° W.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 40.10 Dry wash apt. deep 50 lbs wide, course S. 45° W.
- 79.96 Intersect Wash line 12 lbs S. of cor.  
to Secs. 9, 10, 15 & 16. Thence  
Iron S. 89° 55' W. on a true  
line bet. Secs. 9 & 16. with same cor.
- 34.98 Set a Post 3 ft. long 3 in. sq. with  
marked stone 12 in. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. in N.  
face, dug pits 18 x 18 x 12 in. E. W.  
approx 57 ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
3 ft. base around post.
- 79.96 The Corner to Secs. 8, 9, 16 & 17.  
Surface level  
Soil gravel & 2 d. rate  
Ironwood & Paloverde

## Subdivisions S. 2 N.

Charts

Trees.

Dense Greenwood Bush.

North bet. Secs. 8 &amp; 9.

Twp. 130 541 E.

12.17 by road 10 ft. deep belt 100 ft. wide, corner S. 60° W.

20.43 " " 10 " " 50 " " " S. 60° W.

34.00 " " 5 " " 25 " " " S. 70° W.

40.00 Set a Post 3 ft. long 3 in. sq.  
with marked stone 12 in.in the ground for 1/4 sec.  
cor. marked 1/4 S. on W.face, dug pits 18 x 18 x 12  
in. N. S. of post 5 ft.

dist. and raised a

worn clop with 1/2 ft.

high 3 1/2 ft. low around post.

50.00 Set a Granite 18 x 12 x 12 in.

## N. &amp; W. continued

chains

12 in. in the ground for Cor.  
to Secs. 4, 5, 8 & 9 marked with  
4 notches on E. & 5 notches on  
S. edge, and raised a mound  
of stone alongside Pto imp-  
racticable

Surface level

Soil gravel & 2<sup>d</sup> rate

Ironwood & Paloverde trees

Some greenwood brush.

East on a random line bet.

Secs. 4 & 9.

Cor.  $13^{\circ} 54' E$

- 18.46 By mark 5 ft. deep. 15 lbs with course  $S. 70^{\circ} W.$   
 49.00 Set temporary  $\frac{1}{4}$  sec. Cor.  
 41.10 By mark 4 ft. deep. 20 lbs with course  $S. 20^{\circ} W.$   
 68.00 2, 6", 25", . . .  $S. 41^{\circ} W.$

## Subdivisions J. 2 N.

Claims

79.94 Intersect nos. line 14 lbs S. of  
Corner to Secs. 3, 4, 9 & 10. Thence  
S. 89° 54' W. on a true line  
bet. Secs. 4 & 9, with same ca.

89.94 Set a post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on a face, dug  
pits 18 x 18 x 12 in. E. W. of  
post 5 ft. dist. and raised  
a mound of earth 1 ft.  
high  $3\frac{1}{2}$  ft. base around post.

79.94 The corner to Secs. 4, 5, 8 & 9.  
Surface level

Soil gravel & 2<sup>d</sup> rate

Scattering Palo Verde trees.

Must greasewood brush.

## R. 4 W. continued

Claims

North on a random line bet.  
Secs. 4 & 5.

Var.  $13^{\circ}54' E.$

- 22.10 Dry wash 4 ft. deep. 22 lbs. metal, course S.  $40^{\circ} W.$
- 30.90 " " 4 " " 30 " " " S.  $45^{\circ} W.$
- 40.00 Set temporary  $1/4$  sec. cor.
- 68.20 Dry wash 3 ft. deep. 25 lbs. metal, course S.  $40^{\circ} W.$
- 74.96 Intersect N. By of T<sub>p.</sub> 18 lbs E. of  
cor. to Secs. 4.5. 32 & 33. just  
recently established by us,  
Thence I run S.  $0^{\circ}8' E.$  on a  
true line bet. Secs. 4 & 5.  
with same on.
- 39.96 Set a post 3 ft. long, circ. sq. with  
marked stone 12 in in the  
ground for  $1/4$  sec. cor.  
marked  $1/4$  S. on W. face, dug  
pits 18 & 18 & 12 in. Post of  
post  $5/2$  ft. dist. and



## Subdivisions J. 2 N.

Chain

raised a mound of earth  
1 1/2 ft. high 3/4 ft. base around  
post.

79.96 The corner to Secs. 4, 5, 8 & 9.

Surface level

Soil gravel 2<sup>d</sup> rate

Scattering Palo Verde

Ironwood trees.

Some Greenwoods

Catalpa Bush.

February 16<sup>th</sup> 1883

## R. &amp; W. continued

chain

From the Corner to Secs.  
5.6. 31. & 32. on S. By of N.  
just recently established  
by well, Iron North bet.  
Secs. 31 & 32.

Var. 13° 54' C!

4000 Set a Post 8 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on W. face  
dug pit 18 x 18 x 12 in. Dist.  
of post  $\frac{5}{8}$  ft. dist. and  
raised a mound of earth  
 $\frac{1}{2}$  ft. high  $\frac{3}{8}$  ft. base around  
post.

8000 Set a Post 4 ft. long, 4 in.  
sq. with marked stone 12 in.  
in the ground for cor. to  
Sec. sq. 30. 31 & 32.

## Subdivision S. 2 N.

chains

marked S. 2 N. S. 29 on N. E.  
R. 4 W. S. 32 on S. E.

S. 31 on S. W. and

S. 30 on N. W. face, with  
5 notches on E. and 1 notch  
on S. edge, dug pits 18" x 18" x  
12" in each sec. 5' x 12"  
dist. and raised a mound

of earth 2 ft. high 4 1/2 ft.  
base around post.

Surface level

Soil gravelly + 2 d. rate

Scattering Palo Verde ~~tree~~ &

Some Greasewood Bush.

East on a random line  
bet. Secs. 29 & 32.

Var. 13° 54' E.

## R. &amp; W. continued

chains

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 79.98 Intersect N.S. line 18 lks  
N.W. corner to Secs. 28, 29, 32 & 33.  
Thence I run N.  $89^{\circ}52'$  W.  
on a true line bet. Secs. 29 & 32.  
with same va.
- 39.99 Set a Post apt. long, sim. sq.  
with marked stake 12 in in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 + 18 + 12 in. E. W. of  
post 57 ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post.
- 79.98 The corner to Secs. 29, 30, 31 & 32.  
Surface level chain S.W.  
Soil gravelly & 2 d. rate  
Scattering Palo Verde trees.  
dense greasewood brush.

## Subdivisions S. &amp; N.

Claims

West on a random line, bet.  
Secs. 30 & 31Var.  $130^{\circ} 54' E$ 40.00 Set temporary  $\frac{1}{4}$  ac. cor.79.41 Intersect W. Ry of Sp. 8 lks S.  
of corner to Secs. 25, 30, 31 & 36.  
just recently established  
by my Uncle Iron S:  $89^{\circ} 57'$   
on a true line bet. Secs.  
30 & 31, with same va.39.41 Set a post 8 ft. long, 2 in. sq. 24  
in in the ground for  $\frac{1}{4}$  ac.  
Cor. marked  $\frac{1}{4}$  S. on N face,  
from which an Ironwood 18  
ins. dia. br. N.  $60^{\circ} W$ . 6 lks dist.  
marked  $\frac{1}{4}$  S. B. N. no other  
trees within limits.79.41 The corner to Secs. 29, 30, 31 & 32  
Surface level

## R. 4 W. continued

claims

Soil gravelly + 2d rate  
 Scattering Paloverdes Iron-  
 wood trees.  
 Some Grewia wood bush.

Growth bet. Secs. 29 + 30.

Var. 130 54' E'

4000 Set a Post 3 ft. long, 4 in sq.  
 with marked stone pins  
 in the ground for 1/4 sec.  
 Cor. marked 1/4 S. on W.  
 four dug pits 18 + 18 + pins.  
 W.S. of post 5 1/2 ft. dist.  
 and raised a mound of  
 earth 1 1/2 ft. high 3 1/2 ft. long  
 around post

8000 Set a Post 4 ft. long, 4 in sq.  
 with marked stone pins.

## Subdivisions A. 2 N.

Chain

in the ground, for Cor. to Sec.

19, 20, 29 &amp; 30. marked

P. 2 N. S. 20 on N. E.

R 4 W. S. 29 on S. E.

S. 30 on S. W. and

S. 19 on N. W. faces, with 5

notches on E &amp; 2 notches on

aug pits 18 ft. 4 ft. deep, 3 ft. deep, all 5 ft. dist. and around a mound  
of earth 4 ft. high 4 ft. base around pit

S. edge, from which a

Paloverde pins. dia. br. N. 200 E. 300 ft.

marked P. 2 N. R. 4 W. S. 20 B. P.

no other trees, within limits.

Surface rolling draining S. 48 W.

Soil gravelly & 2<sup>d</sup> sub

Scattering Paloverde trees.

Some greasewood brush.

East on a random line  
bet. Secs. 20 & 29

## R. 4 W. continued

Chains

Corr.  $13^{\circ} 54' E$ 6.05 dug Wash 4 ft. deep 16 1/2 wide, corner  
S.  $10^{\circ} W$ .

40.00 Set temporary 1/4 sec. Cor.

79.96 Intersect W. line 4 lks S. of  
Cor. to Secs. 20, 21, 28 & 29. Thence  
I run S.  $89^{\circ} 58' W$ . on a true  
line bet. Secs. 20 & 29. with same  
ca.39.98 Set a Post 3 ft. long iron sq. with  
marked stone pins in the  
ground for 1/4 sec. Cor. marked  
1/4 S. on N. face, dug pits 18 1/2 x 1 1/2  
ins. E & W. of post 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
around post.79.96 The corner to Secs. 19, 20, 29, & 30  
Surface level



## Subdivisions N. 2 W.

Chains

Soil 1st rate

Dense Greasewood Bush.

West on a random line  
bet. Secs. 19 & 30.Var.  $130^{\circ} 54' E$ 3.10 Dry wash 2 ft deep 15 lbs widely corner  $530^{\circ}$ 18.20 " " 2 " " 18 " " "  $545^{\circ}$ 30.10 " " 2 " " 22 " " "  $530^{\circ}$ 4000 Sit temporary  $1/4$  sec. corr.79.38 Intersect N. Ry of Sp. at  
Corner to Secs 19, 24, 25 & 30.Just recently established  
by me, then I run East  
on a true line bet. Secs.  
19 & 30. with same on.39.38 Set a Granite stone  $15 \times 10 \times 11$  ins.  
10 ins. in the ground for  $1/4$

N. 4 W. continued

claims

sec. Cor. marked 1/4 on N. face, and raised a mound of stone along side, Pts unpracticable

79.38 The corner to Secs 19, 20, 29, 30. Surface level Soil gravel 2d rate Since Greasewood bush.

North bit. Secs. 19 + 20.

Var. 130° 54' E!

1.86 Set mark 1/4 ft deep. 1/4 in wide, corner S. 50° W.

38.80 " " 2 " " 1/4 " " " S. 30° W.

40.00 Set a Post 1/4 ft. long, 3/4 in sq. with marked stone 12 in. in the ground for 1/4 sec. Cor. marked 1/4 S on W. face, dug pits 184 + 182 1/2

Subdivisions S. 2 N.

claim

ins. N. S. of post 5/2ft. dist. and raised a mound of earth 1 1/2ft. high 3 1/2ft base around post.

53.00 Dry wash sp. deep. 15 lbs wide corner S. 30° W.

57.15 " " 3 " " 15 " " " S. 60° W.

80.00 Set a Post 4 ft. long, 4 in. sq. with marked stone 12 in in the ground for cor. to Secs. 17, 18, 19 & 20 marked S. 2 N. S. 17 on N. E. R 4 N. S. 20 on S. E. S. 19 on S. W. and S. 18 on N. W. face, with 5 notches on E & 3 notches on S. edges, dug pits 18 x 18 + 12 in in each sec. 5/2ft. dist. and raised a mound of earth sp. high 4 1/2ft base around post.

R. 4 W. continued

Chains

Surface level  
 Soil 2d rate  
 Scattering Ironwood Palmetto  
 trees.  
 Some Greenwood trunk.

---

East on a random line bet.

Secs. 17 & 20.

Var. 130.54' E.

- 5.19 Dry wash 4 ft. deep. 15 lbs withy corner S. 40° W.
- 17.79 " " 2 " " 15 " " " S. 35° W.
- 22.74 " " 3 " " 12 " " " S. 20° W.
- 40.00 Sit temporary 1/4 sec. bar.
- 47.14 Dry wash 4 ft. deep. 16 lbs withy corner S. 30° W.
- 55.22 " " 2 " " 22 " " " S. 20° W.
- 80.12 Intersect N. S. line 22 lbs N.  
 of bar. to Secs. 16, 17, 20 & 21.  
 Thence Iron N. 89° 51' W.

## Subdivisions S. 2 N.

chains

on a town line bet. Secs. 17 & 20.  
with same on.

40.06 Set a post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E. W. of  
post 5/8 ft. dist. and  
raised a mound of earth  
1 1/2 ft. high x 3 ft. base around  
post.

80.12 The corner to Secs. 17, 18, 19 & 20.  
Surface level drains S. W.  
Soil gravel & 2<sup>d</sup> rate  
Scattering Pilovardes & Iron-  
wood trees.  
Large grasswood brush

## R. 4 W. continued

Chains

West on a random line bet.

Secs. 18 &amp; 19.

Var.  $13^{\circ} 54' E$ 

1.70 long mark 2 ft. deep 15 lbs weight, corner S. 30° W.

13.07 " " 3 " " 22 " " " S. 40° W.

24.74 " " 3 " " 30 " " " S. 40° W.

4.00 Set temporary 1/4 sec. cor.

79.58 Intersect W. Ry of Tp. 8 lbs

No of cor. to Secs. 13, 18, 19 &amp; 24

first recently established by

my Plence Iron 9.89 0571 E.

on a true line bet. Secs. 18 &amp; 19.

with same va.

39.58 Set a post 2 ft. long, zinc sq.

with marked stone 12 ins in

the ground, for 1/4 sec. cor.

marked 1/4 S. on N. face, dug

pit 18 x 18 x 12 ins. Et W. of

post 5/8 ft. dist. and

## Subdivisions S. 2 N.

Chains

raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base around  
post

79.50 The corner to Secs. 17, 18, 19 & 20.

Surface level

Soil gravel & 2<sup>d</sup> rate

some greasewood brush.

North bet. Secs. 17 & 18.

Var 13034' 8"

4000 Set a Post 2 ft. long, 2 in. sq.  
with marked stone 12 in.  
in the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face  
dug pits 18+18+12 in. N.W.  
of post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth 1 ft. high  $3\frac{1}{2}$  ft.

## R 4 W. continued

chain

base around post.

45.65 Dry wash 4 ft. deep. 10 lbs wide, course  
S 45° W.

68.44 Dry wash 5 ft. deep. 10 lbs wide course S. 40° W.

80.00 Set a Post 4 ft. long, 4 in. sq.  
with marked stone 24 ins. in  
the ground for Cor. to Secs.

7. 8. 17 + 18. marked

S. 2 N. S. 8 on N. E.

R 4 W. S. 17. on S. E.

S. 18 on S. W. and

S. 7 on N. W. faces, with 3  
notches on E + 4 notcheson S. edge, found wheel  
at Paloverde 8 in. dia. br. S 15° W. 135 ft. dist.  
marked S. 2 N. R 4 W. S. 18 P. S.

no other trees, within limits.

Surface level

Soil gravel + 2<sup>d</sup> rate



Subdivisions A2 N.

chain

Scattering Palo Verde & Iron-wood trees.

Dense greasewood brush.

East on a random line bet.

Secs. 8 & 17.

Var  $12^{\circ} 54' E$

- 7.00 Cross Road to N. W & S  $E. 40^{\circ}$
- 16.73 By wash 1 ft. deep. 30 lbs in sh, course  $S 45^{\circ} W$
- 40.00 Set temporary  $1/4$  sec. cor.
- 62.88 By wash 4 ft. deep. 22 lbs in sh course  $S. 46^{\circ} W$ .
- 80.04 Intersect N & S. line 6 lbs S of cor. to Secs. 8, 9, 16 & 17. Thence Iron S.  $89^{\circ} 58' W$ , on a true line bet. Secs. 8 & 17. with same va.
- 40.02 Set a Pit 3 ft. long, 3 ins.

## R. &amp; W. continued

chains

29. 24 ins. in the ground  
for 1/4 sec. box marked  
<sup>plug pits 18+18+12 in. E. W. of hole 5 ft. dist. and gave a round of</sup>  
<sup>cut 1/2 ft. 1/2 ft. 3/4 ft. the amount part.</sup>  
 1/4 S on N face, from which  
 a Plover's 8 ins. dia. to S. 10° W.  
 105 lbs dist. marked 1/4 S. P. T.  
 no other tree within limits.

80.04 The corner to Secs. 7, 8, 17 &amp; 18.

Surface level

Soil gravel & 2<sup>nd</sup> rateScattering Plover's & Iron-  
wood trees,Dense Cat's claw & Greasewood  
Bunch.

West on a random line bet.

Secs 7 &amp; 8.

Tas 13054 2'

20.75 by wash 4 ft deep. Tolls with

Subdivision S. 29.

Chains

to S. 30° W.

31.54 <sup>by work of</sup> dep. 15 <sup>to</sup> <sup>the</sup> <sup>end</sup> <sup>of</sup> <sup>the</sup> <sup>course</sup> S. 40° W.

39.70 " " 5 " " 30 " " " S. 45° W.

40.00 Set temporary 1/4 sec. cor.

74.38 Intersect W. By of Sp. 6 to 9.  
of corner to Secs. 7, 12, 13 & 18,  
just recently established  
by my Nance from N. 89° 57' E.  
on a true line bet. Secs. 7 & 18.  
with same ca.

34.38 Set spot aft. long, sim sq.

Chains in the ground for

1/4 sec. cor. marked in S.  
the pits 18 1/2 ft. in diam. 2 ft. apart 5 1/2 ft. dist. and chain  
along edge of each 1/4 sec. 5 ft. 5 1/2 ft. low ground point  
in N face from which

Allocated in dia. to S. 30° E. 200 ft. dist.  
marked 1/4 S. P. T. no other  
trees, within limits.

79.38 The corner to Secs. 7, 8, 17 & 18.  
Surface level

R. 4 W. continued

chains

Soil gravel & 2<sup>d</sup> rate  
Scattering Pilewood & Iron-  
wood trees.

Some Cuts lawn & grasswood  
Brush.

North bet. Sier 7 & 8.

Var. 130 54' E!

8.00 Dry wash 4 ft deep 20 lbs iron came S 45° W.  
37.00 " " 8 " " 15 " " " S. 60° W.

40.00 Set a Post 2 ft long, 3 in. sq.  
with marked stone rim in  
the ground, for 1/4 sec. Cor.  
marked 1/4 S. on W. face  
dug pits 18 x 18 x 12 in. Ind.  
of post 5/8 ft. dist. and  
raised a mound of  
earth 1/2 ft. high 5/8 ft. base  
around post.

## Subdivisions T. 2 N.

chain

53.48 Dry wash 6 ft. deep. 24 lbs. width corner  
S 40° W.

80.00 Set a Post 4 ft. long, 4 in. sq.  
with marked stone pins in  
the ground for cor. 5 Secs. 5, 6, 7 & 8.  
marked T. 2 N. S. 5 on N. E.  
R. 4 W. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. face, with 5  
notches on E & S. edges,  
dug pits 18 x 18 x 12 in. in  
each sec. 5/8 ft. dist. and  
raised a mound of earth  
2 ft. high 4/8 ft. base around  
post.

Surface level

Boil gravel 2 ft. rate

Scattering Pilowood & Iron-  
wood trees.

R. 4 W. continued

claim

Heavy Greasewood Bush.

East on a random line  
bet. Secs. 5 & 8.

Var.  $13^{\circ} 54' E!$

7.37 Cross Road course N. W. S. E.

34.17 Dig wash 4 ft. deep, 45 lbs wide, course S. 45° W.  
46.00 Set temporary 1/4 sec. cor.

61.10 Dig wash 3 ft. deep, 25 lbs wide course S. 30° W.

8000 Intersect red. line 6 lbs S. of cor.

to Secs. 4, 5, 8 & 9. Hence Run

S  $89^{\circ} 57' W.$  on a true line

bet. Secs. 5 & 8. with same or

4000 Set a post 3 ft. long, 3 in. sq. with  
marked stone pins in the ground  
for 1/4 sec. cor. marked 1/4 S. on

In face, dug pits 18" x 18" pins.

E. W. of post 5 1/2 ft. dist. and  
raised a mound of earth

Subdivisions T. 2 N.

chains

1 1/2 ft. high 3 1/2 ft. base, arched post, from which  
at Paloverde Km. dia. br. S10°W. 53th dist.  
marked 1/4 S. B. T.

80.00 In corner to Secs. 6, 7 & 8

Surface level

Soil gravel & 2d rate

some Catclaws & Greasewood  
Bunch.

West on a random line bet.  
Secs. 6 & 7.

Var. 130° 54' E.

10.33 Dry wash 3 ft. deep. Colks with curve S40°W.

23.00 ? ? 3 ? ? 22 ? ? 2 S. 30° W.

46.00 Set temporary 1/4 sec. cor.

79.38 Intersect W. Ry of Sp. 16 lks S.  
of cor. to Secs. 1, 6, 7 & 12. post  
recently established by us

R. & W. continued

Claim

Thence I run S.  $89^{\circ}53'E$ . on  
a true line, bet. Secs. 6 & 7.  
with same va.

39.38 Set a Post 4 ft. long, sim. sq. with  
marked stone 12 in. on the  
ground, for  $1/4$  sec. cor. marked  
 $1/4$  S. on N. face, dug pits  $18 \times 18 \times 12$   
in. E & W. of post. 5 ft. dist.  
and raised a mound of  
earth  $1 1/2$  ft. high  $3 1/2$  ft. base  
around post.

79.38 The corner to Secs. 5, 6, 7 & 8.  
Surface rolling with small  
washes.

Soil gravel & 2<sup>d</sup> rate

Scattering trees.

Dense Catclaw & greasewood  
Bunch.



Subdivisions N. 2 N.

Claim

North on a random line  
bet. Secs. 5 & 6.

Var.  $130^{\circ} 54' E$

10.84 Cross Road course N. W. & S. E.

18.67 By road of. deep. 50 lbs width, course  $S. 30^{\circ} 4'$

28.24 " " " " 20 " " "  $S. 45^{\circ} W$

40.00 Set temporary  $\frac{1}{4}$  sec. Cor.

80.02 Intersect N. By of Sp. 18 lks E.  
of Cor. to Secs. 5, 6, 31 & 32.

Just recently established by me

Thence I run  $S. 08' E$  on  
a true line bet. Secs. 5 & 6.  
with same va.

40.02 Set a Post 3 ft. long, 3 in. sq.  
with marked stone 12 in. in  
the ground for  $\frac{1}{4}$  sec. Cor.  
marked  $\frac{1}{4}$  S. on W. face, dug  
pits 18 & 18 + 12 in. N. & S. of  
post  $\frac{5}{8}$  ft. dist. and

N. & W. continued

chains

raised a mound of earth  
1 1/2 ft. high 3/4 ft. base around  
post.

80.02 The corner to Secs. 5, 6, 7 & 8.  
Surface rolling.

Soil gravel & 2<sup>d</sup> rate

Scattering trees.

Dune Catclaw & Greasewood  
Bunch.

February 17, 1883.

General Description  
This Township is mostly  
level land, except along the  
West Base of the White  
Dusk Mountains, where  
the ridges extend about  
one mile into the town-  
ship, and the soil is rocky,  
<sup>in</sup> the other parts of the town-  
ship, the soil is a sandy  
loam.

There is considerable scattering  
timber throughout, and  
and dense undergrowth of  
greenwood, with some  
Giant cactus, extends  
throughout the township.  
The land drains South & West

Final Oaths for Surveys.

BOOK 1010

LIST OF NAMES.

A List of the Names of Individuals employed by  
*R. C. Povers*. U. S. Deputy Surveyor to  
 assist in running, measuring and marking the lines and  
 corners described in the foregoing Field Notes of the survey of  
 the *Eastern Subdivision line*, of  
 T<sup>ps</sup> 1 N. R<sup>s</sup> 2, 3 & 4 W. S<sup>ps</sup> 1, 5. R<sup>s</sup> 2, 3, 4 & 5 W.  
 T<sup>ps</sup> 2 S. R. 5 W. & T<sup>ps</sup> 3 S. R. 5 W.

of the principal base and meridian in the Territory of Arizona,  
 showing the respective capacities in which they acted.

- M. Griffin*
- Samuel H. van Pelt*
- Richard Shrope*
- Joseph Schwarz*
- David Taylor*
- James Patterson*



Final Oaths of Assistants.

We hereby certify that we assisted R. C.

Powers U. S. Deputy Surveyor, in surveying  
the 1<sup>st</sup> Auxiliary Meridian  
W. through Sp. 2 N. and the Exterior  
and Subdivision Lines of  
Sp. 2 N. Rs 2 + 4 W.

of the principal base and meridian in the Territory of Arizona,  
as are represented in the foregoing field notes as having been  
surveyed by him and under his direction; and that said Survey  
has been in all respects, to the best of our knowledge and belief,  
well and faithfully surveyed, and the corner monuments es-  
tablished according to the instructions furnished by the U. S.  
Surveyor-General for Arizona.


M. Griffin Assuan  
Am. Nelson et al. Assuan  
Richard Spruce " "  
Joseph Schwarz " "  
David Taylor " "  
James Patterson " "

copy labor

Subscribed and sworn to before me this 17<sup>th</sup>

day of February 1883

R. C. Powers  
Notary Public.



Final Oath of U. S. Deputy Surveyor.

I R. C. Powers

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from J. W.

Robbins U. S. Surveyor General for Ari-

zona bearing date of the 2 d day of January

1883. I have well, faithfully, and truly, in my own proper person and in strict conformity, with the instructions furnished by the U. S. Surveyor General for Arizona, the surveying manual and the laws of the United States surveyed the

1<sup>st</sup> Auxiliary Meridian W. through  
Tp 2 N. and the Interior &  
Subdivisions Lines of Tps 2 N.  
Rs 2 & 4 W.

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing fields notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of the said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the U. S. Surveyor General for Arizona, and in the

specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.


*Ridley C. Powers*  
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 17

day of February 1883

*Paul Riceker*  
Notary Public.

*Rme Co. a. t.*



## Final Oaths for Surveys.

## LIST OF NAMES.

A List of the Names of Individuals employed by  
*R. C. Powers* U. S. Deputy Surveyor to  
 assist in running, measuring and marking the lines and  
 corners described in the foregoing Field Notes of the survey of  
 the 1<sup>st</sup> Auxiliary N. through Tps 2 N.  
 and the Exterior & Subdivision  
 Lines of Tps 2 N. Rs 2 & 4 W.

of the principal base and meridian in the Territory of Arizona,  
 showing the respective capacities in which they acted.

*David Taylor* Chairman & Assn

*M. Griffin* Chairman

*Saml H Van Pelt* & Assn

*Richard Slope* Chairman

*Joseph Schwarz* Assn

*James Patterson* "



BOOK <sup>Final</sup> 1010 Oaths of Assistants.

We hereby certify that we assisted R. C.

Powers, U. S. Deputy Surveyor, in surveying  
the 1st Auxiliary Meridian  
N. through Tps. 2 N. and  
the Exterior & Subdivision  
Lines of Tps. 2 N. R. 2 x 4 W.

of the principal base and meridian in the Territory of Arizona,  
as are represented in the foregoing field notes as having been  
surveyed by him and under his direction; and that said Survey  
has been in all respects, to the best of our knowledge and belief,  
well and faithfully surveyed, and the corner monuments es-  
tablished according to the instructions furnished by the U. S.  
Surveyor-General for Arizona.

- W. Griffin Chairman
- Richard Shupe " "
- David Taylor Chairman & Assn
- Saml H. Van Pelt " " & Neguan
- Joseph Schwarz Monnduan
- James Patterson " "

Subscribed and sworn to before me this 17

day of February 1883

R. C. Powers  
Notary Public.



## Final Oath of U. S. Deputy Surveyor.

I R. C. PowersUnited States Deputy Surveyor, do solemnly swear that in  
pursuance of instructions received from J. W.Robbin, U. S. Surveyor General for Ari-  
zona bearing date of the 2<sup>d</sup> day of January1883 I have well, faithfully, and truly, in my own proper  
person and in strict conformity, with the instructions furnish-  
ed by the U. S. Surveyor General for Arizona, the surveying  
manual and the laws of the United States surveyed the1<sup>st</sup> Auxilian Meridian W. through  
Sp 2 N. and the Exterior and  
Subdivision Lines of Sp 2 N.  
Rs 2 & 4 W.of the principal base and meridian in the Territory of Ari-  
zona, as are represented in the foregoing fields notes as having  
been surveyed by me and under my direction; and I do further  
solemnly swear that all the corners of the said survey have been  
established and perpetuated in strict accordance with the survey-  
ing manual, printed instructions, the special written instruc-  
tions of the U. S. Surveyor General for Arizona, and in the

106

specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

*Ridley C. Powers*  
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 17  
day of February 1883



*Paul Riecker*  
Notary Public.  
Pine Co. a. t.

## U. S. Surveyor General's Office,

TUCSON, ARIZONA,

February 27, 1883

The foregoing Field Notes of the Survey of the

Subdivision Lines,

of

Township 2 North,  
Range 4 West,Of the Gila and Salt River Base and Meridian, Arizona, executed by R. C. Powers,Deputy Surveyor, under his contract of the 2ndday of January, 1883, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. W. Robbins  
Surveyor General.