

Contract # 35. 2.

Cotton

BOOK 1016

No. 1016

BOOK 1016

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

Subdivisions

T. 3 N. R. 1 W.

Indexed, Book 102.1

Township 3N R. 1W

60

6	91	5	68	4	3	2	1
89		88		67			
7	86	8	66	9	10	11	12
85		84		64			
18	82	17	63	16	15	14	13
81		80		61			
19	79	20	59	21	22	23	24
77		76					
30	74	29	56	28	27	26	25
73		72					
31	70	32		33	34	35	36

## Subdivisions T. 3. N. R. 1. W.

chain matches on S. and 4 matches  
on E. edges. dug pits  $18 \times 15 \times 12$   
ins. in each sec.  $5\frac{1}{2}$  ft.  
diam. and raised a mound  
of earth 2 ft. high.  $4\frac{1}{2}$  ft.  
base. around post. —

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate  
Timber. dense Mesquite and  
greasewood undergrowth. 80. chs.

$S 89^{\circ} 36' E.$  on a random line  
bet. Secs. 16<sup>th</sup> and 21.

Var.  $13^{\circ} 45' E.$

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

80.05 Intersect N + S. line. at Cor.  
to Secs. 15, 16, 21 & 22.

Thence I run

$N 89^{\circ} 36' W.$  on a true line.

## Subdivisions

Chains

bet. Secs. 16 &amp; 21.

Va.  $13^{\circ}45'E$ 

over level land in dense Mesquite

40.02 Set a post, 3 ft. long, 3 in. square, with marked stone 12 in. in the ground, for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  S on N. face, dug pits  $18 \times 18 \times 12$  in. E & W. of post,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around. Post. —

80.05

The Cor. to Secs. 16, 17, 20 & 21  
Land, level.Soil, Sandy loam 1<sup>st</sup> rate  
Timber, dense Mesquite.

80.05 chains, —

Sept. 28, 1894

## T. 3. N. R. 1. W.

- Chains N 0° 22' W. bet. Secs. 16<sup>th</sup> & 17,  
Va. 13° 45' E.  
over level land in dense mesquite,
- 30.00 Leave dense mesquite bars. E. & W.
- 40.00 Set a post. 3 ft. long, 3 in.  
square, with marked stone 12  
in. in the ground. for 1/4 Sec.  
Cor. marked 1/4 S. on W. face,  
dug pits 18 x 18 x 12 in. N. & S,  
of post. 5 1/2 ft. dia. and  
raised a mound of earth  
1 1/2 ft. high. 3 1/2 ft. base  
around post. —
- 80.00 Set a post. 4 ft. long, 4 in.  
square, with marked stone 12  
in. in the ground. for Cor. to  
Secs. 8, 9, 16, & 17, marked  
T. 3. N. S. 9 on N.E.  
R. 1. W. S. 16 on S.E.

## Subdivisions.

Chairs S. 17 on S.W. and  
 S. 8 on N.W. faces with 4  
<sup>notches</sup>  
 on S and E. edges. dug pits  
 18x18x12 ins. in each Sec.  
 5½ ft. dist. and raised a  
 mound of earth 2 ft. high  
 4½ ft. base. around post. —  
 Land. level.  
 Soil. Sandy loam 1<sup>st</sup> rate  
 Timber dense Musquit 30 chs.

—  
 S 89° 36' E. on a random line  
 bet. Secs. 9 & 16.

Va. 13° 45' E.

40.00 Set. temp ¼ Sec. Cor.  
 80.00 Intersect N & S. line 5 hrs  
 S. of Cor. to Secs. 9, 10, 15 & 16  
 Thence I run  
 N 89° 38' W. on a true line

65.  
D. S. N. R. I. W.

BOOK 1016

- Chains      bet. Secs. 9 & 16.  
                 Va.  $13^{\circ}45'E$ .  
                 over level land
- 28.50 Wagon road cross.  $N50^{\circ}W$  &  $S50^{\circ}E$
- 40.00 Set a post, 3 ft. long, 3 ins.  
Square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits 18x18x12 ins E & W.  
of post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth,  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base.  
around. post. —
- 80.00 The Cor. to Secs. 8, 9, 16 & 17.  
Land. level.  
Soil, Sandy loam 1<sup>st</sup> rate  
No timber. —
-

## Subdivisions.

- Chains  $N 0^{\circ} 22' W$ . bet. Secs. 8 & 9  
 $Va 13^{\circ} 45' E$   
 over level land
- 40.00 Set a post, 3 ft. long 3 ins.  
 Square, with marked Stone 12  
 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of post,  $5 \frac{1}{2}$  ft. dirt, and  
 raised a mound of earth  
 $1 \frac{1}{2}$  ft. high,  $3 \frac{1}{2}$  ft. base  
 around post. —
- 40.20 Wagon road bet. N.W. & S.E.
- 80.00 Set a post, 4 ft. long, 4 ins.  
 Square, with marked Stone 12  
 ins. in the ground, for Cor. to  
 Secs. 4, 5, 8 & 9, marked  
 T. 3. N. S. 4 on N.E.  
 R. 1. W. S. 9 on S.E.



67.  
T. 3. N. R. 1. W.

BOOK 1016

Chain S. 8. on S. W. and  
S. 5 on N. W. faces. with 5  
notches on S. and 4 notches  
on E. edges. dug pits 18x18x  
12 ins. in each Sec. 5 1/2 ft.  
dirt. and raised a mound  
of Earth. 2 ft. high 4 1/2 ft.  
base. around East. —  
Land. level.  
Soil. Sandy loam 1<sup>st</sup> rate  
No timber.

---

S 89° 38' E. on a random line  
bet. Secs. 4. and 9.  
Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.  
80.20 Interest. N. & S. line 3 Mts.  
S. of Cor. to Secs. 3, 4, 9 & 10.  
Thence I run

## Subdivisions.

Chains N  $89^{\circ}39'W$  on a true line  
bet. Secs. 4<sup>th</sup> & 9<sup>th</sup>.  
<sup>by 13<sup>th</sup> 45<sup>th</sup> 6<sup>th</sup></sup>  
over level land.

40.10 Set a post, 3 ft. long, 3 ins.  
square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face.  
dig pits 18x18x12 ins. E & W,  
of post,  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post. —

80.20 The Cor. to Secs. 4, 5, 8 & 9  
Land. level.  
Soil, sandy loam 1<sup>st</sup> rate  
No timber

---

N  $0^{\circ}22'W$  on a random line  
bet. Secs. 4<sup>th</sup> & 5<sup>th</sup>.

Chains Va.  $13^{\circ}45'E$

40.00 Set temp  $\frac{1}{4}$  Sec. Cor.

81.25 Intersect N. bdy of Tp. 15 lks.  
 E. of Cor. to Secs. 4, 5, 32, & 33,  
 as recently established by me  
 and hereinbefore described,  
 Thence I run

$S 0^{\circ}28'E$  on a true line  
 bet. Secs. 4 and 5.

Va  $13^{\circ}45'E$

Over level land

41.25 Set a post, 3 ft. long, 3 in.  
 Square, with marked Stone 12  
 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 ✓ Cor. marked  $\frac{1}{4}$  on W. face,  
 dug pits  $18 \times 18 \times 12$  ins N. & S.  
 of post,  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base

## Subdivisions.

Chains  
81.25Around post.  
The cor. of Secs. 4, 5 & 8 and 9.  
Land level.

It

Soil. Sandy loam 1<sup>st</sup> rate  
No timber.Sept. 29, 1894

From the Cor. to Secs. 5, 6, 31 & 32  
on S. bdy of Sp. as recently  
re-established by me  
and hereinbefore described  
I run

$N 0^{\circ} 23' W.$  bet. Secs. 31 & 32  
 $Va. 13^{\circ} 45' E.$

Over level land

40.00

Set a post, 3 ft. long, 3 in  
square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face,  
dug pits 18x18x12 ins. N & S,  
of post,  $5\frac{1}{2}$  ft. dist. and

Chains raised a mound of earth  
 1½ ft. high, 3½ ft. base  
 around post. —

80.00 Set a post, 4 ft. long, 4 in.  
 square, with marked Stone 12  
 in. in the ground, for Cor. to  
 Secs. 29, 30, 31 & 32, marked  
 S. 3. N. S. 29 on N.E.  
 R. 1. W. S. 32 on S.E.  
 S. 31 on S.W. and  
 S. 30 on N.W. faces, with 1  
 notch on S. and 5 notches  
 on E. edges, dug pits 18x18  
 x 12 in. in each Sec. 5½ ft.  
 dist. and raised a mound  
 of earth, 2 ft high 4½ ft.  
 base around post.  
 Land level.  
 Soil, Sandy loam 1<sup>st</sup> rate  
 No timber

72.  
Subdivisions.

Chains  $S 89^{\circ} 33' E$ . on a random line  
 bet. Secs. 29 & 32  
 Va.  $13^{\circ} 45' E$ .

40.00 Set. Temp.  $\frac{1}{4}$  Sec. Cor.  
 80.06 Intersect. N. & S. line 7 lks.  
 N. of Cor. to Secs. 28, 29, 32 & 33  
 Thence I run  
 $N 89^{\circ} 30' W$  on a true line  
 bet. Secs. 29 & 32  
 Va.  $13^{\circ} 45' E$

Over level land

40.03 Set a post, 3 ft long 3 ins.  
 square, with marked stone 12  
 ins. in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pits 18 x 18 x 12 ins. E. & W,  
 of post, 5  $\frac{1}{2}$  ft. dia. and  
 raised a mound of earth  
 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base

Chains Around post, —

80.00 The Cor. to Secs. 29, 30, 31 & 32  
Land level.

Soil, Sandy loam 1<sup>st</sup> rate

No timber. —

---

N  $89^{\circ} 33' W$ . on a random line  
bet. Secs. 30 & 31.

Va.  $13^{\circ} 45' E$ .

40.00 Set. temp.  $1/4$  A.C. Cor.

74.00 Intersect. W. body of Sp 7 lks  
S. of Cor. to Secs. 25, 30, 31 & 36,

as recently established by me  
and hereinbefore described  
Thence I run

S  $89^{\circ} 30' E$ . on a true line  
bet. Secs. 30 & 31.

Va.  $13^{\circ} 45' E$ .

Over level land.

## Subdivisions.

Chains  
34.00

Set a post, 3 ft. long, 3 ins square, with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on N. face dug pits 18 X 18 X 12 ins E, & W of post, 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth, 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around post. —

74.00

The Cor to Secs. 29, 30, 31 & 32 Land level.  
Soil, Sandy loam 1<sup>st</sup> rate  
No timber. —

---

N  $0^{\circ} 23' W$ . bet. Secs. 29 & 30.  
Va.  $13^{\circ} 45' E$ .

Corr level land

40.00

Set a post, 3 ft. long 3 ins square, with marked stone 12



T. 3. N. R. 1. W.

Chairs  
 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of post,  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth,  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
 around post. —

80.00 Set a post, 4 ft. long, 4 ins.  
 square, with marked stone 12  
 ins. in the ground, for Cor. to  
 Sect. 19, 20, 29 & 30, marked  
 T. 3. N. S. 20 on N.E.  
 R. 1. W. S. 29 on S.E.  
 S. 30 on S.W., and  
 S. 19 on N.W. face, with 2  
 notches on S. and 5 notches  
 on E. edges, dug pits  $18 \times 18$   
 $\times 12$  ins. in each Sec,  $5\frac{1}{2}$   
 ft. dist. and raised a mound

76.  
Subdivisions.

Chains of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post. —

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate

No timber, —

---

$S 89^{\circ} 30' E$ . on a random line  
bet. Secs. 20<sup>th</sup> & 29.

Va.  $13^{\circ} 45' E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect N.T.S. line 5 lks.  
S. of Cor. to Secs. 20, 21, 28 & 29.

Thence I run

$N 89^{\circ} 32' W$  on a true line  
bet. Secs. 20<sup>th</sup> & 29.

Va.  $13^{\circ} 45' E$

Over level land

40.00 Set a post. 4 ft long 4 in  
square, with marked stone 12

Chains run in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$  in. E. & W. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base around post. -

80.00 The Cor. to Secs. 19, 20, 29<sup>and</sup> 30. Land level.  
Soil. Sandy loam 1<sup>st</sup> rate.  
No timber. -

---

N  $89^{\circ} 30'$  W on a random line  
bet. Secs. 19<sup>and</sup> 30.  
Va.  $13^{\circ} 45'$  E.

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

73.35 Intersect. W. bdy of Sp. 3 lks. S. of Cor. to Secs. 19, 24, 25, & 30. as recently established by me

## Subdivisions.

Chains and bearings described  
Thence I run

$S 89^{\circ} 29' E$ . on a true line  
bet. Secs. 19<sup>th</sup> & 30.

$7a. 13^{\circ} 45' E$ .

Low level land.

33.35 Set a post, 3 ft. long, 3 ins.  
square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits  $18 \times 18 \times 12$  ins. E & W  
of post,  $5 \frac{1}{2}$  ft. dist. and  
raised a mound of earth,  
 $1 \frac{1}{2}$  ft. high,  $3 \frac{1}{2}$  ft. base  
around post. -

73.35 The Cor. to Secs. 19, 20, 29 & 30  
Land level.  
Soil. Sandy loam 1<sup>st</sup> rate  
No timber. -

Chains  $N 0^{\circ} 23' W$ . bet. Secs. 19 & 20.  
 $Va. 13^{\circ} 45' E$ .

Own level land

40.00 Set a post, 3 ft. long, 3 ins. square, with marked Stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on W. face. dug pits  $18 \times 18 \times 12$  ins. N & S. of post,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post. -

71.50 Wagon road. trans.  $N 30^{\circ} W + S 50^{\circ} E$

80.00 Set a post, 4 ft. long, 4 ins. square, with marked Stone 12 ins. in the ground, for Cor. to Secs. 17, 18, 19 & 20. marked T. 3. N. S. 17 on N.E. P. 1. W. S. 20 on S.E.

## Subdivisions.

Chains. S. 19 on S.W. and  
 S. 18 on N.W. faces. with 3  
 notches on S. and 5 notches  
 on E. edges. dug pits 18x18  
 x12 ins. in each Sec. 5 1/2 ft  
 dist. and raised a mound  
 of earth 2 ft. high. 4 1/2 ft.  
 base, around post:—  
 Land, level.  
 Soil. Sandy loam 1<sup>st</sup> rate,  
 No timber. —

---

S 89° 32' E. on a random line  
 bet. Secs. 17<sup>th</sup> and 20.  
 Va. 13° 45' E.

40.00 Sep. temp. 1/4 Sec. Cor.  
 80.08 Interest N. & S. line 5 Mts.  
 S. of Cor. to Secs. 16, 17, 20 & 21.  
 Thence I run,

80.-A  
P. 3. N. R. 1. W.

BOOK 1016

Chains N 89° 34' W on a true line.

bet. Secs. 17. <sup>4d</sup> 20.

Pa. 13° 45' E.

Over level land.

40.04 Set a post. 3 ft. long 3 in. square, with marked stone 12 in. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits 18x18x12 in. E. & W. of post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base around post. -

80.08 The Cor. to Secs. 17, 18, 19 & 20.  
Land level.

Soil. Sandy loam 1<sup>st</sup> rate

No timber. -

Oct. 1. 1894

N 89° 29' W. on a random line

## Subdivisions.

Chains.

Lat. Secs. 18<sup>th</sup> & 19.

Va. 13°45'E

40.00

Set temp. 1/4 Sec Cor.

72.75

Intersect W. bdy of Sp. 5<sup>th</sup> Sec.  
N. of Cor. to Secs. 13, 18, 19 & 24.as recently established by me  
and heretofore described.

Thence I run

S 89°31'E on a true line  
Lat. Secs. 18<sup>th</sup> & 19.

Va. 13°45'E.

Over level land

32.75

Set a post, 3 ft. long, 3 ins.  
square, with marked stone 12  
ins. in the ground, for 1/4 Sec.  
Cor. marked 1/4 S. on N. face  
dug pits 18x18x12 ins. E & W,  
of post, 5 1/2 ft. dist. and  
raised a mound of earth.



## P. 3. N. R. 1. W.

- Chairs  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base  
around post. -
- 58.75 Wagon road. bears.  $N 50^{\circ} W \frac{1}{4} S 50^{\circ} E$
- 72.75 The Cor. to Secs. 17. 18. 19. <sup>2d</sup> and 20.  
Land level.  
Soil. Sandy loam 1<sup>st</sup> rate  
No timber. -

---

$N 0^{\circ} 23' W$ . bet. Secs. 17<sup>th</sup> and 18.  
Va.  $13^{\circ} 45' E$ .

Cow level land.

- 40.00 Set a post. 3 ft. long. 3 ins.  
square. with marked stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face.  
dug pits  $18 \times 18 \times 12$  ins. N. & S.  
of post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth.  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base

## Subdivisions.

Chains.

80.00

Around Post. -

Set a post, 4 ft. long 4 in. square, with marked stone 12 in. in the ground, for Cor. to Secs. 7, 8, 17<sup>th</sup> & 18. Marked  
T. 3. N. S. 8 on N.E.

R. 1. W. S. 17 on S.E.

S. 18 on S.W. and

S. 7 on N.W. faces, with 4 notches on S. and 5 notches on E. edges. - dug pits 18x18x12 in. in each Sec. 5 $\frac{1}{2}$  ft dist. and raised a mound of Earth 2 ft. high 4 $\frac{1}{2}$  ft base around post. -

Land level.

Soil. Sandy loam 1 $\frac{1}{2}$  ft.

No timber. -

Chains S  $89^{\circ} 34' E$ . on a random line  
 bet. Secs. 8<sup>th</sup> & 17.  
 Va.  $13^{\circ} 45' E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.10 Intersect N. & S. line 5 lks.  
 S. of Cor. to Secs. 8, 9, 16<sup>th</sup> & 17.  
 Thence S run.

N  $89^{\circ} 36' W$ . on a true line  
 bet. Secs. 8<sup>th</sup> & 17.  
 Va.  $13^{\circ} 45' E$ .

Over level land

40.05 Set a post. 3 ft. long. 3 ins.  
 square. with marked stone 12.  
 ins. in the ground. for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pits  $18 \times 18 \times 12$  ins. E. & W.  
 of post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base

## Subdivisions.

Chain 80.10 Around Post, —  
 The Cor. to Secs. 7, 8, 17 & 18  
 Land level.  
 Soil. Sandy loam 1<sup>st</sup> rate  
 No. timber, —

---

N 89° 31' W. on a rounded line  
 bet. Secs. 7<sup>th</sup> & 18.  
 Va. 13° 45' E.

40.00 Set. temp 1/4 Sec. Cor.  
 72.05 Intersect. W. bdy of Sp. at  
 Cor. to Secs. 7, 12, 13 & 18.  
 as recently established by me  
 and Mercinafora described.  
 Thence I run  
 S 89° 31' E. on a true line  
 bet. Secs. 7<sup>th</sup> & 18.  
 Va. 13° 45' E.  
 Over level land

Chains

32.05

Set a post. 3 ft. long. 3 ins. square, with marked Stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits 18x18x12 ins. E & W. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. Around post. —

72.05

The Cor. to Secs. 7, 8, 17, & 18. Level. land. Soil. Sandy loam 1<sup>st</sup> rate No timber. —

N 0° 23' W. bet. Secs. 7<sup>th</sup> & 8  
Va. 13° 45' E.

Low level. land.

40.00

Set a post. 3 ft. long 3 ins. square, with marked Stone 12

## Subdivisions.

Chains.

in the ground. for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. + S.  
 of post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of Earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base  
 around post. -

80.00

Set a post. 4 ft. long. 4 ins.  
 square, with marked Stone 12  
 ins. in the ground. for Cor. to  
 Secs. 5, 6, 7 and 8. marked  
 T. 3, N. S. 5 on N.E.,  
 R. 1, W. S. 8 on S.E.,  
 S. 7 on S.W. and  
 S. 6 on N.W. faces. with 5  
 notches on S. and E. edges.  
 dug pits  $18 \times 18 \times 12$  ins in  
 each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of Earth

D. 3. N. R. 1. W.

Chains 2 ft. high.  $4\frac{1}{2}$  ft. base  
 around post. —  
 Land level.  
 Soil. Sandy loam 1<sup>st</sup> rate  
 No timber. —

---

$S 89^{\circ} 36' E.$  on a random line  
 bet. Secs. 5<sup>th</sup> & 8.  
 Va.  $13^{\circ} 45' E.$

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect. N. & S. line 2 lks.  
 N. of Cor. to Secs. 4, 5, 8 & 9.  
 Thence I run

$N 89^{\circ} 35' W$  on a true line  
 bet. Secs. 5<sup>th</sup> & 8.  
 Va.  $13^{\circ} 45' E.$

Over level land

40.00 Set a post. 3 ft. long. 3 in.  
 square. with marked stone 12

89.  
Subdivisions.

Chains in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  ~~at~~ on N. face.  
dug pits  $18 \times 18 \times 12$  ins. E. & W.  
of post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base  
around post. —

48.00 Wagon road. bears. N.W. & S.E.

80.00 The Cor. to Secs. 5, 6, 7<sup>and</sup> 8.

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate

No timber. —

---

N  $89^{\circ} 31' W$  on a random line  
bet. Secs. 6<sup>and</sup> 7.

Va.  $13^{\circ} 45' E$ .

40.00 Set. temp.  $\frac{1}{4}$  Sec Cor.

71.35 Intersect. W. b'dy Sp. 3 lks.  
S. of Cor. to Secs. 1, 6, 7<sup>and</sup> 12.



Chains as recently established by me  
 and ~~Surin~~ *Surin* *bafova* described,  
 Thence I run  
 $\Delta 89^{\circ}30'E.$  on a true line  
 bet. Secs. 6 and 7.  
 $\Uparrow a. 13^{\circ}45'E.$

Over level land

31.35 Set a post. 3 ft. long 3 ins.  
 square, with marked stone 12  
 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  on N. face.  
 dug pits  $18 \times 18 \times 12$  ins. E & W,  
 of post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base  
 around post. —

71.35 The Cor. to Secs. 5, 6, 7 & 8.  
 Level. level.  
 Soil. Sandy loam 1<sup>st</sup> rate  
 No. timber. —

## Subdivisions.

- Chains No<sup>o</sup> 23' W on a random line  
bet. Secs. 5 & 6.  
Va.  $13^{\circ} 45' E$ .
- 40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.
- 80.60 Intersect. N. bdy of Sp. 16 lks.  
E. of Cor. to Secs. 5, 6, 31<sup>rd</sup> & 32.  
as recently established by me  
and Herin before described.  
Thence I run  
 $S 0^{\circ} 30' E$ . on a true line  
bet. Secs. 5 & 6.  
Va.  $13^{\circ} 45' E$ .  
Over level land.
- 40.60 Set a post. 3 ft. long. 3 ins.  
Square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face  
dry pits  $18 \times 18 \times 12$  ins. N. & S.  
of post.  $5\frac{1}{2}$  ft. dist. and

N. 3. N. R. 1. W.

Chains raised a mound of Earth  
 1 1/2 ft. high 3 1/2 ft. base  
 around. Post. -

53.60 Wagon road. trans. N. W. & S. E.

80.60 The Cor. to Secs. 5, 6, 7 and 8.

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate

No. timber. -

Oct. 2, 1894.

35 miles 62 chs. and 40 lks. run  
 through dense mesquite Palo Verde  
 Greasewood. and Sage brush growth.

### General Description

The land in this township is  
 level, and the soil. Sandy loam  
 and of first rate quality. Except  
 in Secs. 35 and 36. which is rolling  
 and broken. Soil gravelly sand

Second rate. there is a small amount of bottom land along the Agua Fria River. Covered with a few Cottonwood trees. -

The balance of the Township is covered with a dense undergrowth of Mesquite, greasewood & Sage. No real timber in the township. At this date there are no settlers in the township. -

Albert J. Colton,

U. S. Dep. Surveyor

U.S. Surveyor-General's Office.

Tucson, A. T. August 6th, 1896.

The foregoing field-notes of the Surveys  
of the Subdivisions of Township No. 3, N,  
Range 1, W, Gila & Salt River Meridian  
in Arizona, executed by,

ALBERT T. COLTON.

U.S. Deputy Surveyor, under his Contract  
dated March 14th, 1894, having been  
critically examined, the necessary  
corrections and explanations made, the  
said Field Notes, and the surveys they  
describe are hereby approved.

*George J. Roskrige*  
U.S. Surveyor General,

for the Territory of Arizona.