

Cotton #35.

7.

BOOK 1017

1017

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions.

T. 4. N. R. 2 W.

Field Notes,
of the Survey of the
Subdivision Lines,
of
T. 4, N. R. 2, W.
of the
Gila and Salt River
Base and Meridian,
in the
Territory of Arizona,
as Surveyed by
Albert T. Colton,
U. S. Deputy Surveyor,
under his Contract No. 35
dated March 14, 1894.

Survey Commenced Oct. 26, 1894,
Survey Completed Nov. 6, 1894.

Index for

{ BOOK 1102
BOOK 1017

1A

(4-674.)

Township 4. N. R. 2. W.

6	92	5	67	4	51	3	34	2	17	1
90		89		66		49		33		15
7	87	8	64	9	48	10	31	11	14	12
86		84		63		46		30		12
18	83	17	61	16	45	15	28	14	10	13
81		80		60		43		27		9
19	79	20	58	21	42	22	25	23	7	24
77		76		57		40		23		6
30	74	29	56	28	39	27	22	26	4	25
73		71		54		38		20		3
31	69	32	52	33	36	34	19	35	2	36

6-389

Subdivisions.

Chains.

Preliminary to Commencing
the Survey of the Subdivision
lines of this Township. I go
to the Cor. to Secs. 1, 2, 35 & 36.

To the 3rd & 4th N. R. 2 W. as
recently established by me
and hereinbefore described,
Lat. $33^{\circ}38'N$. Long $112^{\circ}24'45''W$.
I verify the adjustments of
my transit, and find them
Correct.

At this Cor. I determine the
true meridian, by the use
of the Solar Apparatus, and
find the Variation to be
 $13^{\circ}45'$ East. - Oct. 26, 1844

I now proceed to Subdivide
this Township, from said Cor.
I run.

T. 4. N. R. 2. W.

Chains No^o 1' W. bet. Secs. 35 & 36.

Va. $13^{\circ}45'E$.

Parallel with E. bdy of Tp.
over level land

40.00 Set a post, 3 ft long 3 ins.
Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits $18 \times 18 \times 12$ ins. N. & S.
of post, $5\frac{1}{2}$ ft. dist. & raised
a mound of Earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft. base, around post. —

80.00 Set a post, 4 ft. long 4 ins.
Square, with marked Stone 12
ins. in the ground, for Cor. to
Secs. 25, 26, 35 & 36, marked
T. 4. N. S. 25 on N.E.,
R. 2. W. S. 36 on S.E.,
S. 35. on S.W. and

Subdivisions.

Chains. Sec. 26 on N.W. faces, with 1
 notch on S. and E. edges, each
 sets $18 \times 18 \times 12$ ins in each Sec.
 $5\frac{1}{2}$ ft. dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft. ^{base}
 around post. -
 Land. level.
 Soil. Sandy loam 1st rate
 No timber. -

East. on a random line
 bet. Secs. 25. ^{and} 36.
 Va. $13^{\circ} 45' E.$

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.
 80.01 Interset. E. bdy of Sp. 10 Ws
 S. of Cor. to Secs. 25, 30, 31 & 36.
 as hereinbefore described. -
 Thence I run
 $S 89^{\circ} 56' W.$ on a true line

P. 4. N. R. 2. W.

Chains

bet. Secs. 25. ^{and} 36.Va. $13^{\circ}45'E$.

over level. land.

40.00

Set. a post. 3 ft. long. 3 ins. square. with marked stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E. ^{and} W. of post. $5\frac{1}{2}$ ft. dist. & raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post. —

74.50

Wagon road cross. N.W. & S.E.

80.01

The Cor. to Secs. 25, 26, 35 & 36.

Land level.

Soil. Sandy loam 1st rate

No. timber. —

 N $0^{\circ}1'W$. bet. Secs. 25. ^{and} 26.
Va. $13^{\circ}45'E$.

Subdivisions.

- Chains Over level land.
- 6.00 Wagon road bears. N.W. + S.E.
- 40.00 Set a post, 3 ft. long 3 ins. Square. with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits 18x18x12 ins N. & S. of post, 5 $\frac{1}{2}$ ft. dist. & raised a mound of Earth $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base. around post.
- 80.00 Set a post 4 ft. long 4 ins. Square. with marked Stone 12 ins. in the ground. for Cor. to Secs. 23, 24, 25 & 26. Marked T. H. N. S. 24 on N.E. R. 2. W. S. 25 on S.E. S. 26 on S.W. and S. 23. on N.W. faces. with 2 notches on S. and 1 notch on

Chains E. edges. dug pits 18x18x12 ins.
 in each Sec. 5 1/2 ft. dist. and
 raised a mound of Earth 2
 ft. high. 4 1/2 ft. base.
 Around part. —
 Land. level.
 Soil. Sandy loam 1st rate.
 No timber. —

N 89° 56' E. on a random line
 bet. Secs. 24. and 25.
 Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.
 79.99 Intersect E. bdy of Sp. at Cor.
 to Secs. 19, 24, 25. and 30.
 as hereinbefore described. —
 Thence I run
 S 89° 56' W. on a true line
 bet. Secs. 24. and 25.

Subdivisions.

Chains.

Va. $13^{\circ}45'E$.29.99
40.06Over level land. ^{under oak to}
^{split cylinder} ^{recognition to forest work}
Set a post. 3 ft. long 3 ins.Square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.Cor. marked $\frac{1}{4}$ S. on N. face
dig pits $18 \times 18 \times 12$ ins. E. & W.of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post. -

79.99

The Cor. to Secs. 23, 24, 25, & 26.
Land. levelSoil. Sandy loam 1st rateDense mesquite & greenwood
undergrowth. 60 chains

N $0^{\circ}1'W$. bet. Secs. 23 & 24.Va. $13^{\circ}45'E$.

over level land. in dense

- chain
40.00 Mesquite and greasewood.
Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N. & S.
of post, 5 $\frac{1}{2}$ ft. dist. & raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. bare around post.
- 80.00 Set a post, 4 ft. long 4 ins.
square, with marked stone 12
ins. in the ground, for Cor. to
Secs. 13, 14, 23 & 24, marked
S. 4, N. S. 13, on N.E.
R. 2, W. S. 24, on S.E.
S. 23 on S.W. and
S. 14, on N.W. faces, with 3
notches on S. and 1 notch on
E. edges, dug pits 18x18x12

9.
Subdivisions.

Chains ins. in each Sec. $5\frac{1}{2}$ ft. dirt
and raised a mound of earth 2
ft. high, $4\frac{1}{2}$ ft. base. around Post-
Land level.

Soil, Sandy loam 1st rate.

Timber, dense Mesquite + grease-
wood undigrowth 80. Chs.

$N 89^{\circ} 56' E$. on a random line
bet. Secs. 13 & 24.

Va. $13^{\circ} 45' E$.

40.00 Sect. temp, $\frac{1}{4}$ Sec. Cor.

79.98 Intersect N. and S. line, and E.
bly of Sp. 2 lks. N. of Cor.
to Secs. 13, 18, 19, and 24.
as herein before described,
Thence I run

$S 89^{\circ} 57' W$. on a true line
bet. Secs. 13 & 24.

P. 4. N. R. 2. W.

Chains.

Va. $13^{\circ}45'E$.

on level land. in dense mesq-
uite, and tall greasewood -

39.99

Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. Marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E & W.
of post, $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base, around post. -

79.98

The Cor. to Secs. 13, 14, 23 & 24
Land, level.

Soil, sandy loam 1st rate

Timber, mesquite and tall dense
greasewood. 79.98 chs.

Oct. 26, 1894

N 0° 1' W. bet. Secs. 13, and 14.

Va. $13^{\circ}45'E$

Subdivisions.

- Chains. over level land. in Mesquite & dune tall greasewood.
- 38.00 Phoenix & Wickenburg Stage road. Trans. N.W. & S.E.
- 40.00 Set a post, 3 ft. long 3 ins. Square, with marked Stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits 18x18x12 ins. N. and S. of post. 5 $\frac{1}{2}$ ft. dist. & raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base, around post.
- 80.00 Set a post, 4 ft. long 4 ins. Square, with marked Stone 12 ins. in the ground, for Cor. to Secs. 11, 12, 13 & 14. marked S. 4. N. S. 12 on N.E. R. 2. W. S. 13 on S.E. S. 14 on S.W. and

Chairs. S. 11: on N.W. faces, with 4
 notches on S. and 1 notch on
 E. edges. dug pits 18x18x12 ins.
 in each Sec. 5 1/2 ft. dist.
 and raised a mound of earth
 2 ft. high 4 1/2 ft. base, around post.
 Land level.

Soil. Sandy loam 1st rate
 Timber, mesquite and tall
 dense grease wood, 80. chs.

N 89° 57' E on a random line
 bet. Secs. 12nd & 13.

Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.

79.95 Intersect E. bdy of Sp. 3. lks.
 N. of Cor. to Secs. 7, 12, 13 & 18.
 as hereinbefore described.
 Fence I run

Subdivisions.

Chains. $S 89^{\circ} 58' W.$ on a true line
bet. Secs. 12. ^{4th} and 13.
Ru. $13^{\circ} 45' E.$

over level land. in dense
mesquite & tall greasewood

39.98 Set a post. 3 ft. long 3 ins.
Square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of post. $5 \frac{1}{2}$ ft. dist. & raised
a mound of earth $1 \frac{1}{2}$ ft. high
 $3 \frac{1}{2}$ ft. base. around post.

79.95 The Cor. to Secs. 11. 12. 13 & 14
Land. level.

Soil. Sandy loam 1st rate
Timber. dense mesquite and
tall greasewood. 79.95 chs.

D. H. N. R. 2. W.

Chain No° 1' W. bet. Secs. 11 & 12.

Va. $13^{\circ}45'E$.over level land. in dense
mesquite and tall greasewood40.00 Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.Cor. marked $\frac{1}{4}$ S. on W. facedug pits $18 \times 18 \times 12$ ins. N.W.S.of post. $5\frac{1}{2}$ ft. dist. & raiseda mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base, around post. -

80.00 Set a post, 4 ft. long 4 ins.

square, with marked stone 12

ins. in the ground. for Cor. to

Secs. 1, 2, 11 & 12, marked

T. 4. N. S. 1. on N.E.

R. 2. W. S. 12 on S.E.

S. 11 on S.W. and

Subdivisions.

Chains S. 2 on N.W. faces, with 5
 notches on S. and 1 notch on
 E. edges. dug pits $18 \times 18 \times 12$ ins.
 in each Sec. $5\frac{1}{2}$ ft. dist &
 raised a mound of earth 2
 ft. high $4\frac{1}{2}$ ft. base, -
 around post. -

Land level.

Soil. Sandy loam 1st rate
 Timber. dense mesquite, and
 tall greasewood brush & c. c.

$N 89^{\circ} 58' E.$ on a random line
 bet. Secs. 1, and 12,

$\text{Va. } 13^{\circ} 45' E.$

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

80.04 Intusoc. E. bdy of Sp. 2 lks.
 S. of Cor. to Secs. 1, 6, 7 & 12.
 and hereinbefore described

- Chains Thence I run
 S $89^{\circ} 57' W.$ on a true line
 bet. Secs. 1, 2 & 12.
 Va. $13^{\circ} 45' E.$
- Over level land. in mesquite
 and tall dense greasewood
- 40.02 Set a post. 3 ft. long 3 ins.
 square. with marked stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ ins. E. & W.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post. -
- 80.04 The Cor. to Secs. 1, 2, 11, & 12,
 Land. level.
 Soil. Sandy loam 1st rate
 Timber. mesquite and dense
 tall greasewood brush. 80.04
 chs.

17.
Subdivisions.

Chains. No° 1' W. bet. Secs. 1. and 2.
Va. 13° 45' E.

Over level land. in mesquite &
tall dense greasewood.

40.00 Set a post. 3 ft. long 3 ins.
square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N. & S.
of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. —

74.00 Intersect first Standard
parallel N. at. N 89° 30' E
13.75 chs. dist. from the
Standard Cor. to Secs. 35 & 36
as. recently re-established by
me. and hereinafter described
at. which point. I

D. H. N. R. 2. W.

Chains

Set a post. 4 ft. long 4 ins
square. with marked stone 12
ins. in the ground. for closing
Cor. to Secs. 1. and 2. marked
C. C. T. H. N. R. 2 W. on S.

S. 1 on E. and

S. 2 on W. face, with 1 notch
on E. and 5 notches on W.

face. dug pits 18x18x12 ins
S. E. and W. of post. 5 1/2 ft. dirt
and raised a mound of earth
2 ft. high. 4 1/2 ft. base
around post -

Land. level.

Soil. Sandy loam 1st rate
Timber. dense. Mesquite Palo.
Verde. and tall greasewood
brush. 74.00 Chains. -

Oct. 27. 1894.

Subdivisions.

Chains. From the Cor. to Secs. 2, 3, 34 & 34
on S. bdy of Tp. as recently
established by me, and
hereinbefore described.

From

N^o 1' W. bet. Secs. 34, & 35.

Va. 13° 45' E.

over level land, in dense mesq-
uite and tall greasewood

40.00 Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dry pits 18x18x12 ins. N. & S.
of post, 5 $\frac{1}{2}$ ft. dist. & raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base, around post.

80.00 Set a post, 4 ft. long 4 ins.
square, with marked stone 12

Chains. ins. in the ground. for Cor. to
Secs. 26, 27, 34 & 35. marked
T. 4. N. S. 26. on N.E.
R. 2. W. S. 35 on S.E.
S. 34. on S.W. and
S. 27 on N.W. faces. with 1
notch on S. and 2 notches on
E. edges. deep pits 18x18x12
ins. in each Sec. 5 1/2 ft. dist.
and raised a mound of Earth 2
ft. high. 4 1/2 ft. base
around post. —

Land. level

Soil. Sandy loam 1st rate
Timber. dense mesquite and
tall greasewood. 80. chs.

East. on a random line
bet. Secs. 26 & 35.

Subdivisions.

Chains.

Va. $13^{\circ}45'E$.40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.04 Intured N. and S. line. 6 lks.

S. of Cor. to Secs. 25, 26, 35 & 36

Thence I run

 $S 89^{\circ}57'W$. on a true line
bet. Secs. 26. and 35.Va. $13^{\circ}45'E$.

Over level land. in dense

Mesquite and tall greasewood

40.02 Set a post. 3 ft. long 3 ins.

Square. with marked stone 12

ins. in the ground, for $\frac{1}{4}$ Sec.Cor. Marked $\frac{1}{4}$ S. on N. facedug pits $18 \times 18 \times 12$ ins. E. & W.of post. $5\frac{1}{2}$ ft. dist. & raiseda mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around post. -

80.04 The Cor. to Secs. 26, 29, 34, & 35.

P. H. N. R. 2. W.

Chains Land level

Soil. Sandy loam 1st rate
Timber. dense mesquite and
tall greasewood. 80.04 chs.

N^o 1' W. bet. Secs. 26 & 27.
Va, 13^o 45' E.

over level land. in dense
mesquite & tall greasewood,

40.00 Set a post. 3 ft. long 3 ins.

Square. with marked Stone 12
ins. in the ground. for 1/4 Sec.Cor. marked 1/4 S. on W. face
dug pits 18x18x12 ins. N. & S.of post. 5 1/2 ft. dist. & raised
a mound of Earth 1 1/2 ft. high
3 1/2 ft. base. around post. —

80.00 Set a post. 4 ft. long 4 ins.

Square. with marked Stone 12

Subdivisions.

Chains. ins. in the ground. for Cor. to
 Secs. 22, 23, 26 & 27, marked
 N. 4 N. S. 23 on N.E.
 R. 2. W. S. 26. on S.E.
 S. 27 on S.W. and
 S. 22 on N.W. faces. with 2
 notches on S. and E. edges.
 dug pits 18x18x12 ins. in
 each Sec. 5 1/2 ft. dist. and
 raised a mound of Earth 2
 ft. high 4 1/2 ft. base
 around post. —
 Land. level.

Soil. Sandy loam 1st rate
 Timber. dense mesquite and
 tall greasewood brush. 80. chs.

N 89° 57' E. on a random line
 bet. Secs. 23. 2 & 26.

Chain.

Va. $13^{\circ}45'E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.00 Intersect N. $\frac{3}{4}$ S. line. at
 Cor. to Secs. 23, 24, 25, & 26.

Thence I run

$S 89^{\circ}57' W$. on a true line
 bet. Secs. 23 & 26.

Va. $13^{\circ}45'E$.

Over level land. in dense mesquite & tall greasewood.

40.00 Set a post. 3 ft. long 3 ins.

Square, with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ ins. E. & W.

of post, $5\frac{1}{2}$ ft. dist. & raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. —

77.00 Wagon road. bears N.W. + S.E.

Subdivisions.

- chains.
80.00 The Cor. to Secs. 22, 23, 26 & 27.
Land. level.
Soil. Sandy loam 1st rate
Timber. dense Mesquite, and
tall greasewood brush. 80 chs.
-
- N 0° 1' W. bet. Secs. 22 & 23.
Ru. 13° 45' E.
over level land. in dense mesq-
uite and tall greasewood.
- 3.00 Wagon road. bears N.W. & S.E.
- 40.00 Set a post. 3 ft. long 3 ins.
square. with marked stone 12
ins. in the ground. for 1/4 Sec.
Cor. marked 1/4 S. on W. face
dug pits 18 x 18 x 12 ins. N. & S.
of post. 5 1/2 ft. dia. & raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base. around post. -

D. 4. N. R. 2. W.

chains
80.00

Set a post 4 ft. long 4 in. square, with marked stone 12 in. in the ground, for Cor. to Secs. 14, 15, 22 & 23, marked T. 4. N. S. 14 on N.E.

R. 2. W. S. 23 on S.E.

S. 22 on S.W. and

S. 15, on N.W. faces, with 3 notches on S. and 2 notches on E. edges, dug pits 18x18x12 in. in each Sec. 5 1/2 ft. dirt, and raised a mound of Earth 2 ft. high 4 1/2 ft. base around post. —

Land level.

Soil, sandy loam 1st rate
Timber, dense mesquite and tall greasewood brush. —
80. chains. —

Subdivisions.

Chains. N $89^{\circ} 57' E$. on a random line
bet. Secs. 14. $\frac{1}{4}$ & 23.
Va. $13^{\circ} 45' E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.02 Intersect N. $\frac{1}{4}$ & S. line 3 lks.
N. of Cor. to Secs. 13, 14, 23 & 24
Thence I run

S $89^{\circ} 58' W$. on a true line
bet. Secs. 14. $\frac{1}{4}$ & 23.
Va. $13^{\circ} 50' E$.

over level land, in dense mesquite
and tall greasewood brush.

40.01 Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18x18x12 ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high

T. 4. N. R. 2. W.

Chains $3\frac{1}{2}$ ft. base around post. —
 80.02 The Cor. to Secs. 14, 15, 22 & 23.
 Land. level.
 Soil. Sandy loam 1st rate.
 Timber. dense Mesquite & tall
 greasewood. brush 80.02 Chs.
 Oct. 29, 1894

$N 0^{\circ} 1' W.$ bet. Secs. 14 & 15.
 $\text{Va. } 13^{\circ} 45' E.$

Over level land. in dense
 Mesquite & tall greasewood
 40.00 Set a post. 3 ft. long. 3 ins.
 Square. with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N. & S.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. —

Subdivisions.

Chain
69.00Phoenix & Wickenburg Stage
road. bears N. Westly & S. Eastly

80.00

Set a post. 4 ft. long & ins.
square. with marked stone 12
ins. in the ground. for Cor. to
Secs. 10, 11, 14 & 15, marked
T. 4, N. S. 11 on N.E.

R. 2, W. S. 14 on S.E.

S. 15 on S.W. and

S. 10 on N.W. faces, with 4
notches on S. and 2 notches on
E. edges. dug pits 18x18x12
ins. in each Sec. 5 1/2 ft. dist
and raised a mound of Earth
2 ft. high. 4 1/2 ft. base
around post. —

Land. level.

Soil. Sandy loam 1st rateTimber, dense Mesquite & tall grease
wood brush. 80 chr.

P. H. N. R. 2. W.

Chains. N 89° 58' E. on a random line
bet. Secs. 11. ⁴/_d 14.
Va. 13° 45' E.

40.00 Set temp. ¹/₄ Sec. Cor.

80.00 Intersect N. ⁴/_d S. line. at
Cor. to Secs. 11. 12. 13 & 14.

Thence I run

S 89° 58' W. on a true line
bet. Secs. 11. ⁴/_d 14.

Va. 13° 45' E.

over level land. in dense
mesquite. ⁴/_d tall greasewood

40.00 Set a post. 3 ft. long 3 ins.
square. with marked stone 12
ins. in the ground. for ¹/₄ Sec.
Cor. marked ¹/₄ S. on N. face
dug pits 18 x 18 x 10 ins. E. & W.
of post. 5 ¹/₂ ft. dia. & raised
a mound of earth 1 ¹/₂ ft high.

Subdivisions.

- Chains N 89° 58' E. on a random line
bet. Secs. 2nd & 11.
Va. 13° 45' E.
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
80.10 Intersect N. ^{2nd} & S. line 4 lks.
N. of Cor. to Secs. 1, 2, 11 & 12.
Thence I run
West. on a true line
bet. Secs. 2nd & 11.
Va. 13° 45' E.
over level land. In dense
"Murguit" & tall grease wood
- 40.05 Set a post, 3 ft long 3 ins.
Square. with marked stone $1\frac{1}{2}$
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18 x 18 x $\frac{1}{2}$ ins. E. & W.
of post. 5 $\frac{1}{2}$ ft. dist. & raised
a mound of Earth $1\frac{1}{2}$ ft. high.

P. H. N. R. 2. W.

Chains 3 1/2 ft. base, around Post -
 80.10 The Cor. to Secs. 2, 3, 10 & 11.
 Land. level.
 Soil. Sandy loam 1st rate
 Timbr. dense Mesquite and
 tall greasewood 80.10 chs.

N^o 1' W. bet. Secs. 2nd & 3.
 Va. 13° 45' E.

Over level land, in dense
 Mesquite & tall greasewood
 40.00 Set a post, 3 ft long 3 ins.
 Square, with marked stone 12
 ins. in the ground, for 1/4 Sec.
 Cor. marked 1/4 S. on W. base
 dug pits 18 x 18 x 12 ins. N. & S.
 of post, 5 1/2 ft. dist. & raised
 a mound of earth 1 1/2 ft. high
 3 1/2 ft. base, around post. -

Subdivisions.

Chains

73.30

Intersect first. Standard
 Parallel. N. at. $N 85^{\circ} 30' E$
 13.70 chs. dist. from the
 Standard Cor. to Secs. 34 & 35
 At which point. I
 Set a post. 4 ft. long 4 ins.
 Square. with marked stone 12
 ins. in the ground. for Closing
 Cor. to Secs. 2nd & 3. Marked
 C.C. T. 4. N. R. 2. W. on S.
 S. 2 on E. and
 S. 3 on W. faces. with 2 notches
 on E. and 4 notches on W. faces
 dug pits 18x18x12 ins. S. E. & W.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base around post. —
 Land level.
 Soil. Sandy loam 1st rate

N. 4. N. R. 2. W.

Chains

Timber, dense mesquite and
tall greasewood 73.30 chs.Oct. 30, 1894.

From the Cor to Secs. 3, 4, 33 & 34,
on S. bdy of Tp. as recently
established by me, and
herein before described

I run

N^o 2' W. bet. Secs. 33 & 34

Pa. 13° 45' E

over level land, in dense
mesquite & tall greasewood -

40.00 Set a post 3 ft. long 3 ins.

square, with marked stone 12
ins. in the ground, for 1/4 Sec.Cor. marked 1/4 S. on W. face
dry pits 18 x 18 x 12 ins. N. & S.
of post, 5 1/2 ft. dist. & raised

Subdivisions.

Chains. a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post. —
 80.00 Set a post. 4 ft. long 4 ins.
 Square, with marked stone 12
 ins. in the ground - for Cor to
 Secs. 27, 28, 33 & 34, marked
 S. 4. N. S. 27 on N.E.
 R. 2 W. S. 34 on S.E.
 S. 33 on S.W. and
 S. 28 on N.W. faces, with 1
 notch on S. and 3 notches on
 E. edges, dug pits $18 \times 18 \times 12$ ins,
 in each Sec. $5\frac{1}{2}$ ft. dia &
 raised a mound of Earth 2
 ft. high, $4\frac{1}{2}$ ft. base
 around post. —
 Land. level.
 Soil Sandy loam. 1st rate
 Timber, dense. Mesquite & Palo
 verde 80 cbs.

D. H. N. R. 2, W.

Chains East, on a random line,
bet. Secs. 27th & 34.
Va. $13^{\circ}45'E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.05 Intersect N. $\frac{1}{4}$ S. line 4 lks
S. of Cor. to Secs. 26, 27, 34 & 35.
Thence I run

$S89^{\circ}58'W$, on a true line
bet. Secs. 27th & 34.
Va. $13^{\circ}45'E$.

Over level land, in dense timber

40.02 Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face.
dig pits $18 \times 18 \times 12$ ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post. -

Subdivisions.

Chains
80.05The Cor. to Secs. 27, 28, 33 & 34
Land. level.Soil. Sandy loam 1st rate

Timber. dense Mesquite 80.05 chs.

No 2' W. bet. Secs. 27 & 28.Va. $13^{\circ}45'E$.

over level land. in dense Mesquite

40.00

Set a post. 3 ft. long. 3 ins.

Square. with marked Stone 12
ins. in the ground for $\frac{1}{4}$ Sec.Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N. & S.of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of Earth. $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. -

80.00

Set a post. 4 ft long 4 ins.

Square. with marked Stone 12
ins. in the ground. for Cor. to

40. BOOK 1017
T. 4. N. R. 2. W.

Chains Secs. 21, 22, 27 & 28. Marked
T. 4. N. S. 22 on N.E.
R. 2. W. S. 27 on S.E.
S. 28 on S.W. and
S 21 on N.W. faces. with 2
notches on S. and 3 notches on
E. edges. dug pits 18x18x12 ins.
in each sec. 5 1/2 ft. dist. and
raised a mound of Earth 2 ft.
high. 4 1/2 ft. bare. around pit.
Land. level.
Soil. Sandy loam 1st rate.
Timber. dense Mesquite 80 cho.

N 89° 58' E. on a random line
bet. Secs. 22. nd and 27.
Va. 13° 45' E

40.00 Set temp. 1/4 Sec. Cor.
79.96 Intersect N. nd S. line 5 lks. N.

Subdivisions.

chains. of Cor. to Secs. 22, 23, 26 & 27
Thence I run
West, on a true line.

ft. Secs. 22nd & 27

Va. $13^{\circ}45'E$.

Over level land, in dense mesquite and greasewood.

39.98 Set a Post, 3 ft. long 3 ins.
Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face,
dug pits $18 \times 18 \times 12$ ins. E. & W.
of Post, $5\frac{1}{2}$ ft. dia. & raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around Post.

79.96 The Cor. to Secs. 21, 22, 27 & 28.
Land, level

Soil, Sandy loam, 1st rate
Timber, dense mesquite & greasewood
79.96 chs.

chains No° 2' W. bet. Secs. 21, and 22.

Va. 13° 45' E.

Over level land, in dense mesquite
and tall greasewood brush.

40.00 Set a post, 3 ft. long 3 ins.

Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N. and S.
of post, 5 $\frac{1}{2}$ ft. diam., & raised
a mound of Earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base around post. —

80.00 Set a post, 4 ft. long 4 ins.

Square, with marked Stone 12
ins. in the ground, for Cor. to
Secs. 15, 16, 21 & 22, marked
T. H. N. S. 15. on N.E.

R. 2, W. S. 22 on S.E.

S. 21 on S.W. and.

Subdivisions.

Chains. S. 16 on N.W. faces, with 3
notches on S. and E. edges
dug pits 18x18x12 ins. in
each sec. 5 1/2 ft. dist. & raised
a mound of Earth 2 ft. high
4 1/2 ft. bar around post. —
Land. level.

Soil. Sandy loam 1st rate
Timber. dense mesquite and
tall greasewood brush 80. chs.

East. on a random line
bet. Secs. 15. and 22.

Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.

80.03 Intersect N. 4th S. line 4 lks.
S. of Cor. to Secs. 14, 15, 22 & 23.

Thence I run

S 89° 58' W. on a true line

Chains

bet. Secs. 15. ^{2d} & 22.

Pa. $13^{\circ}45'E$.

over level land, in dense mesquite and tall greasewood brush

40.02 Set a post, 3⁰ ft. long 3 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits 18x18x12 ins. E. & W. of post, 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around post. —

79.80 Wagon road. from N.W. & S.E.

80.03 The Cor. to Secs. 15, 16, 21 & 22.

Land, level.

Soil, sandy loam 1st rate.

Timber, dense mesquite & tall Greasewood brush. 80.03 chs.

Oct. 31, 1894.

Subdivisions.

- Chains. No° 2' W. bet. Secs. 15. ^{2d} 16.
 Va. 13° 45' E.
- Over level land, in dense mesq-
 uite, tall greasewood & Palo Verde
- 0.20 Wagon road, bet. N.W. & S.E.
- 40.00 Set a post, 3 ft. long 3 ins.
 Square, with marked Stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits 18x18x12 ins. N. & S.
 of post, 5 $\frac{1}{2}$ ft. dirt, and raised
 a mound of Earth 1 $\frac{1}{2}$ ft. high
 3 $\frac{1}{2}$ ft. base, around post.
- 80.00 Set a post, 4 ft. long 4 ins.
 Square, with marked Stone 12
 ins. in the ground, for Cor. to
 Secs. 9, 10, 15, & 16, marked
 T. H. N. S. 10 on N.E.
 R. 2. W. S. 15 on S.E.

S. 4 N. R. 2, W.

Chains S. 16 on S.W. and
 S. 9 on N.W. faces, with 4 notches
 on S. and 3 notches on E. edges.
 dug pits $18 \times 18 \times 12$ ins. in each
 Sec. $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base around post. —
 Land. level.
 Soil. Sandy loam 1st rate
 Timber. dense Mesquite & Palo Verde
 80. chains.

N $89^{\circ}58'E$. on a random line
 bet. Secs. 10. ^{9d} 15.
 Ya. $13^{\circ}45'E$.

40.00 Det. temp. $\frac{1}{4}$ Sec. Cor.

79.99 Intersect N. ^{9d} S. line 2 lks.
 S. of Cor. to Secs. 10. 11. 14 & 15
 Thence I run

Subdivisions.

- | | |
|---------|--|
| Chains. | S $89^{\circ}57'W$. on a true line
bet. Secs. 10. 2^{d} & 15.
Va. $13^{\circ}45'E$. |
| 16.00 | Over level land. in dense timber
leave dense timber trees. N.E. & S.W. |
| 34.00 | From 2^{d} Wickenburg Stage Road
trees N $77^{\circ}W$ & S $77^{\circ}E$. |
| 40.00 | Set a post. 3 ft. long 3 ins.
square. with marked stone 12
ins. in the ground. for $1/4$ Sec.
Cor. marked $1/4$ S. on N. face
dig pits 18x18x12 ins. E. 2^{d} & W.
of post. $5\frac{1}{2}$ ft. dia. and raised
a mound of earth $1\frac{1}{2}$ ft. high
$3\frac{1}{2}$ ft. base. around post. — |
| 66.00 | Enter dense mesquite & Palo verde
trees. N.W. & S.E. |
| 79.99 | The Cor. to Secs. 9. 10. 15 & 16.
Land. level. |

N. 4 N. R. 2. W.

Chains Soil. Sandy loam 1st rate
Timber. dense Mesquite & Palo Verde 30. chs.

N 0° 2' W. bet. Secs. 9. ^{2d} & 10.

Ta. 13° 45' E

Over level land. in dense timber

12.00 Clear. dense mesquite trees N.W. + S.E.

13.00 Phoenix ^{2d} and Wickenburg Stage road
trans. Eastuly ^{2d} and Westuly.

40.00 Set a post. 3 ft. long 3 ins.

Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ S. on W. face

dug pits 18x18x12 ins. N. ^{2d} & S.

of post. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of Earth 1 $\frac{1}{2}$ ft. high

3 $\frac{1}{2}$ ft. base. around post. -

80.00 Set a post. 4 ft. long 4 ins.

Square. with marked Stone 12

Subdivisions.

Chains ins. in the ground. for Cor. to
 Secs. 3, 4, 9, and 10. marked
 S. 4, N. S. 3 on N.E.,
 R. 2, W. S. 10 on S.E.,
 S. 9 on S.W. and
 S. 4 on N.W. faces. with 5
 notches on S. and 3 notches on
 E. edges. dug pits 18x18x12 ins.
 in each Sec. 5 1/2 ft. dist^s and
 a mound of Earth 2 ft. high
 4 1/2 ft. base. around post. -
 Land level.
 Soil. Sandy loam 1st rate.
 Timber. dense mesquite 12. Chs.

N 89° 57' E. on a random line
 bet. Secs. 3. and 10.

Va. 13° 45' E.

40.00 Set temp. 1/4 Sec. Cor.

R. 4. N. R. 2, W.

chain

79.96 Intersect. N. ⁹/₄ S. line 4 lks. N.
of Cor. to Secs. 2, 3, 10, ⁹/₄ 11.

Thence Iron

S 89° 59' W. on a true line
bet. Secs. 3, ⁹/₄ 10.

Va. 13° 45' E.

Over level land

39.98 Set a post. 3 ft. long 3 ins.

square. with marked stone 12
ins. in the ground, for ¹/₄ Sec.

Cor. marked ¹/₄ S. on N. face

dug pits 18 x 18 x 12 ins. E. & W.

of post. 5 ¹/₂ ft. dist. and raised
a mound of earth 1 ¹/₂ ft. high

3 ¹/₂ ft. base. around post. —

79.96 The Cor. to Secs. 3, 4, 9, ⁹/₄ 10.

Land. level.

Soil. Sandy loam 1st rate.

No timber.

Subdivisions.

Chains $N 0^{\circ} 2' W$. bet. Secs. 3. ^{2d} & 4.

Va. $13^{\circ} 45' E$

over level land. -

22.60 Enter dense Mesquite & greenwood

40.00 Set a post 3 ft. long 3 ins.

Square. with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face

dug pits $18 \times 18 \times 12$ ins. N. & S. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around post. -

72.60 Intersect first Standard parallel N. at $N 85^{\circ} 30' E$

13.60 chs. dist. from Standard Cor. to Secs. 33. ^{2d} & 34.

At which point. I

Set a post. 4 ft. long 4 ins.

Square. with marked Stone 12

T. 4. N. R. 2. W.

Chairs, ins. in the ground. for Closing
Cor. to Secs. 3. & 4. marked
T. 4. N. R. 2. W. C. C. on S.

S. 3 on E. and

S. 4 on W. faces. with 3 notches
on E. & W. faces. dug pits 18x18
x12 ins. S. E & W. of post. 5 1/2
ft. dist. and raised a mound
of earth 2 ft. high 4 1/2 ft.
base around post.

Land level.

Soil. Sandy loam 1st rate
Timber. dense Mesquite & tall
Greasewood. brush. 50. chains.

Nov. 1. 1894.

From the Cor. to Secs. 4. 5. 32. & 33.
on S. bdy of Tp. as recently
established by me. and

Subdivisions.

Chains hereinbefore described. -

Iron

No^o 2' W. bet. Secs. 32, ^{2d} 33,

Va. 13° 45' E

over level land, in dense
Mesquite and Ironwood

40.00 Set a post, 3 ft. long 3 ins.
Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins, N. & S.
of post, 5 $\frac{1}{2}$ ft. dia & raised
a mound of Earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base, around post. -

80.00 Set a post, 4 ft. long 4 ins.
Square, with marked Stone 12
ins. in the ground, for Cor. to
Secs. 28, 29, 32 & 33, marked
S. 4. N. S. 28 on N.E.

N. H. N. R 2. W.

Chains R. 2. W. S. 33 on S.E.
 S. 32 on S.W. and
 S. 29 on N.W. faces, with 1 notch
 on S. and 4 notches on E. edges
 dug pits $18 \times 18 \times 12$ ins. in each
 Sec. $5\frac{1}{2}$ ft. dist. and raised
 a mound of Earth 2 ft. high
 $4\frac{1}{2}$ ft. base. around post. —
 Land. level.
 Soil. Sandy loam 1st rate.
 Timber. dense mesquite and
 Ironwood. 80. chains. —

— East. on a random line
 bet. Secs. 28. & 33.

Pa. $13^{\circ} 45' E.$

40.00 Set. temp $\frac{1}{4}$ Sec Cor.

79.95 Intersect. N. and S. line 5 lks. S.
 of Cor. to Secs. 27. 28. 33 & 34.

Subdivisions.

Chains Thence I run

$189^{\circ}58'W.$ on a true line
bet. Secs. 28th & 33.

Va. $13^{\circ}45'E.$

Over level land. in dense
Mesquite and Ironwood

39.97 Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of post, $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post.

79.95 The Cor. to Secs. 28, 29, 32 & 33.
Land. level.

Soil. Sandy loam 1st rate
Timber. dense Mesquite and
Ironwood undergrowth 79.95 ch.

P. H. N. R. 2. W.

Chains. $N 0^{\circ} 2' W$. bet. Secs. 28, ^{2d} & 29.
 Va. $13^{\circ} 45' E$.

Over level land, in dense
 Mesquite and Ironwood.

40.00 Set a post, 3 ft. long 3 ins.
 Square, with marked Stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on W. face,
 dug pits $18 \times 18 \times 12$ ins. N. & S.
 of post, $5 \frac{1}{2}$ ft. dist. & raised
 a mound of Earth $1 \frac{1}{2}$ ft. high
 $3 \frac{1}{2}$ ft. base, around post. —

80.00 Set a post, 4 ft. long 4 ins.
 Square, with marked Stone 12
 ins. in the ground, for Cor. 15
 Secs. 20, 21, 28 & 29, marked
 T. H. N. S. 21 on N.E.
 R. 2 W. S. 28 on S.E.
 S. 29 on S.W. and

Subdivisions.

Chains S. 20 on N.W. faces, with 2
notches on S. and 4 notches on E.
edges. dug pits 18x18x12 ins.
in each Sec. 5 1/2 ft. dist and
raised a mound of earth 2 ft. high
4 1/2 ft. base. around Post. -
Land. level.

Soil. Sandy loam 1st rate
Timber dense mesquite and
Ironwood. 80. chains. -

N 89° 58' E. on a random line
bet. Secs. 21. ^{4th} 28.

Ya. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.

79.89 Intersect N. ^{4th} S. line 2 lks.
N. of Cor. to Secs. 21, 22, 27 & 28.
Thence I run

S 89° 59' W. on a true line

58.
P. H. N. R. 2. W. BOOK 1017

Cheris

bet. Secs. 21. nd 28.

Va. $13^{\circ}45'E$.

over level land, in dense mesquite

39.95

Set a granite Stone $18 \times 18 \times 6$ ins.
12 ins. in the ground. for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ on N. face. dug
pits $18 \times 18 \times 12$ ins. E & W. of Stone.

$5\frac{1}{2}$ ft. dist. and raised a mound
of Earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.
wide, alongside -

79.89

The Cor. to Secs. 20, 21, 28 & 29
Land. level.

Soil. Sandy loam 1st rate.

Dense mesquite undug growth 79.89 chs.

N $0^{\circ}2'W$. bet. Secs. 20. nd 21.

Va. $13^{\circ}45'E$.

over level land, in dense
mesquite and Palo Verde

Subdivisions.

Chairs.
40.00

Set a Post. 3 ft. long 3 ins.
Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N. & S.
of Post. 5 $\frac{1}{2}$ ft. dist. & raised
a mound of Earth $1\frac{1}{2}$ ft. high.
3 $\frac{1}{2}$ ft. base. around Post.

80.00

Set a Post. 4 ft. long 4 ins.
Square. with marked Stone 12
ins. in the ground. for Cor. to
Secs. 16. 17. 20 & 21. marked
T. 4. N. S. 16 on N.E.
R. 2. W. S. 21 on S.E.
S. 20 on S.W. and
S. 17 on N.W. faces. with 3 notches
on S. and 4 notches on E. edges
dug pits 18x18x12 ins. in each
Sec. 5 $\frac{1}{2}$ ft. dist. and raised

Chains a mound of Earth 2 ft. high $4\frac{1}{2}$ ft. base, around post. -
Land level.

Soil. Sandy loam 1st rate.
Timber, dense Mesquite and
Palo Verde undugrowth 80 chs.

N $89^{\circ}59'E$. on a random line
bet. Secs. 16. ^{4d} 21.
Va. $13^{\circ}45'E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

79.93 Intersect N. ^{4d} S. line 3 lks.
N. of Cor. to Secs. 15, 16, 21 & 22
Thence I run

West. on a true line
bet. Secs. 16. ^{4d} 21.
Va. $13^{\circ}45'E$.

39.97 Core level land, in dense Mesquite
Set a post, 3 ft. long 3 ins.

Subdivisions. T. 4. N. R. 2. W.

Chains Square, with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits 18x18x12 ins. E. & W.
 of post. 5 $\frac{1}{2}$ ft. dist. & raised
 a mound of Earth 1 $\frac{1}{2}$ ft. high
 3 $\frac{1}{2}$ ft. base around post. -

79.93 The Cor. to Secs. 16. 17. 20. & 21.
 Land level.

Soil. Sandy loam 1st rate
 Timber. dense Mesquite under-
 growth. 79.93 chains. -

Nov. 2. 1894

N $0^{\circ} 2'$ W. bet. Secs. 16 & 17.

Va. 13 $^{\circ}$ 45' 6"

over broken land. in dense mesquite.

40.00 Set a post. 3 ft. long 3 ins.
 Square, with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.

Concluded, Book 1152.