

Book 3

Subs - T. 9 N. R. 6 W.

BOOK 1020

No. 1020

4-671

BOOK 1020

FIELD NOTES
GENERAL LAND OFFICE.

1020

Indexed Book 1019

56

Township 9N R. 6W

6	109	5	88	4	71	3	2	1
108		107		86		70		
7	106	8	84	9	69	10	11	12
105		103		83		67		
18	102	17	82	16	66	15	14	13
101		100		80		65		
19	98	20	79	21	64	22	23	24
97		95		77		62		
30	94	29	76	28	61	27	26	25
92		91		75		60		
31	89	32	73	33	58	34	35	36

Subdivision of T. 9 N. R. 6. W. Cont'd

- marked W. C. $\frac{1}{4}$ on W. face; dig pits $18 \times 18 \times 12$ ins., N. and S. of cor: 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 40.00 Cross dry wash 20 lks wide, course SW.
- 41.00 Leave undergrowth of mesquite and catclaw and enter cacti.
- 42.15 Cross road to Congress formation near N.E. and S.W.
- 44.00 Leave cactus belt bearing E. and W.
- 45.15 Cross dry wash 5 lks wide, course W. thence SW.
- 80.01 The cor. to Secs 2, 3, 10 and 11
Land; level and rolling.
Soil, gravelly loam, 2^d and 3^d rate
No timber; undergrowth, catclaw, mesquite, and cacti.

May 17th 1897

Subdivision of T. 9 N.

Chains

May 18th 1897: At 7^h 45^m A.M. l.m.t.,
I set off 34° 4' on the lat. arc; 19°
42' N. on the decl. arc, and deter-
mine a true meridian with the
solar, at the St. Cor. to Secs 33.
and 34, heretofore described
by me.

Thence I run
N. 0° 2' W. bet Secs. 33 and 34.

Over rolling land.

- 3.00 Enter greasewood undergrowth
bearing Easterly and Westerly.
- 25.00 Leave greasewood undergrowth
- 37.60 Cross old road, bearing NNE. and SSW.
- 40.00 Set a mesquite post 3 ft long, 3 ins.
square, with charred stake, 24 ins.
in the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. on W. face, dig pits 18 x 18 x 12 ins,
N. and S. of post, 3 ft dist; and

R. 6 W. - Continued

Chamiso.

raise a mound of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, W. of cor.

55.00 Enter cholla undergrowth bearing
 E. and W.

67.00 Leave cholla undergrowth.

80.00 Set a mesquite post 3 ft. long, 4 ins.
 sqn. with charred stake, 24 ins. in
 the ground for cor. to Secs. 27, 28

33. and 34 marked

S. 9 N. S. 27 on NE.

R. 6 W. S. 34 on SE.

S. 33. on SW, and

S. 28 on NW. faces, with 1 notch
 on S, and 3 notches on E. edges, dig
 pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft
 dist. and raised a mound of
 earth 4 ft. base, 2 ft. high. W. of cor.
 Land, rolling.

Soil, gravelly, 1st and 2^d rate

Subdivision of T. 9 N.

Chains.

No timber, greasewood and
cholla undergrowth

East on a random line bet Secs
27 and 34.

40.00 Set temp. $\frac{1}{4}$ Sec cor.

79.90 Intersect N. and S. line 5 lks. N.
of the cor. to secs. 26, 27, 34 and 35.

Then set run

N. $89^{\circ} 58' W.$ on a true line bet Secs.
27 and 34.

Over rolling land.

36.60 Cross dry wash 10 lks. wide, course S.W.

39.95 Deposit a marked stone, 12 ins. in
the ground for $\frac{1}{4}$ sec. cor., dig pits
18 x 18 x 12. ins., E. and W. of cor. 4 ft.
dist., and raised a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, over
deposit. In E. pit drove a cat-

R. 6 W. - Continued.

Chains.

law stake, 2 ft long, 2 ins. sq., 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

53.40 Cross road to Bullard mine, bearing NW. and SE.

75.24 Cross road bearing NW. and SE.

79.90 The cor. to secs. 27, 28, 33 and 34.

Land, rolling.

Soil, sandy and gravelly, 1st and 2^d rate.

No timber; scattering greasewood undergrowth.

N. 0° 2' W. bet Secs 27 and 28

Over gently rolling land

4.60 Cross road to Bullard mine, bears NW. and SE.

40.00 Set a mesquite post 3 ft. long, 3 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on W. face,

Subdivision of T. 9 N.

Chains

dig pits $18 \times 18 \times 12$ ins., N. and S. of
 post, 3 ft. dist., and raise a mound
 of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set a malpais stone $16 \times 8 \times 8$ ins.,
 11 ins. in the ground, for cor to secs.

21. 22. 27. and 28, marked with
 2 notches on S. and 3 notches on E.

edges, dig pits $18 \times 18 \times 12$ ins., in
 each sec., $5\frac{1}{2}$ ft. dist., and raise
 a mound of earth 4 ft. base, 2 ft.
 high, W. of cor.

Land, level and gently rolling.

Soil, gravelly, 2^d rate.

No timber; scattering greasewood
 undergrowth.

S. $89^{\circ} 58' E.$ on a random line
 bet Secs. 22 and 27.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

R. 6 W. - Continued.

Chains

- 79.98 Intersect N. and S. line 4 lks. S.
of the cor. to Secs. 22, 23, 26 and 27.
Thence I run
West on a true line bet Secs. 22 and 27
Over gently rolling land.
- 36.30 Cross dry wash 30 lks. wide, course S.S.W.
- 39.48 Cross road to Bullard's mine, bears
N. and S.
- 39.94 Set a mesquite post 3 ft long, 3 ins.
sq., 24 ins. in the ground, for $\frac{1}{4}$ Sec.
Cor., marked $\frac{1}{4}$ S. on N. face, dig
pits 18x18x12 ins., E. and W. of post
3 ft. dist., and raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 79.98 The cor. to Secs. 21, 22, 27. and 28.
Land, level and gently rolling.
Soil, sandy loam, 1st and 2^d rate.
No timber.

Subdivision of T. 9 N.

Chairs.

N. 0° 2' W. bet. Secs. 21 and 22.

Over level land.

40.00 Set a catclaw post 3 ft long, 3 ins. sq. with marked stone, 24 ins. in the ground, for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on W. face, dig pits 18 x 18 x 12 ins., N and S. of post, 3 ft dist., and raise a mound of earth 3 $\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft. high, W. of cor.

74.50 Cross old road, near N.E. and S.W.

80.00 Set a malpais stone 18 x 12 x 8 ins, 12 ins. in the ground, for cor. to secs. 15, 16, 21, and 22, marked with 3 notches on S. and E. edges, dig pits 18 x 18 x 12 ins. in each sec., 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft base, 2 ft. high, W. of cor.

R. C. W. - Continued.

Chains

Land, level.

Soil, gravelly loam, 2^d rate.

No timber.

East on a random line bet Secs.
15 and 22.40.00 Set temp. $\frac{1}{4}$ Sec. cor.80.00 Intersect N. and S. line at the
cor. to Secs, 14, 15, 22, and 23.

Thence I run

West on a true line bet Secs 15 and 22.

Over level land.

25.00 Enter undergrowth, trends N. and S.

27.00 Cross dry wash 60 ft. wide, course S. E.

29.00 Leave undergrowth, trends N. and S.

33.21 Road from Congress Junction to
Bullard's mine, bears N. and S.40.00 Deposit a marked stone, 12 in., in
the ground, for $\frac{1}{4}$ Sec. cor., dig pits

Subdivisions of T. 9 N.

Chairs.

18x18x12 ins, E. and W. of cor., 4 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, over deposit. In E. pit drive a cats-claw stake, 2 ft long, 2 ins. sq., 12 ins. in the ground, marked ¼ S. on N. face.

57.95 Cross old road, bears NE. and SW.

80.00 The cor. to secs. 15, 16, 22 and 23.
Land, level.

Soil, loam, 2^d rate.

No timber; cats-claw undergrowth.

N. 0° 2' W. bet Secs 15 and 16.

Over level land.

40.00 Deposit a marked stone, 12 ins. in the ground, for ¼ Sec. Cor., dig pits 18x18x12 ins, N. and S. of cor., 4 ft. dist., and raise a mound.

R. C. W. - Continued.

Chamie.

of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, over deposit. In S. pit drive a catodan stake 2 ft long, 2 ins. dia, 12 ins in the ground, marked $\frac{1}{4}$ S. on W. face.

80.00 Set a malpais stone $16 \times 10 \times 8$ ins, 11 ins. in the ground, for cor. to secs. 9, 10, 15, and 16, marked with 4 notches on S. and 3 notches on E. edges, dig pits $18 \times 18 \times 12$ ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, level.

Soil, gravelly loam, 2^d rate.
No timber.

East on a random line bet Secs 10 and 15.

40.00 Set temp. $\frac{1}{4}$ Sec Cor.

Subdivision of T. 9 N.

Chains.

- 80.00 Intersect N. and S. line at
the cor. to Secs 10, 11, 14, and 15.
Thence I run
West on a true line bet Secs.
10 and 15.
Over gently rolling land.
- 16.00 Cross dry wash 70 yds. wide, course
S.W.
- 30.80 Road to Congress Junction
bears N. and S.
- 40.00 Set a mesquite post 3 ft long
3 in. dia., with marked stone
12 1/4 in. in the ground for 1/4
Sec. cor. marked 1/4 S. on N. line,
dig pits 18 x 18 x 12 in. E. and
W. of post, 3 ft. dist, and raise
a mound of earth 3 1/2 ft. base,
1 1/2 ft. high, N. of cor.
- 80.00 Thence to sec. 9, 10, 15 and 16.

R. 6 W. - Continued.

Chains

Land, gently rolling.

Soil, sandy loam, 1st and 2^d rate.

No timber.

N. 0° 2' W. bet Secs. 9 and 10.

Over-level land.

0.25 Cross old road, course N.E. and S.W.

40.00 Set a granite stone 17 x 6 x 4 ins,
12 ins. in the ground for $\frac{1}{4}$ Sec. cor.
marked $\frac{1}{4}$ on W. face, dig pits 18 x 18
x 12 ins. N. and S. of stone, 3 ft
dialt. and raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft high W. of cor.

46.50 Cross old road, bears N.E. and S.W.

80.00 Set a granite stone 18 x 12 x 3 ins,
12 ins. in the ground for cor. to
secs. 3, 4, 9, and 10, marked with
5 notches on S. and 3 notches on
E. edges, dig pits 18 x 18 x 12 ins. in

Subdivision of T. 9 N.

chains

each sec.; $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st and 2^d rate.

No timber

East on a random line bet Secs.

3 and 10.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

80.10 Intersect N. and S. line 5 ths. S. of the cor to Secs., 2, 3, 10 and 11.

Thence I run

S. $89^{\circ}58'$ W. on a true line bet Secs.

3 and 10

Over gently rolling land through undergrowth.

21.60 Cross dry wash 50 ths. wide, course S. 6.

26.00 Leave scattering undergrowth.

R. C. W. Continued.

Chains

- 27.96 Cross road to Congress Junction,
bears N. and S.
- 40.05 Set a malpais stone, $18 \times 8 \times 8$ ins.,
12 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face, dig pits $18 \times$
 18×12 ins. E. and W. of stone, 3 ft.
diam., and raise a mound of earth
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 42.40 Cross road to Congress Junction,
bears N.E. and S.W.
- 80.10 The cor. to secs. 3, 4, 9, and 10.
Land, gently rolling.
Soil, sandy loam, 1st and 2^d rate.
No timber, catclaw and cactus
undergrowth.
- N. or 2' W. on a random line bet Secs.
3 and 4.
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

Subdivision of T. 9 N.

Chains

- 79.99 Intersect N. bdy of the Twp. 5 Wks.
W. of the cor to Secs. 3, 4, 33, and
34, heretofore described by me.
Thence I run
South on a true line bet. Secs 3 and 4.
Over level land.
- 13.00 Enter dry wash and undergrowth.
- 15.50 Leave dry wash, course SW, and
undergrowth.
- 38.75 Cross old road, course NE. and SW.
- 39.55 Cross old road bearing NE and SW.
- 39.99 Set a mesquite post 3 ft. long, 3 ins.
sq., with marked stones, 2 1/4 ins.
in the ground for 1/4 Sec. Cor., marked
1/4 S. on W. face, dry pits 18 x 18 x 12 ins.
N. and S. of post, 3 ft. dist., and
raise a mound of earth 3 1/2 ft. base,
1 1/2 ft. high, W. of cor.
- 70.70 Cross road to Congress Junction

R. C. W. Continued. -

Chains.

bearing NE. and SW.

79.99 The cor. to Secs. 3, 4, 9, and 10.

Land, level.

Soil, sandy loam, 1st and 2^d rate.
No timber; scattering catclaw
undergrowth.May 18th 1897.

May 19th: At 7^h 50^m A.M. C.M.T., I set
off 34° 4' on lat. arc; 19° 55' N. on decl.
arc; and determine a true meridian
with the solar at the St. Cor. of secs 32.
and 33. on the S. bdy. of the Tp. al-
ready described by me.

Thence I run

N. 0° 2' W. bet Secs. 32 and 33.

Over level land through scattering
greasewood and mesquite undergrowth.

40.00 Set a mesquite post, 3 ft long, 3 in.

Subdivision of T. 9 N.

Chains.

sqn., with marked stone 24 ins. in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on W. face; dig pits 18x18x12 ins., N. and S. of post, 3 ft. dia., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00. Set a mesquite post 3 ft. long, 4 ins. sqn., with marked stone 24 ins. in the ground for cor. to secs. 28, 29, 32, and 33, marked T. 9 N. S. 28 on NE, R. 6 W. S. 33 on SE, S. 32 on SW, and S. 29 on NW. faces, with 1 notch on S. and 4 notches on E. edges, dig pits 18x18x12 ins. in each Sec., $5\frac{1}{2}$ ft. dia., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

R. C. W. Continued.

Chains.

Land, level and gently rolling.

Soil, gravelly, 2^d and 3^d rate.

No timber, scattering mesquite
and greasewood undergrowth.

East on a random line bet Secs.
28 and 33.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

80.03 Intersect N. and S. line, 5th Mo. S.
of the cor. to Secs. 27. 28. 33. and 34.

Thence I run

S. $89^{\circ}58'$ W. on a true line bet. Secs.
28. and 33.

Over rolling ground.

40.01 $\frac{1}{2}$ Set a granite stone 15 x 10 x 6 ins.,
10 ins. in the ground for $\frac{1}{4}$ Sec. cor.,
marked $\frac{1}{4}$ on N. face, dig pits 18 x 18
x 12 ins. E. and W. of stone, 3 ft. dist,
and raise a mound of earth 3 $\frac{1}{2}$ ft.

Subdivision of T. 9 N.

Chains

- base, $1\frac{1}{2}$ ft. high, N. of cor.
- 80.03 The cor. to secs. 28, 29, 32 and 33.
Land, rolling.
Soil, sandy loam, 1st and 2^d rate.
No timber; scattering mesquite
and greasewood undergrowth.
-
- N. $0^{\circ} 2'$ W. bet. Secs. 28 and 29.
Over level land.
- 37.65 Cross old road, bears N.E. and S.W.
- 40.00 Set a mesquite post 3 ft. long, 3 ins.
sq. with marked stone 24 ins. in
the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S, on W. face, dig pits $18 \times 18 \times 12$
ins; N. and S. of post, 3 ft. dist.,
and raise a mound of earth $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high, N. of cor.
- 48.00 Cross old road, bears N.E. and S.W.
- 80.00 Set a mesquite post 3 ft. long,

R. 6 W. - Continued.

Chains

4 vis. squ., with marked stone, 24
 vis. in the ground for cor. to Secs.
 20, 21, 28, and 29, marked
 T. 9 N. S. 21 on N.E.,
 R. 6 W. S. 28 on S.E.,
 S. 29 on S.W. and
 S. 20 on N.W. faces, with 2 notches
 on S., and 4 notches on E. edges, dig
 pits 18x18x12 ins. in each sec, 5 1/2 ft
 dist., and raise a mound of earth 4 ft
 base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 2^d rate

No timber.

N. 89° 58' E. on a random line bet
 Secs. 21 and 28.

40.00 Set temp. 1/4 Sec. Cor.

80.06 Intersect N. and S. line 4 lks. N.

Subdivision of T. 9 N.

Chains.

of the crs to secs. 21, 22, 27 and 28.

Thence I run

West on a true line bet Secs 21
and 28.

Over level land.

40.03 Set a mesquite post 3 ft. long, 3
ins. sq., with marked stou, 24 ins.
in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ Sec. N. face, dig pits
18 x 18 x 12 ins., E. and W. of post,
3 ft. dist., and raise a mound
of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of crs.

54.55 Cross old road, bears N.E. and S.W.

59.00 Cross charco, extending 30 lks
E. and W., and 110 lks. N. and S.

74.17 Cross old road, bears N. and S.

79.80 Cross road to Bullard's mine,
bearing N.W. and S.E.

R. 6 W. - Continued.

Chains

80.06 The cor to secs. 20, 21, 28, and 29.
 Land, level and gently rolling.
 Soil, sandy loam, 1st and 2^d rate.
 No timber.

N. 0° 2' W. bet. Secs. 20 and 21.

Over level ground.

0.25 Cross road to Bullard's mine,
 bears N W. and S E.

40.00 Deposit a marked stone, 12 ins. in
 the ground per $\frac{1}{4}$ Sec. cor.; dig pits
 18x18x12 ins., N and S. of cor., 4 ft
 dist; and raise a mound of earth
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, over deposit.
 In S. pit drive a mesquite stake,
 2 ft. long, 2 ins. sq., 12 ins. in the
 ground, marked $\frac{1}{4}$ S. on W. face.

59.20 Cross old road, bears Northwest only
 and Southeast only.

Sub-division of T. 9 N.

Chains.

80.00 Set a malpais stone $16 \times 12 \times 8$ ins,
 11 ins. in the ground for cor to Secs.
 16, 17, 20, and 21, marked with
 3 notches on S. and 4 notches on E.
 edges, dig pits $18 \times 18 \times 12$ ins. in
 each sec., $5\frac{1}{2}$ ft. diam., and raise
 a mound of earth 4 ft. base, 2 ft.
 high, W. of cor.

Land, level.

Soil, sandy loam, 1st and 2^d rates.
 No timber.

Erect on a random line bet Secs.
 16 and 21.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.07 Intersect N. and S. line 3 lks.
 N. of the cor. to secs. 15, 16, 21 and 22.
 Thence from
 N. $89^{\circ} 59'$ W. on a true line bet. Secs.

R. 6 W. - Continued.

Charino

16 and 21.

Over level land.

25.37 Cross old road, bears N.E. and S.W.

40.03½ Deposit a marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., dig pits 18 X 18 X 12 ins., E. and W. of cor., 4 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, over deposit.

In E. pit drive a mesquite stake, 2 ft. long, 2 ins. sq., 12 ins. in the ground, marked $\frac{1}{4}$ S, on N. face.

57.12 Cross old road bears N.N.W. and S.S.E.

80.07 The cor. to secs. 16, 17, 20, and 21.

Land, level.

Soil, loam, 1st and 2^d rate.

No timber.

Subdivision of T. 9 N.

Chains.

N. 0° 2' W. bet. Secs. 16 and 17.

Over level land.

- 6.02 Cross old road, bears NNE. and SSW.
- 40.00 Deposit a marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., dig pits 18 x 18 x 12 ins, N. and S. of cor., 4 ft. dist; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, over deposit. In S. pit drive a catclaw stake, 2 ft. long, 2 ins. sq., 12 ins. in the ground, marked $\frac{1}{4}$ S. on W. face
- 54.70 Cross old road, bears NE. and SW.
- 57.70 Cross old road, bears NE. and SW.
- 80.00 Set a malpais stone 20 x 10 x 6 ins. 15 ins. in the ground, for cor. to secs. 8, 9, 16, and 17, marked with 4 notches on S. and E. edges, dig pits 18 x 18 x 12 ins. in each

R. 6 W. - Continued.

Chains

sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st and 2^d rate.

No timber.

S. $89^{\circ}59'E$. on a random line bet. Secs. 9 and 16.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

80.03. Intersect N. and S. line 9 Mts. S. of the cor. to secs. 9, 10, 15, and 16.

Thence I run

S. $89^{\circ}57'W$. on a true line bet Secs. 9. and 16.

Over level ground.

0.25 Cross old road, bears NE. and SW.

37.75 Cross old road, bears NE and SW.

40.01 $\frac{1}{2}$ Set a mesquite post 3 ft long, 3 in

Subdivision of T. 9 N.

Chains.

- sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ Sec. cor., marked $\frac{1}{4}$ S., on N. face, dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 42.42 Cross road to Congress Junction, bearing N.E. and S.W.
- 54.00 Cross dry wash, evidently old road bed 8 tks wide, course N.E.
- 61.31 Cross old road, bears N.E. and S.W.
- 80.03 The cor. to secs. 8, 9, 16, and 17.
Land, level, and gently rolling.
Soil, sandy loam, 1st and 2^d rate.
No timber.
-
- N. $0^{\circ} 2'$ W. bet. Secs. 8 and 9.
Over level ground.
- 19.10 Cross slough, 10 tks wide, trending

R. 6 W. - Continued.

Chains.

NE. and SW.

- 40.00 Deposit a marked stone, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor; dig pits 18 x 18 x 12 ins., N. and S. of cor; 7 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, over deposit. In S. pit drive a mequites stake, 2 ft. long, 2 ins. sq., 12 ins. in the ground, marked $\frac{1}{4}$ S. on W. face.
- 56.30 Road to Congress Junction, bears NE. and SW. from Bullard's mine.
- 62.33. From this point a guide post with sign board, reading Bullard's mine by Rhodes well, bears N84°20' E.
- 80.00 Set a malpais stone 20 x 12 x 4 ins., 15 ins. in the ground for cor. to secs. 4, 5, 8, and 9., marked with 5 notches.

Subdivision of T. 9. N.

chains

on S., and 4 notches on E. edges,
dig pits 18 x 18 x 12 ins., in each sec.,
5 1/2 ft. diam., and raise a mound
of earth, 4 ft. base, 2 ft. high, W. of
cor.

From this cor. guide post with
sign bears S. 44° 20' E.

Land, level.

Soil, sandy loam, 1st and 2^d rates.

No timber.

N. 89° 57' E. on a random line bet
Secs. 4 and 9.

40.00 Set temp. 1/4 Sec. cor.

80.20 Intersect N. and S. line 10 lks.

N. of the cor. to secs. 3, 4, 9, and 10.

Hence I run

N. 89° 59' W. on a true line bet.
Secs. 4, and 9.

R. C. W. Continued.

Cramo

Over level land.

- 12.93 Cross old road, bears N. and S.
- 21.65 Cross road from Congress Junction to Bullard's mine, bearing N.E. and S.W.
- 33.60 Enter sand wash, course S.W.
- 39.20. Leave sand wash, course S.W.
- 40.10 Deposit a marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor., dig pits 18 x 18 x 12 ins., E. and W. of cor., 4 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, over deposit. In E. pit drive a catclaw stake, 2 ft. long, 2 ins. dia., 12 ins. in the ground, marked $\frac{1}{4}$ S., on N. face.
- 74.90 Cross dry wash 5 lbs. wide, course S.E.
- 80.20. The cor. to Secs. 4-5-8. and 9.
Land, level
Soil, sandy loam, 1st and 2^d rate.

Subdivision of T. 9 N.

Chains.

No timber.

N. $0^{\circ}2'$ W. on a random line bet.
Secs. 4 and 5.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

80.03 Intersect N. bdy. of T. 17 W. W.
of the cor. to secs. 4, 5, 32 and 33,
already described by me.

Thence I run

S. $0^{\circ}5'$ W. on a true line bet. secs.
4. and 5.

Over level land:

40.03 Set a malpais stone, $14 \times 8 \times 6$ ins.,
10 ins. in the ground for $\frac{1}{4}$ Sec. cor.
marked $\frac{1}{4}$ on W. face, dig pits
 $18 \times 18 \times 12$ ins. N. and S. of stone,
3 ft. diam., and raise a mound
of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

R. 6 W. Continued.

Chain

63.70 Cross old road, course N.E. and S.W.

80.03 The cor. to Secs. 4, 5, 8, and 9,

Land, level.

Soil, sandy loam, 1st and 2^d rate
 No timber, cats claw and mesquite
 undergrowth.

May 19.th 1897.

May 20th: At 8^h 50^m A.M. L.M.T.,
 I set off 3404' on lat. arc, 20° 8' N.
 on decl. arc, and determine a true
 meridian with the solar at the St.
 cor. to secs. 31. and 32. on the S.
 bdy of the Tp. heretofore described
 by me.

Thence I run
 N. 0° 3' W. bet. Secs. 31. and 32.

Over level ground.

28.00 Enter scattering mesquite, and

Subdivision of T. 9. N.

Chairs.

greasewood tendergrowth, trending
NE. and SW.

29.00 Cross old road, bears NE and SW.

40.00 Set a granite stone 15x10x8 ins.
10 ins. in the ground, for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ on W. face, dig
pits 18x18x12 ins. N. and S. of
stone, 3 ft. dist., and raise a
mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
high, W. of cor.

80.00 Set a malpais stone 18x10x6 ins.

12 ins. in the ground for cor. to
secs 29. 30. 31 and 32., marked
with 1 notch on S. and 5 notches
on E. edges, dig pits 18x18x12 ins.,
in each sec., 5 $\frac{1}{2}$ ft. dist., and
raise a mound of earth 4 ft.
base, 2 ft high, W. of cor.

Land, level and gently rolling.

R. 6 W. Continued.

Chain.

Soil, sandy loam, 1st and 2^d rate.
No timber; mesquite and
catclaw undergrowth.

East on a random line bet Secs.
29. and 32.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

79.99 Intersect N. and S. line, at the
cor. to secs. 28. 29. 32. and 33.

Fence run

West on a true line bet Secs.
29 and 32.

Over gently rolling ground.

20.95 Cross old road, course N.E. and S.W.

34.60 Cross old road, course N.E. and S.W.

39.99 $\frac{1}{2}$ Deposit a marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor., dig pits
18 x 18 x 12 ins., E. and W. of cor.,
4 ft. dist., and raise a mound

Subdivision of T. 9 N.

Chains

of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
over deposit. In E. pit drive a
mesquite stake, 2 ft. long, 2 ins.
sq., 12 ins. in the ground, marked
 $\frac{1}{4}$ S., on N. face.

79.99 The cor. to secs. 29. 30. 31 and 32.

Land, gently rolling and level.

Soil, sandy loam, 1st and 2^d rate.

No timber, scattering mesquite
and catclaw undergrowth.

West on a random line bet Secs.
30. and 31.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

79.90 Intersect W. bdy. of the Tp. at
the cor. to secs. 25. 30. 31. and 36.

already described by me.

Thence I run

East on a true line bet Secs 30 and 31

R. C. W. Continued.

Chains.

Through catclaw and mesquite
undergrowth.

- 3.95 Enter dry wash, course S.W.
- 7.95 Leave dry wash course S.W.
- 8.00 Leave catclaw and mesquite
undergrowth, and enter scattering
cacti.
- 33.00 Cross dry wash 10 lks. wide, course S.W.
- 39.90 Set a mesquite post 3 ft long,
3 ins. sq., with marked at one,
24. ins. in the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on N. face, dig
pits 18 x 18 x 12 ins., E. and W. of
post, 3 ft. dist., and raise a
mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft
high, N. of cor.
- 67.00 Cross dry wash 5 lks. wide, course S.W.
- 72.45 Cross dry wash 5 lks. wide, course S.W.
- 75.60 Cross old road, bears N.E. and S.W.

Subdivision of T. 9 N.

Chains.

79.90 The cor. to secs. 29, 30, 31, and 32.
 Land, level and gently rolling.
 Soil, sandy loam, 1st and 2^d rates.
 No timber; mesquite and catclaw
 undergrowth.

N. 0° 3' W. bet Secs. 29 and 30.

Over level land.

- 8.50 Cross dry wash 5 lbs. wide, course SW.
 9.80 Cross old road, bears NE. and SW.
 31.68 Cross dry wash 5 lbs. wide, course SW.
 40.00 Set a mesquite post 3 ft. long,
 3 ins. sq., with marked stone, 24
 ins. in the ground for $\frac{1}{4}$ Sec. bear,
 marked $\frac{1}{4}$ S. on W. face, dig pits
 18 x 18 x 12 ins., N. and S. of post,
 3 ft. dist., and raised a mound
 of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

R. 6 W. Continued.

Chains

- 43.00 Leave catclaw, mesquite and greasewood undergrowth.
- 80.00 Set a malpais stone 18x10x8 ins, 12 ins. in the ground for cor. to secos. 19, 20, 29, and 30, marked with 2 notches on S. and 5 notches on E. edge, dig pits 18x18x12 ins. in each sec., 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft high, W. of cor.
- Land, level.
- Soil, sandy loam, 1st and 2^d rate.
- No timber, catclaw, mesquite and greasewood undergrowth.
- East on a random line bet Secos. 20. and 29.
- 40.00 Set temp. 1/4 Sec Cor.
- 80.04 Intersect N. and S. line 5 ths. S.

Subdivision of T. 9 N.

Chas. W. S.

of the cor. to secs. 20, 21, 28 and 29.

Thence of run

S. 89° 58' W. on a true line bet Secs.
20. and 29.

Over level land

40.02 Set a cat-o-taw post 3 ft long, 3 ins.
sq. w. with marked stone, 24 ins. in
the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$
on N. face, dig pits 18 x 18 x 12 ins. E.
and W. of post, 3 ft. dist., and raise
a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
high, N. of cor.

43.95 Cross old road, bears N.E. and S.W.

80.04 The cor. to secs. 19, 20, 29, and 30.

Land, level.

Soil, sandy loam, 1st and 2^d rate.

No timber

R. C. W. continued.

Chamix

Went on a random line bet Secs.
19. and 30.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

79.80 Intersect W. bdy. of the Tp. 4 lks.
S. of the cor. to secs. 19. 24. 25 and
30, heretofore described by me.

Thence I run

S. $89^{\circ}58'E$. on a true line bet Secs.
19. and 30.

Over level land.

2.75 Cross dry wash 10 lks. wide, course SW.

12.10 Cross old road, course NE and SW.

39.80 Set a malpais stone $16 \times 8 \times 4$ ins., 11
ins. in the ground for $\frac{1}{4}$ Sec. Cor.,
marked $\frac{1}{4}$ on N. face, dig pits $18 \times$
 18×12 ins., E. and W. of stone, 3 ft
dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. high, $1\frac{1}{2}$ ft. base, N. of cor.

79.80 The cor. to secs. 19. 20. 29 and 30.

Subdivision of T. 9 N.

Chas. no

Land, level.

Soil, sandy loam, 1st and 2^d rate.No timber; scattering catclaw
and cactus undergrowth.

N. 0° 3' W. bet. Secs. 19 and 20.

Over level land

- 40.00 Deposit a marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor.; dig pits 18
 \times 18 \times 12 ins., N. and S. of cor., 4 ft dist.
and raise a mound of earth 3 $\frac{1}{2}$ ft.
base, 1 $\frac{1}{2}$ ft high, over deposit. In
S. pit drive a mesquite stake 2 ft.
long, 2 ins. equs., 12 ins. in the ground
marked $\frac{1}{4}$ S. on W. face.
- 42.00 Cross old road, bears NE. and SW.
- 72.58 Cross washed out old road bed 8 lks.
wide, bears NE. and SW.
- 73.85 Cross road to Bullard's mine

R. 6 W. Continued.

Chains.

bearing N. W. end S. E.

80.00 Set a malpais stone $16 \times 12 \times 6$ ins.,
 11 ins. in the ground for cor. to secs.
 17. 18. 19 and 20, marked with 3
 notches on S. and 5 notches on E.
 edges, dig pits $18 \times 18 \times 12$ ins., in each
 sec., $5\frac{1}{2}$ ft. dist., and raise a
 mound of earth 4 ft. base, 2 ft. high,
 W. of cor.

Land, level.

Soil, sandy loam, 1st and 2^d rate

No timber.

May 20th 1897

May 21: At $8\frac{1}{2}$ 10^m A.M. 2. m.t., I
 set off $34^{\circ} 07'$ on the lat. arc, $20^{\circ} 19' 50''$
 on the decl. arc; and determine
 a true meridian with the solar,
 at the cor. of secs. 17. 18. 19. and 20

Thence I run

Subdivision of T. 9 N.

Ch. runs.

N. $89^{\circ}58'E$. on a random line bet
Secs. 17. and 20.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.02 Intersect N. and S. line $5\frac{1}{4}$ Co. N.
of the cor to secs 16. 17. 20 and 21.

Hence I run

West on a true line bet Secs 17 and 20

Over level land.

2.06 Cross old road, course N.E. and S.W.

40.01 Deposit a marked stone 12 ins. in
the ground for $\frac{1}{4}$ Sec. Cor., dig pits
 $18 \times 18 \times 12$ ins., E. and W. of cor., 4 ft.
diam., and raise a mound of earth
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, over deposit

70.52 Cross old road bearing N.E. and S.W.

80.02 The cor to secs 17. 18. 19. and 20.

Land, level.

Soil, loam, 1st and 2^d rate.

No timber; scattering mesquite

R. 6 W. - Continued.

Chains

and cactus undergrowth.

N. $89^{\circ}58'$ W. on a random line bet
Secs. 18 and 19.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.71 Intersect W. bdy. of T₁. 3 lks. S. of
the cor. to secs., 13-18-19 and 24.
heretofore described by me.

Thence I run

S. $89^{\circ}57'$ E. on a true line bet Seco
18 and 19.

Over level land.

39.71 Deposit a marked stone, 12 ins., in
the ground, for $\frac{1}{4}$ Sec. Cor., dig pits
 $18 \times 18 \times 12$ ins., E. and W. of cor., 4 ft.
dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, over deposit.
In E. pit drive a mesquite stake,
2 ft. long, 2 ins. diam., 12 ins. in the

Subdivision of T. 9 N.

Chairs.

- ground, marked $\frac{1}{4}$ S., on N. face.
- 45.96 Cross old road, bears N.E. and S.W.
- 73.16 Road to Bullard's mine bears N.W.
and S.E.
- 79.71 The cor. to secs. 17, 18, 19, and 20
Land, level.
Soil, loam, 1st and 2^d rate.
No timber.

N. 0° 3' W. bet. Secs. 17 and 18.

Over level land.

- 40.00 Deposit a marked stone, 12 ins. in
the ground for $\frac{1}{4}$ sec. cor., dig pits 18
 \times 18 \times 12 ins., N. and S. of cor., 4 ft.
dist., and raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, over deposit.
In S. pit drive a stake of mesquite,
2 ft. long, 2 ins. sq., 12 ins. in the
ground, marked $\frac{1}{4}$ S., on W. face.

R. 6 W. - Continued.

Chains.

54.65 Cross old road, bears N. 6. and S. W.

80.00 Set a malpais stone $18 \times 8 \times 8$ ins;
 12 ins, in the ground for cor. to
 secs., 7. 8. 17. and 18., marked
 with 4 notches on S., and 5 notches
 on E. edges, dig pits $18 \times 18 \times 12$ ins.,
 in each sec., $5\frac{1}{2}$ ft. diam., and raise
 a mound of earth 4 ft. base, 2 ft
 high, W. of cor.

Land, level.

Soil, sandy loam, 2^d rate.

No timber.

 East on a random line bet Secs.

8. and 17.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

80.02 Intersect N. and S. line 3 lks. S.
 of the cor. to secs., 8. 9. 16. and 17,
 Thence S run

Subdivision of T. 9 N.

Chains.

S. $89^{\circ}59'W.$ on a true line bet
Secs. 8 and 17.

Over level land.

40.01 Deposit a marked stone 12 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., dig
pits $18 \times 18 \times 12$ ins., E. and W. of cor,
4 ft. dist., and raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, over
deposit. In E. pit drive a mesquite
stake, 2 ft. long, 2 ins. sq., marked
 $\frac{1}{4}$ S., on N. face, 12 ins in the ground.

60.00 Cross old road, bears NE. and SW.

80.02 The cor. to secs, 7. 8. 17. and 18.

Land, level.

Soil, loam, 2^d rate.

No timber.

R. 6 W. Continued.

Chain

N. $89^{\circ}57'W$. on a random line bet.
Secs. 7. and 18.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.60 Intersect W. bdy. of Twp. 3 Ws. S. of
the cor. to secs. 7. 12. 13 and 18, al-
ready described by me.

Thence I run

S. $89^{\circ}56'E$. on a true line bet.
Secs. 7. and 18.

21.65 Cross old road, bears N.E. and S.W.

39.60 Set a granite stone $16 \times 6 \times 5$ ins.,
11 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face, dig pits 18
 $\times 18 \times 12$ ins., E. and W. of stone, 3 ft.
dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

79.60 The cor. to secs., 7. 8. 17 and 18.

Land, level.

Soil, sandy loam, 2^d rate.

Subdivision of T. 9 N.

Chains.

No timber.

N. 0° 3' W. bet. Secs. 7 and 8.

Over-level land.

- 24.65 Cross road to Congress Junction, bearing N.E. and S.W.
- 40.00 Set a mesquite post 3 ft. long, 3 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ Sec. cor., marked $\frac{1}{4}$ S. on W. face, dig pits 18 x 18 x 12 ins., N. and S., of post, 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set a granite stone 16 x 12 x 8 ins., 11 ins. in the ground, for cor. to secs. 5, 6, 7, and 8, marked with 5 matches on S. and E. edges, dig pits 18 x 18 x 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of

R. C. W. Continued.

Chambers.

earth 4 ft. base, 2 ft. high, W. of cor.
Land, level.

Soil, loam, 1st and 2^d rate.

No timber

N. $89^{\circ}59'$ E. on a random line bet.
Secs. 5. and 8.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.90 Intersect N. and S. line 3 lks. S. of
the cor. to Secs., 4. 5. 8 and 9.

Thence I run

S. $89^{\circ}58'$ W. on a true line bet Secs.
5 and 8.

Over level lands.

39.95 Deposit a marked stone 12 ins., in
the ground for $\frac{1}{4}$ Sec. Cor; dig pits 18 x
18 x 12 ins., E. and W. of cor., 4 ft. dist,
and raise a mound of earth, $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high, over deposit.

Subdivision of T. 9 N.

Chains

- In E. pit drive a catclaw stake
2 ft. long, 2 ins. sq., 12 ins., in the
ground, marked $\frac{1}{4}$ S. on N. face.
- 79.90 The cor. to Secs. 5, 6, 7, and 8
Land, level.
Soil, loam, 1st and 2^d rate.
No timber.
-
- N. $89^{\circ}56'W.$ on a random line
bet. Secs. 6 and 7.
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
- 79.50 Intersect W. bdy. of T_{p.} 3 lks. N.
of the cor. to Secs. 1, 6, 7, and 12,
already described by me.
- Thence I run
S. $89^{\circ}57'E.$ on a true line bet.
Secs. 6 and 7.
Over level land.
- 39.50 Deposit a marked stone 12 ins.,

R. 6 W. Continued.

Chairs.

in the ground for $\frac{1}{4}$ sec. cor; dig pits $18 \times 18 \times 12$ ins., E. and W. of cor., 4 ft. diam., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, overdeposit. For E. pit drive a catclaw stake, 2 ft long, 2 ins. diam., 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

54.85 Cross road to Congress Junction, bears N.E. and S.W.

79.50 The cor. to secs, 5. 6. 7. and 8.

Land, level.

Soil, sandy loam, 1st and 2^d rate.

No timber.

N. $0^{\circ} 3' W.$ on a random line bet Secs. 5. and 6.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.02 Intersect N. bdy. of the Twp. 12 Ws. N. of the cor. to secs, 5. 6. 31. and 32,

Subdivision of T. 9 N.

Chains

already described by me.

Thence S. 70° W.

S. 0° 2' W. on a true line bet Secs.

5. and 6.

Over level land.

40.02 Deposit a marked stone 12 ins.,
in the ground for $\frac{1}{4}$ Sec. lev., dig pits
18 x 18 x 12 ins., N. and S. of cor., 4 ft.
dist., and raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high over deposit.
In S. pit drive a catsclaw stake
2 ft. long, 2 ins. sq., 12 ins. in the
ground, marked $\frac{1}{4}$ S., on W. face

57.10 Cross road to Congress Junction
bears N. 6. and S. W.

80.02 The cor. to secs., 5. 6. 7. and 8.
Land, level.

Soil, loam, 1st and 2nd cate.

No timber

May 21th 1897.

R. 6 W. Continued.

General Description.

T. 9 N. R. 6 W. is mostly level land and only in the East part somewhat broken by mesa lands. There is no water in the township, but good grass is found all over it. The undergrowth consists of mesquite, catclaw, greasewood and cacti, but no timber is found. In the South and East portion the land is of good quality. The Santa Fe, Prescott and Phoenix Railway passes through the Tp. and the buildings springing up around the Congress Junction station are spreading on the N. bdy of the Tp. There are two settlers in Secs. 1 and 2. respectively. Water is hauled by the Railroad Company and

Subdivision of T⁹N. R. 6 W. Cont^d

sold at 25 cts. per barrel.

The Post office is known as Martinez, and the Railway station as Congress Junction, which is the principal supplying point between Wickburg and Prescott.

Philip Conzen
U. S. Deputy Surveyor

Note - Preliminary caths, Book 1,
S. & W. bds, T. 17 S., R. 25 E.

Final caths, Book 4 Sub-
divisions, T. 17 S., R. 25 E.

For Surveyor General's
Certificate of approval of
field notes see Close of
Subdivisions of T. 17 S.
R. 25 E.