

Contract #35. 71

- Cotton -

BOOK 1021

No. 1021

BOOK 1021

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions

T. 3 N. R. 1 W.

1021

No. 1021

BOOK 1021

Field Notes,
of the Survey of the
Subdivision Lines,
of
T. 3. N. R. 1. W.
of the
Gila and Salt Rivers,
Base and Meridians,
in the
Territory of Arizona,
as Surveyed by
Albert J. Colton,
U. S. Deputy Surveyor,
under his Contract No. 35,
dated March 14, 1894

Survey Commenced Sept. 21, 94
Survey Completed Oct. 2, 1894

Final Oath of U. S. Deputy Surveyor. 1A

1, *Albert S. Colton*

U. S. Deputy Surveyor, do solemnly swear that in
 pursuance of a contract received from ^{Levi H.} ~~Royal A.~~
~~Manning~~ ^{Johnson}, United States Surveyor-General for Ari-

zona, bearing date of the *fourteenth* day of

March 1894. I have well, faith-

fully, and truly, in my own proper person, and in
 strict conformity with the instructions furnished by
 the United States Surveyor-General for Arizona,
 the Manual of Surveying Instructions, and the
 laws of the United States, surveyed all those parts

or portions of the *sub-division lines*

of Tps 3 & 4 North Ranges

1 & 2 West and Tps 6

and 7 North Range 1

East

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing Field Notes as having been surveyed by
 me and under my direction; and I do further
 solemnly swear that all the corners of said surveys
 have been established and perpetuated in strict
 accordance with the Manual of printed instructions,
 the special instructions of the United States Sur-
 veyor-General for Arizona, and in the specific

18

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Albert J. Colton
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 18th

day of February, 1895

Geo. A. Manning
U. S. Sur^g Gen^l

BOOK 1021

A List of the Names of the Individuals
employed by Albert J. Cotton

U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the survey of the
Subdivision Series of Tps
3 and 4 N. Ranges 1 & 2
W and Tps 6 and 7 N.
Range 1 East

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

W. C. Jennings Chainman.

Casimiro Arvizo Chainman.

William H. Merritt Axeman.
Chainman.

Chainman.

Guy Herr Axeman.

Axeman.

Thomas Peyton Flagman.

18

1D

BOOK 1021

Final Oath of Assistants.

We hereby certify that we assisted

Albert T. Colton U. S. Deputy Surveyor, in surveying all those parts or portions of the

Subdivision lines of
Tps. 3 & 4, N. Rs. 1 & 2, W.

and Tps. 6 & 7, N. Rs. 1, E.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor General for Arizona.

W. C. Jennings Chairman.

Casimiro Arizpe Chairman.

William H. Merritt Axeman
~~Chairman~~

Chairman.

Guy Han Axeman.

Axeman.

Thomas Peyton Flagman.

Sworn to and subscribed before me, this

day of

Feb

1895

Wm. F. Nelson
Notary Public

[SEAL.]

Clerk District Court, Second Judicial District, Arizona.

BOOK 1016

BOOK 1021

IE

Index for

(4-674.)

Township 3. N. R. 1. W.

6	91	5	68	4	52	3	36	2	18	1
89		88		67		50		34		16
7	86	8	66	9	49	10	32	11	15	12
85		84		64		48		34		13
18	82	17	63	16	46	15	29	14	12	13
81		80		61		45		28		10
19	79	20	59	21	43	22	26	23	8	24
77		76		58		42		25		7
30	74	29	56	28	40	27	23	26	5	25
73		72		55		39		22		3
31	70	32	53	33	37	34	20	35	1	36

6-389

Subdivisions

Survey Commenced Sept.
21. 1894. with a Young
an Sons Improved Mount-
ain Solar Transit. -

Preliminary to Commencing
the Subdivisions of this
Township, I go to the Cor.
of Secs. 1, 2, 35 & 36, T. 2 & 3.
N. R. 1, W. hereinbefore described
At this Cor. I verify the
adjustments of my transit
and find them Correct.

Lat. $33^{\circ}6'N$. Long. $112^{\circ}18'30''W$.

I determine the meridian
at this point, by the use
of the Solar apparatus
and find the Δ to be $13^{\circ}45'8''$

From the Cor. to Secs.
1, 2, 35 & 36, T. 2 & 3, N. R. 1, W.

chains I run.

N $0^{\circ} 21' W$ parallel with E.
boundary of the Sp.

bet. Secs. 35th & 36.

Va. $13^{\circ} 45' E$.

over broken land in dense brush

40.00 Set a post, 3 ft. long, 3 in.
square with marked stone 12
in. in the ground, for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ D. on W. face
dug pits $18 \times 18 \times 12$ in. N.E.S.
of post, $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base, around post.

63.00 Wagon road, bears N.W. & S.E.

80.00 Set a post, 4 ft. long, 4 in.
square, with marked stone 12
in. in the ground, for Cor. to
Secs. 25, 26, 35, & 36, marked

3.
Subdivisions

Chains

I. 3. N. S. 25 on N.E.

R. 1. W. S. 36 on S.E.

X

S. 35. on S.E.^{EW.} and
 S. 26 on N.W. faces with
 1 notch on S. & E. edges
 dig. pits 18x18x12 ins. in
 each. Sec. 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high. 4 1/2 ft. base.
 around post.

Land. broken

Soil. Sandy. 2^d rateTimber. dense mesquite brush
80. chs.

S 89° 33' E on random line
 parallel with S. bdy of Sp.
 bet. Secs. 25 & 36

Va. 13° 45' E

40.00

Set. temp 1/4 Sec. Cor.

J. S. N. R. I. W.

chain
80.10

Intersect E. body of Sp. 12
 lks. S. of Cor. to Secs. 25, 30.
 31 & 36. as recently reestablished
 by one ^{and} Herinbafoa described
 Thence I run

N 89° 38' W on a true line
 bet. Secs. 25 & 36.

Va. 13° 45' E.

over rolling land in dense brush

40.05

Set a granite stone 20x10x7
 ins. 15 ins. in the ground. for

x

1/4 Sec. Cor. marked 1/4 on N^{face}
 dug pits 18x18x12 ins. E & W.
 of stone 5 1/2 ft. dist. and
 raised a mound of earth 1 1/2
 ft high. 3 1/2 ft. base. alongside

49.00

Left bank Agua Fria River^{dry}
 trans. N. & S.

52.00

Right bank Agua Fria River^{dry}

Subdivisions.

- Chains
 76.00
 80.10
- trans N. & S.
 Wagon road, trans. N. & S.
 The Cor. to Secs. 25, 26, 35 & 36
 Land, rolling
 Soil Sandy & gravelly 1st & 2^d Rate
 Timber, dense Mesquite under-
 growth, 80.10 chs.
-
- N 0° 21' W. bet. Secs. 25 & 26.
 Va. 13° 45' E
 over broken land, in dense
 mesquite undergrowth
- 40.00 Set a post, 3 ft. long, 3 ins.
 square, with marked stone
 ins. in the ground, for 1/4
 sec. Cor. marked 1/4 S. on W.
 face. dug pits 18 x 18 x 12 ins
 N. & S. of post. 5 1/2 ft. dist
 and raised a mound of

6.
D. 3. N. R. 1. W.

BOOK 1021

Chain cutth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around. Pack.

80.00 Set a pack 4 ft. long, 4 ins.
square, with marked stone 12
ins. in the ground: for Cor. to
Secs. 23, 24, 25 & 26. Marked
T. 3 N. S. 24 on N.E.,
R. 1. W. S. 25 on S.E.,
S. 26 on S.W. and
S. 23. on N.W. faces, with
2 notches on S. and 1 notch
on E. edges. dug pits 18x18
x 12 ins in each Sec. $5\frac{1}{2}$
ft. dist. and raised a
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base. around. Pack.
Land broken
Soil. gravelly. 2^d rate
Dense mesquite undergrowth
80. chains

Subdivisions.

Chains S $89^{\circ}38'E$ on a random line
bet. Secs. 24^{and} 25.

Va. $13^{\circ}45'E$

40.00 Set. temp $1/4$ Sec. Cor.

80.05 Intersect E. bdy of Sp. 5. lks.
N. of Cor. to Secs. 19, 24, 25 & 30
as recently re-established by me
and hereinbefore described.

Thence I run

N $89^{\circ}36'W$ on a true line
bet. Secs. 24, and 25.

Va. $13^{\circ}45'E$.

over rolling land in dense
mesquite and dry growth.

33.00 Left bank Agua Fria River^{dry}
trans. northwardly & southwardly

37.00 Right bank Agua Fria River^{dry}
trans. northwardly & southwardly

N. 3. N. R. 1. W.

chains
40.02

Set a granite Stone 24x6x6.
ins. 18 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N.
face. dig pits 18x18x12 ins
E. & W. of Stone $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside

44.00

leave bottom & enter mesa

45.00

Beck's house, trans. N. 10. chs. dist.

50.00

Road. 600. N.E. ^{4d} S.W.

80.05

The Cor. to Secs. 23, 24, 25 & 26.

Land. rolling.

Soil. Sandy & gravelly, 1st & 2^d rate

Dense mesquite undergrowth

80.05 chs.

N 0° 21' W. bet. Secs. 23 ^{4d} & 24.

Va. 13° 45' E

over broken land in dense
mesquite undergrowth

Subdivisions.

Chains	
8.00	Wash. 10 lks. wide flows. $S 80^{\circ} E$
31.45	Wagon road. Cross. $N 80^{\circ} W + S 80^{\circ} E$
36.00	Wash. 12 lks. wide flows. $S 80^{\circ} E$
40.00	Set a post. 3 ft. long. 3 ins. Square. with marked stone 12 ins. in the ground. for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on W. face dug pits $18 \times 18 \times 12$ ins. N. & S. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.
63.00	Wash 25 lks wide 3 ft. deep flows $S 50^{\circ} E$
80.00	Set a granite stone $18 \times 10 \times 8$ ins. 12 ins. in the ground for Cor. to Secs. 13, 14, 23 & 24 marked with 3 matches on S. and 1 match on E. edges

N. 3. N. R. 1. W.

Chains dug pits 18x15x12 ins. in
each sec. 5 1/2 ft. dist. and
raised a mound of earth 2 ft.
high. 4 1/2 ft. base. alongside
Land. broken.
Soil. gravelly. 2^d rate
Dense Mesquite Undergrowth
80. Chains.

N 89° 36' E on a random line
bet. Secs. 13 & 24.
Ta. 13° 45' E.

40.00 Set. temp 1/4 sec. Cor.

80.10 Intersect E. bdy of Sp. 2 lks.
S. of Cor. to Secs. 13, 18, 19 & 24.
as recently re-established by me
and hereinbefore described
Thence I run

N 89° 37' W on a true line

Subdivisions.

Chains

Lat. Secs. 13rd 2^d.

Tu. 13° 45' E.

- 30.00 Leave bottom, and enter mesa.
- 40.05 Set a post, 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face. dig pits 18x18x12 ins. E + W, of post, 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, around post.
- 50.00 Wagon road, trans. N. + S.
- 80.10 The Cor. to Secs. 13, 14, 23 & 24 Land, slightly rolling Soil, sandy 1st rate 30 chs. Soil, gravelly, 2^d rate 50. chs. Dense mesquite timber growth 80.10 chs. -
- Sept. 21, 1894

D. 3. N. R. 1. W.

Chain No^o 21' W. bet. Secs. 13rd & 14.
 Va. 13^o 45' E.

Over level land

40.00 Set a post 3 ft. long, 3 ins.
 square, with marked Stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec.
 Cor. marked, $\frac{1}{4}$ S. on W. face
 dug pits 18x18x12 ins. N. & S.
 of post, 5 $\frac{1}{2}$ ft. dia. and
 raised a mound of earth
 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base
 around post. —

50.00 An old adobe house bet. E. 35. chs.

80.00 Set a post 4 ft. long, 4 ins.
 square, with marked Stone 12
 ins. in the ground, for Cor. to
 Secs. 11, 12, 13, & 14, marked
 D. 3. N. S. 12 on N. E.
 R. 1. W. S. 13 on S. E.

Subdivisions.

Chains S. 14 on S.W. and
 S. 11 on N.W. faces, with 4
 watches on S. and 1 watch
 on E. edges, dug pits 18×18
 $\times 12$ in. in each Sec $5\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth 2 ft. high, $4\frac{1}{2}$
 ft. base, around $\frac{1}{2}$ ast.
 Land level.
 Soil. Sandy loam 1st rate
 No timber.

S $89^{\circ}37'E$ on a random line
 bet. Secs. 12nd & 13.
 Va. $13^{\circ}45'E$

40.00 bet. temp $\frac{1}{4}$ Sec. Cor.
 80.04 Intersect E. bdy of Sp. 6 lks.
 N. of Cor. to Secs. 7, 12, 13 & 18.
 as recently re established by me

N. 3. N. R. 1. W.

- Chain and hereinafter described
 Thence I run
 N 89° 34' W on a true line
 bet. Secs. 12^{and} 13.
 Va. 13° 45' E
 over level land thro' dense
 mesquite undergrowth.
- 40.02 Set a post, 3 ft. long 3 ins.
 square, with marked stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ S. on N. face
 dig pits 18 x 18 x 12 ins. E. & W.
 of post, 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base
 around post.
- 51.00 Wagon road, brass. N. & S.
- 80.04 The Cor. to Secs. 11, 12, 13 & 14.
 Land. level.

Subdivisions.

Chains Soil. Sandy loam 1st rate
Dense mesquite undergrowth
80.04 chains.

N 0° 21' W. bet. Secs. 11 & 12,
Va. 13° 45' E.

over level land.

30.00 A house bears E. 22. Chs. dist.

40.00 Set a post. 3 ft. long. 3 ins
square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N.E.S.
of post. $5\frac{1}{2}$ ft. dist and
raised a mound of earth $1\frac{1}{2}$
ft. high. $3\frac{1}{2}$ ft. base
around. post.

80.00 Set a post. 4 ft. long 4 ins
square. with marked stone 12

T. 3. N. R. 1. W.

Chains ins. in the ground for Cor. to
 Secs. 1, 2, 11^{and} 12. Marked
 T. 3. N. S. 1 on N.E.
 R. 1 W. S. 12 on S.E.
 S. 11 on S.W. and
 S. 2 on N.W. faces. With 5
 notches on S. and 1 notch
 on E. edges. dug pits 18x18.
 x 12 ins. in each sec. 5 1/2 ft.
 dist. and raised a mound
 of earth 2 ft. high 4 1/2 ft.
 base around. past.
 Land level
 Soil. Sandy 1st rate.
 No timber.
 S 89° 34' E on a random line
 bet. Secs. 1^{and} 12.
 Vu. 13° 43' E.
 40.00 Set. Temp 1/4 Sec. Cor.

Subdivisions.

Chains
80.10

Intersect. E. bdy Sp at cor
to Secs. 1. 6. 7 & 12 as
recently re established by me
and here in before described,
Thence I run
N 89° 34' W on a true line
bet. Secs. 1 and 12.

Va. 13° 45' E.

4.00

over rolling land in dense brush
Left bank of West Channel,
Agua Fria River ^{dry} bears S 40° E
and N 30° W.

12.00

Right bank, west channel of
Agua Fria River ^{dry} bears S 40° E
and N 30° W

40.05

Set a post. 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for 1/4
Sec. Cor. marked 1/4 S. on N.

D. 3. N. R. 1. W.

- Chain face, dug pits 18x18x12 ins.
E. & W. of post. 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high, 3 1/2 ft.
base, around post.
- 58.00 Wagon road bears. N. & S.
- 80.10 The Cor. to Recs. 1, 2, 11, and 12.
Land broken
Soil gravelly, 2^d rate
Dense mesquite undergrowth
80.10 chs.

No 21' W on a random line
bet. Recs. 1 and 2.

- 40.00 Set. ^{by $13^{\circ}45'6''$} $\frac{1}{4}$ Sec. Cor.
- 83.25 Intersect N. bdy Sp. 18 lks.
W. of Cor. to Recs. 12.35 & 36,
as hereinbefore described
Thence I run.

19.
Subdivisions.

Chains S. $0^{\circ}13'E$ on a true line
bet. Secs. 1st & 2.

Va $13^{\circ}45'E$.

over broken land

43.25 Set a post. 3 ft. long. 3 in's
Square. with marked Stone 12
in's. in the ground. for $\frac{1}{4}$
Sec. Cor. marked $\frac{1}{4}$ S. on W.
face. dug pits $18 \times 18 \times 12$ in's
N. & S. of post. $5\frac{1}{2}$ ft. dist
and raised a mound of
earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft.
base. around post.

48.00 Left bank Wash. cross. $S50^{\circ}E$

50.00 Right bank wash. cross. $S50^{\circ}E$

83.25 The Cor. to Secs. 1, 2, 11 & 12.

Land. broken.

Soil Stone. 3rd rate.

No timber.

Sept. 22, 1894

P. 3. N. R. 1. W.

- Chains From the Cor. to Secs. 2, 3, 34
& 35 on S. bdy of Tp. as
recently re-established by me
and Humbly from described
I run
N $0^{\circ} 21' W$. bet. Secs. 34 & 35
Va. $13^{\circ} 45' E$
over rolling land. in dense
mesquite undergrowth.
- 40.00 Set a post, 3 ft. long, 3 ins.
square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dig pits $18 \times 18 \times 12$ ins. N. & S.
of post, $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base.
around. Post.
- 63.00 Wagon road, from, N $55^{\circ} W$ & S $55^{\circ} E$.

Subdivisions.

Chains
80.00

Set a post, 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 26, 27, 34 & 35, marked S. 3, N. S. 26 on N.E.

R. 1. W. S. 35 on S.E.

S. 34 on S.W. and

S. 27 on N.W. faces, with 1 notch on S. and 2 notches on E. edges, dug pits 18x18 x 12 ins. in each. Sec. 5 1/2

ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base, around post. Land, rolling.

Soil, gravelly 2^d rate
Dense mesquite and
greasewood undergrowth
80. chains. —

22.

BOOK 1021

N. 3. N. R. 1. W.

Chains S $89^{\circ}33'E$ on a random line
bet. Secs. 26rd & 35.
Va. $13^{\circ}45'E$.

40.00 Set temp $\frac{1}{4}$ Sec. Cor

79.96 Intersect N.T.S. line 10 lks
S of Cor. to Secs. 25, 26, 35 & 36.
Thence I run

N $89^{\circ}37'W$ on a true line
bet. Secs. 26rd & 35.
Va. $13^{\circ}45'E$.

over rolling land in dense
Mesquite & greasewood landgrowth

29.00 Wagon road bears N $58^{\circ}W$ & S $58^{\circ}E$

39.98 Set a post, 3 ft. long, 3 ins.
diam. with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ S. on N. face

W
E + W dug pits $18 \times 18 \times 12$ ins N.T.S.
of post, $5\frac{1}{2}$ ft. dist. and

Subdivisions.

Chairs raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
 around post.

79.96 The Cor. to Secs. 25, 26, 35 & 36
 Land. rolling.

Soil. gravelly. 2^d rate
 Dense mesquite and greasewood
 undergrowth. 79.96 chs.

N $0^{\circ} 21' W$. bet. Secs. 26 & 27
 + Va. $13^{\circ} 45' E$.

over level land in dense
 mesquite & greasewood undergrowth

29.50 Wagon road bears. $N 55^{\circ} W$ & $S 55^{\circ} E$

40.00 Set a post, 3 ft. long, 3 ins
 square, with marked stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ ins. N & S.

A. 3. N. R. 1. W.

Chains of past. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base, around past. —

80.00 Set a past. 4 ft. long, 4 in square, with marked stone 12 ins. in the ground, for Cr. to Secs. 22, 23, 26 & 27 marked
 T. 3. N. S. 23 on N.E.
 R. 1. W. S. 26 on S.E.
 S. 27 on S.W. and
 S. 22 on N.W. faces, with 2 notches on S.W.E. edges dug pits $18 \times 18 \times 12$ ins in each sec. $5\frac{1}{2}$ ft. dist and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base, around past.
 Land. level.

Subdivisions.

Chains Soil. gravelly 2^d rate
Dense Mesquite & greasewood
undergrowth, 80. chs.

$S 89^{\circ} 37' E$ on a random line
bet. Secs. 23 & 26.

Va. $13^{\circ} 45' E$

40.00 Set temp $\frac{1}{4}$ Sec. Cor,

79.90 Intersect N. & S. line 7 lks
N. of Cor. to Secs. 23, 24, 25 & 26

Thence I run

$N 89^{\circ} 34' W$ on a true line
bet. Secs. 23 & 26.

Va. $13^{\circ} 45' E$.

over rolling land in dense
Mesquite & greasewood undergrowth

39.95 Set a post, 3 ft. long, 3 in
square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec

D. 3. N. R. 1. W.

Chains Cor. marked $\frac{1}{4}$ D. on N. face
 dug pits 18x18x12 ins E & W,
 of post, 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of Earth 1 $\frac{1}{2}$
 ft. high 3 $\frac{1}{2}$ ft. base
 around post.

79.90 The Cor. to Secs. 22, 23, 26 & 29
 Land, rolling.
 Soil, gravelly 2^d rate
 Dense, mesquite & greasewood
 undergrowth. 79.90 chs.

No^o 21' W bet. Secs. 22 & 23
Va. 13^o 45' E

over level land in dense
 mesquite & greasewood undergrowth

40.00 Set a post, 3 ft. long, 3 ins.
 square, with marked Stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec

Subdivisions.

Chains Cor. marked $\frac{1}{4}$ S. on W. face
dug pits $18 \times 18 \times 12$ ins. N. & S.
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound earth $1\frac{1}{2}$
ft. high. $3\frac{1}{2}$ ft. base,
around post.

80.00 Set a post. 4 ft. long. 4 ins
square. with marked Stone 12
ins. in the ground. for Cor. to
Secs. 14, 15, 22 & 23. marked
T. 3 N. S. 14. on N.E.
R. 1 W. S. 23. on S.E.
S. 22 on S.W. and
S. 15. on N.W. faces. with 3
notches on S. and 2 notches
on E. edges. dug pits $18 \times$
 18×12 ins. in each. Sec.
 $5\frac{1}{2}$ ft. dist. and raised
a mound of earth 2 ft.

28
D. 3. N. R. 1. W.

BOOK 1021

Chains High $4\frac{1}{2}$ ft. base,
around past.
Laid level.
Soil. Sandy loam. 1st note
Dense mesquite & Grease-
wood. undergrowth. 80. Chs.

S $89^{\circ}34'E$ on a random line
bet. Secs. 14 & 23.
Va. $13^{\circ}45'E$

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

79.90 Intersect N.T.S. line 10 lks
S. of Cor. to Secs. 13, 14, 23 & 24
Thence I run

N $89^{\circ}38'W$ on a true line
bet. Secs. 14 & 23.
Va $13^{\circ}45'E$

over level land in dense
mesquite & greasewood brush

39.95 Set a past. 3 ft. long & vis.

Subdivisions.

Chain Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18x18x12 ins E & W
of post, 5 $\frac{1}{2}$ ft. dist, and
raised a mound of earth
1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base
around post,

78.50 Wagon road trans. N50°W to S50°E

79.90 The Cor. to Secs. 14, 15, 22 & 23.
Land level.

Soil. Sandy loam 1st rate
Dense mesquite & greasewood
undergrowth. 79.90 chs.
Sept. 24, 1894

N0°21'W. bet. Secs. 14 & 15
Va 13°45'E

over level land in dense
mesquite & greasewood brush

D. 3. N. R. 1. W.

- Chain
1.00 Wagon road bears $N55^{\circ}W$ & $S55^{\circ}E$
- 40.00 Set a post, 3 ft. long, 3 ins. Square, with marked Stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits $18 \times 18 \times 12$ ins. N. & S. of post, $5\frac{1}{2}$ ft. dia. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around post.
- 80.00 Set a post, 4 ft. long, 4 ins. Square, with marked Stone 12 ins. in the ground, for Corto Secs. 10, 11, 14 & 15, marked T. 3, N. S. 11 on N.E., R. 1 W S. 14 on S.E., S. 15 on S.W. and S. 10 on N.W. faces, with 4 notches on S. and 2 notches

Subdivisions.

Chains on E. edges. dug pits, in
 each sec. $5\frac{1}{2}$ ft. dia. and
 raised a mound of earth
 2 ft. high. $4\frac{1}{2}$ ft. base
 around post.

Land level.

Soil, sandy loam 1st rate
 Dense mesquite & greasewood
 undergrowth. 80. Chains

$S 89^{\circ} 38' E$ on a random line
 bet. Secs. 11 & 14
 Va. $13^{\circ} 45' E$

40.00 Set. temp $\frac{1}{4}$ sec. Cor.

79.85 Intense of N. & S. line 12 lks.
 N. of Cor. to Secs. 11, 12, 13, & 14
 Thence I run
 $N 89^{\circ} 33' W$. on a true line
 bet. Secs. 11 & 14.

D. 3. N. R. 1. W.

Chains

Va. $13^{\circ}45'E$.over level land in dense
mesquite & greasewood brush

39.92 Set a post. 3 ft. long. 3 ins
square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E & W.
of post. $5\frac{1}{2}$ ft. dia. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base.
around. post.

79.85 The Cor. to Secs. 10, 11, 14 & 15.
Land, level.
Soil, sandy loam 1st rate
Dense, mesquite & greas-
wood, undergrowth. 79.85 chs.

N $0^{\circ}21'W$, bet. Secs. 10 & 11.

Subdivisions.

- Chains Va. $13^{\circ}45'E$
 over level land in dense
 mesquite & greasewood brush
- 40.00 Set a post. 3 ft. long. 3 in.
 square. with marked Stone 12
 in. in the ground. for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ in. N & S,
 of post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base
 around post.
- 80.00 Set a post. 4 ft. long. 4 in
 square. with marked Stone 12
 in. in the ground. for Cor. to
 Secs. 2, 3, 10 & 11. marked
 T. 3 N. S. 2 on N.E.
 R. 1, W. S 11 on S.E.
 S. 10 on S.W. and

D. 3. N. R. 1. W.

Chain S. 3. on N.W. faces. with 5
notches on S. and 2 notches
on E. edges. dug pits 18x18
x 12 ins. in each Sec. 5 1/2 ft
dist. and raised a mound
of earth 2 ft. high 4 1/2 ft.
base. around. Post.

Land. level.

Soil. Sandy loam 1st rate
Dense mesquite & greasewood
undergrowth. 80. Chain

$89^{\circ}33'E$. on a random line
bet. Secs. 2 & 11.

Va. $13^{\circ}45'E$.

40.00 Set. temp. 1/4 Sec. Cor.

80.06 Intersect N & S. line of Secs.
S. of Cor. to Secs. 1, 2, 11 & 12.

Shiner & Crew

Subdivisions.

Chains N 89° 37' W on a true line
bet. Secs. 2, ^{2nd} and 11.

Va. 13° 45' E

over level land in dense
mesquite & greasewood brush

40.03 Set a post, 3 ft. long, 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ S. on N. face
dig pits 18 x 18 x 12 ins. E. & W.
of post, $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post.

80.06 The Cor. to Secs. 2, 3, 10 & 11,
Land, level.

Soil, Sandy loam 1st rate
Dense mesquite & greasewood
undergrowth. 80.06 chs.

Chains $N 0^{\circ} 21' W$ on a random line
 bet. Secs. 2 & 3.
 Va. $13^{\circ} 45' E$

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

82.55 Intersect N. bdy of Tp. 19 lks.
 W. of Cor. to Secs. 2, 3, 34 & 35.
 as recently established by me
 and heretofore described
 Thence I run.

$S 0^{\circ} 13' E$. on a true line
 bet. Secs. 2nd & 3.

Va. $13^{\circ} 45' E$

over level land in dense
 mesquite & greasewood undergrowth.

42.55 Set a post 3 ft. long 3 ins.
 square, with marked stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ D. on W. face
 dug pits 18x18x12 ins N & S.

Subdivisions.

Chains of post. $5\frac{1}{2}$ ft. dist. and
rained a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base. -
around post.

82.55 The Cor. to Secs. 2, 3, 10, and 11.
Land level.

Soil. Sandy loam 1st rate.
Dense Mesquite & greasewood
undergrowth. 82.55 Chs.
Sept. 25, 1894

From the Cor. to Secs. 3, 4, 33, & 34
on S. bdy of the Sp. as.

recently re-established by me,
and hereinafter described.

I run

$N 0^{\circ} 22' W$ on a true line

bet. Secs. 33rd & 34.

Va. $13^{\circ} 45' E$

40.00 Set a post. 3 ft. long. 3 ins.

Chain Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cov. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N.E.S.
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around post.

80.00 Set a Post. 4 ft. long 4 ins.
Square. with marked Stone 12
ins. in the ground. for Cov. to
Secs. 27. 28. 33 & 34. marked
T. 3. N. S. 27 on N.E.
R. 1. W. S. 34 on S.E.
S 33. on S.W. and
S. 28 on N.W. faces. with 1
notch on S. and 3 notches
on E. edges. dug pits 18x18x
12 ins. in each Sec $5\frac{1}{2}$ ft.
dist. and raised a mound

Subdivisions.

Chains of earth 2 ft. high. $4\frac{1}{2}$ ft
base, around post. —

Land level.

Soil, sandy loam 1st rate
Dense mesquite and Sage
undergrowth 80. chains

$S 89^{\circ} 33' E$ on a random line
bet. Secs. 27^{and} 34.

Va. $13^{\circ} 45' E$

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

79.90 Intersect N H. A. line at Cor.
to Secs. 26, 27, 34 & 35.

Thence I run

$N 89^{\circ} 33' W$ on a true line
bet. Secs. 27^{and} 34.

Va $13^{\circ} 45' E$.

over level land, in dense mesquite

39.95 Set a post, 3 ft. long 3 ins.

40.
A. 3. N. R. 1. W.

BOOK 1021

Chains Square, with marked Stone 12
ins. in the ground for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face.
dug pits 18x18x12 ins. E & W.
of post. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 1 $\frac{1}{2}$
ft. high, 3 $\frac{1}{2}$ ft. base. around post.

79.90 The Cor. to Acers. 27, 28, 33 & 34.
Level. level.

Soil. Sandy loam 1st rate
Dense mesquite undergrowth
79.90 chains. —

N $0^{\circ} 22' W$ bet. Acers. 27 & 28.

Va. $13^{\circ} 45' E$.

over level land. In dense mesquite

40.00 Set a post. 3 ft. long. 3 ins.
Square, with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.

Subdivisions.

Chains. Cor. marked $\frac{1}{4}$ S on W. face,
dug pits $18 \times 18 \times 12$ ins. N. & S.
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base.

Ground post. -

69.50 Wagon road. bears $N55^\circ W + S55^\circ E$

80.00 Set a post. 4 ft. long, 4 ins.
square, with marked Stone 12
ins. in the ground. for. Cor. to
Secs. 21, 22, 27 & 28 marked
S. 3. N. S. 22 on N.E.
R. 1. W. S. 27 on S.E.
S. 28 on S.W. and
S. 21 on N.W. faces. with 2
notches on S. and 3 notches
on E. edges. dug pits $18 \times 18 \times$
12 ins. in each Sec. $5\frac{1}{2}$ ft.
dist. and raised a mound

42.
P. 3. N. R. 1. W.

BOOK 1021

Chains of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.
Land level
Soil. Sandy loam 1st rate
Dense mesquite wood growth
80. Chains. —

$N 89^{\circ} 33' E$ on a random line
bet. Secs. 22.nd & 27.

Va. $13^{\circ} 45' E$

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

80.00 Intersect N. H. S. line 10 lks.
N. of Cor. to Secs. 22. 23. 26 & 27.
Thence I run

$N 89^{\circ} 29' W$ on a true line
bet. Secs. 27.th & 27.

Va. $13^{\circ} 45' E$.

over level land in dense mesquite

40.00 Set a post. 3 ft. long. 3 ins.

Subdivisions.

Chains Square, with marked Stone 12,
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face,
dug pits 18x18x12 ins. E. & W.,
of post, 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, 3 $\frac{1}{2}$ ft. base, -
around post, -

80.00 The Cor. to Secs. 21, 22, 27 & 28
Land level.

Soil, Sandy loam, 1st rate
Dense Mesquite Undergrowth
80. Chains. -

N $0^{\circ} 22' W.$ bet. Secs. 21 & 22
Va. $13^{\circ} 45' E.$

over level land, in dense
Mesquite & greasewood Undergrowth
40.00 Set a post, 3 ft. long, 3 ins.

T. 3. N. R. 1. W.

Chains Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face.
dug pits 18x15x12 ins. N.E.S.
of post. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 1 $\frac{1}{2}$
ft. high. 3 $\frac{1}{2}$ ft. base. —
around post.

80.00 Set a post. 4 ft. long. 4 ins.
Square. with marked Stone 12
ins. in the ground. for Cor. to
Secs. 15. 16. 21 & 22. marked
T. 3 N. S. 15 on N.E.
R. 1. W. S. 22 on S.E.
S. 21 on S.W. and
S. 16 on N.W. faces. with 3
notches on S. and E. edges
dug pits 18x18x12 ins. in
each. Secs. 5 $\frac{1}{2}$ ft. dist. and

Subdivisions.

Chains raised a mound of earth 2
ft. high. $4\frac{1}{2}$ ft. base
around post.
Land level.
Soil. Sandy loam 1st rate
Dense mesquite & greasewood
undergrowth. 80. Chains

$S 89^{\circ} 29' E$. on a random line
bet. Secs. 15th and 22.

Va. $13^{\circ} 45' E$.

40.00 Set. temp $\frac{1}{4}$ Sec. Cor.

79.90 Intersect. N.H.S. line 7 lks.
S. of Cor. to Secs. 14, 15, 22 & 23.
Thence I run

$N 89^{\circ} 32' W$ on a true line
bet. Secs. 15th and 22.

Va. $13^{\circ} 45' E$.

over level land in dense

N. 3. N. R. 1. W.

Chains
 39.95 Mesquite and greasewood undergrowth
 Set. a post. 3 ft. long, 3 ins.
 square, with marked stone 12.
 ins. in the ground, for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits 18x18x12 ins E. & W.
 of post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$
 ft. high, $3\frac{1}{2}$ ft. base
 around post. -

79.90 The Cor. to Secs. 15, 16, 21 & 22.
 Land level.

Soil, sandy loam 1st rate
 Dense mesquite & greasewood
 undergrowth 79.90 chains.
 Sept. 26, 1894

$N 0^{\circ} 22' W$, bet. Secs. 15 & 16.

Va. $13^{\circ} 45' E$.

over level land in dense

Subdivisions.

- Chain Mesquite & greasewood underground
 40.00 Set a post. 3 ft. long. 3 ins.
 Square. with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on W. face.
 Dig pits 18x18x12 ins N.E.S.
 of post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$
 ft. high. $3\frac{1}{2}$ ft. base.
 around post. —
- 58.00 Wagon road. bears $N55^{\circ}W$ to $S55^{\circ}E$
- 80.00 Set a post. 4 ft. long. 4 ins.
 Square. with marked Stone 12
 ins. in the ground. for Cor. to
 Secs. 9, 10, 15^{and} 16. marked
 S. 3. N. S. 10 on N.E.
 R. 1 W. S. 15 on S.E.
 S. 16 on S.W. and
 S. 9 on N.W. faces. with 4

P. 3. N. R. 1. W.

Chains notches on 1. and 3 notches
on E. edges. dug pits $18 \times 18 \times 12$
ins. in each Sec. $5\frac{1}{2}$ ft. dia.
and raised a mound of earth
2 ft. high. $4\frac{1}{2}$ ft. base
around post. -

Land level.

Soil. Sandy loam. 1st rate

Dense mesquite & greasewood
undergrowth. 80. chains.

$S 89^{\circ} 32' E$. on a random line

bet. Secs. 10. ^{and} 15.

$Va. 13^{\circ} 45' E$

40.00 Set. temp $\frac{1}{4}$ Sec. Cr.

79.85 Intersect N. & S. line 8 lks.

N. of Cor. to Secs. 10. 11. 14 & 15.

Thence I run

$N 89^{\circ} 29' W$. on a true line

Subdivisions.

Chains

Lat. Secs. 10. and 15.

Va. $13^{\circ}45'E$

In dense mesquite & greasewood. undergrowth.

39.93

Set a post. 3 ft. long, 3 in. square. with marked stone 12 in. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits $18 \times 18 \times 12$ in E. & W. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post. -

79.85

The Cor. to Secs. 9, 10, 15 & 16. Land level.

Soil. Sandy loam 1st rate
Dense mesquite and greasewood undergrowth 79.85 chs.

49.
T. 3. N. R. 1. W.

BOOK 1021

Chains N 0° 22' W. bet. Secs. 9 & 10.
Va. 13° 45' E.

In dense mesquite and
Palo Verde timber. -

40.00 Set a post. 3 ft. long. 3 ins.
Square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face.
dug pits 18 x 18 x 12 ins N. & S,
of post. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 1 $\frac{1}{2}$
ft. high 3 $\frac{1}{2}$ ft. base
around post. -

80.00 Set a post. 4 ft. long. 4 ins.
Square. with marked stone 12
ins. in the ground. for Cor. to
Secs. 3, 4, 9 & 10. marked
T. 3. N. S. 3 on N.E.
R. 1. W. S. 10 on S.E.

50.
Subdivisions.

Chains S. 9 on S.W. and
 S. 4 on N.W. faces, with 5
 notches on S. and 3 notches
 on E. edges, dug pits 18x18
 x 12 ins. in each sec. $5\frac{1}{2}$
 ft. dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base, around post. -
 Land level.
 Soil. Sandy loam 1st rate
 Timber dense. Mesquite &
 Palo Verde. 80 chains.

S $89^{\circ}29'E$, on a random line
 bet. Secs. 3rd and 10.

Va. $13^{\circ}45'E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

79.95 Interest N. & S. line 10 lks.
 S. of Cor. to Secs. 2, 3, 10 & 11.

51.
T. 3. N. R. 1. W.

- Chamis
Thence I run.
N $89^{\circ} 33'$ W. on a true line
bet. Secs. 3 & 10.
Ta. $13^{\circ} 45'$ E.
over level land, in dense
mesquite & greasewood undergrowth
- 39.97 Set a post, 3 ft. long, 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face,
dug pits $18 \times 18 \times 12$ ins. E & W.
of post, $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base.
around post. —
- 79.95 The Cor. to Secs. 3, 4, 9^{and} 10.
Land, level.
Soil, sandy loam 1st note
Dense mesquite & greasewood under-
growth. 79.95 chd

Subdivisions.

Chains $N 0^{\circ} 22' W.$ on a random line
bet. Secs. 3rd & 4.
Va. $13^{\circ} 45' E.$

40.00 Set. Temp. $\frac{1}{4}$ Sec. Cor.
81.95 Intersect N. bdy of Sp. 10.
lks. E of Cor. to Secs. 3, 4, 33 & 34
as recently established by me
and heretofore described.
Thence I run
 $S 0^{\circ} 26' E.$ on a true line
bet. Secs. 3rd & 4.
Va. $13^{\circ} 45' E.$

over level land

41.95 Set a post. 3 ft. long. 3 ins.
square. with marked stone
12 ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. Marked $\frac{1}{4}$ S. on W. face,
dug pits 18 x 18 x 12 ins. N. & S.
of post. $5\frac{1}{2}$ ft. dist. and

P. 3 N. R. 1, W. 1

- Chains raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base
 around post.
- 51.95 Enter dense mesquite & greasewood
 81.95 The Cor. to Secs. 3, 4, 9 and 10.
 Land level.
 Soil. Sandy loam 1st rate
 Timber dense mesquite and
 greasewood undergrowth 30. chs.
- Sept. 27. 1894

From the Cor to Secs. 4, 5, 32 & 33
 on S. bdy of Tp. as recently
 re-established by me
 and heretofore described
 I run.

N $0^{\circ} 22'$ W. bet. Secs. 32 & 33.

Va. $13^{\circ} 45'$ E.

over level land in dense mesquite

Subdivisions.

Chains

40.00 Set a post. 3 ft. long. 3 ins.
Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N. & S.
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base.
around post.

80.00 Set a post. 4 ft. long 4 ins.
Square. with marked Stone 12
ins. in the ground. for Cor. to
Secs. 28, 29, 32^{9/16} & 33. marked
I. 3. N. P 28 on N.E.
R. 1. W. S 33 on S.E.
S. 32 on S.W. and
S. 29 on N.W. faces. with 1
notch on S. and 4 notches on
E. edges. dug pits 18x18x12

55.
N. 3: N. R. 1, W.

BOOK - 1021

Chains ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
2 ft. high $4\frac{1}{2}$ ft. base
around post. —

Land level.

Soil. Sandy loam 1st rate

Timber. dense mesquite 80. chs.

S $89^{\circ}33'E$ on a random line
bet. Secs. 28 & 33.

Va. $13^{\circ}45'E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

80.00 Intersect. N. & S. line 3 lks.

S. of Cor. to Secs. 27, 28, 33 & 34

Thence I run

N $89^{\circ}34'W$ on a true line

bet. Secs. 28 & 33.

Va. $13^{\circ}45'E$.

over level land in dense mesquite

56.
Subdivisions.

Chains

40.00

Set a post. 3 ft. long. 3 in. square. with marked Stone 12 in. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face. dug pits 18x18x12 in. E. & W. of post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base around. Post.

80.00

The Cor. to Secs. 28, 29, 32 & 33 Land. level.

Soil. Sandy loam 1st rate
Timber. dense *Merquiti* 80. chs.

N $0^{\circ} 22' W$. bet. Secs. 28 & 29
Va. $13^{\circ} 45' E$

40.00

over level land in dense *Merquiti*
Set a post. 3 ft. long. 3 in. square. with marked Stone 12

57.
T. 3. N. R. 1. W.

BOOK 1021

chains ins. in the ground, for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits $18 \times 18 \times 12$ ins. N. & S.
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base.
around post. —

80.00 Set a post. 4 ft. long 4 ins.
square, with marked stone 12
ins. in the ground, for Cor. to
Secs. 20, 21, 28 & 29 marked
T. 3. N. S. 21 on N.E.,
R. 1. W. S. 28 on S.E.,
S. 29 on S.W. and
S. 20 on N.W. faces, with 2
notches on S. and 4 notches
on E. edges. dug pits 18×18
 $\times 12$ ins. in each Sec. $5\frac{1}{2}$ ft.
dist. and raised a mound

Sub-divisions.

Chains of earth .2 ft. high 4 1/2 ft. base, around part. Land level.

Soil, sandy loam 1st rate
Timber, dense Mesquite 80. chs.

S 89° 34' E. on a random line bet. Secs. 21 & 28.

Va. 13° 45' E

40.00 Set. temp 1/4 Sec. Cor.

80.15 Intersect N. & S. line 5 lks S. of Cor. to Secs. 21, 22, 27 & 28

Thence I run

N 89° 36' W on a true line bet. Secs. 21 & 28.

Va. 13° 45' E.

over level. land, in dense Mesquite & greasewood brush

25.00 Wagon road, bears, N 55° W & S 55° E

59.
D. 3. N. R. 1. 00.

BOOK 1021

chains

40.07

Set a post. 3 ft. long, 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins E & W,
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base
around post. —

80.15 The Cor. to Secs. 20, 21, 28 & 29
Land level.

Soil. Sandy loam 1st rate
Timber, dense mesquite &
greasewood undergrowth
80.15 chains. —

N $0^{\circ} 22' W$. bet. Secs. 20 & 21

va. $13^{\circ} 45' E$.

✓ over level land in dense,

Subdivisions T. 3. N. R. 1. W.

- Chains Mesquite & greasewood undergrowth
- 32.00 Wagon road. bears N 70° W & S 90° E
- 40.00 Set a post. 3 ft. long 3 ins.
Square, with marked Stone 12
ins. in the ground for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18 x 18 x 12 ins. N. & S.
of post. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth
1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base
around post. —
- 80.00 Set a post. 4 ft. long. 4 ins.
Square, with marked Stone 12
ins. in the ground, for Cor. to
Secs. 16, 17, 20 & 21. Marked
T. 3. N. S. 16 on N.E.
R. 1. W. S. 21 on S.E.
S. 20 on on S.W. and
S. 17 on N.W. faces, with 3