

*Contract 35.*

*1.*

*Cotton*

BOOK 1022

BOOK 1022

4-671

**FIELD NOTES**

GENERAL LAND OFFICE.

*Subdivisions*

*T. 3. N. R. 2 W.*

*Fractional*

1022

Field Notes,  
of the Survey of the  
Subdivision Lines,  
of  
T. 3. N. R. 2. W.  
of the  
Gila and Salt River  
Base and Meridians,  
in the  
Territory of Arizona,  
as Surveyed by  
Albert J. Galton,  
U. S. Deputy Surveyor,  
under his Contract No. 35  
dated March 14, 1894.

Survey Commenced Oct. 15, 1894

Survey Completed Oct. 25, 1894

1A

Index for } BOOK 1023  
              } BOOK 1022

(4-674.)

Township 3. N. R. 2. W.

6	87	5	68	4	44	3	32	2	16	1
		83		66		48		31		14
7	82	8	64	9	46	10	29	11	13	12
		80		63		45		28		12
18	79	17	61	16	43	15	26	14	10	13
		77		59		42		25		9
19	75	20	57	21	40	22	23	23	7	24
		74		56		38		22		6
30	73	29	54	28	37	27	20	26	4	25
		71		53		35		19		3
31	69	32	51	33	33	34	17	35	2	36

6-389

1. B  
 Subdivisions

Chains

Survey Commenced Oct. 15, 1894  
 With a Young and Sons' mount-  
 ain transit, with solar  
 attachment.

Preliminary to commencing  
 the subdivisions of this town-  
 ship, I go to the Cor. to Sics  
 1, 2, 35, & 36 on South boundary  
 of township, as recently re-  
 established by me, and  
 heretofore described -

Lat.  $33^{\circ}33'N$ , Long  $112^{\circ}25'25''W$

At this Cor. I verify the  
 adjustments of my transit  
 and find them correct.

I determine the meridian,  
 by the use of the solar  
 apparatus, and find the  
 variation to be  $13^{\circ}45'$  East.

J. 3. N. R. 2. W. No. 1022

Chains	From this Cor.
	From
	N $0^{\circ} 1' W$ . bet. Secs. 35 & 36.
	Parallel with E. bdy of Sp.
	Va. $13^{\circ} 45' E$
40.00	Over level land in mesquite timber Set a post. 3 ft. long 3 ins. square with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits $18 \times 18 \times 12$ ins. N. & S. of post. $5\frac{1}{2}$ ft. dist. and raise a mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.
80.00	Set a post. 4 ft. long 4 ins. square. with marked Stone 12 ins. in the ground. for Cor. to Secs. 25, 26, 35 & 36. marked J. 3. N. S. 25. on N.E.

## Subdivisions

Chains R. 2. W. S. 36 on S. E.  
 S. 35 on S. W. and  
 S. 26 on N. W. faces. with 1  
 notch on S. <sup>nd</sup> E. edges. dug  
 pits 18x18x12 ins. in each Sec.  
 5 1/2 ft. dist. and raised a  
 mound of Earth 2 ft. high 4 1/2  
 ft. base. around part. —  
 Land level.  
 Soil. Sandy loam 1<sup>st</sup> rate  
 Timber. dense mesquite 80. chs.

---

N 89° 47' E. on a random line  
 bet. Secs. 25 & 36.

Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.  
 80.00 Interest E. bdy of Sp. 14 lks  
 S. of Cor. to Secs. 25, 30, 31 & 36  
 hereinbefore described. —

T. 3. N. R. 2. W.

Chains

Thence I run

S  $89^{\circ}41'W$ . on a true line  
bet. Secs. 25 & 36.Va.  $13^{\circ}45'E$ .

Over level land, in Mesquite timber

40.00

Set a Post, 3 ft. long 3 ins.

Square, with marked Stone 12.

ins. in the ground, for  $\frac{1}{4}$  Sec.Cor. marked  $\frac{1}{4}$  S. on N. face.

dug pits 18x18x12 ins. E. &amp; W.

of post.  $5\frac{1}{2}$  ft. dia. and rana mound of Earth  $1\frac{1}{2}$  ft. high $3\frac{1}{2}$  ft. base, around Post—

80.00

The Cor. to Secs. 25, 26, 35 &amp; 36.

Land, level.

Soil, Sandy loam 1<sup>st</sup> rate

Timber, dense Mesquite 80 cbs.

N  $0^{\circ}1'W$ . bet. Secs. 25 & 26.

## Subdivisions

Chain

Ta.  $13^{\circ}45'E$ .

40.00 Over level land, in dense Mesquite  
Set a post, 3 ft. long, 3 ins.

square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.

Cor. marked  $\frac{1}{4}$  S. on W. face

dig pits  $18 \times 18 \times 12$  ins. N. & S.

of post,  $5\frac{1}{2}$  ft. dia. and raise

a mound of earth  $1\frac{1}{2}$  ft. high

$4\frac{1}{2}$  ft. base around post.

80.00

Set a post, 4 ft. long 4 ins

square, with marked stone 12

ins. in the ground, for Cor. to

secs. 23, 24, 25 & 26, marked

S. 3, N. S. 24 on N.E.

R. 2, W. S. 25 on S.E.

S. 26, on S.W. and

S. 23 on N.W. faces, with 2

notches on S. and 1 notch on



T. 3. N. R. 2. W.

Chains E. edges. dug pits 18x18x12 ins.  
 in each Sec. 5 1/2 ft. dist. and  
 raised a mound of Earth 2 ft.  
 high. 4 1/2 ft. base around Post.-  
 Land. level.  
 Soil. Sandy loam 1<sup>st</sup> rate  
 Timber. dense Mesquite 80. chs.

---

N 89° 41' E. on a random line  
 bet. Secs. 24 & 25.  
 Va. 13° 45' E.

40.00 Sub. temp. 1/4 Sec. Cor.  
 79.85 Intersect. N.V.S. line. 3 lks. N.  
 of Cor. to Secs. 19. 24. 25 & 30.  
 Therein before described. -  
 Thence I run  
 S 89° 42' W. on a true line  
 bet. Secs. 24 & 25.  
 Va. 13° 45' E.

Sub-divisions

Chains  
 39.93 Over level land in dense mesquite  
 Set a post, 3 ft. long 3 ins.  
 square, with marked stone 12  
 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face.  
 dug pits 18x18x12 ins. E. & W.  
 of post,  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base, around post.  
 79.85 The Cor. to Secs. 23, 24, 25 & 26.  
 Land level.  
 Soil. Sandy loam 1<sup>st</sup> rate.  
 Timber, dense mesquite 79.85 chs.

---

N  $0^{\circ} 1' W$ . bet. Secs. 23 & 24.  
 Ra.  $13^{\circ} 45' E$ .

Over level land in dense mesquite  
 40.00 Set a post, 3 ft. long 3 ins.  
 square, with marked stone 12

## T. 3. N. R. 2. W.

Chains ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. W. S.  
 of post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base, around post. —

80.00 Set a Post. 4 ft. long 4 ins.  
 Square, with marked Stone 12  
 ins. in the ground, for Cor. to  
 Secs. 13, 14, 23 & 24, marked  
 T. 3. N. S. 13 on N.E.  
 R. 2. W. S. 24 on S.E.  
 S. 23 on S.W. and  
 S. 14 on N.W. faces, with 3  
 Notches on S. and 1 notch on  
 E. edges, dug pits  $18 \times 18 \times 12$  ins.  
 in each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of Earth 2 ft.  
 high  $4\frac{1}{2}$  ft. base around post. —

## Subdivisions

Chains

Land level.

Soil, Sandy loam 1<sup>st</sup> rate.

Timber: dense Mesquite &amp; oaks.

---

N  $89^{\circ}42'E$ . on a random line  
bet. Secs. 13 & 24.

Va.  $13^{\circ}45'E$ .

40.00

Set temp.  $\frac{1}{4}$  Sec. Cor.

79.95

Intersect N. & S. line of the N.  
of Cor. to Secs. 13, 18, 19 & 24.  
as herein before described.

Thence I run

S  $89^{\circ}46'W$ . on a true line  
bet. Secs. 13 & 24.Va.  $13^{\circ}45'E$ .

Low level land, in dense Mesquite

39.97

Set a post 3 ft long 3 ins.  
square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.

T. 3. N. R. 2. W.

Chains

Cor. Marked  $\frac{1}{4}$  S. on N. face  
dug pits  $18 \times 18 \times 12$  ins E. & W.  
of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around Post. —

The Cor. to Secs. 13, 14, 23 & 24.

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate

Timber. dense mesquite 79.95 chs.

Oct. 15, 1894

N  $0^{\circ} 1' W$ . bet. Secs. 13 & 14.

Pa  $13^{\circ} 45' E$

On level land. in dense mesquite

40.00

Set a Post. 3 ft long 3 ins.  
square. with marked Stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face  
dug pits  $18 \times 18 \times 12$  ins. N. & S.  
of Post.  $5\frac{1}{2}$  ft. dist. & raised

## Subdivisions

- Chains a mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base. Around Post. -
- 72.00 Wagon road beam. S55°E + N55°W
- 80.00 Set a Post. 4 ft. long 4 ins.  
 Square. with marked Stone 12  
 ins. in the ground. for Cor. to  
 Secs. 11. 12. 13. & 14. Marked  
 T. 3. N. S. 12 on N.E.  
 R. 2. W. S. 13 on S.E.  
 S. 14 on S.W. and  
 S. 11 on N.W. faces. with 4  
 notches on S. and 1 notch on  
 E. edges. dug pits  $18 \times 18 \times 12$  ins.  
 in each Sec.  $5\frac{1}{2}$  ft. dia. and  
 raised a mound of earth 2 ft.  
 high.  $4\frac{1}{2}$  ft. base. around Post. -  
 Land. level.  
 Soil. Sandy loam 1.<sup>st</sup> rate  
 Timber. dense Mesquite 80. Chs.

12.

I. 3. N. R. 2. W. BOOK 1022

- Chains. N 89° 46' E. on a random line  
bet. Secs. 12<sup>nd</sup> & 13,  
Va. 13° 45' E
- 40.00 Set. temp. 1/4 Sec. Cor.
- 79.94 Intersect E. bdy of Tp. 7 lks. S.  
of Cor. to Secs. 7. 12. 13 & 18.  
as hereinbefore described.  
Thence I run  
S 89° 43' W. on a true line  
bet. Secs. 12 & 13.  
Va. 13° 45' E  
Over level land, in dense woods
- 39.97 Set a post, 3 ft. long 3 ins.  
square, with marked stone 12  
ins. in the ground, for 1/4 Sec.  
Cor. marked 1/4 S. on N. face  
dug pits 18x18x12 ins. E. & W.  
of post. 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2 ft.

## Subdivisions.

Chains 79.94 High.  $3\frac{1}{2}$  ft. base. around post.  
The Cor. to Secs. 11, 12, 13 & 14.  
Land. level.  
Soil. Sandy loam 1<sup>st</sup> rate  
Timber. dense mesquite 79.94 chs

No° 1' W. bet. Secs. 11 & 12.

Pa.  $13^{\circ}45'E$ .

own level land. in dense mesquite  
40.00 Set a post. 3 ft. long 3 ins.  
Square. with marked Stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face  
dug pits  $18 \times 18 \times 12$  ins. N. & S.  
of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post.  
80.00 Set a post. 4 ft. long 4 ins.  
Square. with marked Stone 12



T. 3. N. R. 2. W.

Chains

ins. in the ground, for Cor. to  
 Secs. 1, 2, 11, & 12, marked  
 T. 3. N. S. 1. on N.E.  
 R. 2. W. S. 12 on S.E.  
 S. 11 on S.W. and  
 S. 2. on N.W. faces, with 5  
 notches on S. and 1 notch on  
 E. edges, dug pits  $18 \times 18 \times 12$  ins.  
 in each. Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $2\frac{1}{2}$   
 ft. high  $4\frac{1}{2}$  ft. base.  
 Around post. -

Land level.

Soil. Sandy loam 1<sup>st</sup> rate.

Timber. Dense mesquite 80. chr.

---

$N 89^{\circ} 43' E$ . on a random line  
 bet. Secs. 1, and 12.

Va.  $13^{\circ} 45' E$ .

## Subdivisions.

Chains  
40.00Set temp  $\frac{1}{4}$  Sec. Cor.

79.90

Intersect E. bdy of Sp. at  
Cor. to Secs. 1, 6, 7 and 12.

as hereinbefore described.

Thence I run

 $S 89^{\circ} 43' W.$  on a true line  
bet. Secs. 1 and 12.Va.  $13^{\circ} 45' E.$ 

over level land. in dense Mesquite

39.95

Set a post. 3 ft. long 3 ins.

square. with marked stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.Cor. marked  $\frac{1}{4}$  S. on N. facedug pits  $18 \times 18 \times 12$  ins. E. & W.of post.  $5 \frac{1}{2}$  ft. dist. and raiseda mound of earth  $1 \frac{1}{2}$  ft. high $3 \frac{1}{2}$  ft. base. around post. -

79.90

The Cor. to Secs. 1, 2, 11 &amp; 12.

Land. level.

T. 3. N. R. 2, W.

Charris Soil. Sandy loam 1<sup>st</sup> rate  
 Timber. dense Mesquite 79.90 cbs.

No<sup>o</sup> 1' W. on a random line

bet. Recs. 1.<sup>st</sup> & 2.

Va. 13° 45' E.

40.00 Set. temp. 1/4 Rec. Cor.

40.22 Intersect N. bdy of Sp. 2 lks  
 W. of Cor. to Recs. 1, 2, 35 & 36  
 as hereinbefore described.

Thence I run

South. on a true line

bet. Recs. 1.<sup>st</sup> & 2.

Va. 13° 45' E.

Over level land. in dense Mesquite

40.22 Set a post. 3 ft. long. 3 ins.  
 square, with marked stone 12  
 ins. in the ground, for 1/4 Rec.  
 Cor. marked 1/4 S. on W. face

## Subdivisions.

Chains dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post. -  
 80.22 The Cor. to Secs. 1, 2, 11 & 12.  
 Land level.  
 Soil, sandy loam 1<sup>st</sup> rate  
 Timber, dense Mesquite 80.22 chs.  
 Oct. 16, 1894

From the Cor. to Secs. 2, 3, 34 & 35  
 on S. bdy of Tp. as recently  
 re-established by me, and  
 herein before described. -

I run

$N 0^{\circ} 1' W$ , bet. Secs. 34 & 35  
 $Va 13^{\circ} 45' E$ .

over level land, in dense brush  
 40.00 Set a post, 3 ft. long 3 ins.

T. 3. N. R. 2. W.

Chains Square, with marked Stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on W. face dug pits  $18 \times 18 \times 12$  ins. N. & S. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around post. -

80.00 Set a post, 4 ft. long 4 ins. Square, with marked Stone 12 ins. in the ground, for Cor. to Secs. 26, 27, 34 & 35, marked T. 3. N. S. 26 on N.E. R. 2. W. S. 35 on S.E. S. 34 on S.W. and S. 27 on N.W. faces, with 1 notch on S. and 2 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth 2 ft.

## Subdivisions.

Chains High  $4\frac{1}{2}$  ft. base around post -  
Land. level.  
Soil. Sandy loam 1<sup>st</sup> rate  
Timber. dense mesquite and  
Palo Verde. undugrowth. 80. chs.

---

$N 89^{\circ} 47' E$  on a random line  
bet. Secs. 26 & 35  
Va.  $13^{\circ} 45' E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.17 Interset N. & S. line. 2 Mks S.  
of Cor. to Secs. 25, 26, 35 & 36  
Thence I run

$S 89^{\circ} 46' W$  on a true line  
bet. Secs. 26 & 35  
Va.  $13^{\circ} 45' E$ .

over level land. in heavy & dense  
mesquite and Palo Verde

40.08 Set a post. 3 ft. long 3 ins.

T. 3. N. R. 2. W.

Chains Square, with marked Stone 12  
 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pits 18x18x12 ins. E. & W.  
 of post. 5  $\frac{1}{2}$  ft. dist. and raised  
 a mound of Earth 1  $\frac{1}{2}$  ft. high.  
 3  $\frac{1}{2}$  ft. base. around post.

80.17 The Cor. to Secs. 26, 27, 34 & 35  
 Land. level.

Soil. Sandy loam 1<sup>st</sup> rate  
 Very dense Mesquite & Palo  
 Verde undug growth. 80.17 chs.

No<sup>o</sup> 1' W. bet. Secs. 26 & 27.  
 Va. 13<sup>o</sup> 45' E.

over level land, in dense  
 Mesquite and Palo Verde

40.00 Set a post 3 ft. long 3 ins.  
 Square, with marked Stone 12

## Subdivisions.

Chains ins. in the ground. for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. -

80.00 Set a post. 4 ft. long 4 ins.  
 square. with marked stone 12  
 ins. in the ground. for Cor. to  
 Secs. 22, 23, 26, & 27. Marked  
 S. 3. N. S. 23 on N.E.  
 R. 2. W. S 26 on S. E.  
 S. 27 on S.W. and  
 S. 22 on N.W. faces. with 2  
 notches on S. & E. edges. dug  
 pits  $18 \times 18 \times 12$  ins. in each  
 Sec.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of Earth. 2 ft. high  
 $4\frac{1}{2}$  ft. base around post.



T. 3. N. R. 2, W.

Chains

Land level.

Soil. Sandy loam 1<sup>st</sup> rate  
 Timber. heavy mesquite and  
 Palo Verde. 80. chains —

---

N.  $89^{\circ}46'E$ . on a random line  
 bet. Secs. 23. & 26.

Va.  $13^{\circ}45'E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

70.12 Intersect. N.T.S. line. 9 lks.

S. of Cor. to Secs. 23, 24, 25 & 26.  
<sup>4</sup> ~~thence~~ <sup>thence</sup> before described.  
 Thence I run

S  $89^{\circ}42'W$ . on a true line  
 bet. Secs. 23. <sup>nd</sup> & 26.

Va.  $13^{\circ}45'E$ .

over level land, in dense  
 mesquite and Palo Verde.

40.06 Set a post. 3 ft. long 3 ins.

square, with marked stone 12

## Subdivisions.

Chains ins. in the ground for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pits  $18 \times 18 \times 12$  ins. E. & W.  
 of post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. —

80.12 The Cor. to Secs. 22, 23, 26 & 27  
 Land level.

Soil. Sandy loam 1<sup>st</sup> rate  
 Timber. dense Mesquite and  
 Palo Verde undugrowth 80.12. Chs.

---

$N 0^{\circ} 1' W.$  bet. Secs. 22 & 23.  
 Va.  $13^{\circ} 45' E.$

Over level land. in dense  
 Mesquite and Ironwood  
 40.00 Set a post. 3 ft. long 3 ins.  
 square. with marked stone 12  
 ins. in the ground. for  $\frac{1}{4}$  Sec.

T. 3. N. R. 2. W.

Chains  
 Cor. marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. —

80.00 Set a post. 4 ft. long 4 ins.  
 square. with marked stone 12  
 ins. in the ground. for Cor. to  
 Secs. 14, 15, 22 & 23. marked  
 T. 3. N. S. 14 on N.E.  
 R. 2. W. S. 23 on S.E.  
 S. 22 on S.W. and  
 S. 15, on N.W. faces, with 3  
 notches on S. and 2 notches on  
 E. edges. dug pits  $18 \times 18 \times 12$  ins.  
 in each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft.  
 high  $4\frac{1}{2}$  ft. base. around post.  
 Land. level.

## Subdivisions

Chains Soil, Sandy loam 1<sup>st</sup> rate.  
Timber, dense Mesquite and  
Palo Verde undugrowth 80. chs.

---

N  $89^{\circ}42'E$ . on a random line  
bet. Secs. 14 & 23.  
Va.  $13^{\circ}45'E$ .

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

80.15 Interset N.T.D. line. 7 lks.

N. of Cor. to Secs. 13, 14, 23 & 24  
Thence I run

S  $89^{\circ}45'W$ . on a true line  
bet. Secs. 14<sup>th</sup> & 23.

Va.  $13^{\circ}45'E$ .

over level land in heavy  
Mesquite and Ironwood timber.

40.07 Set a post, 3 ft. long 3 ins.

Square, with marked Stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.

T. 3. N. R. 2. W.

Chains Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits  $18 \times 18 \times 12$  ins. E. & W.  
of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post. —

80.15 The Cor. to Secs. 14, 15, 22, & 23.  
Land level.

Soil. Sandy loam 1<sup>st</sup> rate  
Timber. Heavy mesquite  
and Ironwood. 80.15 chs.

Oct. 17, 1894

$N 0^{\circ} 1' W$  bet. Secs. 14 & 15  
Va.  $13^{\circ} 45' E$ .

over level land. in dense.  
mesquite & Ironwood

40.00 Set a post. 3 ft. long 3 ins.  
square, with marked Stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face

## Subdivisions.

Chains dug pits  $18 \times 18 \times 12$  ins. N.T.S.  
 of post,  $5\frac{1}{2}$  ft. dist. & raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base, around post, -

80.00 Set a post, 4 ft. long 4 in  
 square, with marked stone 12  
 ins. in the ground, for Cor. to  
 Secs. 10, 11, 14 & 15, marked  
 T. 3. N. S. 11 on N.E.,  
 R. 2. W. S. 14 on S.E.,  
 S. 15 on S.W., and  
 S. 10 on N.W. faces with 4  
 notches on S. and 2 notches on  
 E. edges, dug pits  $18 \times 18 \times 12$   
 ins. in each sec,  $5\frac{1}{2}$  ft.  
 dist. and raised a mound of  
 earth 2. ft. high  $4\frac{1}{2}$  ft.  
 base, around post,  
 Land. level.

T. 3. N. R. 2. W.

Chain Soil. Sandy loam 1<sup>st</sup> rate  
 Timber, dense Mesquite &  
 Ironwood, Mudugroth 80. chs.

---

N 89° 45' E. on a random line  
 bet. Secs. 11<sup>th</sup> & 14  
 Va. 13° 45' E.

40.00 Set. temp 1/4 Sec. Cor.

80.12 Intersect N.T.P. line 6 lks. S.  
 of <sup>Co</sup> Secs. 11, 12, 13 & 14.  
 Hence I run <sup>as then described</sup>

S 89° 42' W. on a true line  
 bet. Secs. 11<sup>th</sup> & 14  
 Va. 13° 45' E.

over level land, in dense brush

40.06 Set a post, 3 ft. long 3 ins.  
 square, with marked stone 12  
 ins. in the ground, for 1/4 Sec.  
 Cor. marked 1/4 S. on N. face

## Sub-divisions.

Chairs dug pits 18x18x12 ins. E.  $\frac{3}{4}$  W.  
of post. 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$   
ft. base around post. -

80.12 The Cor. to Secs. 10, 11, 14 & 15.  
Land. level.

Soil. Sandy loam 1<sup>st</sup> rate  
Dense Mesquite undugrowth 80.12 ch.

N<sup>o</sup> 1' W. bet. Secs. 10  $\frac{3}{4}$  & 11.

Va. 13<sup>o</sup> 45' E.

40.00 over level land, in dense Mesquite  
Set a Post. 3 ft. long 3 ins.  
Square. with marked Stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face  
dug pits 18x18x12 ins. N. & S.  
of post. 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of Earth 1  $\frac{1}{2}$  ft. high



T. 3. N. R. 2. W.

Chains 3 1/2 ft. base around post. -  
 80.00 Set a post, 4 ft. long 4 ins.  
 square, with marked stone 12.  
 ins. in the ground, for Cor. to  
 Secs. 2, 3, 10 & 11, marked  
 T. 3. N. S. 2 on N.E.  
 R. 2. W. S. 11 on S.E.  
 S. 10 on S.W. and  
 S. 3 on N.W. faces, with 5 notches  
 on S. and 2 notches on E.  
 edges, dug pits 18x18x12 ins.  
 in each Sec. 5 1/2 ft. dia. and  
 raised a mound of earth 2 ft.  
 high, 4 1/2 ft. base around post.  
 Land. level.  
 Soil, Sandy loam 1<sup>st</sup> rate  
 Dense mesquite undergrowth  
 80. chains. -

## Subdivisions.

Chains.  $N 89^{\circ} 42' E$ . on a random line  
bet. Secs. 2. <sup>and</sup> 11.  
Va.  $13^{\circ} 45' E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.10 Intersect  $N^{\text{th}}$   $\frac{1}{4}$  line 4 lks. N.  
of Cor. to Secs 1, 2, 11. <sup>and</sup> 12.

Thence I run

$S 89^{\circ} 44' W$ . on a true line  
bet. Secs. 2. <sup>and</sup> 11.  
Va.  $13^{\circ} 45' E$ .

Over level land, in dense  
mesquite and Ironwood brush.

40.05 Set a post, 3 ft. long 3 ins.  
square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits  $18 \times 18 \times 12$  ins. E. <sup>and</sup> W.  
of post.  $5\frac{1}{2}$  ft. dist. & raised  
a mound of Earth  $1\frac{1}{2}$  ft. high

T. 3. N. R. 2. W.

Chains 3 1/2 ft. base. Around fact. —  
 80.10 The Cor. to Secs. 2, 3, 10, <sup>4th</sup> 11.  
 Land. level.  
 Soil. Sandy loam 1<sup>st</sup> rate  
 Dense mesquite and Ironwood  
 undergrowth. 80.10 chs.

---

N 0° 1' W. on a random line  
 bet. Secs. 2, <sup>4th</sup> 3,  
 Va. 13° 45' E

40.00 Set. temp. 1/4 Sec. Cor.  
 80.67 Intersect N. bdy of Sp. 14 lks.  
 N. of Cor. to Secs. 2, 3, 34 & 35,  
 as hereinbefore described.  
 Thence I run.  
 S 0° 5' W. on a true line  
 bet. Secs. 2, <sup>4th</sup> 3,  
 Va. 13° 45' E.

Over level land, in dense brush

## Subdivisions.

Chains  
40.67

Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on W. face dug pits 18x18x12 ins. N. & S. of post. 5  $\frac{1}{2}$  ft. dia. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base. around post. —

80.67

The Cor. to Secs. 2. 3. 10<sup>th</sup> & 11.

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate

Timber. dense mesquite and Ironwood undergrowth 80.67 chs.

Oct. 18. 1894

From the Cor. to Secs. 3. 4. 33 & 34 on S. bdy of Sp. as recently re-established by me, and herein before described

J. 3. N. R. 2. W.

Chains	Iron.
	N <sup>o</sup> 2' W. bet. Secs. 33. <sup>4d</sup> 34.
	Va. 13° 50' E.
	Over broken ground. in dense mesquite and Ironwood.
40.00	Set a post. 3 ft. long 3 ins. square. with marked stone 12 ins. in the ground. for. <sup>1</sup> / <sub>4</sub> Sec. Cor. marked <sup>1</sup> / <sub>4</sub> S. on W. face dig pits 18x18. 12 ins. N. <sup>4d</sup> S. of post. 5 <sup>1</sup> / <sub>2</sub> ft. dist. and raised a mound of earth 1 <sup>1</sup> / <sub>2</sub> ft. high 3 <sup>1</sup> / <sub>2</sub> ft. base around post. —
58.00	Wash 50 lbs. wide, 2 ft. deep, flows. S 85° E.
60.00	Maricopa <sup>4d</sup> Phoenix Wagon road, trans N.W. & S.E.
65.00	Same road trans. N 10° E & S 10° W
70.00	Same road trans N.W. <sup>4d</sup> S.E.

## Subdivisions.

Chains  
80.00

Set a post 4 ft. long 4 ins. square, with marked stone 12 ins. in the ground for Cor. to Secs. 27, 28, 33<sup>rd</sup> & 34. Marked S. 3. N. S. 27 on N.E. R. 2 W. S. 34 on S.E. S. 33. on S.W. and S. 28. on N.W. faces. with 1 notch on S. and 3 notches on E. edges, dug pits 18x18x12 ins in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post. Land rough & broken Soil. Sandy 1<sup>st</sup> & 2<sup>d</sup> rate Timber, dense mesquite and Ironwood undergrowth 80 chs.

---

N 89° 47' E. on a random line

T. 3. N. R. 2. W.

Chains

bet. Secs. 27<sup>th</sup> & 34.Va.  $13^{\circ}50'E$ .40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.80.12 Intersect N. <sup>th</sup> & S. line at Cor  
to Secs. 26, 27, 34 <sup>th</sup> & 35.

Thence I run

S  $89^{\circ}47'W$ . on a true linebet. Secs. 27<sup>th</sup> & 34.Va.  $13^{\circ}45'E$ .Over broken land in dense  
Mesquite & Ironwood brush

40.06 Set a post. 3 ft. long 3 ins.

square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits  $18 \times 18 \times 12$  ins. E. <sup>th</sup> & W.of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. —

## Subdivisions.

Chains	
66.00	Wash 50 lks. wide 2 ft. deep. flows S. 50° E.
80.12	The Cor. to Secs. 27, 28, 33 & 34. Land. rough <sup>4d</sup> broken Soil. Sandy 1 <sup>st</sup> & 2 <sup>d</sup> rate Timber. dense Mesquite and Ironwood undergrowth 80.12 Chs.

---

N 0° 2' W bet. Secs. 27 & 28.

Pa. 13° 50' E.

over broken land. in dense timber

18.00	Wash. 15 lks wide. 3 ft. deep. flows S 60° E
23.00	Wash 30 lks wide. 3 ft. deep. flows. S 55° E
40.00	Set a post. 3 ft. long 3 ins. Square. with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits 18x18x12 ins. N. <sup>2d</sup> S. of post. 5 $\frac{1}{2}$ ft. dia. and raised



T. 3. N. R. 2. W.

chains a mound of Earth  $1\frac{1}{2}$  ft. high.  
 $3\frac{1}{2}$  ft. base, around post. —

80.00 Set a post. 4 ft. long 4 ins.  
 square, with marked stone 12  
 ins. in the ground, for Cor. to  
 Secs. 21. 22. 27 $\frac{1}{4}$  28, marked  
 T. 3. N. S. 22 on N.E.  
 R. 2. W. S. 27 on S.E.  
 S. 28 on S.W. and  
 S. 21 on N.W. faces, with 2  
 notches on S. and 3 notches on E.  
 edges. dug pits  $18 \times 18 \times 12$  ins. in  
 each Sec.  $5\frac{1}{2}$  ft. dia. and raised  
 a mound of Earth 2 ft. high  
 $4\frac{1}{2}$  ft. base around post. —  
 Land. broken.  
 Soil. Sandy & gravelly 2<sup>d</sup> rate  
 Timber. dense mesquite & Iron-  
 wood undergrowth. 80. chains. —

## Subdivisions.

Chains N  $89^{\circ}47'E$ . on a random line  
bet. Secs. 22<sup>nd</sup> & 27.

Va.  $13^{\circ}50'E$

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.12 Intersect N<sup>th</sup> & S. line 5 lks. S.  
of Cor. to Secs. 22. 23. 26 & 27.

X

Thence I run

S  $89^{\circ}45'W$ . on a true line  
bet. Secs. 22. <sup>nd</sup> & 27

Va.  $13^{\circ}50'E$ .

Over broken land. in dense brush

40.06 Set a post. 3 ft. long 3 ins.

Square. with marked stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.

Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits 18x18x12 ins. E. & W.

of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. -

T. 3. N. R. 2. W.

Chains

80.12

The Cor. to Secs. 21, 22, 27<sup>th</sup> & 28.

Land broken.

Soil. Sandy & gravelly 2<sup>d</sup> rate  
Timber. dense Mesquite & Iron-  
wood Undergrowth 80.12 chs.

---

N<sup>o</sup> 2' W. bet. Secs 21<sup>st</sup> & 22.

Va. 13° 50' E.

own broken land in dense  
Mesquite and Palo Verde

40.00

Set a Post. 3 ft. long 3 ins.

Square, with marked Stone 12  
ins. in the ground. for 1/4 Sec.Cor. marked 1/4 S on W. face  
dug pits 18x18x12 ins. N. 2<sup>d</sup> S.of post. 5 1/2 ft. dia. and raised  
a mound of Earth 1 1/2 ft. high  
3 1/2 ft. base. around Post. —

40.20

Wash 20 lks wide 2 ft. deep. flows E.

## Subdivisions.

Chairs	
46.00	Wash 10 lks wide. 3 ft. deep. flows S60°E
80.00	<p>Set a post. 4 ft. long 4 ins. Square. with marked Stone 12 ins. in the ground. for Cor. to Secs. 15, 16, 21. <sup>2d</sup> 22. marked T. 3. N. S. 15 on N.E. R. 2. W. S. 22 on S.E. S. 21 on S.W. and S. 16. on N.W. faces. with 3. notches on S. <sup>2d</sup> E. edges dug pits 18x18x12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of Earth 2 ft. high 4 1/2 ft. base around post. —</p> <p>Land broken</p> <p>Soil. Sandy &amp; gravelly 2<sup>d</sup> rate</p> <p>Timber. dense mesquite &amp; Palo Verde undugrowth 80: chs.</p>

J. S. N. R. 2, W.

- Chains N  $89^{\circ}45'E$ . on a random line  
bet. Secs. 15. <sup>9th</sup> and 22  
Va.  $13^{\circ}50'E$ .
- 40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.
- 80.11 Intersect N. <sup>2nd</sup> and S. line 4 lks. N.  
of Cor. to Secs. 14, 15, 22 & 23.  
Thence I run  
S  $89^{\circ}47'W$ . on a true line  
bet. Secs. 15. <sup>4th</sup> and 22.  
Va.  $13^{\circ}50'E$   
over broken land. in dense timber
- 40.05 Set a post 3 ft. long 3 ins.  
square, with marked stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits 18x18x12 ins. E. <sup>4th</sup> and W.  
of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. —

## Subdivisions.

- Chains  
70.00 Wash 40 lks wide. 3 ft. deep. flows  
S 70° E
- 78.00 Wash 30 lks. wide. 2 ft. deep.  
flows. S 80° E
- 80.11 The Cor. to Secs. 15, 16, 21. <sup>and</sup> 22.  
Land. rough  
Soil. gravelly 2<sup>d</sup> rate.  
Timber. dense mesquite and  
Palo Verde 80.11 chs.

Oct. 19. 1894

N 0° 2' W. bet. Secs. 15. <sup>and</sup> 16.  
Va. 13° 50' E.

over broken Country. in dense brush

- 4.00 Wash 25 lks. wide. 2 ft. deep.  
flows. S 60° E
- 40.00 Set a post. 3 ft. long 3 ins.  
Square. with marked Stone 12  
ins. in the ground. for 1/4 Sec.  
Cor. marked 1/4 S on W. face

## T. 3. N. R. 2. W.

- Chains dug pits 18x18x12 ins. N. and S. of post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base. Around Post. —
- 55.00 Wash 30 lbs. wide. 2 ft. deep, flows. S.E.
- 80.00 Set a post. 4 ft. long 4 ins. Square. with marked Stone 12 ins. in the ground. for Cor. to Secs. 9, 10, 15 & 16. marked.  
T. 3. N. S. 10 on N.E.  
R. 2. W. S. 15 on S.E.  
S. 16 on S.W. and  
S. 9 on N.W. faces. with 4 notches on S. and 3 notches on E. edges. dug pits 18x18x12 ins. in each Secs. 5 1/2 ft. dist. & raised a mound of Earth 2 ft. high 4 1/2 ft. base. around Post. —

## Subdivisions.

Chains Land broken

Soil. gravelly 2<sup>d</sup> rate

Timber. dense Mesquite &amp; Palo.

Verde undugrowth 80 chains

---

N 89° 47' E. on a random line

bet. Secs. 10. <sup>9</sup>d 15.

Va. 13° 50' E.

40.00 Set temp. 1/4 Sec. Cor.

80.10 Intersect N. <sup>9</sup>d S. line 9 lks S.of Cor. to Secs. 10. 11. 14. <sup>9</sup>d 15.

Thence I run

S 89° 43' W. on a true line

bet. Secs. 10. <sup>9</sup>d 15.

Va. 13° 45' E.

Over broken land. in dense brush

40.05 Set a post. 2 ft. long 3 ins.

Square. with marked stone 12

ins. in the ground. for 1/4 Sec.



## T. 3. N. R. 2. W.

Chains

Cor. marked  $\frac{1}{4}$  S on N. face  
dug pits  $18 \times 18 \times 12$  ins. E.  $\frac{3}{4}$  W.  
of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base. Around Post. —

80.10

The Cor. to Secs. 9, 10, 15, <sup>and</sup> 16.  
Land rough.

Soil. gravelly 2<sup>d</sup> rate.

Timber. dense Mesquite + Palo.

Verde underground 80.10 chs.

---

No<sup>o</sup> 2' W. bet. Secs. 9, <sup>and</sup> 10.

Va.  $13^{\circ} 50'$  E.

Over broken land. in dense  
mesquite and Ironwood brush

22.00 Wash 40 lks wide. 2 ft. deep.  
flows. S.E.

40.00 Set a post. 3 ft. long 3 ins.  
square. with marked stone 12

## Subdivisions.

Chains ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. <sup>and</sup> S.  
 of post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around Post. -

80.00 Set a post, 4 ft. long 4 ins.  
 square, with marked Stone 12  
 ins. in the ground, for Cor. to  
 Secs. 3, 4, 9, <sup>and</sup> 10. Marked  
 T. 3. N. S. 3 on N.E.  
 R. 2. W. S. 10 on S.E.  
 S. 9 on S.W. and  
 S. 4 on N.W. faces, with 5  
 notches on S. and 3 notches on E.  
 edges. dug pits  $18 \times 18 \times 12$  ins.  
 in each Sec.  $5\frac{1}{2}$  ft. dist. <sup>and</sup>  
 raised a mound of Earth 2 ft.  
 high.  $4\frac{1}{2}$  ft. base around Post. -

48.

J. 3. N. R. 2. W.

BOOK 1022

Chains

Land broken.

Soil. gravelly 2<sup>d</sup> rate.Timber. dense Mesquite and  
Ironwood. Undergrowth 80. Chs.

---

 N 89° 43' E. on a random line  
bet. Secs. 3. 9<sup>d</sup> 10.

Va. 13° 50' E.

40.00 Set. temp. 1/4 Sec. Cor.

80.10 Intersct. N. 9<sup>d</sup> S. line 8 lks. N.  
of Cor. to Secs. 2. 3. 10. 9<sup>d</sup> 11.

Thence I run

S 89° 46' W. on a true line  
bet. Secs. 3. 9<sup>d</sup> 10.

Va. 13° 45' E.

over nearly level land, in dense  
Mesquite and Ironwood underbrush.

40.05 Set a post. 2 ft. long 3 ins.

Square. with marked Stone 12

## Subdivisions.

Chains ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pits 18x18x12 ins. E.  $\frac{3}{4}$  W.  
 of post. 5  $\frac{1}{2}$  ft. dia. and raised  
 a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$   
 ft. base around post. —

80.10 The Cor. to Secs. 3, 4, 9, and 10.

Land nearly level.

Soil, sandy loam 1<sup>st</sup> rate

Timber, dense Mesquite & Iron  
 wood, undergrowth 80.10 chs.

N  $0^{\circ} 2' W$ . on a random line  
 bet. Secs. 3, and 4.

Va.  $13^{\circ} 50' E$ .

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

81.00 Intusect. N. side of Sp. 16 lbs.  
 W. of Cor. to Secs. 3, 4, 33, & 34  
 as hereinbefore described.

T. 3. N. R. 2. W.

Chains

Thence I run

S  $0^{\circ} 5'$  W. on a true line.bet. Secs. 3. <sup>2nd</sup> 4.Va.  $13^{\circ} 45'$  E.

Over level land. In dense timber

41.00

Set a post. 3 ft. long 3 ins. square. with marked Stone 12 ins. in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on W. face dig pits  $18 \times 18 \times 12$  ins. N. <sup>2nd</sup> S. of post.  $5\frac{1}{2}$  ft. dia. and raised a mound of Earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. Around Post. —

81.00

The Cor. to Secs. 3. 4. 9. <sup>2nd</sup> 10.

Land. level.

Soil. Sandy loams 1<sup>st</sup> rate  
Timber. dense mesquite & Palo-Verde. undugrowth. 81. chs.

Oct. 20. 1894

## Subdivisions.

Chains

From the Cor. to Secs. 4, 5, 32 & 33  
on S. bdy of Tp. as recently  
re-established by me, and  
heretofore described.

From

N<sup>o</sup> 2' W. bet. Secs. 32 & 33.

Va. 13° 50' E

over broken land, in dense  
mesquite and Palo-Verde

40.00

Set a granite Stone 14x9x5 in  
9 in in the ground, for 1/4 Sec  
Cor. marked 1/4 on W. face  
dug pits 18x18x12 in N & S,  
of Stone 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft. high, 3 1/2 ft. base, alongside

57.00

Wash, 20 lks. wide, 2 ft. deep  
flows East.

59.00

Wash, 10 lks wide, 1 ft deep.

J. 3. N. R. 2. W.

Chains	flows. $S 70^{\circ} E$
75.60	Wash. 80 lks. wide. 2 ft. deep flows. $S 70^{\circ} E$ .
80.00	Set a post. 4 ft. long 4 ins. Square. with marked stone 12 ins. in the ground. for Cor. to Secs. 28, 29, 32 & 33. Marked J. 3 N. S. 28 on N.E. R. 2. W. S. 33 on S.E. S. 32 on S.W. and S. 29 on N.W. faces. with 1 notch on S. and 4 notches on E. edges. dug pits $18 \times 18 \times 12$ ins. in each Sec. $5 \frac{1}{2}$ ft. dist and raised a mound of Earth 2 ft. high $4 \frac{1}{2}$ ft. base around post. Land broken Soil. gravelly 2 <sup>d</sup> rate Timber dense Mesquite & Paloverde 80. chains

## Subdivisions.

- Chains N  $89^{\circ}47'E$ . on a random line  
bet. Secs. 28 & 33.  
Va.  $13^{\circ}50'E$
- 40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.
- 80.03 Intersect N.  $\frac{1}{4}$  S. line 7 lks. S.  
of Cor. to Secs. 27, 28, 33, & 34  
Thence I run  
S  $89^{\circ}44'W$ . on a true line  
bet. Secs. 28 & 33.  
Va.  $13^{\circ}50'E$
- over rough land, in dense  
Mesquite & Palo Verde brush
- 10.00 Maricopa & Wickburg Wagon  
road, bears N  $30^{\circ}W$  & S  $30^{\circ}E$
- 40.01 Set a post, 3 ft. long 3 ins  
square, with marked stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits 18x18x12 ins. E & W.



J. 3. N. R. 2. W.

Chain of post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post.

80.03 The Cor. to Secs. 28, 29, 32, & 33.  
 Land broken  
 Soil. gravelly 2<sup>d</sup> rate  
 Timber. dense Mesquite & Palo.  
 Verde undergrowth 80.03 chs.

No<sup>o</sup> 2' W. bet. Secs. 28, 2<sup>d</sup> & 29  
 Va.  $13^{\circ}50'E$ .

Over broken land. in dense  
 Mesquite & Ironwood. brush.

39.00 Wash. 30 lks. wide. 2 ft. deep.  
 flows Southeastly.

40.00 Set a post. 3 ft. long 3 ins.  
 Square. with marked Stone 12  
 ins. in the ground. for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on. W. face

## Subdivisions.

- Chairs dug pits  $18 \times 18 \times 12$  ins. N. + S.  
of post.  $5\frac{1}{2}$  ft. dist. & raised  
a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. —
- 59.00 Wash. 25 lks. wide. 2 ft. deep.  
flows. Southeastly
- 70.00 Wash. 30 lks. wide. 3 ft. deep  
flows. Southeastly.
- 80.00 Set a post, 4 ft. long 4 ins.  
square. with marked Stone 12  
ins. in the ground. for Cor. to  
Secs. 20. 21. 28 & 29. marked  
T. 3. N. S. 21 on N.E.  
R. 2. W. S. 28 on S.E.  
S. 29 on S.W. and  
S. 20 on N.W. faces. with 2  
notches on S. and 4 notches on  
E. edges. dug pits  $18 \times 18 \times 12$  ins.  
in each Sec.  $5\frac{1}{2}$  ft. dist. <sup>and</sup>

J. 3. N. R. 2. W.

Chain raised a mound of earth 2 ft.  
high  $4\frac{1}{2}$  ft. base around post.  
Land broken  
Soil gravelly 2<sup>d</sup> rate.  
Timber dense Mesquite + Iron-  
wood. Undergrowth 80. Chs.

$N 89^{\circ} 44' E$ . on a random line  
bet. Secs. 21. <sup>2d</sup> 28.

Va.  $13^{\circ} 50' E$

40.00 Set. temp.  $\frac{1}{4}$  sec. Cor.

79.98 Intersect N. <sup>2d</sup> S. line at Cor.  
to Secs. 21, 22, 27. <sup>2d</sup> 28.

Thence I run.

$S 89^{\circ} 44' W$ . on a true line  
bet. Secs 21. <sup>2d</sup> 28.

Va.  $13^{\circ} 50' E$ .

Over broken land. in dense  
Mesquite + Palo Verde brush.

## Subdivisions.

- Chains  
39.50 Wash. 25 lks. wide, 2 ft. deep  
flows. Southeastely.
- 39.99 Set a post. 3 ft. long 3 ins.  
square. with marked stone 12  
ins. in the ground. for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  S. on N. face  
dug pits 18x18x12 ins. E. & W.  
of post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post. -
- 46.00 Maricopa and Wickenburg Wagon  
road. bears. N.  $^{\text{nd}}$  S.
- 79.98 The Cor. to Secs. 20, 21, 28 & 29.  
Land. broken.  
Soil. gravelly 2<sup>d</sup> rate  
Timber. dense Mesquite and  
Palo Verde. undugrowth. 79.98 chs

---

N  $0^{\circ}$  2' W. bet. Secs. 20 & 21.

## J. 3. N. R. 2, W.

Chairs

Va. 13° 50' E.

over very rough ground. In dense  
 Mesquite undergrowth.

- 25.50 Wash 30 lbs. wide 2 ft. deep.  
 flows. Easterly.
- 36.00 Curved Wash 90 lbs. wide 3 ft. deep.  
 flows. Southeastly.
- 40.00 Set a granite Stone. 18x10x5 ins.  
 12 ins. in the ground, for 1/4 Sec.  
 Cor. marked 1/4 on W. face  
 dug pits 18x18x12 ins. N. 2nd S.  
 of Stone 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft. high  
 3 1/2 ft. base, alongside.
- 41.00 Wash 40 lbs. wide, 4 ft. deep.  
 flows. S 80° E.
- 55.00 Wash. 40 lbs. wide. 4 ft. deep.  
 flows. Easterly.
- 80.00 Set a granite Stone 19x9x8 ins.

## Subdivisions.

Chains 14 ins. in the ground. for Cor. to  
 Secs. 16, 17, 20, & 21 marked  
 with 3 notches on S. and 4  
 notches on E. edges. and raised  
 a mound of Stone  $1\frac{1}{2}$  ft. high  
 2 ft. base. Along side  
 Pits impracticable -  
 Land rough & broken  
 Soil stony 3<sup>d</sup> rate.  
 Timber. dense Mesquite 80. Obs.

---

N  $89^{\circ}44'E$ . on a random line  
 bet. Secs. 16. & 21.  
 Ru.  $13^{\circ}45'E$ .

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

79.97 Intersect N. & S. line. 10 Mts.  
 N. of Cor. to Secs. 15, 16, 21 & 22.

Thence I run

S  $89^{\circ}48'W$ . on a true line

Chains

bet. Secs. 16<sup>and</sup> 21.

Va. 13° 50' E.

over rough broken ground in  
dense mesquite brush.

39.98 Set a post. 8 ft. long 3 ins.  
square. with marked stone 12  
ins. in the ground. for 1/4 Sec.  
Cor. marked 1/4 S. on N. face  
dug pits 18x18x12 ins. E. & W.  
of post. 5 1/2 ft. dia. & raised  
a mound of earth 1 1/2 ft. high  
3 1/2 ft. base. around post. —

41.25 Maricopa<sup>and</sup> Wickensburg Wagon  
road bears. N. & S.

52.50 Wash 10 lks. wide. 1 ft. deep.  
flows. South easterly

79.97 The Cor. to Secs. 16. 17. 20.<sup>and</sup> 21.  
Land. rough & broken  
Soil. gravelly 2<sup>d</sup> rate.

## Subdivision T. 3. N. R. 2. W.

Chains Timber, dense mesquite under  
growth. 79.97 chains. -  
Dec. 22, 1894

No<sup>o</sup> 2' W. bet. Secs. 16 & 17.  
Va. 13° 50' E.

- over broken land, In dense mesquite
- 12.00 Wash 10 lks. wide 3 ft. deep,  
flows. Eastely.
- 21.50 Wash. 30 lks. wide 3 ft. deep.  
flows. Southeastely. -
- 40.00 Set a granite stone 14 x 10 x 10  
ins. 9 ins. in the ground for  $\frac{1}{4}$   
Sec. Cor. marked  $\frac{1}{4}$  on W. face  
dig pits 18 x 18 x 12 ins. N. & S.  
of stone. 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high.  
3  $\frac{1}{2}$  ft. base. along side. -
- 41.00 Wash. 3 lks. wide. 3 ft. deep.  
flows. Southeastely. -



Concluded, Book 1023