

Contract 35.

2.

Colton

BOOK 1023

No 1023

BOOK 1023

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions

T. 3 N. R. 2 W.

Fractional

1023

55-6-97

61 Indexed, Book 1022

Township 3N R. 2W

6	84	5	68	4	3	2	1
		83		66			
7	82	8	64	9	10	11	12
		80		63			
18	79	17	61	16	15	14	13
		77					
19	75	20		21	22	23	24
		74					
30	73	29		28	27	26	25
		71					
31	69	32		33	34	35	36

Subdivisions T. 3. N. R. 2. W.

Chains	
55.00	Wash. 50 lks. wide 4 ft. deep. flows Southeastly. -
80.00	Set a post. 4 ft. long 4 ins. Square. with marked stone 12 ins. in the ground. for Cor. to Secs. 8, 9, 16, ^{and} 17. marked T. 3. N. S. 9. on N.E. R. 2. W. S. 16 on S.E. S. 17 on S.W. and S. 8 on N.W. faces, with 4. notches on S. and E. edges. dug pits 18x18x12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of Earth 2 ft. high 4 1/2 ft. base. around post. - Land broken Soil. gravelly 2 ^d rate Timber. dense mesquite under- growth. 80. chains.

Subdivisions

- chains. $N 89^{\circ} 48' E$. on a random line
bet. Secs. 9. ⁹/₁₆.
- Va. $13^{\circ} 50' E$
- 40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.
- 80.05 Intersect N. ⁹/₁₆ S. line 6. ¹¹/₁₆ S.
of Cor. to Secs. 9. 10. 15. ⁹/₁₆ 16.
Thence I run
 $S 89^{\circ} 45' W$. on a true line
bet. Secs. 9. ⁹/₁₆ 16.
Va. $13^{\circ} 50' E$.
- over broken land. In dense
Mesquite & Palo Verde undergrowth
- 40.02 Set a post. 3 ft. long 3 ins.
square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high

J. 3. N. R. 2. W.

- Chains 3 1/2 ft. base. around part. -
 40.15 Maricopa^{2d} Wickenburg wagon
 road. brass. N. ^{4d} S.
 43.00 Wash 20 lks. wide. 2 ft. deep.
 flows. Southeastly. -
 80.05 The Cor. to Secs. 8. 9. 16. ^{4d} 17.
 Land rough & broken
 Soil. Stony. 3^d rate
 Timber. dense Mesquite & Palo-
 Verde. undergrowth. 80.05 chs.
-

N 0° 2' W. bet. Secs. 8. ^{2d} 9.

Va. 13° 50' E.

over broken land. In dense
 Mesquite & Palo-Verde brush

- 2.00 Wash. 20 lks. wide. 2 ft. deep
 flows. E.
 21.50 Wash. 20 lks. wide. 2 ft. deep.
 flows. Easterly.

Subdivisions

Chains
40.00

Set a post. 3 ft long 3 ins. Square, with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits 18x18x12 ins. N. ^{2d} S. of post. 5 $\frac{1}{2}$ ft. dist. & raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

45.00

Wash. 10 lks. wide. 1 ft. deep flows. S 80° E.

57.50

Wash. 30 lks. wide. 2 ft. deep. flows. S 80° E.

80.00

Set a post. 4 ft. long 4 ins. Square, with marked Stone 12 ins. in the ground. for Cor. to Secs. 4, 5, 8. ^{2d} 9. marked
T. 3. N. S. 4 on N.E.
R. 2. W. S. 9 on S.E.
S. 8 on S.W. and.

T. 3. N. R. 2. W.

Chairs

S. 5 on N.W. faces, with 5 notches
on S. and 4 notches on E. edges,
dug pits $18 \times 18 \times 12$ ins. in each
Secs. $5\frac{1}{2}$ ft. dist. and raised
a mound of Earth, 2 ft. high
 $4\frac{1}{2}$ ft. bar around post. -

Land broken

Soil. Stony. 3^d rate

Timber, dense Mesquite & Palo-
Verde, undergrowth, 80. Chs.

$N 89^{\circ} 45' E$, on a random line
bet. Secs. 4. 2nd 9.

Va. $13^{\circ} 50' E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

80.07 Intersect. N. 4th S. line 4 lks.
S. of Cor. to Secs. 3, 4, 9 & 10.

Thence I run

$S 89^{\circ} 43' W$, on a true line

Subdivisions

Chains

bet. Secs. 4, 4th 9.Va. $13^{\circ}50'E$.

- 40.03 Over broken land. in dense Mesquite
Set a Post. 3 ft. long 3 ins.
Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face.
dug pits $18 \times 18 \times 12$ ins. E. & W.
of Post. $5\frac{1}{2}$ ft. dist. & raised
a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around Post. -
- 49.50 Maricopa^{4th} & Wickburg way on
road trans. N. 4th D.
- 80.07 The Cor. to Secs. 4, 5, 8, 4th 9.
Land rough.
Soil. gravelly 2^d + 3^d rate
Timber dense mesquite
Undergrowth 80.07 chs.

T. 3. N. R. 2. W.

Chains	N $0^{\circ} 2' W$. on a random line bet. Secs. 4. ⁴ and 5. Va. $13^{\circ} 50' E$.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
81.56	Intersect N. bdy of Sp. 16 lks. W. of Cor. to Secs. 4. 5. 32. & 33. as. hereinbefore described Thence I run S $0^{\circ} 5' W$. on a true line bet. Secs. 4. ⁴ and 5. Va. $13^{\circ} 50' E$.
16.00	over broken land, in dense ³ mosquito wash. 30 lks. wide 1 ft. deep, flows. S. E.
21.00	Maricopa ² and Wickenburg Wayon road. bears. N $40^{\circ} W$ + D $40^{\circ} E$.
33.50	Wash. 30 lks. wide. 1 ft. deep, flows. South easterly.
41.56	Set a ¹ post. 3 ft. long 3 ins.

Subdivisions

- Chains Square, with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits 18x18x12 ins. N.E.S. of post. 5 $\frac{1}{2}$ ft. dist. & raised a mound of earth $1\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base. around post. —
- 60.00 Wash 10 lks. wide. flows. S80°E
- 67.00 Wash 20 lks. wide. flows. S80°E
- 81.56 The Cor. to Secs. 4, 5, 8, and 9.
Land, rough.
Soil, gravelly 2^d & 3^d rate
Timber, dense mesquite undergrowth. 81.56 Chains. —
- Oct. 23, 1894

From the Cor. to Secs. 5, 6, 31 & 32 on S. bdy of Sp. as recently re-established by me. and

70.

BOOK 1023

T. 3. N. R. 2, W.

- Chains hereinbefore described.
 Iron
 N. $0^{\circ} 3' W.$ bet. Secs. 31. ^{and} 32.
 Va. $14^{\circ} 0' E.$
 By solar observation.
 over rough land in dense
 Mesquite & Palo Verde undergrowth.
- 8.00 Wash 80 lbs wide, 10 ft. deep,
 flows Eastely.
- 40.00 Set a granite Stone $20 \times 6 \times 5$ ins
 15 ins. in the ground. for $\frac{1}{4}$
 Sec. Cor. marked $\frac{1}{4}$ on W. face
 and raised a mound of Stone
 $1\frac{1}{2}$ ft. high, 2 ft. base alongside.
 Pits impracticable. -
- 47.00 Wash, 40 lbs. wide, flows Eastely
- 80.00 Set a granite Stone $16 \times 12 \times 8$ ins.
 11 ins. in the ground. for Cor. to
 Secs. 29, 30, 31 & 32. marked

Subdivisions

Chains with 1 notch on S. and 5.
 Notches on E. edges. and raised
 a mound of Stone $1\frac{1}{2}$ ft. high
 2 ft. base. alongside. —
 Pits. impracticable.
 Land. rough & broken
 Soil. Stony 3^d & 4th rate
 Timber. dense Mesquite & Palo-
 Verde. undergrowth. 80. Chs.

N $89^{\circ}47'E$. on a random line
 bet. Secs. 29. ^{2d} & 32.
 Va. $14^{\circ}0'E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.
 80.20 Intersect N. ^{2d} S. line at
 Cor. to Secs. 28, 29, 32 & 33.
 ✓ Thence I run
 S $89^{\circ}47'W$. on a true line
 bet. Secs. 29. ^{2d} & 32.

72

BOOK 1023

T. 3. N. R. 2. W.

Chains

Va. $13^{\circ}50'$ E.

Over rough & broken land in dense

Mesquite and Palo-Verde brush.

2.50 Wash. 5 lks. wide. flows Southwly

27.00 Wash. 10 lks wide. flows Southeastwly.

40.10 Set a granite Stone $17 \times 7 \times 7$ ins.
11 ins. in the ground. for $\frac{1}{4}$ Sec.Cor. marked $\frac{1}{4}$ on N. face

and raised a mound of Stone

 $1\frac{1}{2}$ ft. high. 2 ft. base alongside

Pits impracticable

45.00 Wash 20 lks. wide. 3 ft. deep.

flows. Southeastwly.

80.20 The Cor to Secs. 29. 30. 31 & 32

Land. rough & broken

Soil. Stony. 3^d & 4th rate

Timber. dense mesquite & Palo

Verde. undugrowth 80, 20 chs.

Land lying west. rough and
mountainous.

Subdivisions

- Chains N 0° 3' W. bet. Secs. 29. & 30.
Va. 14 $^{\circ}$ 0' E
over broken land. in dense
Mesquite & Palo Verde. brush
- 35.00 Wash 50 lks. wide 4 ft. deep,
flows. E.
- 40.00 Set a granite Stone 20x6x5 ins.
15 ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ on W. face
and raised a mound of Stone
 $1\frac{1}{2}$ ft. high 2 ft. base, along side
Pits impracticable. -
- 50.00 Wash 50 lks. wide 3 ft. deep,
flows. N 70 $^{\circ}$ E. ascend
- 57.00 Top of ridge from E & W. descend.
- 80.00 Set a granite Stone 18x8x8 ins.
12 ins. in the ground. for Cor. to
Secs. 19, 20, 29 & 30. marked
with 2 notches on S, and 5 notches

74.

BOOK 1023

T. 3. N. R. 2. W.

Chains on E. edges, and raised a mound of Stone $1\frac{1}{2}$ ft. high 2 ft. base alongside
 Pits impracticable. —
 Land, rough & broken
 Soil, stony, 3^d & 4th rate
 Timber, dense Mesquite & Palo Verde, underground 80. chs.

N $89^{\circ}47'E$. on a random line
 bet. Secs. 20. ^{3d} & 29.
 Va. $14^{\circ}0'E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.
 80.12 Intersect N. ^{3d} S. line 6 lks.
 S. of Cor. to Secs. 20, 21, 28 & 29
 Thence I run
 S $89^{\circ}44'W$. on a true line
 bet. Secs. 20. ^{3d} & 29,
 Va. $13^{\circ}50'E$.

Subdivisions

- Chains over rough ground. in dense
Mesquite & Palo Verde brush.
- 15.00 Wash 30 lks. wide. 2 ft. deep
flows. S 70° E.
- 40.06 Set a granite stone 18x8x6 ins
12 ins. in the ground. for 1/4 Sec.
Cor. marked 1/4 on N. face
dug pits 18x18x12 ins. E. & W.
of stone 5 1/2 ft. dist. & raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base along side
- 80.12 The Cor. to Secs. 19, 20, 29 & 30.
Land. rough & broken
Soil. Stony. 3^d & 4th rate.
Timber. dense Mesquite & Palo
Verde undergrowth. 80.12 chs.

N 0° 3' W. bet. Secs. 19 & 20.

Va. 14° E

76.

BOOK 1023

T. 3. N. R. 2. W.

- | | |
|--------|---|
| Chains | over foot hills ascending. in
dense mesquite & Palo Verde |
| 8.00 | Top of rocky ridge trans. E & W.
descend |
| 19.00 | Foot of rocky ridge |
| 20.00 | Wash 20 lks wide 1 ft. deep
flows. Easterly |
| 23.75 | Wash 50 lks. wide. 3 ft. deep.
flows. E. |
| 40.00 | Set a granite Stone 18x10x5 ins.
12 ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ on W. face
and raised a mound of stone
1 $\frac{1}{2}$ ft. high, 2 ft. base alongside
Pits impracticable. - |
| 58.00 | Wash 40 lks. wide 3 ft. deep
flows. Easterly. |
| 79.55 | Wash 90 lks. wide 4 ft. deep.
flows. S 80° E. |

Subdivisions

chains
80.00

Point in Wash

81.00

Set a granite Stone $18 \times 12 \times 5$ ins
12 ins. in the ground for Wit-
ness Cor. to Secs. 17, 18, 19 & 20.Marked W.C. on S.E. face
with 3 notches on S. and 5
notches on E. edges. and raised
a mound of Stone $1\frac{1}{2}$ ft. high

2 ft. base alongside. —

Land ^{Pits impracticable} rough & broken.Soil. Stony. 4th Gate.

Timber. Some Mesquite & Palo.

Verde. Undergrowth 80 chs.

From true Sec Cor. Point,
in Wash. I runN $89^{\circ} 44' E$. on a random line
bet. Secs. 17. nd & 20Va. $14^{\circ} 0' E$.

T. 3. N. R. 2. W.

- | | |
|-----------------|---|
| Chairs
40.00 | Set temp $\frac{1}{4}$ Sec. Cor. |
| 80.10 | Intersect N. $\frac{1}{4}$ S. line 2 lks.
S. of Cor. to Secs. 16, 17, 20 & 21.
Thence I run
S $89^{\circ} 43' W.$ on a true line
bet. Secs. 17. $\frac{1}{4}$ & 20.
Va. $13^{\circ} 50' E.$

over rough ground, in dense
mesquite & Palo Verde brush |
| 29.00 | Wash. 100 lks. wide 4 ft. deep
flows. S. E. |
| 40.05 | Set a granite stone $18 \times 10 \times 10$ ins.
12 ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of stone $5 \frac{1}{2}$ ft. dist. & raised
a mound of Earth $1 \frac{1}{2}$ ft. high
$3 \frac{1}{2}$ ft. base, alongside |
| 80.10 | The true Cor. point, in wash |

Subdivisions

Chairs to Secs. 17, 18, 19, & 20.
 Land. broken & rocky
 Soil. Stony 3^d & 4th gate
 Timber. dense Mesquite & Palo
 Verde. undergrowth. 80.10 chs.
 Oct. 24, 1894.

$N 0^{\circ} 3' W$. bet. Secs. 17 & 18.
 Va. $14^{\circ} 0' E$.

over rough land in dense
 Mesquite & Palo Verde undergrowth

40.00 Set a granite stone $15 \times 9 \times 8$ ins.
 10 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ on W. face
 and raised a mound of stone.

40.30 $1\frac{1}{2}$ ft. high. 2 ft. base along side
 Wash. ^{Pile impracticable} 40 lbs. wide 10 ft. deep
 flows $S 80^{\circ} E$

49.20 S. bank of wash bears E. & W.

51.20 N. bank of wash bears E. & W.

T. 3. N. R. 2. W.

chains
80.00

Set a granite Stone 18x8x8. ins.
12 ins. in the ground. for Cor. to
Secs. 7, 8, 17th and 18. marked
with 4 notches on S. and 5
notches on E. edges, and raised
a mound of Stone 1/2 ft. high
2 ft. base. alongside. -
Pits impracticable. -
Land rough and broken.
Soil. Stony 3^d rate
Timber. dense Mesquite & Palo-
Verde. undergrowth 80. chs

N 89° 43' E. on a random line
bet. Secs. 8th and 17.
Va. 14° 0' E

40.00 Set. temp. 1/4 Sec. Cor.

80.00 Intersect N. & S. line at. Cor. to
Secs. 8, 9, 16th and 17.

Subdivisions

- Chains Thence I run
 $S 89^{\circ} 43' W.$ on a true line
 bet. Secs. 8, ^{4th} & 17.
_{7th 13th 50' E.}
 over broken land, in dense mes-
 quite and Palo Verde undergrowth
- 30.00 Wash, 100 lbs. wide, 4 ft. deep,
 flows S.E.
- 40.00 Set a granite Stone $18 \times 10 \times 5$ ins.
 12 ins. in the ground for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ on N. face
 and raised a mound of Stone
 $1\frac{1}{2}$ ft. high 2 ft. base alongside
 Pits impracticable. -
- 58.00 Wash 30 lbs. wide, 4 ft. deep,
 flows S.E.
- 80.00 The Cor. to Secs. 7, 8, 17, ^{4th} & 18.
 Land broken,
 Soil. Stony 3^d rate.
 Dense mesquite ^{4th} & Palo Verde, 80. chs.

T. 3. N. R. 2. W.

- Chains N^o 3' W. bet. Secs. 7. ^{2d} & 8.
Va. 14° 0' E
Over broken land in dense
mesquite undergrowth.
- 19.00 S. bank of wash. bears. E. & W.
20.50 N. bank of wash. bears. E. & W.
40.00 Set a granite Stone 14 X 8 X 8 ins.
9 ins. in the ground. for ¹/₄ Sec.
Cor. marked ¹/₄ on W. face
and raised a mound of Stone
1 ¹/₂ ft. high. 2 ft. base. alongside
Pits impracticable. —
- 61.50 Wash. 100. lks. wide. 4 ft. deep.
flows. Southeastly.
- 67.75. Wash. 50. lks. wide. 3 ft. deep
flows. Southeastly
- 80.00 Set a granite Stone 18 X 12 X 10 ins.
12. ins. in the ground. for Cor.
to Secs. 5, 6, 7. & 8. marked

Subdivisions

Chains. Marked with 5 notches on S. and E. edges. and raised a mound of Stone $1\frac{1}{2}$ ft. high 2 ft. base. along side. -
 Pits impracticable. -
 Land. rough and broken Soil. Stony. 3^d to 4th rate
 Dense Mesquite wood growth 80. Chs.

N $89^{\circ} 43' E$. on a random line
 bet. Secs. 5. and 8.
 Va. $14^{\circ} 0' E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

80.15 Intersect. N. and S. line 9 lks. N.
 of Cor. to Secs. 4, 5, 8, and 9.
 Thence I run

S $89^{\circ} 47' W$ on a true line
 bet. Secs. 5. and 8.
 Va. $13^{\circ} 50' E$.

T. 3. N. R. 2. W.

chains Over broken land. in dense mesquite and Palo Verde undergrowth.

40.07 Set a granite Stone $15 \times 8 \times 6$ ins. 10 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N. face. dug pits $18 \times 18 \times 12$ ins. E. & W. of Stone $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. alongside. —

80.15 The Cor. to Secs. 5, 6, 7, and 8. Land rough and broken Soil. stony 3^d rate Timber. dense mesquite + Palo Verde undergrowth 80.15 chs.

$N 0^{\circ} 3' W.$ on a random line bet. Secs. 5. and 6.

Va. $14^{\circ} 0' E.$

40.00 Set. Temp. $\frac{1}{4}$ Sec. Cor.

Subdivisions

- | Chains | |
|--------|---|
| 82.00 | Intersect N. bdy of Sp 12 lks.
W. of Cor to Secs. 5, 6, 31 & 32.
as hereinbefore described:
Thence I run
S $0^{\circ} 2' W.$ on a true line
bet. Secs. 5, and 6.
Va. $14^{\circ} 0' E.$
Over rough broken land in dense
Mesquite and Palo Verde undergrowth |
| 2.00 | Wash 30 lks. wide, 5 ft. deep.
flows. S $80^{\circ} E.$ |
| 14.00 | Wash 28 lks. wide, 3 ft. deep
flows S $60^{\circ} E.$ |
| 17.00 | Wash 30 lks. wide, 2 ft. deep
flows. N $10^{\circ} E.$ |
| 35.00 | Wash 30 lks. wide 2 ft. deep.
flows. Eastaly |
| 36.00 | Wagon road, bears. E N. W. |
| 42.00 | Set a granite stone 16 X 8 X 6 ins. |

T. 3. N. R. 2. W.

- Chains 11 ins. in the ground for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ on W. face
dug pits 18x18x12 ins. N.th & S.
of Stone. 5 $\frac{1}{2}$ ft. dia. and raised
a mound of Earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base, along side. —
- 44.30 Wash. 100 lks. wide. 5 ft. deep.
flows Southeastaly
- 54.50 Wash 20 lks. wide. 4 ft. deep
flows E.
- 69.00 Wash 20 lks. wide. 3 ft. deep.
flows S 70° E
- 71.00 Wash. 30 lks. wide. 3 ft. deep.
flows E.
- 82.00 The Cor. to Secs. 5, 6, 7, and 8.
Land. Very rough and broken
Soil. Stony 3^d & 4th rate
Timber. dense Mesquite + Palo.
Verde undergrowth. 82.00 chs.
Oct. 25. 1894.

Subdivisions.

The whole of this fractional Twp. is covered with dense Mesquite Palo Verde and Ironwood undergrowth, and 55 miles 6 chains and 97 links, run through the same

 General Description.

The Eastern portion of this township is level. Soil sandy loam, and of first rate quality covered with a dense undergrowth of Mesquite and Palo Verde. The western portion is rough and mountainous. Soil stony and gravelly. 3^d and 4th rate with dense Mesquite Palo Verde and Ironwood undergrowth. The white tank mountains are on the west.

T. 3. N. R. 2. W.

boundary, from whence washes
and Cañons flow in a South
Easterly direction.

At this date, no Settlers in
the Township ~~is~~ ^{is}

Albert J. Colton,

U.S. Depy. Surveyor.

* The West tier of Sections
impracticable to Survey,
on account of high
rough and precipitous
Mountains

U.S. Surveyor-Generals Office.

Tucson, A. T. August 6th, 1896.

The foregoing field-notes of the surveys of the Subdivisions of Township No. 3 N. Range 2 West, Gila & Salt River Meridian in Arizona, executed by

ALBERT T. COLTON.

U.S. Deputy Surveyor, under his Contract dated March 14th, 1894, having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

George J. Roskrige
U.S. Surveyor General,

for the Territory of Arizona.