

Contract #35

1.

- Cotton -

BOOK 1024

No. 1024

BOOK 1024

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions

J. A. N. R. I. W.

7

1024

No. 1024

BOOK 1024

1

Field Notes
of the Survey of the
Subdivision Lines
of
T. 4. N. R. 1. W.
of the
Gila and Salt River
Base and Meridians
in the
Territory of Arizona,
as Surveyed by
Albert J. Colton,
U. S. Deputy Surveyor,
under his Contract, No. 35,
dated March, 14, 1894.

Survey Commenced Oct. 3, 1894
Survey Completed Oct. 13, 1894

1A

Index for { BOOK 1024
BOOK 1101

(4-674.)

Township 4. N. R. 1. W.

6	94	5	70	4	54	3	38	2	21	1
92		91		69		53		36		20
7	89	8	67	9	51	10	35	11	18	12
88		87		66		50		33		15
18	85	17	64	16	48	15	32	14	14	13
84		82		63		47		30		12
19	81	20	61	21	46	22	29	23	10	24
79		78		60		44		27		8
30	77	29	59	28	42	27	26	26	6	25
75		74		57		41		24		3
31	72	32	56	33	39	34	22	35	1	36

Subdivisions

Chains At. the Cor. to Secs. 1, 2, 35 & 36
on S. bdy of Sp. as recently
established by me, and
hereinbefore described.

I verify the adjustments
of my Solar transit and
find them correct.

I determine the true Meridian
at this point, by the use
of the Solar apparatus, and
find the Variation to be $13^{\circ}45'E$.
Lat. $33^{\circ}38'N$. Long. $112^{\circ}18'25''W$
Oct. 3, 1894

From the Cor. to Secs. 1, 2, 35 & 36
T. 4 N. R. 1 W. I run
 $N 0^{\circ}21'W$. bet. Secs. 35 & 36
parallel with E. bdy of Sp.
Vu. $13^{\circ}45'E$.

Over level land

J. 4. N. R. 1. W.

- | | |
|-----------------|--|
| chains
29.00 | Eldens Well. brass. W. 5 chs. dist. |
| 40.00 | Set a post. 3 ft. long. 3 ins square. with marked stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits 18x18x12 ins. N. & S. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post. — |
| 43.00 | Phoenix and Wickenburg Stage road: brass. N 60° W and S 60° E. |
| 50.00 | Set a post. 4 ft. long. 4 ins. square. with marked stone 12 ins. in the ground. for Cor. to Secs. 25, 26, 35 and 36, marked. J. 4. N. S. 25. on N.E. R. 1. W. S. 36 on S.E. S. 35 on S.W. and |

Sub-divisions.

Chains S. 26. on N.W. faces. with 1
 notch on S. 4th & edges. dug
 pits 18x18x12 ins. in each
 sec. 5 1/2 ft. dist. and raised
 a mound of earth 2 ft high
 4 1/2 ft. base. around post.
 Land level.
 Soil. Sandy loam 1st rate
 No. timber. -

East. on a true line
 bet. Secs. 25th & 36.
 Parallel with S. bdy of Sp.
 Va. 13°45'E.

Over open mesa land
 16.00 Leave mesa & descend from N. to S.
 20.00 Entire bottom. 50 ft. below mesa
 40.00 Set temp 1/4 Sec Cor.
 79.96 Intersect E. bdy of Sp. 4.04

T. 4. N. R. 1. W.

chain

Chs. $N 0^{\circ} 20' W$. from the Cor. to
Secs. 30 & 31. T. 4. N. R. 1. E. as recently
reestablished by me, and
hereinafter described. -

At this point. I
set a post. 4 ft. long. 4 in
square. with marked stone 12
in. in the ground. for Closing
Cor. to Secs. 25 & 36. marked
C.C. T. 4 N. R. 1. W. on W.

S. 25 on N and

S. 36 on S. faces. with 1 notch
on S. and 5 notches on N. faces.
dig pits $18 \times 18 \times 12$ in. W. N. E.
S. of post. $5 \frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft.
high. $4 \frac{1}{2}$ ft. base. around post.
Thence I run
West on a true line

Subdivisions.

Chains	bet. Secs. 25 & 36 Pa. $13^{\circ}45'E$.
20.50	Over sandy bottom land Left bank Agua Fria River ^{dry} cross. N. & S.
29.50	Right bank Agua Fria River ^{dry} cross. N. & S.
39.98	Set a granite Stone $18 \times 10 \times 8$ ins. 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N. face. dug pits $18 \times 18 \times 12$ ins E. & W. of Stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base alongside. —
59.96	leave bottom & ascend
63.96	Enter mesa 50 ft. above bottom cross. N. & S.
79.96	The Cor. to Secs. 25, 26, 35 & 36

chain Land. mesa & bottom
Soil. gravelly & sandy 1^{st} & 2^{d} $\frac{1}{4}$ mile
Dense Catclaw midgrowth 60 chs.

Note. I find it necessary to
run the latitudinal lines
thro' the Eastern range of
Sections. in this township
in the manner. I did bet.
Secs. 25 & 36. in order to
set the $\frac{1}{4}$ Sec. Cor. Equi-
dist. on Eastern range of Secs.

$N 0^{\circ} 21' W$. bet. Secs. 25 & 26.
Va. $13^{\circ} 45' E$.

over broken ground

40.00 Set a granite stone $18 \times 8 \times 6$.
ins. 12 ins. in the ground. for
 $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face

Subdivisions.

- Chains dug pits 18x18x12 ins N + S.
of Stone. 5 1/2 ft. dist. and
raised a mound of Earth
1 1/2 ft. high 3 1/2 ft. base alongside
56.80 leave mesa & descend trans. N.W. + S.E.
57.60 Enter bottom. trans. N.W. + S.E.
80.00 Set a granite Stone 20x10x10
ins. 15 ins. in the ground. for Cor.
to Secs. 23. 24. 25 & 26. marked
with 2 notches on S. and 1
notch on E. edges. and raised
a mound of Stone 1 1/2 ft. high
2 ft. base. alongside
Pits impracticable
Land. breaker
Sail. Stony. 3^d rate
Dense Mesquite & Ironwood
undergrowth. 80. chs.

T. 4 N. R. 1. W.

- Chain East, on a true line
bet. Secs. 24 & 25
Va. $13^{\circ}45'E$
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
- 79.92 Intersect E. bdy of Sp. at:
 $N0^{\circ}20'W$. 4.05 chs. from
Cor. to Secs. 19 & 30. Sp. 4. N. R. 1. E.
as recently re established by me
and Herinbafora described
At this point I
Set, a granite Stone $30 \times 20 \times 12$
ins. 22 ins. in the ground, for
closing Cor. to Secs. 24 & 25.
marked. —
- C. C. on W. with 2 notches
on S. and 4 notches on N. faces
dug pits $18 \times 18 \times 12$ ins. W. N. & S.
of Stone $5\frac{1}{2}$ ft. dist. and
raised a mound. of Earth. 2 ft

Subdivisions.

Chairs 22.00	Set same wash brass S10°W
24.00	leave Wash. brass. S10°W. and ascend to rocky mesa.
24.70	Set mesa. brass. S10°E + N10°W
40.00	Set a granite stone 16x10x6 ins 10 ins. in the ground. for 1/4 Sec. Cor. marked 1/4 on W. face and raised a mound of stone 1 1/2 ft. high. 2 ft. base alongside Pits impracticable. -
80.00	Set a granite stone 18x8x8 ins. 12 ins. in the ground. for Cor. to Secs. 13, 14, 23 & 24. marked with 3 notches on S. and 1 notch on E. edges. and raised a mound of stone 1 1/2 ft. high 2 ft. base. alongside. - Pits impracticable Land broken.

T. 4. N. R. 1. W.

Chains Soil. Stonny. 3^d + 4th rate.
 Limbn. dense Palovnde. 80 chs.

East. bet. Secs. 13rd + 24th.
 Va. 13°45'E

40.00 Set. temp 1/4 Sec. Cor.

79.97 Intersect. E bdy of T. 6. at
 N0°20'W. 4. chs. dist. from
 Cor. to Secs. 18 + 19. T. 4. N. R. 1. E.
 as recently reestablished by
 me. and heretofore described
 At which point. I
 Set a post. 4 ft. long 4 in
 Square. with marked Stone 12
 in. in the ground. for closing
 Cor. to Secs. 13 + 24. marked
 C.C. T. 4 N. R. 1. W. on W.
 S. 13 on N and
 S 24 on S. faces. with 3 notches

Subdivisions.

Chains on N + S faces, dug pits
 18x18x12 ins W. N + S. of post,
 5 1/2 ft. dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base, around post.
 Thence I run

West. on a true line.

bet. Secs. 13 & 24.

Va. 13° 24' 5" E

over bottom land in dense
 mesquite undergrowth.

29.00 leave bottom + ascend

29.50 Enter mesa, 20 ft. above bottom
 trans. N.E. + S.W.

39.98 Set a granite stone 18x8x6
 ins. 12 ins. in the ground. for
 1/4 Sec. Cor. marked 1/4 on N.
 face. dug pits 18x18x12 ins
 E. + W. of stone. 5 1/2 ft. dist.

T. H. N. R. 1. W.

- chains and raised a mound of earth. $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base, alongside. —
- 44.00 leave bottom & ascend
- 49.00 Enter mesa, 100 ft. high. bears N. and S.
- 79.97 The Cor. to Secs. 13, 14, 23 & 24. Laid. broken
Sail. Sandy & Stony 2^d & 3^d rate
Timber, dense mesquite
Undergrowth. 79.97 chs.
Oct 3. 1894

$N 0^{\circ} 21' W$. bet. Secs. 13 & 14.
Va. $13^{\circ} 45' E$
over Stony mesa.

- 40.00 Set a granite stone $20 \times 6 \times 6$ ins. 15 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face. dug pits $18 \times 18 \times 12$ ins.

Subdivisions.

Chains N.T.S. of Stone $5\frac{1}{2}$ ft. dist
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base,
alongside. —

80.00 Set a granite Stone $20 \times 10 \times 6$
ins. 15 ins in the ground, for
Cor to Secs. 11, 12, 13 & 14, marked
with 4 notches on S. and 1
notch on E. edges, dug pits
 $18 \times 18 \times 12$ ins. in each sec.,
 $5\frac{1}{2}$ ft. dist, and raised a
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base, alongside
Land, broken

Sail, Stony 3^d rate
Timber, diverse Mesquite 30 cho.

East. bet. Secs. 12 and 13.

Va. $13^{\circ} 45' E$

16.
 T. 4. N. R. 1. W. BOOK 1024

Chains

40.00

Set temp. $\frac{1}{4}$ Sec. Cor.

79.95

Intersect E. bdy of Sp. at
 $N 0^{\circ} 20' W$. 4. Chs. dist. from
 Cor. to Secs. 7 & 18. T. 4 N. R. 1. E.
 as recently reestablished by me,
 and hereinafter described
 At which point I
 set a post, 4 ft. long 4 ins.
 square, with marked stone 12
 ins. in the ground, for closing
 Cor. to Secs. 12 & 13, marked
 T. 4. N. R. 1. W. C. C. on W.

S. 12. on N end.

S. 13 on S. faces, with 4
 matches on S. and 2 matches on
 N faces, dug pits $18 \times 18 \times 12$
 ins. W. N. E. of post, $5 \frac{1}{2}$
 ft. dist. and raised a mound
 of earth, 2 ft. high, $4 \frac{1}{2}$ ft.

Subdivisions.

Chains base around part.
 Thence I run
 West. on a true line
 bet. Secs. 12nd and 13.
 Va. $13^{\circ}45'E$.

over rough land

39.97 Set a granite Stone $15 \times 8 \times 5$
 ins. 10 ins. in the ground. for
 $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N. face,
 dug pits $18 \times 18 \times 12$ ins. E. & W.
 of Stone $5\frac{1}{2}$ ft. dist. and
 raised a mound of Earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base
 alongside.

79.95 The Cor. to Secs. 11, 12, 13 & 14
 Land. breakers
 Soil. Stony 3^d rate
 Timber. Palo Verde. -

T. 4. N. R. 1. W.

Chains N⁰ 21' W. bet. Secs. 11 & 12
Va. 13° 45' E

over Stony Land

40.00 Set a granite Stone 16 x 8 x 6 ins.
11 ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. Marked $\frac{1}{4}$ on W. face.
dug pits 18 x 18 x 12 ins. N. & S.
of Stone 5 $\frac{1}{2}$ ft. dist. and
raised a mound of Earth.
1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base
alongside. —

80.00 Set a granite Stone 20 x 10 x 6
ins. 15 ins. in the ground. for
Cor. to Secs. 1, 2, 11 & 12. Marked
with 5 notches on S. and 1 notch
on E. edges. dug pits 18 x 18 x 12
ins. in each Sec. 5 $\frac{1}{2}$ ft. dist.
and raised a mound of Earth
2 ft. high. 4 $\frac{1}{2}$ ft. base. along side

Subdivisions.

Chains Land broken
Soil. Stony 3^d rate
No timber. —

East. lat. Secs. 1st and 12

74. 13° 45' E

40.00 Set. temp. 1/4 Sec. Cor.

79.98 Intersect. E. bdy of Sp. at
N 0° 20' W 4 chs. dist. from Cor.
to Secs. 6th and 7. J. H. N. R. L. E. as
recently reestablished by me
and hereinbefore described
At which point I
Set. a granite Stone 20x8x8 ins.
15 ins. in the ground, for Closing
Cor. to Secs. 1st and 12. marked
C. C. on W. with 5 matches
on S. and 1 match on N. face
dug pits 18x18x12 ins. W, N, S

Chains S. of Stone $5\frac{1}{2}$ ft. dist. and
raised a mound of Earth, 2
ft. high. $4\frac{1}{2}$ ft. base alongside
Fence I run

West. on a true line
bet. Secs. 1st and 12.

Var. $13^{\circ}45'E$.

Over rough land, ascend

10.00 East high mesa trans. N.S.

39.99 Set a post 3 ft. long. 3 ins.

Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ S. on N. face.

dig pits $18 \times 18 \times 12$ ins. E. & W.

of post. $5\frac{1}{2}$ ft. dist. and

raised a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base. around post.

79.98 The Cor. to Secs. 1, 2, 11 & 12.

Land rough.

Subdivisions.

Chains Soil. Stony 3^d rate.
No timber. —

N 0° 21' W. bet. Secs. 1 and 2
Pa. 13° 45' E.

Over Stony mesa

40.00 Set a granite Stone 16x8x6 ins,
11 ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ on W. face. dug
Pits 18x18x12 ins. N. & S. of Stone
5 $\frac{1}{2}$ ft. dist. and raised a
Mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$
ft. base, alongside. —

75.80 Intersect first Standard Parallel
North. 1 link E of Standard Cor
to Secs. 35 & 36, as re established
by me. & hereinbefore described
At which Point. I
Set a granite Stone 16x8x4 ins

22.
T. H. N. R. 1. W.

BOOK 1024

Chains

11 ins. in the ground. for Closing
Cor. to Secs. 1st and 2. marked C. C.
on S. with 1 notch on E. and 5
notches on W. faces. dug pits 18
18 x 12 ins. S. E & W of Stone 5 1/2
ft. dist. and raised a mound
of Earth. 2 ft. high 4 1/2 ft.

base alongside. -

Land undulating.

Soil. gravelly 2^d rate.

Timber. dense Mesquite and
greasewood undergrowth. 70. chs.

Oct. 4, 1894

From the Cor. to Secs. 2, 3, 34 & 35
on S. side of Sp. as recently
established by me and hereinafter
described -
I run.

Subdivisions.

- Chains No° 21' W. bet. Secs. 34 & 35.
Va. 13° 45' E.
- Over level land in dense
mesquite and Palo-Verde.
- 28.50 Enter wash. from S 30° E + N 30° W
- 38.50 Leave same wash from S 20° E + N 20° W
- 40.00 Set a post. 3 ft. long. 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face.
dug pits 18 x 18 x 12 ins. N. & S.
of post. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth
1 $\frac{1}{2}$ ft high. 3 $\frac{1}{2}$ ft. base
around post.
- 80.00 Set a post. 4 ft. long 4 ins.
square, with marked stone 12
ins. in the ground for Cor. to
Secs. 26, 27, 34 & 35. marked

24,
T. H. N. R. I. W. BOOK 1024

Chains T. H. N. S. 26 on N.E.
R. I. W. S. 35 on S.E.
S. 34 on S.W. and
S. 27 on N.W. faces. with 1
notch on S. and 2 notches on
E. edges. dug pits $18 \times 18 \times 12$ ins.
in each Sec. $5\frac{1}{2}$ ft. dist and
raised a mound of earth 2
ft. high. $4\frac{1}{2}$ ft. base
around post.

Land level.

Soil, Sandy loam 1st rate
Timber dense mesquite and
Cabo Verde undergrowth. 80. Chs.

East on a random line

bet. Secs. 26 & 35

Va. $13^{\circ}45'E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Co.

Subdivisions.

- Chains
 80.00 Intersect N.T.S. line 10 lks. N.
 of Cor. to Secs. 25, 26, 35 & 36.
 Thence I run
 N 89° 56' W, on a true line
 bet. Secs. 26 & 35.
 over level ^{low} land in dense
 mesquite and Palo Verde.
- 40.00 Set a granite stone 18x10x8 ins.
 12 ins. in the ground, for 1/4
 Sec. Cor. marked 1/4 on N. face,
 dug pits 18x18x12 ins. E & W,
 of post, 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft high, 3 1/2 ft. base, alongside.
- 61.00 Phoenix and Wickenburg Stage
 road, bears N 50° W & S 50° E.
- 80.00 The Cor. to Secs. 26, 27, 34 & 35.
 Land, level & rolling.
 Soil, sandy 2^d rate

D. H. N. R. I. W.

Chains Timber Mesquite & Palo Verde
undergrowth dense 80. Chs.

No° 21' W. bet. Secs. 26 & 27
Va. 13° 45' E.

One level ground. in dense timber

12.00 Phoenixrd & Wickenburg Stage road
trans. N 50° W & S 50° E.

40.00 Set a post. 3 ft. long. 3 ins.
Square. with marked Stone 12
ins. in the ground. for 1/4 Sec.
Cor. marked 1/4 S. on W. face
dig pits 18x18x12 ins. N. & S.
of post. 5 1/2 ft. dist. and
raised a mound of Earth
1 1/2 ft. high. 3 1/2 ft. base
around post. —

80.00 Set a post. 4 ft. long. 4 ins.
Square. with marked Stone 12

Subdivisions.

Chains ins. in the ground for Cor. to
 Secs. 22, 23, 26 & 27, marked
 S. 4. N. S. 23 on N.E.
 S. 1. W. S. 26 on S.E.
 S. 27 on S.W. and
 S. 22 on N.W. faces with 2
 notches on S. and E. edges, dug
 pits 18x18x12 ins. in each Sec,
 5 1/2 ft. dist. and raised a
 mound of Earth 2 ft. high
 4 1/2 ft. base, around post-
 Land level.

Soil, Sandy loam 1st rate
 Timber, dense Mesquite and
 Palo Verde, undergrowth 80 chs.

S 89° 56' E, on a random line
 bet. Secs. 23 and 26.
 Va. 13° 45' E.

28.

BOOK 1024

P. 4. N. R. 1. W.

Chains 40.00	Set temp. $\frac{1}{4}$ Sec. Cr.
80.05	Intersect N.T.S. line of the S. of Cor. to Secs. 23, 24, 25 & 26. Thence I run West on a true line bet. Secs. 23 rd & 26. Va. $13^{\circ}45'E$. Over level land in dense timber ascend.
2.00	Enter high mesa bears N.T.S.
40.03	Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face. dug pits $18 \times 18 \times 12$ ins. E. & W. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.
48.00	Wayow road. bears N.T.S.

Subdivisions.

Chains

80.05

The Cor to Secs. 22, 23, 26 & 27

Land rolling & level

Soil. Sandy 2^d rateTimber. dense Mesquite and
Palo Verde. Undergrowth. 80.05 chs.

N^o 21' W. bet. Secs. 22 & 23

Va. 13° 45' E.

over rolling land in dense brush

40.00 Set a post 3 ft. long, 3 ins.

square, with marked stone 12
ins. in the ground, for 1/4 Sec.

Cor. marked 1/4 S. on W. face.

dug pits 18x18x12 ins. N. & S.

of post. 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high,
3 1/2 ft. base around post.

80.00 Set a post 4 ft. long 4 ins.

square, with marked stone 12

T. 4. N. R. 1. W.

Chains ins. in the ground, for Cor. E
 Secs. 14, 15, 22 & 23. Marked
 T. 4. N. S. 14 on N.E.
 R. 1. W. S. 23 on S.E.
 S. 22 on S.W. and
 S. 15 on N.W. faces, with 3
 notches on S. and 2 notches on E
 E. edges. dug pits 18x18x12 ins
 in each sec. 5 1/2 ft. dist. and
 raised a mound of earth 7 ft high
 4 1/2 ft. base around Post.
 Land. Slightly rolling
 Soil. Sandy. 2^d rate
 Timber, dense mesquite & Saguaro
 undergrowth. 80. chains.

East, on a random line
 bet. Secs. 14 & 23.
 Va. 13° 45' E.

Subdivisions.

- chains
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
- 80.02 Intusct. N.W.S. line 4 lks. S.
of Cor. to Secs. 13, 14, 23 & 24.
Thence I run
S $89^{\circ}58'$ W. on a true line
bet. Secs. 14th & 23.
Ta. $13^{\circ}45'E$.
- Over broken land, in dense brush
- 4.00 Wash 50 lks. wide 4 ft. deep runs S.
- 16.00 Old Wagon road bears. N.T.S.
- 40.01 Set a post. 3 ft. long, 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E.T.W.
of post. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. -
- 80.02 The Cor. to Secs. 14, 15, 22 & 23.

P. H. N. R. I. W.

Chains

Land broken

Soil. Sandy & gravelly 2^d rateTimber. dense Mesquite and
Ironwood. Undergrowth 80.02 Chs.

Oct. 5. 1894

No^o 2 1' W. bet. Secs. 14th and 15.

Va. 13° 45' E.

over rolling land in dense brush

40.00

Set a post. 3 ft. long 3 ins.

Square. with marked stone 12
ins. in the ground. for. 1/4 Sec.

Cor. marked 1/4 S. on W. face.

dug pits 18x18x12 ins. N. & S.

of post. 5 1/2 ft. dia. and raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base. around post.

80.00

Set a post. 4 ft. long. 4 ins.

Square. with marked stone 12
ins. in the ground. for. Cor. to

Subdivisions.

Chains Secs. 10, 11, 14 & 15. marked
 T. 4, N. S. 11 on N.E.
 R. 1. W. S. 14 on S.E.
 S. 15 on S.W. and
 S. 10 on N.W. faces. with 4
 notches on S. and 2 notches on
 E. edges. dug pits 18x18x12 ins.
 in each sec. 5 1/2 ft. dist. and
 raised a mound of earth 2 ft.
 high. 4 1/2 ft. bare around post-
 Land. rolling.

Soil. Sandy 2^d rate

Timber. dense mesquite & green-
 wood. undergrowth 80. Chs.

N 89° 58' W. on a random line
 bet. Secs. 11 & 14.

Va. 13° 45' E

40.00 Set. temp. 1/4 Sec. Cor.

T. 4. N. R. 1. W.

- | | |
|-----------------|--|
| chains
80.08 | <p>Intersect N. V. S. line 7 lks. S.
of Cor. to Secs. 11, 12, 13 & 14.
Thence I run
S 89° 55' W. on a true line
bet. Secs. 11 & 14.</p> |
| 23.00
40.04 | <p>Ca. 13° 45' E.
over rolling land, in dense brush
Wash. 60 lks wide 3 ft. deep, flows S.
Set a post. 3 ft. long 3 in.
square, with marked stone 12
ins. in the ground, for 1/4 Sec.
Cor. marked 1/4 S. on N. face,
dug pits 18x18x12 ins. E. & W.
of post. 5 1/2 ft. dist. and
raised a mound of earth 1/2 ft. high
3 1/2 ft. base, around post.</p> |
| 80.08 | <p>The Cor. to Secs. 10, 11, 14 & 15
Land, rolling
Soil, sandy. 2^d rate</p> |

Subdivisions.

Chains Timber, dense Mesquite & Iron-wood. Under growth, 80.08 chs.

No. 21' W. bet. Secs. 10 & 11.

Va. 13° 45' E.

- 40.00 Over level land, in dense brush
Set a post, 3 ft. long, 3 ins.
Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits 18x18x12 ins. N. & S.
of post, 5 $\frac{1}{2}$ ft. dist. and raised
a mound of Earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base, around post.
- 80.00 Set a post, 4 ft. long, 4 ins.
Square, with marked Stone 12
ins. in the ground, for Cor. to
Secs. 2, 3, 10, and 11, marked
T. 4 N. S. 2 on N.E.

P. H. N. R. I. W.

Chains

R. I. W. S. 11. on S. E.

S. 10 on S. W. and

S. 3 on N. W. faces, with 5 notches
on S. and 2 notches on E. edges.

dug pits 18x18x12 ins. in each

Sec. 5 1/2 ft. dist. and raised a

mound of Earth 2 ft. high, 4 1/2
ft. base, around post. -

Land level

Soil. Sandy loam 1st rateTimber. dense *Mesquite* & *Palo-**Verde*. Undergrowth, 80 chs.

N 89° 55' E on a random line

bet. Secs. 2 & 11.

Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.

80.09 Intersect N. & S. line 7 lks. N.
of Cor. to Secs. 1, 2, 11, & 12.

Subdivisions.

Chains Thence I run

S $89^{\circ}58'W$ on a true line
bet. Secs. 2nd & 11.Va. $13^{\circ}45'E$.

Over level land.. in very dense brush

25.00 Wash 50 lbs wide. 3 ft. deep. flows S.

40.04 Set a post. 3 ft. long 3 ins.

Square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.Cor. marked $\frac{1}{4}$ S. on N. facedug pits $18 \times 18 \times 12$ ins E. & W.of post. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post.

80.09 The Cor. to Secs. 2, 3, 10 & 11.

Land. level.

Soil. Sandy loam 1st rate.

Timber, dense Mesquite and

greasewood Undergrowth. 80.09 chs.

S. 4. N. R. 1. W.

Chains No^o 21' W bet. Secs. 2 & 3.

Va. 13° 45' E.

Over level land, in dense brush

40.00

Set a post 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits 18x18x12 ins. N. & S. of post, 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base, around post. —

75.50

Intersect first. Standard Parallel North, at 5 lks. W from Standard Cor. to Secs. 34 & 35, as recently reestablished by me, and hereinbefore described. —

At this point, I

Set a post, 4 ft. long, 4 ins. square, with marked stone 12

Subdivisions

Chains
 vis. in the ground. for Closing
 Cor. to Secs. 2nd & 3. marked
 C.C. T. 4. N. R. 1. W. on S.
 S. 2 on E. and
 S. 3 on W. faces with 2 notches on
 E. and 4 notches on W. faces. —
 dug pits 18x18x12 vis. S. E. & W.
 of post. 5 1/2 ft. dist. and raised
 a mound of earth 2 ft. high 4 1/2
 ft. base around post.
 Land. level.
 Soil. Sandy loam 1st rate
 Timber. dense Mesquite and
 Palo Verde undergrowth. 75.50 chs.
 Oct. 6. 1894

From the Cor. to Secs. 3. 4. 33
 & 34. on S. bdy of T. 4. as recently
 established by me. and

40.

BOOK 1024

T. 4 N. R. 1. W.

Chain

Hereinafter described.

I run

N. $0^{\circ} 22'$ W. bet. Secs. 33 & 34,Ta. $13^{\circ} 45'$ E.

Over level land.

40.00

Set a post. 3 ft long. 3 ins. square. with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits $18 \times 18 \times 12$ ins. N. & S. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post. —

80.00

Set a post. 4 ft. long. 4 ins. square. with marked Stone 12 ins. in the ground. for Cor. to Secs. 27, 28, 33 & 34. marked T. 4 N. S. 27 on N.E.

Subdivisions.

Chain R. 1. W. S. 34 on S. E.
 S. 33 on S. W. and
 S. 28 on N. W. faces, with 1
 notch on S. and 3 notches on
 E. edges. dug pits 18x18x12 ins.
 in each sec. 5 1/2 ft. dia. and
 raised a mound of earth. 2
 ft. high. 4 1/2 ft. base around post
 Land. level.
 Soil. Sandy loam 1st rate
 No timber.

East, on a random line
 bet. Secs. 27rd and 34.
 Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.
 80.09 Intersect N. & S. line 11 lks. N.
 of Cor. to Secs. 26, 27, 34 & 35
 Thence I run.

T. 4. N. R. 1. W.

Chains N $89^{\circ}55'$ W. on a true line
bet. Secs. 27 & 34.
Va. $13^{\circ}45'$ E.

Over level land.

40.04 Set a post 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of post, $5\frac{1}{2}$ ft. dia. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post.

80.09 The Cor to Secs. 27, 28, 33 & 34
Land level.
Soil, sandy loam 1st rate
No timber.

N. $0^{\circ}22'$ W. bet. Secs. 27 & 28.

Subdivisions.

- | | |
|--------|---|
| Chains | Va. $13^{\circ}45'E$ |
| | Over level land. |
| 40.00 | Set a post. 3 ft. long. 3 ins. square. with marked stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dug pits $18 \times 18 \times 12$ ins. N. & S. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post. |
| 40.80 | Phoenix and Wickenburg Stage Road bears. $N65^{\circ}W$ & $S65^{\circ}E$. |
| 80.00 | Set a post. 4 ft. long. 4 ins. square. with marked stone 12 ins. in the ground. for Cor. to Secs. 21, 22, 27 & 28. Marked T. 4. N. S. 22 on N.E. R. 1. W. S. 27 on N.E. |

D. H. N. R. I. W.

Charris S. 28 on S.W. and
 S. 21 on N.W. faces. with 2
 notches on S. and 3 notches on
 E. edges. dug pits 18x18x12 ins,
 in each. Sec. 5 1/2 1/2 ft. dist.
 and raised a mound of earth
 2 ft. high. 4 1/2 ft. base.
 around post -
 Land level.
 Soil. Sandy loam 1st rate
 No timber. -

S 89° 55' E on a random line
 bet. Secs. 22 & 27.

Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.

80.06 Intersect N. & S. line 9 1/2 S.
 of Cor to Secs. 22, 23, 26 & 27
 Thence I run.

Subdivisions.

- Chains N 89° 59' W. on a true line
 bet. Secs. 22 & 27.
 Va. 13° 45' E.
- Over level land
- 30.00 Entire dense mesquite & greasewood
- 40.03 Set a post. 3 ft. long. 3 ins.
 square, with marked stone 12
 ins. in the ground, for 1/4 Sec.
 Cor. marked 1/4 S. on N. face
 dug pits 18x18x12 ins. E. & W.
 of post. 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft high
 3 1/2 ft. base. Around post. -
- 80.06 The Cor. to Secs. 21, 22, 27 & 28.
 Land level.
 Soil. Sandy loam 1st rate
 Timber. Dense mesquite and
 greasewood undergrowth. 50 chs.
-

T. H. N. R. 1. W.

- Chains No^o 22' W. bet. Secs. 21 & 22.
Va. 13° 45' E.
- 40.00 Core level land, in dense brush
Set a post 3 ft. long, 3 in.
square, with marked stone 12
in. in the ground, for 1/4 Sec.
Cor. marked 1/4 S. on W. face
dug pits 18x18x12 in. N. & S,
of post, 5 1/2 ft. dist. and
raised a mound of earth 1 1/2 ft.
high, 3 1/2 ft. base. Around post. -
- 80.00 Set a post, 4 ft. long 4 in.
square, with marked stone 12
in. in the ground, for Cor to
Secs. 15, 16, 21 & 22 marked
T. H. N. S. 15 on N.E.
R. 1. W. S. 22 on S.E.
S. 23 on S.W. and
S. 16. on N.W. faces, with 3.

Subdivisions.

Chains matches on Snd & E edges. dug
 pits 18x18x12 ins. in each
 Sec. 5 1/2 ft. dist. and raised
 a mound of Earth, 2 ft. high
 4 1/2 ft. base. around post. —
 Land. level
 Soil. Sandy loam 1st rate
 Timber. dense Mesquite 80. chs.

S 89° 59' E on a random line
 bet. Secs. 15th and 22
 Va. 13° 45' E.

40.00 Det. temp. 1/4 Sec. Cor.

79.98 Intersect N. & S. line 4 lks.
 S. of Cor. to Secs. 14, 15, 22, & 23.
 Thence I run

S 89° 59' W. on a true line
 bet. Secs. 15th and 22.
 Va. 13° 45' E

Over level land. in dense brush

D. H. N. R. 1. W.

- 39.99 Set a post, 3 ft. long 3 ins. square, with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N face dug pits 18x18x12 ins. E. & W. of post. 5 $\frac{1}{2}$ ft. dirt and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base around post.
- 79.98 The Cor. to Secs. 15, 16, 21 & 22. Land level.
Soil, Sandy loam 1st rate
Timber, dense Mesquite 79.98 chs.
Oct. 8, 1894
-
- N $0^{\circ} 22'$ W. bet. Secs. 15 & 16.
Va. $13^{\circ} 45'$ E.
- Over level land, in dense brush
- 40.00 Set a post, 3 ft. long 3 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec.

49.
Subdivisions.

Chains

Cor. marked $\frac{1}{4}$ S on W. face
 dug pits $18 \times 18 \times 12$ ins. N. & S.
 of post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$ ft
 high. $3\frac{1}{2}$ ft. base. Around post. —

80.00 Set a post. 4 ft. long 4 in
 square. with marked stone 12
 ins. in the ground. for Cor. to
 Secs. 9. 10. 15th & 16. Marked
 S. 4. N. S. 10 on N.E.
 R. 1. W. S. 15 on S.E.
 S. 16 on S.W. and
 S. 9 on N.W. faces. with 4
 notches on S. and 3 notches on
 E. edges. dug pits $18 \times 18 \times 12$
 ins. in each Sec. $5\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base. around post. —

50.
D. H. N. R. 1. W.

BOOK 1024

- Chains Land level.
Soil. Sandy loam 1st rate
Timber. dense mesquite. 80 chs.
-
- N 89° 59' E on a random line
bet. Secs. 10 & 15
Va. 13° 45' E.
- 40.00 Set temp. 1/4 Sec. Cor.
79.98 Intersect N. & S. line 8 lks. N.
of Cor. to Secs. 10, 11, 14 & 15.
Thence I run
N 89° 58' W. on a true line
bet. Secs. 10 & 15.
Va. 13° 45' E.
- 39.99 Cow level land. in dense brush
Set a post. 3 ft. long. 3 ins.
square. with marked stone 12
ins. in the ground. for 1/4 Sec.
Cor. marked 1/4 S. on N. face.

Subdivisions.

Chains dug pits $18 \times 18 \times 12$ ins. E. & W.
of post. $5\frac{1}{2}$ ft. diet. and
raised a mound of Earth $1\frac{1}{2}$
ft. high. $3\frac{1}{2}$ ft. base. around post.

79.98 The Cor. to Secs. 9, 10, 15 & 16.

Land level.

Soil. Sandy loam 1st rate.

Timber. dense mesquite and
Palo Verde. Undergrowth 79.98 ch.

At $0^{\circ} 22' W$. bet. Secs. 9 & 10.

Va. $13^{\circ} 45' E$.

Over level land, in dense brush

17.00 Wash 30 lks wide 1 ft. deep flows S $40^{\circ} 0'$

20.00 Same wash. flows. S $43^{\circ} W$

35.00 Same wash flows. S $40^{\circ} E$

40.00 Set a granite stone $19 \times 8 \times 4$
ins. 12 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ on W. face

T. 4. N. R. 1. W.

Chains dug pits $18 \times 18 \times 12$ ins. N. & S.
of Stone. $5\frac{1}{2}$ ft. dist. and raised
a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. alongside. -

80.00 Set a post. 4 ft. long 4 ins.

Square, with marked Stone 12
ins. in the ground, for Cor. to
Secs. 3, 4, 9th & 10. marked
T. 4. N. S. 3 on N.E.

R. 1. W. S. 10 on S.E.

S. 9 on S.W. and

S. 4 on N.W. faces, with 5
notches on S. and 3 notches on
E. edges. dug pits - $18 \times 18 \times 12$
ins. in each Sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of Earth
2 ft. high $4\frac{1}{2}$ ft. base, around post.
Land. level.

Soil. Sandy loam 1st rate

54.
D. 4. N. R. 1. W.

BOOK 1024

Chains raised a mound of Earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

79.92 The Cor to Secs. 3, 4, 9th and 10.
Land level.

Soil, sandy loam 1st rate
Timber, dense mesquite and
Palo Verde, undergrowth, 79.92 chs.

No^o 22' W. bet. Secs. 3, 4th.

Va. $13^{\circ}45'E$.

Over level land, in dense brush.

40.00 Set a post, 3 ft. long 3 ins.

Square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ S. on W. face,
dug pits $18 \times 18 \times 12$ ins. N. & S.
of post, $5\frac{1}{2}$ ft. dist. and raised
a mound of Earth, $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post. —

Subdivisions.

Chains

75.30

C.

Intersect first Standard
Parallel N. at 22 lks. $S 89^{\circ} 50' W$
from the Standard Cor to Secs
33, 34, as recently re estab-
lished by me and herein-
before described.

At which point I

set a post 4 ft. long, 4 in
square, with marked stone 12
in. in the ground, for closing
Cor. to Secs. 3 & 4, marked
C. C. S. H. N. R. 1 W. on S.

S. 3 on E and

S. 4 on W. faces, with 3

notches on E, S, W. faces, dig
pits 18 x 18 x 12 in. S. E. S. W.

of post, 5 1/2 ft. dist. and
raised a mound of earth 2
ft. high, 4 1/2 ft. ^{base} around post.

56.
D. H. N. R. 1, W.

BOOK 1024

Chains

Land level.

Soil. Sandy loam 1st rate
Timber. dense Mesquite and
Palo Verde undergrowth 75.30 chs.
Oct. 9. 1894

From the Cor. to Secs. 4.5.32. & 33
on S. bdy. of Sp. as recently
established by me and herein-
before described. —

I run.

N 0° 22' W. bet. Secs. 32 & 33.
Va. 13° 45' E.

Cor level land

40.00 Set a post. 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground. for 1/4 Sec.
Cor. marked 1/4 S. on W. face.
dug pits 18x18x12 ins. N. & S.

Subdivisions.

- c. chains of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post. -
- 80.00 Set a granite stone $18 \times 12 \times 6$ ins. 12 ins. in the ground for Cor. to Secs. 28, 29, 32 & 33 marked with 1 notch on S. and 4 notches on E. edges. dug pits $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth, 2 ft. high. $4\frac{1}{2}$ ft. base, alongside. -
Land, level.
Soil, sandy loam 1st rate
No. timber. -

East, on a random line
bet. Secs. 28 & 33.

58.
D. H. N. R. 1. W.

BOOK 1024

- Chains Va. $13^{\circ}45'E$
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
- 80.10 Intersect N. & S. line at Cor. to
Secs. 27, 28, 33, and 34.
Thence S. run.
West on a true line
bet. Secs. 28 & 33.
Va. $13^{\circ}45'E$.
- Over level land.
- 40.05 Set a post. 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
Dig pits 18x18x12 ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. diam. around post.
- 80.10 The Cor. to Secs. 28, 29, 32 & 33
Land level.

Subdivisions.

c Chains Soil, Sandy loam 1st rate
No timber. —

No° 22' W. bet. Secs. 28 & 29
Ru. 13° 45' E.

Over level land.

40.00 Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face.
dug pits 18 x 18 x 12 ins N. & S.
of post. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of Earth 1 $\frac{1}{2}$ ft.
high, 3 $\frac{1}{2}$ ft. base, around post.

80.00 Set a granite stone 14 x 10 x 6
ins. 9 ins. in the ground, for
Cor. to Secs. 20, 21, 28, & 29 Marked
with 2 notches on S. and 4
notches on E. edges. dug pits

60.
D. H. N. R. I. W.

BOOK 1024

Chains 18x18x12 ins. in each Sec.
5 1/2 ft. dist. and raised a
mound of earth 2 ft. high &
1/2 ft. base, alongside. —
Land level.
Soil. Sandy loam 1st rate
No. timber

East on a random line
bet. Secs. 21^{and} 28.

Va. 13° 45' E

40.00 Set. temp. 1/4 Sec Cor.

79.95 Intersect N. & S. line 3 lks.
S. of Cor. to Secs. 21, 22, 27 & 28.

Thence I run

S 89° 59' W. on a true line

bet. Secs. 21^{and} 28.

Va. 13° 45' E.

Over level land.

Subdivisions J. H. N. R. 1. W.

- ^{chains}
 34.00 Phoenix and Wickenburg Stage road
 trans. N.W. & S.E.
- 39.98 Set a post, 3 ft. long 3 in.
 square, with marked stone 12
 in. in the ground, for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ S. on N. face.
 dug pits 18x18x12 in. E. & W.
 of post, $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around post. —
- 79.95 The Cor. to Secs. 20, 21, 28 & 29
 Land level.
 Soil, sandy loam 1st rate
 No. timber. —

No^o 22' W. bet. Secs. 20 & 21

Va 13° 45' E

Open level land

Concluded, Book 1001.