

BOOK 1028

# 1028

F I E L D       N O T E S  
OF THE SURVEY OF THE  
SUBDIVISION LINES OF

T. 11 N., Rs. 4 and 5 W., and  
T. 12 N., R. 4 W.,

Gila and Salt River Base and  
Meridian,

ARIZONA.

By O. H. Case, D.S., under  
Contract dated July 17, 1871.  
Survey commenced Oct. 27, 1871  
Survey completed Nov. 11, 1871

*Preliminary Oaths of Assistants.*

I, \_\_\_\_\_ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this \_\_\_\_\_ day of  
1877

U. S. Deputy Surveyor.

—♦♦—

We, *A. M. Lindsay* and  
*H. W. Schooner*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

A. M. Quisenberry  
A. W. Schofield

Subscribed and sworn to before me, this 25<sup>th</sup> day of  
Sept 1871

U. S. Deputy Surveyor.  
C. W. Wells  
Clerk Dist Court  
3<sup>d</sup> District

10

BOOK 1028

No. 1028

I, *John Riley*  
do solemnly swear that I will well and truly perform the  
duties of *Mound Builder*  
according to instructions given me, and to the best of my  
skill and ability.

*John Riley*

Subscribed and sworn the before me, this *25<sup>th</sup>*  
day of *Sept* 1871

*U. S. Deputy Surveyor.*

*C. C. Powell*  
*Clerk of said Court*  
*3<sup>rd</sup> dist. etc.*



See Page 39 for index for T 11 N  
 see Page 70 for index for R 5 W  
 T 12 N  
 R 4 W

B

1D

BOOK 1028

4-674.

Township **11 N** R. **4 W**, Sec. **R.B. & M.**

6	29	5	18	4	12	3	8	2	4	1
28		27		17		11		7		3
7	27	8	17	9	11	10	7	11	3	12
26		25		16		10		6		2
18	24	17	15	16	9	15	5	14	1	13
23		22		14						
19	21	20	13	21		22		23		24
20										
30		29		28		27		26		25
19										
31		32		33		34		35		36

1028

1E

Field Notes of the Subdivision Lines

BOOK 1028

of Tp. 11 N. R. 4 W. Gila & Salt River Meridian

Subdivisions Commenced,

Oct. 27, 1871

From the cor to Sec<sup>s</sup> 13, 14, 23, & 24, on the South boundary of Fractional Township 11 N. Range, 4 West

From North - between

Sec<sup>s</sup> 13<sup>rd</sup> & 14

to, 13° 43' East,

2400 Placentera Creek runs N E, 20  
links wide,

4000 Set a stone 30 x 12 x 6 in a  
mound of stone for the Sec cor  
N. W. C.

8000 Set a stone 12 x 12 x 8 in a  
mound of Earth with flags  
for the cor to Sec<sup>s</sup> 11, 12, 13, & 14,  
Land rolling Soil mineral  
No timber.

2  
Township 11 N. R. 4 W.  
Gilew and Salt River Meridian

~~North between Sec 11 and~~

East on random line between  
Sec 12 and 13.

Va.  $13^{\circ} 43' E'$

- 20.50 Trail to Walnut-Grove SE corner  
4000 Set temporary  $\frac{1}{4}$  Sec cor.  
4200 Commenced ascent of hill 200 feet  
high  
8020 Intersected. East boundary of  
Township 18 miles N of just-  
cor to Sec 12 and 13, from which  
cor I ran  $N 89^{\circ} 52' W$  on true line  
between Sec 12 and 13.

va.  $13^{\circ} 43'$  East.

- 4010 Set a stone  $18 \times 10 \times 8$  in a mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec cor.  
8020 The corner to Sec 11, 12, 13, and 14,  
Land rolling to timber Soil  
Mineral

Township 11 N. R. 4 W.  
Gila and Salt River Mountain

North-between Sec<sup>s</sup> 11 and 12

On 13° 43' East,

3800 Trail to Walnut Grove, near East.

3900 Dry creek runs East, 10 links wide

4000 Set a stone 16 x 14 x 8 in a mound  
with pits, for  $\frac{1}{4}$  Sec cor

8000 Set a stone 18 x 10 x 7 in a mound  
with pits for  $\frac{1}{4}$  cor to Sec<sup>s</sup>  
1, 2, 11 and 12, No tree

Land rolling Soil mineral  
No timber,

Grant on random line between  
Sec<sup>s</sup> 1 and 12,

On 13° 43' East,

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8010 Intersected East Boundary  
of Township at post cor. to Sec<sup>s</sup> 1 & 2  
from which Cor & run west on  
true line between Sec<sup>s</sup> 1 and 12,



Township 11 N. Range 4 N.  
Gila and Salt River Meridian

U. 13° 43' East

40.05 Set a post in a mound with  
pits for  $\frac{1}{4}$  Sec cor. as per  
instructions

8010 The cor to sec<sup>s</sup> 1 2 11<sup>th</sup> and 12.  
Land rolling Soil mineral  
No timber.

North between Sec<sup>s</sup> 1<sup>st</sup> and 2<sup>nd</sup>

U. 13° 43' East,

30.00 Left rolling land and entered  
Valley bears N.E. from 5<sup>th</sup> to  
20 chains wide opening towards  
North.

40.00 Set temporary  $\frac{1}{4}$  Sec cor.

8000 Intersected North boundary of  
Township at a post cor. to Sec<sup>s</sup>  
1<sup>st</sup> and 2<sup>nd</sup>. from which cor down  
South on true line between Sec<sup>s</sup>  
1<sup>st</sup> and 2<sup>nd</sup>.

Township 11 N. Range 4 W.  
Gila and Salt River Meridian

va.  $13^{\circ} 43'$  East,

- 4000 Set a stone  $18 \times 10 \times 8$  in a mound  
with pits for  $\frac{1}{4}$  Sec cor as per  
instructions. No trees.
- 8000 The cor to Sec P- 1, 2, 11, and 12.  
Land mostly level Soil  
1<sup>st</sup> rate. No timber

North-between Secs. 14<sup>th</sup> and 15-

va.  $13^{\circ} 43'$  East,

Commenced descent of hill at  
cor.

- 3000 Valley bears East - 6 chains wide
- 3800 Summit of little hill.
- 4000 Set a stone  $18 \times 10 \times 10$  in mound  
of stone 3ft high for  $\frac{1}{4}$  Sec cor.
- 6000 Trail to Walnut grove, N.E.
- 5400 Entered Volcanic formation bears  
N.E.
- 8000 Set a stone  $18 \times 10 \times 10$  in a mound of

Township 11 N. Range 4 N.  
Gilee and Salt River Meridian

stone 3 ft high for the cor to Sec  
10, 11, 14, and 15 No ins

Land mostly rolling Soil 2<sup>d</sup>  
and 3<sup>d</sup> rate. No timber

East the meridian line between  
Sec 11 and 14

Pa. 13° 43' East,

2200 Left Volcanic formation entered  
little valley, bears N.E.

4000 Set temporary 1/4 Sec cor.

7980 Intersected N and S line 24  
links North of post cor. to Sec  
11, 12, 13 and 14 from which cor B  
ran N 89° 50' W on true line between  
Sec 11 and 14

Pa. 13° 43' East,

3490 Set a stone 10 x 8 x 8 in a mound  
with pits for 1/4 Sec cor  
No ins.

Township 11 N. Range 4 W.

Gila and Salt River Meridian

7950 The cor. to Sec<sup>s</sup> 10, 11, 14, and 15  
Land rolling Soil 2<sup>d</sup>  
seed - No timber

North between Sec<sup>s</sup> 10 and  
11.

Var.  $13^{\circ} 43'$  East.

4000 Set a stone  $10 \times 10 \times 10$  in a mound  
of stone for  $\frac{1}{4}$  Sec cor. No me<sup>s</sup>

8000 Set a stone  $10 \times 8 \times 8$  in a mound  
of stone 3 ft high for the cor. to  
Sec<sup>s</sup> 2, 3, 10, and 11

Land rolling Soil volcanic  
series No timber Good grazing

East on random line between  
Sec<sup>s</sup> 2 and 11

4000 Set temporary  $\frac{1}{4}$  Sec cor.

80,00 Intersected N and S line at  
a point 16 links South of post cor.

Township 11 N. Range 4 N.  
Gila and Salt River Meridian

to Sec<sup>s</sup> 1, 2, 11, and 12 from which  
cor I run S 89° 53' N on true  
line between Sec<sup>s</sup> 2 and 11

va. 13° 43' East.

4000 Set a stone 10 x 8 x 8 a volcanic  
rock, in mound of earth with  
pits for 1/4 Sec cor.

8000 The cor of Sec<sup>s</sup> 2, 3, 10, and 11  
Land rolling soil volcanic  
scenic No timber Good grazing

North on random line  
between Sec<sup>s</sup> 2 and 3

va. 13° 43' East.

4000 Set temporary 1/4 Sec cor.

87.20 Delineated North boundary  
of Township 30 links West  
of cor to Sec<sup>s</sup> 2 and 3,  
from which cor I run S 0° 72' N  
on true line between Sec<sup>s</sup> 2 and 3

Township 11 N. Range 4 W.

Gila and Salt River Indian

Va. 13° 43' East

4020 Lava stone 10 x 8 x 6 a volcanic  
rock in mound of stone for  
1/4 Sec cor NW 1/4.

4020 The corner to Sec 23 10 9, 11,  
Land rolling and volcanic  
scoria. Good grazing NW 1/4.  
Oct 27th 1871

North-between Sec 15-  
and 16,

Va. 13° 48' East,

4000 Summit of conical hill  
whose base commences at post  
cor. 200 feet high

4000 Lava stone 12 x 8 x 8 in a  
mound of Lava rock at foot  
of volcanic hill, for 1/2 Sec cor.

8000 Lava stone 18 x 12 x 10 in mound  
of Lava rock, 5 ft high for cor to  
Sec 9, 10, 15, and 16, Land rolling

Township 11 N. Range 4 N.

Gila and Salt River Meridian

Soil volcanic, scenic No timber  
Good grazing.

East on random line between  
Sec<sup>s</sup> 10 and 15

4000 Set temporary 1/4 Sec cor.

8000 Intersected N and S line

10 links South of post-cor to  
Sec<sup>s</sup> 10 11 14 and 15 from which

cor is run S 89° 56' W on true  
line between Sec<sup>s</sup> 10 and 15

ca. 130 43' East.

4000 Set a stone 10x8x8 in a

mound of stone as per instructions  
No trees

2000 The cor of Sec<sup>s</sup> 9 10 15 and 16,

Land rolling Soil Volcanic

scenic No timber fine grazing

Township 11 N. Range 4 W.  
Gila and Salt River Meridian

North between Sec 9<sup>th</sup> and

10.

- 2500 Left Volcanic land entered  
little valley bears N. N. W.
- 4000 Set a stone 16 x 12 x 10 in a mound  
of earth with pits for  $\frac{1}{4}$  Sec cor  
as far as structures are true.
- 6000 Left little valley entered volcanic  
land bears E and N.
- 8000 Set a stone 18 x 16 x 10 in a mound  
with pits for cor to Sec 9<sup>th</sup> and  
10. Land mostly rolling Soil  
volcanic origin good grades  
No timber

East on random line between  
Sec 9<sup>th</sup> and 10

On 13° 43' East.

- 4000 Set a temporary  $\frac{1}{4}$  Sec cor.  
At this point the needle seems to be



Township 11 N. Range 4 N  
Gela and Salt River Meridian

8000 affected by mineral va. from  
point of beginning  $4^{\circ}$  that is N  $86^{\circ} 26'$   
Intersected. N and S line at  
a point - 80 links North of post-  
cor to Sects 2, 3, 10, and 11 from  
which cor S run ~~N~~  $39^{\circ} 43'$  on  
true line between Sects 3 and  
10.

Va.  $13^{\circ} 43'$  East,

4000 Set a stone  $12 \times 8 \times 8$  in a  
mound with pits as per instruction  
per cor to Sects

8000 The corner of Sects 3 4 9 and 10  
Land rolling Soil Mineral  
Iron, probably magnet.

North on random line  
between Sects 3 and 4  
Va.  $13^{\circ} 43'$  East,

4000 Set temporary 1/4 Sec cor.

Township 11 N. Range 4 W

Glen and Salt River Meridian

8010 Intersected N. boundary of  
Township 40 miles West of post-  
cor to Sect 3 and 4 given which  
cor to run  $80^{\circ} 17' N.$  on true  
line between Sect 3 and 4.  
Va. 130 43' East.

4010 Set a stone 10 X 8 X 8 in a  
mound of stone 3 ft high for  
1/4 Sec. cor. No trees

8010 The cor to Sect 3 4 9 and 10  
Land rolling soil volcanic  
scoria No timber good  
grazing.

North between Sect 20 and 21  
Va 130 43' East.

4000 Set a post in a mound with pits  
for 1/4 Sec cor as per instructions  
No trees.

6000 Trail to Walnut Grove, bears East.

Township 10 N. Range 4 W

Gila and Salt River Indian

8000 Set a stone 16 x 12 x 6 in  
a mound with pits 10 in  
near Cor to Sec. 16, 17, 20, 21  
Land mostly level soil  
1<sup>st</sup> rate,

East on random line between  
Sec 16<sup>th</sup> and 21

Pa. 13° 43' East

8000 Entered Volcanic Series Mesa  
across N and S. 100 feet high

2000 Found water in tanks

4000 Set temporary 1/4 Sec cor.

8000 Intersected N and S line at  
post cor to Sec 15-16 e. 2<sup>nd</sup> 22  
from which cor to same West  
on true line between Sec 16<sup>th</sup>

21

Pa. 13° 43' East

4000 Set a stone 30 x 10 x 10 in a mound of

Township 11 N. Range 4 W.  
Chico and Salt River Meridian

Stone as per instructions  
for  $\frac{1}{4}$  Sec cor.

5000 The cor of Secs 16 17 20 21  
Land rolling Soil poor No timber

North - between Secs  
16 and 17.

Wa.  $13^{\circ}43'$  East.

2400 Kirkland Creek runs East-  
about 10 chains then N. about 100  
links wide

3000 Bluff overlooking Kirkland creek  
100 feet high

4000 Set a stone  $18 \times 10 \times 8$  in a  
mass of stone 3 ft high  
for  $\frac{1}{4}$  Sec cor

8000 Set a stone  $10 \times 10 \times 10$  in mass  
of stone 3 ft high for cor to  
Secs 8 9 16 and 17

Land broken and hilly Soil poor.

Townships 11 N. Range 4 W  
Glen and Salt River Meridian

East on random line between  
Sec<sup>s</sup> 9 and 16.

Pa.  $13^{\circ} 43'$  East,

2000 Canon of the Kirkland brook  
bears N. E. of N. 600 links wide  
100 feet deep.

4400 Set temporary  $\frac{1}{4}$  Sec cor.

8015 Intersected N and S line  
26 links N of post-cor from  
which I run  $N 89^{\circ} 49' W.$  on  
true line between Sec<sup>s</sup>  
9 and 16.

Pa.  $13^{\circ} 43'$  East,

4007 Set a stone  $18 \times 10 \times 10$  in a  
square of stone 5 ft high for  
 $\frac{1}{4}$  Sec cor. No mes

8015 The corner to Sec<sup>s</sup> 8, 9, 16 and 17  
Land broken Soil Volcanic  
Scoriae Java grapes No timber

BOOK 1028

Township 11 N. Range 4 N.  
Gill and Salt River Meridian

North between Sec 8 and  
9.

va.  $13^{\circ}48'$  East

4000 Set a stone on brow of hill  
over looking little valley bearing  
East and, st.  $16 \times 10 \times 10$  in a  
mound of stone for  $\frac{1}{4}$  Sec cor.

8000 Set a stone  $18 \times 10 \times 10$  on bluff  
North of little valley bearing  
East for cor to Sec. 4, 5, 8, and 9  
Land rolling on southern end  
of hill Northward smoother  
No timber soil 2<sup>d</sup> and 3<sup>d</sup> rate  
Good grasses.

East on random line  
between Sec 4 and 9

va.  $13^{\circ}48'$  East

1800  
12.00 Carion of the Kirkland creek  
Chains were taken N.

Township 11 N. Range 4 W  
Gila and Salt River Meridian

4000 Set temporary  $\frac{1}{4}$  Sec cor.  
8026 Intersected P and Steine  
at a point 30 links South  
of post cor to Sec P 3, 4, 9 and 10  
from which Cor I run  
S  $89^{\circ} 47' W$  on true line between  
Sec P 4 and 9

On  $13^{\circ} 48'$  East

4012 Set a stone  $18 \times 10 \times 10$  on little  
ridge bearing N.E. in a corner  
of stone for  $\frac{1}{4}$  Sec cor.  
8025 The corner to Sec P 4, 5, 8 and 9  
Land broken soil volcanic  
good grazing. No timber

North on random line  
between Sec 4 and 5

On  $13^{\circ} 43'$  East.

4000 Set temporary  $\frac{1}{4}$  Sec cor.  
7800 Entered abtapt - man bearing  $E 22^{\circ} 17'$

Townships 11 N. Range 4 W  
Gila and Salt River Meridian

- 25 feet high
- 8020 Intersected North-boundary  
of Township at a point 70  
links East of post-corr to Sec  
4 and 5 from which cor I run  
South 0° 4' E on true line  
between Sec 4 and 5  
Va. 13° 43' East.
- 8020 Set a stone 14 x 12 x 10 in a  
mound with pits as per instruction  
for 1/4 Sec cor. No trees
- 8020 The cor to Sec 4 5 8 and 9  
Land rolling Soil 2 val  
good grazing No timber  
Oct 28th 1871
- West on random line between  
Sec. 30 and 31  
Va. 13° 43' East
- 4000 Set temporary 1/4 Sec cor
- 7890 Intersected West-boundary of



1820

Township 11 N. Range 4 W.

Celew and Salt River Meridian

Township at - post - cor.  
from which I run East  
on true line between Sec<sup>s</sup>  
30<sup>th</sup> & 31.

Va. 130° 43' East,

38.90

Set a stone 18x10x10 in a  
mound of stone 3 ft high for  $\frac{1}{4}$   
Sec cor.

78.90

The cor to Sec<sup>s</sup> 29 30 31 & 32  
Largest rolling Soil 2<sup>d</sup> sale  
No timber

West on random line  
between Sec<sup>s</sup> 19. & 30

Va. 130° 43' East,

40.00

Set temporary  $\frac{1}{4}$  Sec cor

64.00

South branch of Kirkland Creek  
runs N.E. 20 links wide

78.85

Intersected West boundary of  
Tp. at a point 12 links North.

Township 11 N Range 4 W.

Gila and Salt River Meridian

of post cor to Sec 19 and 30  
from which cor from N 89° 55'  
E on true line between Sec  
19 and 30

Sta. 13° 43' East.

38.85 - Set a stone <sup>10 x 10</sup> mound of stone  
3 ft high as per instructions for  
1/4 Sec cor. At true near

79.85 - The corner to Sec 19 20 29<sup>th</sup>  
30, Land Level Tract, rolling  
South of line Sec 1<sup>st</sup> and 2<sup>nd</sup>  
20<sup>th</sup>

North between Secs 19<sup>th</sup>  
20

Sta. 13° 43' East.

32.01 - Kirkland creek runs N of  
East

40.00 - Set a stone 20 x 10 x 6 cor to 1/4  
Sec 19

22

Township 11 N. Range 4 W  
Gila and Salt River Meridian

80.00 Set a stone 16 X 10 X 4 in  
a mound of stone 3 ft high  
for the cor to Sect 17 18 19  
20. Land mostly level  
Soil 1<sup>st</sup> and 2<sup>nd</sup> out-  
A few shrub. oaks along  
center of line

East on section line between  
Sect 19 and 20

Var. 13° 43' East.

40.00 Set a stone corresponding 1/4 Sec  
Cor.

46.00 Little rocky bluff, 10 feet  
high bears N. 43° E.

60.00 Kirkland Creek runs North  
then East

80.00 Intersected N and S line  
at post cor to Sect 16 17  
20 and 21 from which cor

Township 11 N. Range 4 N.  
Gila and Salt River Meridian

Run West on true line between  
Sec 17 and 20

40.00 Set a stone 16 x 6 x 4 in a  
mound with pits for 1/4 Sec cor  
from instructions

80.00 The corner to Sec 17, 18, 19  
and 20. Land level soil  
1st sale W timber

West on random line between  
Sec 18 and 19,

40.00 Set temporary 1/4 Sec cor.

48.00 Entered field beans N. and S.

58.00 Hoase 100 West of line

78.70 Intersected West boundary  
of Township at post for  
upon which I run East on  
true line between Sec 17  
18 and 19

20. 13° 43' East.

Township 11 N., Range 4 W.  
 Gila and Salt River Meridian

- 38.70 Set a stone 16 x 10 x 10  
 in a mound of stone and  
 earth for  $\frac{1}{4}$  Sec cor.  $\frac{1}{4}$  tr<sup>s</sup>
- 78.70 The cor to Sec 17, 18, 19, 20  
 Land mostly level soil  
 1<sup>st</sup> rate - No timber

---

North between 17<sup>th</sup> and 18<sup>th</sup>  
 Va. 13° 43' East,

- 10.00 Field corner. Bears N E  $\frac{1}{4}$   
 S E.
- 20.00 Entered Mesa land bears E  $\frac{1}{4}$   
 W.
- 40.00 Set a stone 24 x 10 x 8 in or  
 mound of stone 3 ft high on  
 the east of little gulch, running S E.
- 80.00 Set a stone 24 x 10 x 8 for  
 cor to Sec 7, 8, 17, and 18, in  
 a mound of stone No trees  
 Land mostly rolling soil 1<sup>st</sup> and 2<sup>d</sup>  
 rates.

Township 11 N. Range 4 N  
Gila and Salt River Meridian

East on random line between

Sec 8 and 17. (Va  $13^{\circ}43' E$ .)

- 60.00 Gulch running N N.  
40.00 Set temporary  $\frac{1}{4}$  Sec cor  
80 20 Intersected N and S line 30  
links South of Post-corner from  
which cor. Run S  $89^{\circ}48' W$   
on true line between Sec 8  
and 17.

Va.  $13^{\circ}43' East$ .

- 40.10 Set a stone  $10 \times 8 \times 8$  in a  
mass of stone 5 ft high for  $\frac{1}{4}$   
Sec cor.  
80 20 The cor to Sec 7, 8, 17, and 18  
Land broken volcanic formation  
good grazing soil 2<sup>d</sup> rate  
no timber.

26

Township 11 N. Range 4 W  
Gila and Salt River Meridian

West-on random line  
between Sec<sup>s</sup> 7<sup>th</sup> & 18<sup>th</sup>  
Va.  $13^{\circ} 43'$  East,

- 36.00 Left-Mace bears N<sup>th</sup> & S. extend  
bottom land.
- 40.00 Set temporary  $\frac{1}{4}$  Sec cor.
- 57.50 Road to Kalk land Valley  
bears N.E.
- 78.40 Intersected West boundary of  
Township at post-cor from  
which I run East on true  
line between Sec<sup>s</sup> 7<sup>th</sup> & 18<sup>th</sup>  
Va  $13^{\circ} 43'$  East,
- 38.40 Set a stone 10 x 10 x 8 in a mound  
with pits as per instructions  $\frac{1}{4}$  Sec cor.  
W mis near.
- 78.40 The cor to Sec<sup>s</sup> 7, 8, 17, & 18  
Land mostly level soil  
1st rate. No timber along line  
Some scattering oaks in centre

Township 11 N. Range 4 W  
 Gila and Salt River Meridian  
 of Sec. North. (that is Sec. 7)

- North between Sec 7 and 8  
 Va.  $13^{\circ} 43'$  East
- 40.00 Set a stone  $22 \times 12 \times 8$  in a mound of stone 3ft high for  $\frac{1}{4}$  Sec cor. No trees near,
- 54.00 Left - mesa bears N E entered valley.
- 56.00 Spring 50 links East of line
- 80.00 Set a stone  $12 \times 8 \times 8$  in a mound with pits as per instructions for cor to Sec. 5 6 7 and 8.  
 Land rolling Soil 2<sup>d</sup> and 3<sup>d</sup> oak  
 Some timber oaks. scattering

East on random line between  
 Sec 5 and 8.

N.  $13^{\circ} 43'$  East,

- 40.00 Set temporary  $\frac{1}{4}$  Sec cor.
- 80.00 Intersected N and S line at post



28

Township 11 N. Range 4 N  
Gila and Salt River Meridian

Cor from which cor D run  
West on true line between  
Sec<sup>s</sup> 5 and 8.

2a.  $13^{\circ}43'$  East.

40.00 Set a stone <sup>11" x 10" x 10"</sup> in a mound with  
pile - as per instructions for  
1/4 Sec cor. No trees near.

80.00 The cor of Sec<sup>s</sup> 5 6 7 and 8  
Land gently rolling along  
line Soil 2 rate - No timber

West on random line between  
Sec<sup>s</sup> 6 and 7

2a.  $13^{\circ}43'$  East.

40.00 Set temporary 1/4 Sec cor.

78.50 Intersected West boundary  
of Township 00 lines South  
of post cor to Sec<sup>s</sup> 6 and 7 from  
which cor D run  $S89^{\circ}39'E$   
on true line

Township 11 N. Range 4 W  
 Clear and Salt River Meridian.

VA.  $13^{\circ} 43'$  East,

3850 Set a stone  $14 \times 10 \times 6$  in a mound with pits as per instructions for  $\frac{1}{4}$  Sec cor No mis clear.

7850 The cor to Secs 5, 6, 7, and 8, Level rolling soil 2<sup>d</sup> and 3<sup>d</sup> rate - No timber

North on random line between Secs 5, and 6.

VA.  $13^{\circ} 43'$  East,

40.00 Set temporary  $\frac{1}{4}$  Sec cor.

60.00 Entered these bears E and N.

80.00 Intersected North boundary of Township at a point - 30 links East of post. cor to Secs 5, and 6, from which Cor D run  $S 0^{\circ} 12' E$  on true line between Secs - 5 and 6

VA.  $13^{\circ} 43'$  East.

Township 11 N. Range 4W

Celea and Salt River Meridian

40.00 Set a stone  $12 \times 10 \times 10$   
in a mound with pits as  
per instructions. No wire near.

80.00 The cor. to Secs 5, 6, 7, and 8,  
Land rolling Soil  
2 and 30 rods - No timber.

Oct-30, 1871

Township 11 N. Range 4 W.  
 Gela and Salt River Meridian

### General Description

The surveyed portion of this Township embraces a considerable quantity of farming land although the larger portion is better adapted to grazing. Timber for building purposes is scarce. There is however a sufficient quantity for fuel along some of the dry creeks, of a stubble growth consisting chiefly of oak. No streams afford running water at this season of the year. There are several fine ranches under cultivation, chief products Corn, Barley, and potatoes. The grazing of the Township is unbounded. Grapes of various kinds common to the country. The Mining Dist of Walnut Grove is situated in the eastern part of Township

The mines have not been sufficiently developed for an opinion. Placiter creek has had considerable quantities of Gold taken from its bed rock, and gravel banks. The unsurveyed portion of Township embraces the South-Eastern, Sec<sup>1</sup> of Township and are inaccessible on account of the Weaver Mountains.

W. C. Case

Deputy Surveyor

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of

Township N 11 North Range N 4 West

Extent and subdivision.

Orla + Salt River Mercedine

showing the respective capacities in which they acted.

<del>W. H. ...</del>	Compassman.
A. M. Lindsay,	Chainman.
H. H. Schuster,	Chainman.
J. J. Brickwood	Axeman.
John Riley	Wood builder
James Cleary	Flagman

Final Oaths of Assistants.

We hereby certify that we assisted *Quar*  
*He lease* Deputy Surveyor, in surveying

The Exterior and Subdivision  
lines of Townships No. Eleven  
North Range No. Four West  
Gila and Salt River Meridian in Territory of Arizona  
and that said Survey has been in all respects, to the  
best of our knowledge and belief, well and faithfully sur-  
veyed, and the boundary monuments planted according to  
the instructions furnished by the Surveyor-General.

*A. M. Lindsay*  
*H. W. Schooler*  
*P. S. Brickwood*  
*John Riley*  
*James O. Heary*

Subscribed and sworn to before  
me this 20 day of Nov. 1851

*Edwards*  
Clerk Dist Court  
3<sup>d</sup> District

## Final Oath of Deputy Surveyor.

I, Omar A. Case,

Deputy Surveyor, do solemnly swear that, in pursuance with a contract with John Wagon United States Surveyor-General for Arizona, bearing date the 17 day of July 1871, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of the exterior and subdivision lines of Township No. 11 North of Range 4 N., Gila and Salt River Meridian in the Territory of Arizona.

as are represented in the foregoing Field Notes as having



## BOOK 1028

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Oscar H. Case  
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 2<sup>nd</sup>  
day of Nov. 1871

Edw. Wells  
Clerk Dist Court  
3<sup>d</sup> Dist Ariz.



BOOK 1028

## Surveyor General's Office

Tucson Ar. Jan'y 29<sup>th</sup> 1872

The foregoing field Notes of the survey of the subdivision lines of Township 11 N. Range 4 W. of the Gila & Salt River Base and Meridian lines in the Territory of Arizona, executed by O. H. base of Deputy Surveyor under his contract dated July 1<sup>st</sup> 1871, having been critically examined, the necessary corrections and explanation made, the said field Notes and the Surveys they describe are hereby approved.

John Mason  
W. Surveyor General  
for Arizona

*Preliminary Oaths of Assistants.*

I, \_\_\_\_\_ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this \_\_\_\_\_ day of  
187

U. S. Deputy Surveyor.

—♦♦♦—

We, *A. M. Lindsay* and  
*H. W. Schooler*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

A. W. Linsay  
H. W. Schooler

Subscribed and sworn to before me, this 25<sup>th</sup> day of  
Sept. 1871

~~U. S. Deputy Surveyor.~~  
Cococovells  
Clerk Dist Court  
3<sup>d</sup> Dist Arizona



I, *J. D. Breckwood*  
 do solemnly swear that I will well and truly perform the  
 duties of *Axman*  
 according to instructions given me, and to the best of my  
 skill and ability.

*J. T. Breckwood*

Subscribed and sworn the be before me, this 25<sup>th</sup>  
 day of *Sept*, 1871

*U. S. Deputy Surveyor.*


*Cococwells*  
*Ohio State Court*  
*5<sup>th</sup> Dist etc*

do solen.  
 of Chair

TOWNSHIP 11 North RANGE 5 West - *Chico and Salt River*, MERIDIAN

38

BOOK 1028



Bancroft's Blank, Township Plot.

L. Bancroft & Co., 721 Market St., San Francisco.

- Meridian Line,*
- Base Line,*
- Standard Line,*
- Township Lines,*
- Section Line,*
- Meander Lines,*
- Office Work,*
- Ranch Lines Re-survey*

BOOK 1028

39

38A

BOOK 1028

4-674.

Township **11N.** R. **5W.** Sec. *R. Be M.*

6	5	4	3	2	48	1
				61	47	
7	8	9	10	59	11	47
			59	58	45	
18	17	16	15	57	14	45
			56	55	43	
19	20	21	22	54	23	42
			53	52	41	
30	29	28	27	52	26	41
			51	50	40	
31	32	33	34	49	35	39
						36

Field Notes of the subdivision lines of  
Township 11 N. Range. 5 West Tila 2d Salt River Division

Begin at the established cor  
at Sec<sup>s</sup> 35, 36, 1<sup>st</sup> and 2 on South  
boundary of Tp.

Subdivisions Commenced,  
Nov. 1<sup>st</sup> 1871

North between Sec<sup>s</sup> 35<sup>th</sup> and 36<sup>th</sup>  
ca.  $13^{\circ} 43'$  East.

0.00	Dry creek runs N.W. 10 links wide
4.00	" " " N.E. 10 " "
8.00	Entered field bears N.W. S.E.
10.00	Set a post in a mound with pits as per instructions to be near.
12.00	House 5 chains West
14.00	Left field bears N.W. S.E.
16.00	Entered field bear N.W. and S.E.
18.00	Left field bears East.
20.00	Creek 50 links wide runs East.
22.00	Road bears N.E. and S.W.
24.00	Set a stone 16x10x8 in a mound with pits as per instructions to be near for the cor of Sec <sup>s</sup> 25-26-35 and 36



Township 11 N. Range 5 W

Gila and Salt River Meridian

Land level Soil 1<sup>st</sup> rate -  
No timber

East on random line between  
Sec<sup>s</sup> 25 and 36

300 Road bears N. E.

1300 Kirkland bench 5 chains wide  
dry bed

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8000 Intersected N and S boundary line  
50 links North of post cor to  
Sec<sup>s</sup> 25 and 36, from which cor  
Bore N  $89^{\circ}39' W$  on true line  
between Sec<sup>s</sup> 25 and 36

VA.  $13^{\circ}43'$  East.

4000 Set a stone  $16 \times 10 \times 8$  in a mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec cor  
No trees near.

8000 The cor to Sec<sup>s</sup> 25, 26, 35 and 36  
Land mostly level Soil 1<sup>st</sup> rate

Township 11 N. Range 5 W

Gila and Salt River Meridian

North between Sec 2

25 and 26

Va  $13^{\circ}43'$  East.

700 Ellipse shaped hill with  
axis transverse dia  $3^{\circ}$  chains, conjugate  
2.00 chains, 15 feet high

2000 Mouse 20 chains East

4000 Set a stone  $16 \times 10 \times 4$  in a mound  
with pits as per instructions  
No trees near.

8000 Set a post in a mound with pits  
as per instructions No trees near.  
Land mostly level Soil  
1st rate.

East on random line between  
Sec 24 and 25

Va  $13^{\circ}43'$  East.

4000 Set a temporary  $1/4$  Sec cor

4800 Road bears N. E. S. W.

49 Township 11 N. Range 5 W.  
Gila and Salt River Meridian

5-200 Entered field bears North and South.

8000 Intersected East boundary of Township 40 links North of post cor of Sec<sup>s</sup> 24 and 25 from which cor B run N 89° 43' W on true line between Sec<sup>s</sup> 24 and 25.

va. 13° 43' East.

4000 Set a post in a mound with pits as per instructions No 1115 near.

8000 The cor W Sec<sup>s</sup> 23, 24, 25, and 26.  
Land Level Soil 1<sup>st</sup> rate No timber

North - between Sec<sup>s</sup> 23 and 24

va. 13° 43' East.

400 Entered field bears E and W

2500 Left filed entered hollow land.

Township 11 N. Range 5 W.

Gila and Salt River Meridian

bears E. and W.

3200 Kirkland Creek North-branch  
100 links wide runs East-

3300 House about 20 chains East  
on North-bank of creek.

3600 Road bears E and W.

4000 Set a post in a mound with pits  
as per instructions for 1/4 Sec  
Cor. No trees near.

6100 Entered short brush. bears E and W.

8000 Set a stone 10 x 8 x 8 in a mound  
with pits as per instructions  
for 1/4 Cor to Sec P 13 14 23 and  
24. No trees near

Land rolling on North-  
end, 2000 chains South-Lined  
Line 1st-rail. No timber

East on random line  
between Sec P 13 and 24

Township 11 N Range 5 West,  
Green and Salt River Meridian

va.  $13^{\circ} 43'$  East.

- 4000 Set temporary 1/4 Sec. cor.  
6800 Road bears N and S.  
7100 Road bears N. E.  
8000 Intersected stand lines of  
East boundary of Tp. at a point  
30 links North of post corner  
from which I run  $S 89^{\circ} 48' 11''$   
on true line between Sec. 13<sup>rd</sup> & 24

va.  $13^{\circ} 43'$  East-

- 4000 Set a post in a mound with pits  
as per instructions to true  
near for 1/4 Sec. cor.  
8000 The cor to Sec. 13, 14, 23, 24  
Land mostly level Soil 1st rate  
No timber

Township 11 N. Range 5 W  
 Gila and Salt River Meridian

North-between Sec 13<sup>rd</sup> and 14

24 13° 43' East.

600 Set a stone 14 x 8 x 6 in a mound  
 with pits for 1/4 Sec. cor. No  
 trees near.

750 Enter a field bears SW. and NE  
 Round rocky hill East of line  
 5 chains to summit 75 feet  
 high

800 Set a post in a mound with pits  
 as per instructions for the cor  
 to Sec 11, 12, 13<sup>rd</sup>, and 14 No trees  
 near Land mostly rolling  
 Soil 2<sup>nd</sup> and 1<sup>st</sup> rate No timber

East on ranch line between  
 Sec 12<sup>th</sup> and 13

24. 13° 43' East,

900 Left field bear N. and S.

1000 Dry creek runs South 20 links wide

Township 11 N. Range 5 W.

Geles and Salt River Meridian

- |       |   |
|-------|---|
| 38.00 | Entered field again bear N and S.   |
| 40.00 | Set temporary 1/4 Sec cor.  |
| 48.00 | House & chains South-   |
| 50.00 | Left field entered bottom land<br>bears N and S.  |
| 58.00 | House & chains South-   |
| 79.80 | Intersected East boundary<br>of Township at post cor to<br>Sec <sup>s</sup> 12 and 13. from which<br>to run West on true line<br>between Sec <sup>s</sup> 12 and 13.<br>on 130° 43' East- |
| 39.90 | Set a post in a mound with<br>pit as per instructions. for 1/4<br>Sec cor.  |
| 79.80 | The cor to Sec <sup>s</sup> 11, 12, 13, and 14<br>Land level pit 1st value<br>No timber.  |

Township 11 N. Range 5 W.  
 Gela and Salt River Meridian

North-between Sec P  
 11 and 12.

va  $13^{\circ} 43'$  East,

- 9.00 Dry creek runs East-15 links  
 wide
- 10.00 Left field entire rolling land  
 bears N6 and West.
- 4.00 Set a post in a mound with  
 pits-as per instructions for 14  
 Sec cor No trees near.
- 8.00 Set a stone  $18 \times 8 \times 6$  in a mound  
 with-pits-as per instructions  
 for the cor to Sec P 1, 2, 11 and 12  
 Land rolling Soil 2<sup>d</sup> rate  
 No timber

East on random line  
 between Sec P 1 and 12  
 va  $13^{\circ} 43'$  East,

- 36.50 Road from Peoples valley w- Kirkland



Townships 11 N Range 5 W

Gila and Salt River Meridian

Valley, bear, N.W. and S.E.

4000 Set temporary 1/4 Sec cor.

8000 Intersected East-boundary  
of Townships at post-cor to  
Sec 1 and 12 from which cor.  
Down West on true line between  
Sec 1 and 12

On  $13^{\circ} 43'$  East

4000 Set a stone 16 x 10 x 10 in  
a mound with pits as per instruction  
for the cor to 1/4 Sec to true mer.

8000 The cor to Sec 1, 2, 11, and 12  
Land selling Soil 2<sup>d</sup> rate  
No timber

North on random line  
between Sec 1 and 2

On  $13^{\circ} 43'$  East,

4000 Set temporary 1/4 Sec cor

8000 Intersected N boundary of Tps.

Township 11 N. Range 5 W.

Gila and Salt River Meridian

at post cor to Sec 1<sup>st</sup> 2  
from which cor. I run  
South on true line between  
Sec 1<sup>st</sup> and 2.

va.  $13^{\circ} 43'$  East.

4010 Set a stone  $30 \times 14 \times 14$  in  
a mound of stone 3 ft high for  
 $\frac{1}{4}$  Sec cor on summit of rocky  
hill

8510 The cor to Sec 1 2 11 and 12  
Land rolling Soil poor  
No timber Nov. 1<sup>st</sup> 1871

North between Secs 34 and 35

va.  $13^{\circ} 43'$  East.

3000 Ridge of rocks bears N. W.

4000 Set a stone  $15 \times 8 \times 5$  in a mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec cor.  
No trees near.

5700 Dry creek 20 links wide runs East

Townships 11 N. Range 3 W.

Chelan and Salt River Meridian

3000 Set a stone 12 x 10 x 8 in a mound  
of stone 3 ft high for the cor. to  
Sec. 26, 27, 34, and 35 NW 1/4 near  
Land rolling Soil 2<sup>d</sup> and  
3<sup>d</sup> rate No timber

East on random line between  
Sec 26 and 35

4000 Set temporary 1/4 Sec cor.

5800 Left rolling land and entered  
bottom land bears N. and S.

8000 Intersected N and S line at  
point cor to Sec 25, 26, 35, and 36,  
from which cor I run West  
on true line between Sec  
26 and 35

Na.  $13^{\circ} 43'$  East,

4000 Set a stone 10 x 8 x 8 in a  
mound with pits as per instructions  
for the 1/4 Sec cor. No true corr.

Township 11 N. Range 5 W.

Gila and Salt River Meridian

8000 The cor to Sec<sup>s</sup> 26 27 34  
and 35. Land mostly gently  
rolling, No timber Good grazing

West on random line  
between Sec<sup>s</sup> 27 and 34  
Va.  $13^{\circ} 43'$  East

4000 Set temporary  $\frac{1}{4}$  Sec. cor.  
8000 Intersected West boundary  
of Twp. at post cor to Sec<sup>s</sup>  
27, 28, 33, and 34 from which  
cor D run East on true line  
between Sec<sup>s</sup> 27 and 34  
Va.  $13^{\circ} 43'$  East;

4000 Set a stone  $10 \times 10 \times 8$  in a mound  
of stone for  $\frac{1}{4}$  Sec cor N.W. cor  
near

8000 The cor to Sec<sup>s</sup> 26 27 34 and 35  
Land hilly and broken soil  
poor. No timber

Township 11 N. Range 5 West,  
Gila and Salt River Meridian

North - between Sec<sup>s</sup> 26 and  
27

va. 13° 43' East.

4000 Set a stone 18x12x6 in a mound  
with pits for 1/4 Sec cor which  
near.

8000 Set a stone 24x8x4 in  
a mound of stone 3 ft high for  
the cor to Sec<sup>s</sup> 22 23 26 and 27  
No trees near. Land rolling  
Soil 2<sup>d</sup> rate - No timber

East on random line between  
Sec<sup>s</sup> 23 and 26.

va. 13° 43' East.

4000 Set temporary 1/4 Sec cor.

79.80 Intersected A and B line at  
a point 20 links South of  
post cor to Sec<sup>s</sup> 23, 24, 25, & 26  
from which cor A run S 89.52° W.

Township 11 N, Range 5 N,

Gila and Salt River Meridian

on true line between Sec<sup>s</sup>-  
23 and 24.

va  $13^{\circ} 43'$  East.

3990 Set a post in a mound with  
pins as per instructions for  $\frac{1}{4}$   
Sec cor. No trees near.

7980 The cor to Sec<sup>s</sup>- 22 23 26<sup>and</sup>  
27 Land mostly level  
Soil 1<sup>st</sup> rate - No timber  
Some brush along line.

West on random line between  
Sec<sup>s</sup>- 22, and 27.

va  $13^{\circ} 43'$  East.

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8020 Intersected West boundary  
of Tps. at a point 29 links  
North of post cor to Sec<sup>s</sup>- 22  
and 27 from which cor is  
run N.  $89^{\circ} 48'$  East on true line

54

Township 11 N. Range 5 W.

Celee and Salt River Indian

between Sec<sup>s</sup> 22 and 27  
Va 13° 43' East4020 Set a stone 12 x 8 x 8 in a mound  
with pits as per instructions  
for 1/4 Sec cor. No trees near.8020 The cor to Sec<sup>s</sup> 22 23 26 and 27  
Land rolling and hilly Soil  
2<sup>d</sup> rate - No timber.North - between Sec<sup>s</sup>

22 and 23

Va. 13° 43' East.

1000 Left-rolling land entered follow  
land bears N. E.

1200 Dry creek runs East - 10 links wide

4000 Set a stone 20 x 10 x 8 in a mound  
of stone 3 ft high for 1/4 Sec cor  
No trees near4500 Highland creek A branch 20 links  
wide runs S. E. dry bed

Township 11 N. Range 5 W.

Cedar and Salt River Meridian

5000 Set a stone 18 x 12 x 8 in a mound of earth with pits as per instructions for cor to Sec<sup>s</sup> 14, 15, 22, 23  
Land mostly level Soil 1<sup>st</sup> rate - some timber along bank of creek Black walnut mostly

East on random line between Sec<sup>s</sup> 14 and 23.

Va. 13° 43' East

4000 Set temporary 1/4 Sec cor.  
5000 Intersected N and S line at post - cor to Sec<sup>s</sup> 13, 14, 23, and 24, from which cor I run West on true line between Sec<sup>s</sup> 14 and 23

Va. 13° 43' East.

4000 Set a stone 14 x 10 x 6 in a mound of earth with pits for 1/4 Sec cor as per instructions No trees



Township 11 N, Range 5 W,

Glenn and Salt River Meridian

8000 The cor to Sec<sup>s</sup> 14, 15, 22<sup>nd</sup> and 23<sup>rd</sup>  
Land rolling soil 2<sup>d</sup> rate  
good grazing No timber  
Nov. 2<sup>d</sup> 1871

West on random line between  
Sec<sup>s</sup> 15<sup>th</sup> and 22<sup>nd</sup>,

Q.A. 13° 43' East,

600 Entire field bears NW<sup>th</sup> and S.E.

2200 Kirkland creek; runs S.E., 20  
links wide dry bed, and left-  
field

3000 Entire rolling land bears NW<sup>th</sup> and  
S.E.

4000 Set temporary 1/4 Sec cor.

8000 Intersected West boundary  
of Twp at a point - 22 links  
North of post - cor to Sec<sup>s</sup>  
15, 16, 21, and 22, from which  
cor is run. N 89° 51' E on true  
line between Sec<sup>s</sup> 15 and 22

Township 11 N. Range 5 W,  
 Gela and Salt River Meridian

Va. 13° 43' East,

4000 Set a stone 10x10x10 in a mound  
 of stone 3 ft high for  $\frac{1}{4}$  Sec cor.  
 W. line near.

5000 The cor to Sec. 14, 15, 22 and 23  
 Land mostly rolling soil  
 1st and 2d rate; Some timber  
 on banks of creek. Black  
 walnut - mostly.

North between Sec.

14 and 15.

Va. 13° 43' East,

4000 Set a stone 14x14x12 in a  
 mound with pits for  $\frac{1}{4}$  Sec cor  
 as per instructions W. line near.

5000 Set a stone 16x10x10 in a  
 mound of stone 3 ft high for cor  
 to Sec. 10, 11, 14, and 15 - W. line  
 near Land rolling soil 2d rate. No timber

Township 11 N. Range 5 W.

Gila and Salt River Meridian

East on random line between  
Sec 11 and 14

Dir.  $13^{\circ} 43'$  East -

- 4000 Set temporary 1/4 Sec cor.  
5300 Entered field bears N and S.  
5900 Left field bear NW and SE  
7500 Coughran's house 100 chain South  
7980 Intersected N and S line at  
just cor to Sec 11 and 12, 13 and 14,  
from which cor I run West on  
true line between Sec 11 and  
14

Dir.  $13^{\circ} 43'$  East -

- 3990 Set a post in a mound with  
pins for 1/4 Sec cor from which  
N. Black walnut - 10 in dia bears East - 172  
links No others near.  
7980 The cor to Sec 10 11 14 and 15 -  
Land level Sec 11 also 100 links  
only along bank of creek.

Township 11 N. Range 5 W.

Chula and Salt River Meridian

West on random line between  
Sec<sup>s</sup> 10 and 13-

va.  $13^{\circ} 43'$  East

40.00 Set temporary  $\frac{1}{4}$  Sec cor.

80.25 Intersected West-boundary  
of Tp. at post-cor to Sec<sup>s</sup>  
9, 10, 15 and 16 from which cor  
I run East on true line between  
Sec<sup>s</sup> 10 and 13-

va.  $13^{\circ} 43'$  East

40.25 Set a stone  $10 \times 8 \times 8$  in a mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec cor.

80.25 The cor to Sec<sup>s</sup> 10 11 14 and 15  
Land rolling Soil poor No timber

North on random line between  
Sec<sup>s</sup> 10 and 11

va.  $13^{\circ} 43'$  East

7.50 Dry creek runs East 25 links  
wide

1860

Township 11 N. Range 5 W.

Gala and Salt River Meridian

- 1100 Entered field bears NE  $\frac{1}{4}$  and SW  $\frac{1}{4}$ .
- 2000 Left field entered bottom  
land bears East  $\frac{1}{4}$  and West
- 4000 Set temporary  $\frac{1}{4}$  Sec cor.
- 8000 Intersected North boundary  
line of Township at Post cor  
w Sec 2, 3, 10, and 11 from  
which cor is run South on  
true line between Sec 10 and 11
- 4' va.  $130^{\circ} 43'$  East -
- 4000 Set a post in a mound with  
pits for  $\frac{1}{4}$  Sec cor as per instructions  
to this year.
- 8000 The cor to Sec 2, 10, 11, 14, and 15 -  
Land mostly level soil 1<sup>st</sup> rate  
No timber only along banks of creek  
mostly Black walnut - small growth.
- East on same down line between

Township 11 N. Range 5 W.

Gala and Salt River Meridian

Sec 2 Qd 11

Va.  $13^{\circ} 45'$  East.

4000 Set temporary  $\frac{1}{4}$  Sec cor.  
 8000 Intersected N and S line at  
 post cor. to Sec 1, 2, 11, Qd. 12  
 from which I run West on  
 true line between Sec 2 Qd 11

Va.  $13^{\circ} 45'$  East.

4000 Set a stone  $12 \times 10 \times 8$  in a  
 mound of stone for  $\frac{1}{4}$  Sec cor  
 No hills near  
 8000 The cor to Sec 2, 3, 11 and 11  
 Land rolling soil 2<sup>d</sup> rate  
 No timber Nov. 3<sup>o</sup> 1871

Township 11 N. Range 5 W  
Giles and Salt River Divisions

General Description

The quality of the land in the surveyed portion of this Township is generally above the average. By far the greater part is rich bottom land.

The uplands are rolling good 2<sup>d</sup> rate land and splendidly adapted to grazing. Timber is scarce for building purposes. Houses and Corals are built out of Adobe or Sun dried brick. There are several fine ranches in the valley. The mountains in western part of Township are the Martinez and Dale creek range. A high barren range disintegrated

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of Township N 11 North - Range 5 West - Exterior and subdivision lines

showing the respective capacities in which they acted.

A M Lindsay	Compassman.
H W Schooler	Chainman.
J. J Brickwood	Chainman.
John Riley	Axeman.
James O Leary	Ground builder
	Flagman



## Final Oaths of Assistants.

We hereby certify that we assisted *Conor Mc Case*  
 Deputy Surveyor, in surveying  
 the exterior and subdivision  
 lines of Township No. 11 North  
 Range 5 West,

Gila and Salt River Indian  
 Territory of Arizona

and that said Survey has been in all respects, to the  
 best of our knowledge and belief, well and faithfully sur-  
 veyed, and the boundary monuments planted according to  
 the instructions furnished by the Surveyor-General.

*A. M. Lindsay*

*H. W. Schooner*

*P. T. Brickwood*

*John C. Eyer*

*James O'Leary*

Subscribed and sworn to

at New Mexico this 20<sup>th</sup> day of Nov. 1851

*E. D. Wells*

Clerk of District Court

## Final Oath of Deputy Surveyor. BOOK 1028

I, *Quar A. Case*

Deputy Surveyor, do solemnly swear that, in pursuance with a contract with *John Watson* United States Surveyor-General for Arizona, bearing date the 17 day of July 1871, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of the exterior and subdivision lines of Townships No. 11 North - 5 West - Gila and Salt River Meridian

as are represented in the foregoing Field Notes as having

65A

3001

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Omar H. Case

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 20<sup>th</sup>  
day of Nov. 1871

Edw. Wells  
Clerk Dist Court  
3<sup>d</sup> Dist. A.S.



timber and unfit for cultivation. No streams at this season of the year afford running water. Good water in wells from 6 to 10 feet deep.

O.K. lease

Deputy-Surveyor.

Surveyor General's Office

Tucson Ariz. Jan'y 29<sup>th</sup> 1872

The foregoing field notes of the Survey of the Subdivision lines of Township 11 N. R. 5 W. of the Gila & Salt River Base  $\frac{1}{2}$  Meridian line, in the Territory of Arizona, executed by O. K. Case of Deputy Surveyor, under his contract of July 17<sup>th</sup> 1871, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Adj. Surveyor General for Arizona

*Preliminary Oaths of Assistants.*

I, \_\_\_\_\_ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this \_\_\_\_\_ day of \_\_\_\_\_ 1877

U. S. Deputy Surveyor.

—♦—

We, *A. M. Lindsay* and  
*H. W. Schooler*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

H. M. Liguas  
H. W. Schooler

Subscribed and sworn to before me, this 25<sup>th</sup> day of  
Sept. 1871

U. S. Deputy Surveyor.  
Coville  
Clerk Dist Court  
3<sup>d</sup> Dist A.S.



I, *John Riley*  
do solemnly swear that I will well and truly perform the  
duties of *Mound Builder*  
according to instructions given me, and to the best of my  
skill and ability.

*John Riley*


Subscribed and sworn the be before me, this 25<sup>th</sup>  
day of *Sept.* 1871

*U. S. Deputy Surveyor.*  
*Cowwells*  
*Clerk Dist Court*  
*3<sup>rd</sup> Dist Ariz.*



TOWNSHIP 12 N. RANGE 4 West Gila and Silver MERIDIAN

BOOK 1028



Bancroft's Blank, Township Plot.

A. L. Bancroft & Co., 721 Market St., San Francisco.

- Meridian Line,**
- Base Line,**
- Standard Line,**
- Township Lines,**
- Section Line,**
- Meander Lines,**
- Office Work,**
- Ranch Lines Re-survey**



Field Notes of the subdivision  
lands of Township 12 N. Range  
4. N.

Gila and Salt River  
Meridian

Territory of Arizona  
Quar He Case

Deputy Surveyor,  
under his contract of July, 17<sup>th</sup> 1871.  
Survey commenced  
Survey completed.

69A

## BOOK 1028

4-674.

Township

**12 N**

R.

**4 N. Secs. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12.**

6	119	5	103	4	93	3	86	2	77	1
118		117		102		92'		85		76
7	116	8	101	9	92'	10	84	11	76	12
115		113		100		92		83		75
18	112	17	99	16	91	15	82	14	74	13
111		110		98		90		82		74
19	109	20	97	21	89	22	81	23	73	24
108		107		96		89		80		73
30	106	29	95	28	88	27	80	26	72	25
105		104		94		87		79		71
31	103	32	94	33	86	34	78	35	70	36

Field notes of Subdivision lines of T<sup>12</sup> N. R. 4 W.  
Gala and Salt River Meridian

Begin at the established corner  
to Sect- 35, 36 1<sup>st</sup> and 2<sup>nd</sup> on the  
South boundary of T<sup>12</sup> N. R. 4  
W. Subdivisions commenced, Nov. 6<sup>th</sup> 1871

The cor a stone 18x10x6 in  
a mound with pits - from  
which cor I run North between  
Sect- 35, 36

— 72, 13046' East, as per  
observation of Polaris

500 Begin ascent of hill 100 feet  
high bear E. and N.

2000 Summit of hill land gently  
sloping North-

4000 Set a stone 18x10x8 and marked  
for 1/4 Sec cor as per instructions

8000 Set a stone 10x10x8 in a mound  
with pits as per instructions for  
the cor to Sect- 25, 26, 35, and 36.  
Land mostly gently rolling Soil 2<sup>d</sup>

71  
Township 12 N. Range 4 W  
Gila and Salt River Meridian

Rate Good grazing 10 timber

East on random line between  
Sec<sup>s</sup> 25 and 36

Var.  $13^{\circ} 46'$  East

4000 Set temporary  $\frac{1}{4}$  Sec cor.

4300 Enter line land sloping East -  
then angle S.

8000 Intersected East boundary of  
Township at a point 20 links  
south of Post corner to Sec<sup>s</sup>  
25 and 36 from which cor<sup>d</sup>  
run  $S 89^{\circ} 52' W$  on true line between  
Sec<sup>s</sup> 25 and 36

Var.  $13^{\circ} 46'$  East -

4000 Set a stone  $10 \times 10 \times 6$  in a  
mound with pits as per instruction  
for  $\frac{1}{4}$  Sec cor.

9000 The corner to Sec<sup>s</sup> 25-26 35-36  
Quarry rolling dirt 2<sup>d</sup> rate good

Township 12 N. Range 4 West  
Gila and Salt River Meridian

grazing. No timber.

North-between Sec<sup>s</sup> 25 and 26

Sta. 13<sup>d</sup> 46' East,

4000 Set a stone 10x8x8 in a mound  
with pits for 1/4 Sec cor. No timber.

8000 Set a stone 10x10x8 in a mound  
with pits for the cor to Sec<sup>s</sup> 23 24  
25 and 26 as per instructions No timber  
Land gently rolling Soil 1<sup>st</sup> and 2<sup>d</sup>  
rate No timber

East on random line between  
Sec<sup>s</sup> 24 and 25-

Sta. 13<sup>d</sup> 46' East,

4000 Set temporary 1/4 Sec cor.  
8000 Intersect East boundary of  
Tps at post cor for Sec<sup>s</sup> 24 and 25  
from which cor I run West on  
line between Sec<sup>s</sup> 24 and 25-

73

Township 12 N. Range 4 W.

Gila and Salt River Meridian

Va. 13° 46' East,

4000 Set a stone 14x10x8 in a mound  
with pits as per instructions for  
1/4 Sec cor. No trees near.8000 The cor to Sects 23 24 25 and 26  
Land mostly rolling Soil 1<sup>st</sup> and  
2<sup>d</sup> rate. No timber

North - between Sect 23 and 24

Va. 13° 48' East -

4000 Set a post in a mound with pits  
as per instructions for 1/4 Sec cor.  
No trees8000 Set a post in a mound as per in-  
structions for the cor to Sects  
13, 14, 23, and 24. No trees near  
Land mostly level Soil  
1<sup>st</sup> rate. No timber

Townships 12 N Range 4 W.

Gila and Salt River Meridian

East on random line between  
Sec 13 and 24

Var. 13° 46' East,

H000 Set temporary 1/4 Sec cor.  
8010 Intersected East boundary  
of Township at post cor to Sec  
13 and 24 from which cor from  
West on true line between Sec-  
13 and 24

Var. 13° 46' East

H005 Set a post in a mound with  
pits as per instructions for 1/4 Sec  
cor. No trees near

8000 The corner to Sec- 13, 14, 23, and 24,  
Land Level well 1st sale -  
No timber. Good grazing.

North between Sec- 13 and 14

Var. 13° 46' East.

H000 Set a post in a mound with

Township 12 N Range 4 N  
Gila and Salt River Meridian

Set a post for  $\frac{1}{4}$  Sec cor as per in-  
structions to me.

8000 Set a post in a mound with  
posts as per instructions for  
the cor to Sec<sup>s</sup> 11 & 12 13<sup>rd</sup> & 14<sup>th</sup>  
Rivers.

Land level. Soil rate No timber

East - on range line between  
Sec<sup>s</sup> 12<sup>th</sup> & 13<sup>th</sup>.

va.  $13^{\circ} 46'$  East,

1200 Road to Walnut Grove bears S. E.

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8020 Intersected East boundary  
of Township 15 - 1/2 miles South  
of post cor to Sec<sup>s</sup> 12<sup>th</sup> & 13<sup>th</sup> from  
which cor I run  $S 89^{\circ} 54' W$ ,  
on line between Sec<sup>s</sup> 12<sup>th</sup> & 13<sup>th</sup>

va.  $13^{\circ} 46'$  East

4010 Set a post in a mound with posts  
as per instructions for  $\frac{1}{4}$  Sec cor



Township 12 N., Range 4 W.

Gila and Salt River Meridian

8020 The cor to Sec<sup>s</sup> 11 12 13<sup>q</sup> and 14  
 Land gently rolling Soil 2<sup>d</sup>  
 soil good grazing

North between 11 and 12  
 Pa.  $13^{\circ} 46'$  East.

2000 Road from Walnut Grove to  
 Skull valley; bears N. E.

4000 Set a post in a mound for 14  
 Sec cor as per instructions

8000 Set a post in a mound as per  
 instructions for the cor to Sec<sup>s</sup>  
 1, 2, 11, and 12 W. bear

Land gently rolling  
 Soil 1<sup>st</sup> grade No timber Good  
 grazing.

East on random line between  
 Sec<sup>s</sup> 1 and 12

Pa  $13^{\circ} 46'$  East.

Township 12 N. Range 4 W.  
Gila and Salt River Meridian

40.00 Set temporary  $\frac{1}{4}$  Sec cor.  
80.00 Intersected East-boundary  
of Township 20 miles South  
of post-cor to Sec<sup>s</sup> 1 and 12  
from which cor I own S89°  
53' N. on true line between Sec<sup>s</sup>  
1 and 12.

Var 13° 46' East

40.00 Set a post in a mound with  
pits as per instructions for  $\frac{1}{4}$  Sec  
cor N line near.

80.00 The cor to Sec<sup>s</sup> 1, 2, 11, and 12  
Land gently rolling soil 2<sup>o</sup> coal  
good grazing No timber

North between Sec<sup>s</sup> 2 & 1

40.00 Set a post in a mound with  
pits for  $\frac{1}{4}$  Sec cor, as per instructions  
N line

80.10 Intersected 3<sup>o</sup> Standard North

Township 12 N. Range 4 W.

Chula and Salt River Meridian

6 Chains and 20 links East of  
Standard corner to Sec<sup>s</sup> 26 and 36  
where I established the Closing  
Corner to Sec<sup>s</sup> 1 and 2, by a  
stone <sup>18x10x10</sup> in a mound with pits  
as per instructions Marked C.C.  
Nov. 6<sup>th</sup> 1871

North between Sec<sup>s</sup> 34  
and 35

Wa. 13<sup>th</sup> 46' East.

4000 Set a stone 10x10x8 in a mound  
with pits for  $\frac{1}{4}$  Sec cor. as  
per instructions No. 115 near

8000 Set a stone 12x8x8 in a  
mound with pits for cor to  
Sec<sup>s</sup> 26 27 34 and 35

Land rolling Soil 2<sup>d</sup> rate  
No timber <sup>Good</sup> grazing

79

Township 12 N Range 4 W,  
Gila and Salt River Meridian

East on random line between  
Sec<sup>s</sup> 26<sup>nd</sup> and 35

W. 134° 46' East

2000 Commenced ascent of hill  
Sloping West

4000 Set temporary  $\frac{1}{4}$  Sec. cor.

8010 Intersected N and S line

32 links North of post cor to

Sec<sup>s</sup> 25-26-35<sup>nd</sup> and 36

from which cor is

run N 89° 47' W on true line  
between Sec<sup>s</sup> 26<sup>nd</sup> and 35

W. 134° 46' East,

4005 Set a stone 18x10x8 in a  
mound of stone 3ft high for  
 $\frac{1}{4}$  Sec cor.

8010 The corner to Sec<sup>s</sup> 26 27 34  
and 35 Land rolling Set  
~~2<sup>d</sup> rate~~ in timber

Township 12 N. Range 4 W  
 Gila and Salt River Indian.

North-between Sect 26<sup>4d</sup> & 27  
 Va. 13° 46' East,

4000 Set a post in a mound with  
 pits for  $\frac{1}{4}$  Sec cor as per instruc-  
 tions. No ties nor.

8000 Set a post in a mound with  
 pits as per instructions for  
 the cor of Sect 22 23 26<sup>4d</sup> & 27  
 Land gently rolling Sect 1<sup>st</sup>  
 oak No timber

East on random line between  
 Sect 23<sup>4d</sup> & 26,

Va. 13° 46' East,

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8000 Intersected N and S line at  
 post cor to Sect 23 24 25 and  
 26, from which cor I run  
 West on true line between Sect  
 23<sup>4d</sup> & 26

Township 12 N. Range 4 W.

Gila and Salt River Meridian

Pa.  $13^{\circ} 46'$  East

4000 Set a stone  $10 \times 12 \times 4$  in a mound with pins for the Sec cor as per instructions

8000 The cor of Sec<sup>s</sup> 22 23 26 and 27 Land mostly level Soil 1st rate No timber

North between Sec<sup>s</sup> 22

and 23.

Pa.  $13^{\circ} 46'$  East.

4000 Set a post in a mound with pins for the Sec cor as per instructions

8000 Set a post in a mound with pins as per instructions for the cor of Sec<sup>s</sup> 14 15 22 and 23. Land level Soil 1st rate No timber

Townships 12 N. Range 4 W.  
Gila and Salt River Meridian

East on random line between  
Sec 14 and 23

va.  $13^{\circ} 46'$  East.

4000 Set temporary  $\frac{1}{4}$  Sec cor.  
8000 Intersected Navel & line  
at post cor to Sec 13 14 23 and 24  
from which cor Run West  
on true line between Sec 14 and 23

va.  $13^{\circ} 46'$  East.

4000 Set a post in a mound with  
8000 pits as per instructions for  $\frac{1}{4}$   
Sec cor.

8000 The corner to Sec 14 15 22  
and 23. Land Level Soil  
12' gate - No timber.

North between Sec 14 and 15

va.  $13^{\circ} 46'$  East.

4000 Set a post in a mound with  
8000 pits for  $\frac{1}{4}$  Sec cor as per instructions

Township 12 N. Range 4 W.

Gila and Salt River Meridian

6000 Road from Walnut-Grove  
to Kirk land valley bears  
West,

8000 Set a post in a mound with  
pins on East-side of gently  
sloping hill for the cor to Sec  
10, 11, 14, and 15-

Land mostly level  
Set post on No timber

East on random line between  
Sec 11 and 14.

Dir.  $13^{\circ} 46'$  East,

4000 Set temporary  $1/4$  Sec cor,

8000 Enter section N and S line  
12 miles South of post cor  
to Sec 11 12 13 and 14 from  
which cor I run  $S 89^{\circ} 55' W$   
on true line between Sec 11  
and 14



Township 12 N. Range 4 W.

Golden

~~Var. 13° 48' East.~~

1400 Road from Walnut Grove to  
west land valley bears NE  
SW.

4000 Set a post in a mound with  
pits - as per instructions for  
1/4 Sec cor. No pits

8000 The cor of Sect 10 11 14 and 15  
Land Level Sect 1 1/2 - row  
No timber

North - between Sect  
10 and 11

~~Var. 13° 46' East.~~

5700 Entered hilly country. bears  
N.W.

4000 Set a post in a mound with  
pits - for 1/4 Sec cor. No pits

8000 Set a post in a mound  
with pits - for cor to Sect - 2, 3, 10, 11, 14, 15

Township 12 N, Range 4 W.

Gila and Salt River Indian

Land rolling Soil 2<sup>d</sup> rate  
No timber

East on random line between  
Sec 2 and 11

N. 13° 46' East.

- 4000 Set temporary 1/4 Sec cor.  
5000 Run from Walnut Grove  
to Skull valley bear<sup>o</sup> NW, SE.  
8008 Delineated Grant Line 12  
links north of Post cor to Sec  
1, 2, 11, and 12 from which  
cor I run N 89° 05' W on  
me line between Sec 2 and 11

N. 13° 46' East.

- 4004 Set a post in a mound with  
pts as per instructions for 1/4  
Sec cor.  
8008 The cor to Sec 2, 3, 10, and 11,  
Land mostly wet Soil 1<sup>st</sup> rate

Township 12 N. Range 4 W.

Gila and Salt River Meridian

North between Secs 2  
and 3.

$N 13^{\circ} 46'$  East

- 4000 Set a post in a mound,  
with pits for  $\frac{1}{4}$  Sec cor.  
as per instructions No tree near  
4200 Road from Walnut Grove bears N.  $45^{\circ}$  E.  
80.00 Intersected  $3^{\text{rd}}$  Standard line  
North - 6 chains and 60 links East  
of Standard cor to Secs 34<sup>4</sup> & 35  
where I established the closing  
corner to Secs 2 and 3. Set a  
stone 10 x 8 x 6 in a mound marked  
C.C. as per instructions No tree  
near. Land mostly level  
Soil 1st sale - Nov. 7th 1871

North between Secs 33

and 34.

$N 13^{\circ} 46'$  East.

- 4000 Set a stone 16 x 10 x 8 in a mound

Township 12 N. Range 4 W.

Gila and Salt River Meridian

8.000 of Stone 3ft high for 1/4 Sec. Cor.  
 Set a Stone 15x14x6 in a mound of stone 3ft high for Cor to Sec 27 28 33 and 34  
 North end Creek Cañon runs about 8 chains west of line from 1/4 Sec cor North. Land mostly level mesa soil 3 rate no timber

East on random line between Sec 27 and 34

va. 130° 46' East,

4.000 Set temporary 1/4 Sec cor.

79.90 Intersected N and S line 24 links South of post corner to Sec 26, 27, 34, and 35 - from which cor I run S 89° 50' W on true line between Sec 27 and 34

va. 130° 46' East,

39.95 Set a stone 12x8x6 in a mound

Township 12 N. Range 4 W.  
 Chilo and Salt River Municipal

with pits - as per instructions  
 for  $\frac{1}{4}$  Sec cor. No trees near  
 74.90 The corner to Sec- 27 28 33  
 and 34 Land rolling  
 Soil 1<sup>st</sup> rate on Eastern end  
 of line Western 2<sup>d</sup> rate.

North between Sec-

27 and 28

Dist. 13<sup>d</sup> 46' East.

40.00 Set a post in a mound with  
 pits - for  $\frac{1}{4}$  Sec cor. as per in-  
 structions No trees

80.00 Set a post in a mound with  
 pits - for the cor. of Sec- 21, 22  
 27 and 28. Land mostly  
 rolling Soil 1<sup>st</sup> and 2<sup>d</sup> rate.

East on random line between

Townships 12 N. Range 4 W.  
Gila and Salt River Meridian

Sec<sup>s</sup> 22 and 27

Via 13<sup>th</sup> 46' East.

4000

Set temporary 1/4 Sec cor.

8000

Intersected Wand S line  
at post-cor to Sec<sup>s</sup> 22, 23,  
26 and 27 from which cor  
I run West on true line  
between Sec<sup>s</sup> 22 and 27

Via 13<sup>th</sup> 46' East.

4000

Set a stone 12 x 8 x 7 as per  
instructions for 1/4 Sec cor.  
No true near.

8000

The corner to Sec<sup>s</sup> 21, 22, 27 and  
28. Land gently rolling  
Soil 1<sup>st</sup> and 2<sup>d</sup> rate.

North between Sec<sup>s</sup> 21 and

22

Via 13<sup>th</sup> 46' East.

Township 12 N. Range 4 W.

Gila and Salt River Meridian

4000 Set a post in a mound with  
pins for  $\frac{1}{4}$  Sec cor as per instruction

8000 Set a post in mound with  
pins as per instructions for the  
Cor. to Sec<sup>s</sup> 15-16 21 and 22  
Land mostly level soil.  
1<sup>st</sup> rate - no timber

East on random line between  
Sec<sup>s</sup> 15 and 22

via 73046' East.

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8008 Intersected A and S line 22  
links North of post corner  
to Sec<sup>s</sup> 15-14 23 and 22 from  
which cor I ran  $N 89^{\circ} 51' W$  on  
true line between Sec<sup>s</sup> 15 and 22

Township 12 N. Range 4 W.

Gila and Salt River Meridian

$\text{Va } 13^{\circ} 46' \text{ East}$

- 40.04 Set a post in a mound with  
pits for  $\frac{1}{4}$  Sec. cor. as per instructions
- 8008 The corner to Secs 15 16 21 22  
22. Land gently rolling Soil  
1<sup>st</sup> rate - No timber

North between Secs 15 and 16

$\text{Va } 13^{\circ} 46' \text{ East}$

- 4000 Set a post in a mound with  
pits for  $\frac{1}{4}$  Sec. cor. as per instructions  
No trees.
- 6600 Road from Walnut Grove to Rock  
land valley, bears West.
- 8000 Set a post in a mound with pits  
for the cor. to Secs 9, 10, 15, 16,  
as per instructions Land  
gently rolling Soil 1<sup>st</sup> rate  
Small growth of oaks - scattering



Townships 12 N. Range 4 W.

92

Chula and Salt River Meridian

East, on random line between  
Sec 10 and 15.

Wa. 13<sup>d</sup> 46' East,

- 4000 Set temporary 1/4 Sec cor  
4400 Road from Walnut Grove  
about 10 chains South  
8000 Intersected N 2<sup>d</sup> line  
at Post corner to Sec 10 11  
14 and 15 - from which cor  
D run West on true line between  
Sec 10 and 15 -

Wa. 13<sup>d</sup> 46' East,

- 4000 Set a stone 16 x 8 x 6 in a mound  
of stone 3 ft high for 1/4 Sec cor.  
8000 The corner to Sec 9, 10, 15 and 16,  
Land mostly gently rolling  
Soil 1<sup>st</sup> and 2<sup>d</sup> sub -

92'

Township 12 N. Range 4 W.

Gila and Salt River Meridian

North between Sect.

9 and 10

Va. 13<sup>th</sup> 46' East

4000 Set a post in a mound  
with pits as per instructions  
No trees near.

6800 Entered rolling land. bears  
E. on S.E.

5000 Set a stone 16x10x8 in.  
a mound of stone 3 ft-  
high for cor to Sect. 3, 4, 9 and  
10. Land mostly gently  
rolling. Soil 1<sup>st</sup> and 2<sup>nd</sup> at  
No timber.

East on random line  
between Sect 3 and 10

1600 Begin ascent of hill 100  
feet high bears N and S.

Townships 12 N. Range 4 W

Cedar and Salt River Meridian

- 26.00 Summit - rocky point bears  
N  $4^{\text{th}}$  S.
- 30.00 Entered gently rolling land,  
bears N and S
- 40.00 Set temporary  $1/4$  Sec cor.  
S. & 10
- S. & 10 Dissected North, and  
South line 12 links South  
of first cor to Sect 2, 3,  
10, and 11 from which cor  
I ran S. 89° 55' W on true  
line between Sect. 3  $4^{\text{th}}$   
10  
N.  $13^{\circ} 46'$  East.
- 40.05 Set - Set a stone 20 x 12 x 10  
in a mound with pits as  
per instructions for  $1/4$  Sec cor,  
S. & 10
- 80.10 The corner to Sect - 3, 4, 9  
and 10 Land mostly  
rolling Soil 2<sup>d</sup> and 3<sup>d</sup> rates  
No timber

Township 12 N. Range 4 W.

Chula and Salt River Monochain

North between 3<sup>d</sup> and  
4

W. 13<sup>th</sup> 46' East.

Began ascent of rocky  
hill 30 feet high at Cor.

4000 Set a stone 10 x 10 x 8 in  
a mound of stone 3 ft high  
for 1/4 Sec cor N. West

80.15 Intersected 3<sup>d</sup> Standard  
line North at 700 chains

East of Standard Cor W  
Sec 33<sup>d</sup> and 34, where  
I established the closing  
Cor. W Sec 3<sup>d</sup> and 4<sup>th</sup>.

Set a stone 16 x 8 x 8 marked  
CC. as per instructions N

W. W. W. Nov. 8<sup>th</sup> 1871

Township 12 N. Range 4 W

Gila and Salt River Meridian

North between Sec-  
32 and 33.

Sta. 13<sup>d</sup> 46' East

3000 Mesa bears E and W.

4000 Set a stone 10 x 8 x 8 in a mound  
with pits as per instructions  
for 1/4 Sec cor No trees.

8000 Set a stone 16 x 12 x 8 in a  
mound of stone 3ft high for  
the cor. to Sec 28, 29, 32, and 33.

Land rolling S. E. et salt-  
meza land. No timber

East on random line between  
Sec 28 and 33.

Sta. 13<sup>d</sup> 46' East.

1000 Begin ascent of little hill

2000 Summit - bears N and S.

4000 Set temporary 1/4 Sec cor.

Township 12 N. Range 4 W

Gila and Salt River Meridian

- 5200 Mace bean N. and S.
- 7000 Cañon of Kirtland creek, 200  
links wide bears N. and NW,
- 8020 Intersected N and S line  
30 links North of post cor to  
Sec<sup>s</sup> 27 28 33 and 34 from  
which cor S on N 89° 47' W  
on true line between Sec<sup>s</sup> 28  
and 33 va.

N. 13° 46 East,

- 4010 Set a stone 12 x 10 x 4 as per  
instruction for 1/4 sec cor.  
NW 1/4 near

- 8020 The corner to Sec<sup>s</sup> 28, 29, 32  
and 33.

Land rolling Soil 2<sup>d</sup>  
rule - W timber

North between Sec<sup>s</sup> 28 and 29

Township 12 N. Range 4 W.

Chula and Salt River Meridian

Va.  $13^{\circ} 46'$  East.

4000 Set a stone  $18 \times 10 \times 8$  in  
a mound with pits as  
per instruction for  $\frac{1}{4}$  Sec cor.

8000 Set a stone  $16 \times 12 \times 8$   
in a mound with pits for  
the cor to Sec P 28 29 32 34  
33, as per instructions

Land gently rolling 1<sup>st</sup> and  
2<sup>d</sup> rate No timber

East on random line between  
Sec P 21 and 28

Va.  $13^{\circ} 46'$  East.

1200 Commenced ascent of round  
hill with red base.

2700 Foot of hill opposite side

2800 Next land creek 100 feet  
wide runs NW.

Township 12 N Range 4 W

Gila and Salt River Meridian

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8000 Intersected N and S  
line 12 links North of  
post corner to Sec 27 28  
27 and 28 from which cor.  
Dunn  $N 89^{\circ} 55' W$  on line  
between Sec 27 and 28

$70^{\circ} 13' 46'$  East

4000 Set a post in a mound with  
pits for  $\frac{1}{4}$  Sec cor as per instruction

8000 The cor to Sec 20 21 28

and 29 Land rolling  
Set 1<sup>st</sup> and 3<sup>d</sup> rows of  
timber

North between Sec 20

and 21

Begin ascent of hill at post  
cor.



Townships 12 N. Range 4 W.

Gila and Salt River Meridian.

- 1200 Summit bears E and N,  
and entire rolling land,
- 4000 Set a post in a mound  
with pits for  $\frac{1}{4}$  Sec cor  
No trees,
- 6800 Rock land creek runs N & W,  
3 chains wide
- 8000 Set a stone 16 x 10 x 10 in  
a mound of stone 3 ft  
high for the cor. to Sec P-16  
17, 20, 24 & 21 Land rolling  
Soil mostly 2<sup>d</sup> rate. Some  
timber along bank of creek,
- 
- Plot East on ran dom line between  
Sec P. 16, 20, 21
- 4000 Set temporary  $\frac{1}{4}$  Sec cor,
- 8000 Intersected Grand Line  
at post corner the Sec P-15-16  
21 and 22 from which cor.

Township 12 N. Range 4 W.

Gela and Salt River Meridian

From West on line  
between Sec<sup>s</sup> 16 and 21  
N. 13<sup>o</sup> 46' East

4000 Set a post in a mound  
with pits as per instruction  
for 1/4 Sec cor

8000 The cor to Sec<sup>s</sup> 16 17 20  
and 21 Land gully  
rolling soil 1<sup>st</sup> and 2<sup>nd</sup> rate  
No timber

North between Sec<sup>s</sup>

16 and 17.

N. 13<sup>o</sup> 46' East.

4000 Set a post in a mound with  
pits for 1/4 Sec cor. as per in-  
structions N.W. cor.

4500 Entered cane brake beam E and N.

5100 Left cane-brake " E and N  
Meadow land West.

Township 12 N. Range 4 W.  
Ohio and Salt River Meridian

6300 Road from Walnut Grove to  
Kirkland Valley bear E 40 N.  
8000 Set a post in a mound with  
pins as per instructions for  
the cor. to Sec 8 9 16 and 17  
Land gently rolling good  
meadow land. Soil 1<sup>st</sup> calc.  
Some stunted oaks along line

East on random line between  
Sec 9 and 16

~~Sta. 13<sup>d</sup> 46' East.~~

4000 Set temporary 1/4 Sec cor.  
8000 Intersected N and S line  
at post corner to Sec 9 10  
15 and 16 from which cor.  
Run West on true line  
between Sec 9 and 16

~~Sta. 13<sup>d</sup> 46' East.~~

4000 Set a post in a mound for 1/4

Township 12 N Range 4 W.

Gela and Salt River Meridian

See cor. as per instructions  
No trees

8000

the corner to Sec 8 9 16 <sup>and 17</sup>  
Land level Soil 1<sup>st</sup> rate  
Some stunted oaks on  
west of line.

North between Sec 8  
and 9,

N. 13<sup>th</sup> 46' East.

4000

Set a post in a mound with  
pits for 1/4 Sec cor. as per  
instructions No trees.

8000

Set a stone 18 x 16 x 16 in  
a mound of earth with pits  
for the cor to Sec 4 5 8 <sup>and 9</sup>  
N. Land mostly level Soil  
1<sup>st</sup> and 2<sup>d</sup> rate No timber

Township 12 N. Range 4 W.

Gila and Salt River Meridian

East on random line  
between Sec 4 and 9

Pa.  $13^{\circ} 46'$  East,

1200 Entrance rolling land, bears W.

4000 Set temporary  $1/4$  Sec cor,

8030 Intersected N and S line

24 links N. of post corner  
to Sec 3 4 9 and 10 from  
which cor I run  $N 89^{\circ} 55' W$   
on true line between Sec 4 and  
9.

Pa.  $13^{\circ} 46'$  East,

4015 Set a stone  $18 \times 8 \times 8$  in  
a mound of stone as per  
instructions for  $1/4$  Sec cor. W  
mis

8050 Thi cor to Sec 4 5 8 and 9  
Land rolling Soil poor No  
timber

Township 12 N. Range 4 W.

Gelco and Salt River Meridian

North-between Sec 4<sup>th</sup> & 5-

va.  $13^{\circ} 46'$  East-

4000 Set a stone 18 x 12 x 7 in  
a mound with pits for 1/4  
Sec cor.

79,90 Intersected 3<sup>d</sup> Standard line  
North 7.32 chains East of  
Standard corner to Sec  
32, and 33, where I established  
the closing corner to Sec  
4 and 5. Set a stone 18 x 10 x 4  
and marked with CC. as  
per instructions for closing  
corners. Nov. 9<sup>th</sup> 1871

North-between Sec 31<sup>st</sup> & 32

va.  $13^{\circ} 46'$  East,

3600 Bluff of mesa overlooking valley  
bears N.E. SW.

Township 12 N, Range 4 W

Gila and Salt, River Meridian

- 4000 Set a stone 12 x 10 x 6 in a mound of earth with pits for  $\frac{1}{4}$  Sec cor.
- 5700 Left valley entered mesa land again, bears S.W. 4 E.
- 8000 Set a stone 24 x 18 x 10 in a mound of stone 3 ft high for the corner to Secs 29, 30, 31, and 32. Land mostly rolling soil  $1\frac{1}{2}$  and 2 rods

East on random line between Secs 29 and 32

or  $13^{\circ} 46'$  East,

- 2200 Line runs along side of bluff to mesa 30 feet high.
- 4000 Set temporary  $\frac{1}{4}$  Sec cor.
- 5000 Intersected N. and S. line at post-cor to Secs 28, 29, 32, 33. from which cor. I run

Township 12 N. Range 4 W.

Gila and Salt River Meridian

Went on true line between  
Sec<sup>s</sup> 29 and 32

Pa. 13° 46' East,

4000 Set a stone 10x10x8 in a mound  
with pins for 1/4 Sec cor. as per  
instructions

8000 The corner to Sec<sup>s</sup> 29, 30, 31, 32  
Land selling Soil 1<sup>st</sup> and  
2<sup>d</sup> rate. No timber

Went on random line between  
Sec<sup>s</sup> 30 and 31.

Pa. 13° 46' East,

10000 Commenced descent of hill  
near N. and S.

4000 Set temporary 1/4 Sec cor.  
78.42 Intersected West boundary  
of Sp. 16 miles North of  
post-cor to Sec<sup>s</sup> 30 and



Townships 12 N. Range 4 W.

Gala and Salt River Meridian

31 from which cor Down  
 N 89° 47' E on true line  
 between Sec<sup>s</sup> 30 and 31

Or 13° 46' East.

3842 Set a stone 18 x 10 x 6,  
 in a mound with pits  
 for 1/4 Sec cor, as per instructions  
 No trees, &

7842 The cor to Sec<sup>s</sup> 29, 30, 31,  
 32. Land rolling Soil  
 3<sup>d</sup> rate - No timber

North between Sec<sup>s</sup> 29

and 30

Or. 13° 46' East.

4000 Set a Stone 18 x 10 x 8 in a  
 mound with pits as per  
 instructions for 1/4 Sec cor.

8000 Set a stone 10 x 10 x 10 in a  
 mound of earth with pits

Township 12 N. Range 4 W  
Gila and Salt River Meridian

for the cor to Sect 19, 20, 29, 30  
Land rolling Soil poor No  
timber

East on random line between  
Sect 20 and 29.

29.13° 46' East,

4000 Set temporary  $\frac{1}{4}$  Sec cor,  
8010 Intersected N and S line  
at a point 24 links South  
of post corner to Sect 20, 21  
28 and 29, from which cor  
I run S 89° 50' W on true line  
between Sect 20 and 29

29.13° 46' East,

4005 Set a stone 10 x 8 x 8 in a  
mound of stone 3 ft high for  
 $\frac{1}{4}$  Sec cor, N line.

8010 The corner to Sects 19, 20, 29, 30

Township 12 N. Range 4 W

Gila and Salt River Meridian

Land colling Soil & Coal  
No timber

West on random line between  
Sec<sup>s</sup> 19<sup>th</sup> and 30

Wa.  $13^{\circ} 46'$  East,

100 Old road bears N.E.

4000 Set temporary  $\frac{1}{4}$  Sec cor.

78.30 Intersected West boundary  
of Township at a point  
8 links South of Post-cor  
to Sec<sup>s</sup> 19<sup>th</sup> and 30. From which  
cor I run  $\text{S } 89^{\circ} 58'$  East true  
line between Sec<sup>s</sup> 19<sup>th</sup> and 30

Wa.  $13^{\circ} 46'$  East,

38.30 Set ~~stone~~  $24 \times 16 \times 10$  in a mound  
of stone for  $\frac{1}{4}$  Sec cor from  
which a rocky point bears S.W.  
20 links. No trees

7830 The corner to Sec<sup>s</sup> 19, 20, 29<sup>th</sup> and 30

Townships 12 N. Range 4 W.

Gila and Salt River Indian

Land rolling Soil poor to  
timber

North between Sec 19

and 20

~~1/4~~ 13<sup>th</sup> 1/2 East.

100 Old road bear N.E.

4000 Set a stone 12 x 6 x 6 in a mound  
of stone 3 ft high for the Sec cor  
to west.

6300 Road to Kirkland valley from  
Peoples Valley, bear N.E. S.W.

7100 Dry creek runs N.E. 100 buicks wide

8000 Set a stone 16 x 10 x 6 in a  
mound with pits for the cor.  
to Sec 17 18 19 and 20  
Land mostly level Soil 2<sup>nd</sup> and  
3<sup>rd</sup> rate No timber

Township 12, N. Range 4th

Gela and Salt River Meridian

- East on random  
line between Sec<sup>s</sup> 17  
and 20.
00. 130 46 East.
- 15.00 Dry creek, 20 links wide  
runs N.E.
- 19.00 Old road, bears N.E. and enters  
bottom land.
- 24.50 Road from Kirkland valley  
to Peoples valley bears S.W. and  
N.E.
- 41.11 Set temporary 1/4 Sec cor.
- 47.00 Kirkland creek runs N.W. 50  
wide, deep, bed.
- 50.00 Intersected it and line at  
post cor to Sec<sup>s</sup> 16, 17, 20, 21  
from which cor I run West  
on true line between Sec<sup>s</sup> 17 and 20

Township 12 N. Range 4 W.  
Chico and Salt River Meridian

~~Va. 13<sup>th</sup> 46' East.~~

4000 Set a stone 16x8x8 in a mound with pile for  $\frac{1}{4}$  Sec cor., 100 links South from Kirkland Creek.

5000 The corner to Secs 17, 18, 19, 20  
Land level Soil 1<sup>st</sup> class  
No timber Nov. 10<sup>th</sup> 1871

West on random line between  
Secs 18 and 19

~~Va. 13<sup>th</sup> 46' East -~~

4000 Set temporary  $\frac{1}{4}$  Sec cor

5000 Commenced ascent of hill  
of decomposed quartz and  
granite

7800 Intersected West boundary  
of Township 24 links North

## Township 12 N. Range 4 W

## Chula and Salt River Meridian

of post corner to Sec<sup>s</sup>  
18 and 19 from which cor  
D run N<sup>89°50'E</sup> on true  
line between Sec<sup>s</sup> 18 and 19  
va 130 46' East.

38.20 Set a stone 18 x 14 x 6 in in  
a mound with pins for 1/4  
Sec cor.

78.20 The corner to Sec<sup>s</sup> 17/18/19.  
20. Land rolling Sec<sup>s</sup>  
from no timber

North between Sec<sup>s</sup> 17 and  
18.

va. 130 46' East.

40.00 Set a stone 18 x 14 x 6 for  
1/4 Sec cor as per construction  
Meadow land, East.

Township 12 N. Range 4 W

Gela and Salt River Mountain

8:00 Set a post in a mound  
with pits for cor to Sec  
7, 8, 17, and 18. Land  
mostly rolling soil 2 or 3

East on random line between  
Sec 8 and 17.

~~Sta. 13046 East.~~

11:20 Kirkland Creek, 100 links  
wide runs NW.

12:20 Entered field bears NW,

2500 Left field bears N. N. W.

2600 Road to Peoples Valley from  
Kirkland Valley bears N and  
S.

3800 Entered rolling land. bears NW  
and N.

40:00 Set temporary  $\frac{1}{4}$  Sec cor.



Township 12 N. Range 4 W.

Gila and Salt River Meridian

00.00	Road from house to chain's South bears NW.
65.00	Old road from house. do
80.15	Intersected N and Shire 30 links S of post corner W Sec <sup>s</sup> 8 9 16 and 17 from which cor I run S 89° 48' W on true line between Sec <sup>s</sup> 8 and 17 D <sub>u</sub> 13° 46' East.
40.07	Set 16 x 14 x 12 in. a mound with pits for 1/4 Sec cor. as per instruction W true
80.15	The corner to Sec <sup>s</sup> 7 8 17 and 18 Land mostly level Soil 1 <sup>st</sup> rate. No timber of any amount.

Township 12 N. Range 4 W.

Gila and Salt River Mountain

Went on random line  
between Sec<sup>s</sup> 7 and 18.

~~Sta. 13 + 46 East~~

500 Left bottom land extend  
rolling 2<sup>d</sup> sub-land

4000 Set temporary  $\frac{1}{4}$  Sec cor.

5000 Began ascent of hill 250  
feet high

78.30 Intersected West boundary  
of Sp. 34 lines South  
of post corner to Sec<sup>s</sup> 7 and 18  
from which cor I run S 89<sup>o</sup>  
44' E. on true line between  
Sec<sup>s</sup> 7 and 18

~~Sta. 1376 East.~~

88.30 Set a stone 10 x 8 x 8 in  
a mound of stone 2 feet  
high for  $\frac{1}{4}$  Sec cor, to true

Township 12 N, Range 4 W,

Gilew and Salt, River Minidocum

7830 The corner to Sec 7, 8, 17, 18<sup>th</sup>  
18. Land rolling and  
sully Soil poor to timber

North between Sec  
7<sup>th</sup> and 8

Via, 13<sup>th</sup> 46' East.

300 Entire field bears E 44<sup>th</sup> W,

2000 Left field bears E 9<sup>th</sup> W  
Langley's house 4 chains  
East

4000 Set a stone 24 x 12 x 12  
in a mound of stone 3 ft  
high on South bank of creek,

4200 Kirkland Creek runs NW 8 ch  
then West,

4400 Entire broken land, bears  
E and W,

Township 12 N. Range 4 W  
 Gila and Salt River Meridian

8000 Set a post in a mound  
 with pins for the cor to Sect  
 5, 6, 7, and 8, Land mostly  
 rolling soil 1<sup>st</sup> and 3<sup>rd</sup> mile

East on random line between  
 Sect 5 and 8.

1800 Road from <sup>Var 13<sup>th</sup> 46' East,</sup>  
 Peoples valley bears path.  
 40.00 Set temporary 4 Sec cor.  
 79.80 Intersected N and S line  
 40 links South of post  
 corner to Sect 4 5 8 and 9  
 from which cor I run  
 S 89° 43' W on true line between  
 Sect 5 and 8.

Var. 13<sup>th</sup> 46' East.

3990 Set a stone 12x10x8 in  
 a mound with pins as far

Township 12 N. Range 4 W.

Gila and Salt River Meridian

instructions

61.20

Road from Kirkland valley  
to Peoples valley, bear South

79.80

the corner to Sec<sup>s</sup> 56 & 7<sup>th</sup>  
& Land rolling ~~South~~  
~~from N timber~~

600

West on random line  
between Sec<sup>s</sup> 6 and 7,  
Begin ascent of hill  
200 feet high

2000

Summit -

4000

Set temporary 1/4 Sec corner

6000

Foot of hill opposite side  
and commence ascent of  
another.

7800

Intersected West boundary  
of Tps 30 links South of

Township 12 N. Range 4 W  
Gila and Salt River Meridian

post cor. to Sec<sup>s</sup> 6 and 7  
from which cor. Iron  
S 89° 47' E on wire line  
between Sec<sup>s</sup> 6 and 7  
Va. 13° 46' East.

3810 Set a stone 16x10x4  
for 1/4 Sec cor as per instructions

7800 The corner to Sec<sup>s</sup> 5-6  
7 and 8. Lanes broken  
Soil poor No timber

North-between Sec<sup>s</sup>  
5 and 6.

Va. 13° 46' East-

4000 Set a stone 10x10x8  
in a mound with pits  
as per instructions for 1/4  
Sec cor.

Township 12 N. Range 4 W.

Gila and Salt River Meridian

6000	Road bears Eased 4 <sup>th</sup>
8010	<p>Subscribed 3<sup>d</sup> Standard          line North. at a point          7 chains and 64 links          East of the Standard corner          to Sec<sup>s</sup> 31<sup>st</sup> and 32<sup>nd</sup> where          I established the closing          corner to Sec<sup>s</sup> 8<sup>th</sup> and 6<sup>th</sup>          Set a stone 18x14x4 in          a mound with pits as          per instructions where          Land rolling mostly soil          poor. Nov. 11, 1871</p>

Township 12 N. Range 4 W.

Gila and Salt River Jurisdiction

### General Description

This Township contains a large quantity of farming land. Kirkland Creek flows through it and affords abundant water for all purposes.

There is probably no Township in the country that presents so many good features as this. For stock raising it will be unsurpassed. The uplands are clothed with a rich covering of grass of various kinds among which is the Black Grammer.



There are two or three  
fine ranches in the valley,  
Timber is scarce for building  
purposes. The Soil is  
of a rich black loam with  
some clay, on the bottom  
lands. and on the uplands  
decomposed granite and  
organic mold.

C. H. Case  
Deputy Surveyor.

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of Township No. 12 North Range 4 West Gila and Salt River Meridian Exterior and subdivision lines.

showing the respective capacities in which they acted.

	Compassman.
A. M. Lindsay	Chainman.
H. W. Schuster.	Chainman.
J. T. Brickwood	Axeman.
John Riley	Monument-builder
James O'Beary	Flagman

## Final Oaths of Assistants.

We hereby certify that we assisted *Amos H. Case*  
 Deputy Surveyor, in surveying  
 the exterior and sub-division  
 lines of Township No. 12 North-  
 Range, 4 West,  
 Gila and Salt River Meridian  
 Territory of Arizona

and that said Survey has been in all respects, to the  
 best of our knowledge and belief, well and faithfully sur-  
 veyed, and the boundary monuments planted according to  
 the instructions furnished by the Surveyor-General.

*Wm Lindsay*  
*H. W. Schooler*  
*P. T. Brickwood*  
*John Riley*  
*James O'Ray*

Subscribed and sworn to before  
 me this 20<sup>th</sup> day of Nov. 1871

*Edw. Wells*  
 Clerk Dist Court  
 3<sup>d</sup> District

Final Oath of Deputy Surveyor.

I, *Quar H. Case*

Deputy Surveyor, do solemnly swear that, in pursuance  
with a contract with *John Wason*

United States Surveyor-General for Arizona, bearing date  
the 17 day of *July* 1871, I have well, faithfully  
and truly, in my own proper person, and in strict con-  
formity with the instructions furnished by the Surveyor-  
General, the Surveying Manual, and the laws of the  
United States, surveyed all those parts or portions of

*Township's 12 North-Range, 4 West-  
Gilev and Salt River Meridian  
Exterior and subdivision lines,*

as are represented in the foregoing Field Notes as having

Surveyors General's Office

BOOK 1028

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Omar H. Case

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 20<sup>th</sup>  
day of Nov. 1871

E. W. Wells  
Clerk Dist Court  
3<sup>d</sup> Dist Ariz.



Surveyor General's Office  
Tucson Ar.

January 29<sup>th</sup> 1872

The foregoing field notes of the survey of the Subdivision lines of Township 12 North Range 4 West, of the Gila & Salt River Meridian and Base line in the Territory of Arizona, executed by P. H. Case, of Deputy Surveyor under his contract dated July 17<sup>th</sup> 1871, having been critically examined, the necessary corrections and explanations made, the said field Notes and the surveys they describe are hereby approved.

John Masson  
of Surveyor General  
for Arizona