

No. 1029

a. b.

BOOK 1029

C. Burton Foster Deputy Surveyor.

Sectional **T. 11, North R. 6 West**

Gila and Salt River Meridian.

6207

BOOK 1029

FIELD NOTES

OF

The *Subdivision* Lines of

Sectional Township *11 North* Range *6 West*

Gila and Salt River Meridian.

BY

C. Burton Foster Deputy Surveyor.

under his Contract of *October 11th 1896*

Survey commenced *Feb 22nd 1897*

Survey completed *" 24th 1897*

Platted,

Copied for Washington,

Transcript sent to Commissioner,

J.R.F.

No 1029

No. 1029

C. Burdon Foster Deputy Surveyor.

Fractional T. 11 North R. 6 West
Gila and Salt River Meridian.

FIELD NOTES

OF

The *Subdivision* Lines of

Fractional Township 11. North Range 6 West

Gila and Salt River Meridian.

BY

C. Burdon Foster Deputy Surveyor.

under his Contract of *October 11th 1876*

Survey commenced *Feb'y 22^d 1877*

Survey completed *a 24th 1877*

Platted,
 Copied for Washington,
 Transcript sent to Commissioner,

PRELIMINARY OATHS OF ASSISTANTS.


WE, Richard Shrope
 and Eusebio Schroder
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Richard Shrope
Eusebio Schroder

William C Foster

Sworn to and subscribed before me, this 20th
 day of February, 1877

William C Foster
 Notary Public



I, Paul Brutschke

do solemnly swear that ~~we~~ ^I will well and truly perform the duties of Armed

according to instructions given ~~us~~ ^{me}, and to the best of ~~our~~ ^{my} skill and ability.

Paul Brutschke

Sworn to and subscribed before me this 20th day of February 1877

William C. Foster
Notary Public



Fractional Township 11 North Range 6 West

C Gila and Salt River Meridian.

BOOK 1029

6	15	5	4	3	2	1
14		13				
7	12	8	9	10	11	12
11		10				
18	9	17	16	15	14	13
8		7				
19	6	20	21	22	23	24
5		4				
30	3	29	28	27	26	25
2		1				
31		32	33	34	35	36

Chains East, on a random line between Sections 29 and 32.
 Variation _____ East.

Sections 31^{and} 32, being almost entirely covered by the Date Creek Mountains, and coming under the head of waste and useless lands, I began at Cor to Secs 28, 29, 32^{and} 33. The Cor a post marked and notched in a mound of earth with pits, from which Cor I run West on true line, between Secs 29^{and} 32. Va 140 25' East

- 40.00 as per Burbs Improved Solar Compass
 Set a post marked 1/4 S. 4 ft long, flattened 3 ins wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 2x1x1 ft. for 1/4 sec Cor. No trees near
- 48.20 Road bears NW. and SE.
- 55.40 North fork Date Creek 50 lks wide, dry bed, flows SW.
- 76.50 Wash or dry bed of Date Creek 2 chmide flows NW.
- 80.00 Set a granite stone 14x10x8 ins properly notched set 2/3 in the ground, and on W side build mound of stone 2 ft high for Cor to Secs 29, 30, 31 and 32. No trees near

Land level, Soil 1st rate
 Timber, a few small Cottonwoods
 February 22nd 1877

Chains West, on a random line between Sections 30 and 31.

Variation $114^{\circ}25'$ East.

- 7.00 Road bears NW. and SE.
 27.00 Enter ruins of old Military Post of Camp
 Date Creek
 26.50 Leave ruins of Old Post.
 30.00 O'Neal's house bears N of this point, 20 chs dist.
 40.00 Set a stone for temporary $\frac{1}{4}$ sec Cor
 44.10 Road bears EN E. and W.
 47.70 " " " " "
 80.12 Intersect W. boundary of Sp 51 Lks of sec
 40 sees. 30. and 31. From which Cor. Iron
 $S. 89^{\circ}38' E.$ on true line
 between sees 30 and 31
 via $114^{\circ}25'$ East
 40.12 Set a granite stone $14 \times 14 \times 12$ ins marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground, and build mound of
 stone 2 ft high for $\frac{1}{4}$ sec Cor.
 No trees near
 80.12 The Cor to sees 29, 30, 31, and 32.

Land along line and N. level.
 S. rough mountains
 Soil 2d and 3d rate
 No timber or seedling growth

Chains North, between Sections 29 and 30.

Variation 140° 25' East.

- 2.00 Enter Dade Creek Wash. flows NW.
- 4.90 Leave wash and enter gently rolling land
- 15.30 Road bears NW. and S.E.
- 32.50 Old road bears E. and W.
- 40.00 Set a granite stone 10x10x6ⁱⁿ marked 1/4 set 2/3 in the ground, and build mound of earth 2 ft high, with pit 2x1x1 ft for 1/4 sec Cor No true mar
- 50.00 Old wagon road, bears NE and SW
- 61.00 Same " " " NW. and S.E.
- 80.00 Set a granite stone 10x8x7 in properly notched. set 2/3 in the ground, and on N side build mound of stone 2 ft high, for Cor to Secs 19, 20, 29, and 30. No true mar

Land gently rolling
 Soil 1st and 2d rate
 Timber a few Cottonwoods along Creek

Chains East, on a random line between Sections 20 and 29.

Variation 140° 25' East.

40.00 Set a post for temporary 1/4 sec cor
 40.70 Arroyo 30 kts wide flows S.
 67.30 Dry bed of Creek 40 kts wide flows SW
 80.00 Intersect N. and S. line 14 kts S of cor to
 Secs 20, 21, 28, and 29. from which Cor. Iron.
 S. 89° 54' W on true line
 between Secs 20 and 29
 Va 140° 25' East

40.00 Set a post marked 1/4 S. 4 ft long flattened
 pins wide, 1 ft in the ground, drive
 charred stake and build mound of
 earth 2 ft high, with pits 2 x 1 x 1 ft. for
 1/4 sec cor No true mar.

80.00 The cor to Secs 19, 20, 29, and 30.

Land gently rolling
 soil 1st and 2d rate
 No timber or undergrowth

Fractional 11 North Range 6 West
 Township Gila and Salt River BOOK 1029 Meridian.

Chains	West, on a random line between Sections 19 and 30.
	Variation $14025'$ East.
13.60	Old road bears NW. and SE.
34.00	Road bears NW. and SE.
40.00	Set a post for temporary $\frac{1}{4}$ sec Cor
44.00	Cottonwood Cañon 20 lks wide flows S.
79.80	Intersect W boundary of Sp 30 lks S. of cor to Secs 19 and 30. from which Cor Iron $S. 89^{\circ} 47' E$ on true line between Secs 19 and 30. va $14025'$ East
39.80	Set a post marked $\frac{1}{4}$ s. 4 ft long flattened pins wide 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 2x1 ft for $\frac{1}{4}$ sec Cor No trees near
79.80	The Cor to Secs 19, 20, 29, and 30. Land gently rolling. Soil 1st and 2d rate. No timber or under growth

Chains North, between Sections 19 and 20.

Variation $140^{\circ} 25'$ East.

40.00 Set a granite stone $14 \times 10 \times 10$ ins marked $\frac{1}{4}$
set $\frac{1}{3}$ in the ground and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ sec cor No trees near

80.00 Set a granite stone $16 \times 14 \times 12$ ins properly
notched set $\frac{1}{3}$ in the ground and on N
side build mound of stone 2 ft
high for Cor to sec 17, 18, 19 and 20.
No trees near

Land gently rolling
Soil 2d rate
Grass abundant
No timber or undergrowth

Fractional Township 11 North Range 6 West
Gila and Salt River BOOK 1029
Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $140^{\circ}25'$ East.

40.00 Set a stone for temporary $\frac{1}{4}$ sec cor
19.90 intersect N. and E. line, 12 lks N. of cor.
to sees 16, 17, 20, and 21. From which cor
I run

N. $89^{\circ}05'31''$ W. on true line

between sees 17 and 20

wa $140^{\circ}25'$ East

39.95 Set a granite stone 12 X 10 X 8 ins. marked $\frac{1}{4}$ sec
and build mound of stone 2 ft high
for $\frac{1}{4}$ sec cor. No trees near

79.90 The cor to sees 17, 18, 19, and 20.

Land gently rolling
Soil 2d rate

Grass abundant

No timber or undergrowth

Fractional Township 11 North Range 6 West
 Gila and Salt River BOOK 1029 Meridian.

Chains	West, on a random line between Sections 18 and 19.
	Variation $140^{\circ}25'$ East.
20.90	Cottonwood Creek 40 lks wide flows S.
21.30	Old road bears NNE. and SW.
40.00	Set a post for temporary 1/4 sec Cor.
78.70	Road bears N. and SSE.
79.60	Intersect W. boundary of Sp 24 lks S of Cor to Secs 18 and 19. From which Cor I run $S. 89^{\circ}50' E.$ on true line between Secs 18 and 19. $\text{var } 140^{\circ}25' \text{ East}$
39.60	Set a post marked 1/4 S. 4 ft long flattened 3 ins wide. 1 ft in the ground. drive charred stake, and build mound of earth 2 ft high with pits 2x1x1 ft. for 1/4 sec Cor No trees near
79.60	The Cor to Secs 17, 18, 19, and 20. Land mostly level Soil 1st and 2d rate Timber, a few Cottonwoods along Creek

Fractional Township 11 North Range 6 West
 Gila and Salt River BOOK 1029 Meridian.

Chains North, between Sections 17 and 18.

Variation 14°25' East.

- 40.00 Set a granite stone 10x10x10 ins marked 1/4 set 2/3 in the ground, and build mound of stone 2 ft high for 1/4 sec Cot
No trees near
- 48.20 Cottonwood Creek 25 lks wide flows SSW.
- 51.00 Road bears NNE and SW.
- 80.00 Set a granite stone 10x8x8 ins properly notched set 2/3 in the ground, and on N side build mound of earth 2 ft high with pits 2x4x1 ft for Cot, to sec 7, 8, 17, and 18.
No trees near

Land gently rolling
 Soil 1st and 2^d rate
 No timber or undergrowth

Chains East, on a random line between Sections 8 and 17.

Variation $140^{\circ}25'$ East.

1310 Cottonwood Creek 2000 wide flows SW.

1335 Wagon road bears N and SW.

40.00 Set a stone for temporary $\frac{1}{4}$ sec cor

79.80 Intersect N and S line 12.1 k.s. N of cor.
 to sees 8, 9, 16 and 17. From which Cor.

Iron
 $N 89^{\circ}55' W$ on true line
 between sees 8 and 17
 Va $110^{\circ}25'$ East

39.90 Set a granite stone 10x8x8 ins. marked $\frac{1}{4}$
 set $\frac{1}{2}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ sec cor.

No trees near

79.80 The cor to sees 7, 8, 17, and 18.

Land rolling and sloping E.
 Soil 2d rate

No timber or undergrowth

February 23^d 1877

Chains

West, on a random line between Sections 7 and 18.

Variation $14^{\circ} 25'$ East.

- 19.80 Trail bears NE and SW.
- 30.00 " " " " "
- 40.00 Set a stone for temporary 1/4 sec Cor.
- 79.10 Intersect W boundary of Sp 26. Ls. of
 cor to sees 7 and 18. From which Cor
 I run
 S. 89° 49' E. on true line
 between sees 7 and 18.
 on $14^{\circ} 25'$ East
- 39.10 Set a granite stone 10x10x8 ins marked 1/4
 set 1/3 in the ground, and build mound of
 earth 2 ft high with pits 2x1x1 ft for 1/4
 sec Cor. No trees near
- 79.10 The cor. to sees. 7, 8, 17, and 18.

Land gently rolling
 Soil. 1st and 2d rate.
 No timber or under growth

Fractional ¹² 11 North Range 6 West
 Township, Jila and Salt River BOOK 1029 Meridian.

Chains North, between Sections 7 and 8.
 Variation 14° 25' East.

- 17.00 Trail bears NE. and SW.
- 18.00 Beach's house bears E. about 17 chs dist
- 23.00 Stone Corral bears E. about 16 chs dist.
- 30.80 Road bears NW. and SE.
- 40.00 Set a limestone 12x10x8 ins marked 1/4.
 Set 2/3 in the ground, and build mound of
 stone 2 ft high for 1/4 sec cor.
 No trees near
- 65.00 Old road bears NW. and SE.
- 80.00 Set a volcanic stone 14x12x10 ins, properly
 notched, set 2/3 in the ground, and on N side
 build mound of stone 2 ft high for Cor. to
 Secs 5, 6, 7, and 8. No trees near

Land gently rolling
 Soil 1st and 2d rate
 No timber or undergrowth

Chains East, on a random line between Sections 5 and 8.
 Variation $140^{\circ} 25'$ East.

10.70 Cottonwood Creek 18 lks wide flows
 SSW.

40.00 Set a stone for temporary $\frac{1}{4}$ sec. Cor.
 80.14 Intersect N. and S. line. 19 lks N of Cor. to
 Secs 4, 5, 8 and 9. From which Cor. down
 $N. 89^{\circ} 52'$ W on true line
 between Secs 5 and 8.
 or $140^{\circ} 25'$ East

40.07 Set a granite stone 10x10x10 ins marked
 $\frac{1}{4}$ sec. Set $\frac{1}{2}$ in the ground, and build mound
 of earth 2 ft high with pits 2x1x1 ft
 for $\frac{1}{4}$ sec. Cor. No trees near
 80.14 level to Secs. 5, 6, 7 and 8.

Land rolling and sloping E.
 Soil 2d rate
 Grass abundant
 No timber or undergrowth

Chains West, on a random line between Sections 6 and 7.

Variation 140° 25' East.

- 18.40 Old road bears NW and S.
- 40.00 Set a post for temporary 1/4 sec Cor
- 51.30 Road bears NW & SW.
- 78.60 Intersect w. boundary of Sp. 21 lks
 of Cor to Secs 6 and 7. from which Cor
 I run.
 S. 89° 51' E. on true line
 between Secs 6 and 7.
 on 140° 25' East
- 38.60 Set a post marked W.S. 4 ft long flattened
 3 ins wide, 1 ft in the ground. deposit stone
 marked + and build ground a few ft
 high with pits 2 x 1 x 1 ft for 1/4 sec
 Cor
 No trees near
- 78.60 The Cor. to Secs 5, 6, 7 and 8.

Land mostly level
 Soil 1st and 2d rate
 No timber or undergrowth

Fractional 11 North Range 6 West
Township
Gila and Salt River BOOK 1029
Meridian.

Chains North on a random line between Sec's 5 and 6.

Variation $14^{\circ} 25'$ East.

40.00 Set a stone for temporary 1/4 sec cor
78.80 Road bears NNE. and SW.
79.75 Intersect N. boundary of Sp. 12 lks W.
of Cor to Secs. 5. and 6. from which Cor
I run.

$10^{\circ} 5'$ E. on true line
between Secs 5 and 6
va $140 25'$ East

39.75 Set a volcanic stone $18 \times 16 \times 10$ ins marked
1/4 set 3/4 in the ground, and build
mound of stone 2 ft high for 1/4 sec
cor. No trees near

79.75 The Cor to Secs. 5, 6, 7, and 8.

Land gently rolling
Soil 1st and 2d rate
No timber or undergrowth

February 24th 1877

General Description.

The surveyed portion of this fractional Township contains a small amount of agricultural land and an abundance of grazing land.

There is scarcely any timber in the Township; a few Cottonwoods and Willows along the Creeks, is all. Date and Cottonwood Creeks furnish a limited quantity of water at intervals as they flow through the Township.

The Township contains two settlements. The unsurveyed portion of the Township is covered by rugged mountains and barren Mesas.

LeBarton Foster
U.S. Deputy Surveyor.

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *the subdivisions*
of Township 11 North Range
6 West

Gilman Salt River

Territory of Arizona

Showing the respective capacities in which they
acted.

Richard Hoopes Chainman.

Eusebi Schradin Chainman,

Paul Brutsche Axeman.

Flagman.



Final Oath of Assistants.

We hereby certify that, we assisted Richard

Hester U. S. Deputy Surveyor, in

surveying the subdivisions of
Fractional
Township 11 North Range 6 West

Gila and Salt River Meridian
Territory of Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Richard Shrop Chainman.

Eusebio Schneider Chainman,

Paul Bruto Axeman.

Flagman.

Sworn to and subscribed before me, this 4th

day of March, 1877

William Foster
Notary Public



Final Oath of Deputy Surveyor.

I, Burton Foster

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 17th day of October

1876 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the

Subdivision lines of Fractional Townships 11 North
Range 6 West
Gila and Salt River Indian
Territory of Arizona



as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Wm. B. Foster
Deputy Surveyor.

Sworn to and subscribed before me, this *4th*
day of *March*, 187*7*

William B. Foster
Notary Public



BOOK 1029

U. S. Surveyor General's Office,

TUCSON, ARIZONA, December 27, 1874.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
 Township 11 North,
 Range 6 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by Le. Denton Foster,

Deputy Surveyor, under his contract of the 11th
day of October, 1876, *having been*
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe
are hereby approved.

John Mason,
 Surveyor General.