

No. 1030

BOOK 1030

C. Purdon Foster Deputy Surveyor.

T. 11, North R. 7, West

Gila and Salt River Meridian.

1030

BOOK 1030

FIELD NOTES

OF

The *subdivision* Lines of

Fractional Township *11 North* Range *7 West*

Gila and Salt River Meridian.

BY

C. Purdon Foster Deputy Surveyor.

under his Contract of *October 11th 1876.*

Survey commenced *February 26th 1877*

Survey completed *February 28th 1877.*

No. 1030

Platted,

Copied for Washington,

Transcript sent to Commissioner,

J.P.F.

a, b.

Fractional *C. Dunton Foster* Deputy Surveyor.
T. 11 North R. 7 West
Gila and Salt River Meridian.

FIELD NOTES

Fractional OF
The *Subdivision* Lines of
Township *11 North* Range *7 West*
Gila and Salt River Meridian.

BY
C. Dunton Foster Deputy Surveyor.

under his Contract of *October 11th* 18*76*

Survey commenced *1877*

Survey completed *1877*

Platted,
Copied for Washington,
Transcript sent to Commissioner,


PRELIMINARY OATHS OF ASSISTANTS.

WE, Richard Shrope
 and Eusebio Schroder
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Richard Shrope
Eusebio Schroder

Sworn to and subscribed before me, this 20th
 day of February, 1877

William Caster
 Notary Public



No. 1030

I, Paul Brutsche

do solemnly swear that ^I~~we~~ will well and truly perform the duties of Agent

according to instructions given ^{me}~~us~~, and to the best of ^{my}~~our~~ skill and ability.

Paul Brutsche

Sworn to and subscribed before me this 20th day of February 1877

William C. Foster
Notary Public



Fractional Township 11 North Range 7 West
 1C Gila and Salt River Meridian.

6	BOOK 1030	5	4	3	2	1				
7	8	9	10	11	12	8				
18	17	16	15	14	7	13				
19	20	21	22	23	5	24				
26	25	20	16	12	4					
30	24	29	19	28	15	27	11	26	3	25
23	22	18	14	10	2					
31	21	32	17	33	13	34	9	35	1	36

Practical Township 11 North Range 7 West
 Gila and Salt River Meridian

BOOK 1030
 Chains

From the corner to Sections 35, 36, 1 and 2 on the South
 boundary I ran
 North, between Sections 35 and 36.

Variation 14° 30' East.

- 18.00 As per Dunts Improved Solar Compass. Begin descent of bluff, bears N E and S S W.
- 30.00 Foot of bluff, and N. slope of mountain becomes gradual.
- 40.00 Set a granite stone 11x10x10 ins, mark w/4 feet 2/3 in the ground and build mound of stone 2 ft high for 1/4 sec cor. No trees near.
- 54.00 Foot of Mountain and enter bottom land, bears E and S S W.
- 58.00 Road bears E and W.
- 60.80 Date Creek Wash 45 lks wide flows W S W.
- 80.00 Set a post marked and notched 4 ft long, 3 in squared, 1 ft in the ground, drive charred stake, and build mound of earth 2 ft high with pits 2x1/4 ft. for cor to sees 25, 26, 35, and 36. No trees near.

Land South. N slope of Date Creek N 1/2 worthless soil. North, level bottom soil 1st rate.
 Timber, a few Cottonwoods and Willows along Creek

Fractional 11 North Range 7 West
Townsip
Gila and Salt River BOOK 1030
Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation $14^{\circ}30'$ East.

- 22.00 Date Creek Wash 1000 ft wide flows WSW.
40.00 Set a post for temporary 1/4 sec Cor.
73.00 Begin ascent of bluff bears N and SW.
79.00 Summit of bluff, and enter mesa
80.00 Intersect E boundary of Sp. 7 lks S of Cor
Sides 25 and 36. From which Cor Iron
 $S. 89^{\circ}57' W.$ on true line
between Secs 25 and 36
on $14^{\circ}30'$ East
- 40.00 Set a post marked 1/4 S. 14 ft long flattened
3 ins wide, 1 ft in the ground, drive charred
stake and build ground of earth 2 ft high
with pits 2x1x1 ft. for 1/4 sec Cor
No trees near.
- 80.00 The Cor. to Secs 25, 26, 35 and 36.
Land mostly level bottom
Soil 1st and 2d rate
Timber a few Cottonwoods and Willows

fractional Township 11 North Range 3 West
 Gila and Salt River Meridian.

BOOK 1030

Chains North, between Sections 25 and 26.

Variation 14° 30' East.

- 27.00 Enter rolling mesa bears NE and SW.
- 40.00 Set a post marked 1/4 S. 4 ft long. flattened zinc wide, 1 ft in the ground deposit stone marked 4, and build mound of earth 2 ft high with pits 2 x 1 x 1 ft for 1/4 sec Cor No trees near.
- 43.00 Ascend rocky bluff, 50 ft high, bears NW and SE, and enter level mesa
- 80.00 Set a volcanic stone 14 x 14 x 2 ins top only notched, and on N. side build mound of stone 2 ft high, for Cor to sees 23, 24, 25, and 26. No trees near

Land level and rolling
 Soil 1st 2d and 3d rate.
 No timber or undergrowth

Chains	East, on a random line between Sections 24 and 25.
	Variation $114^{\circ} 30'$ East.
30.00	Cañon with abrupt rocky banks 40 ft high 250 lks wide bears N and S E.
40.00	Set a stone for temporary 1/4 sec Cor
47.00	Cañon 40 ft deep 2 lks wide bears SW and N.
80.10	Intersect @ boundary of Sp. 1/4 lks S. of Cor, to Secs 24. and 25. from which Cor I run
	S. 89° 54' W. on true line between Secs 24. and 25. Va. $114^{\circ} 30'$ East.
40.00	Set a volcanic stone 18 x 16 x 4 ins. marked 1/4 set 3/4 in the ground, and build mound of stone 2 ft high for 1/4 sec Cor. No trees near
80.10	The Cor to Secs 20, 24, 25, and 26.
	Land level. Soil 2d rate. No timber or undergrowth

Fractional Township 11 North Range 7 West
Gila and Salt River Meridian.

BOOK 1030

Chains North, between Sections 23 and 24.

Variation 14° 30' East.

40.00 Set a granite stone 10x8x8 ins. marked 1/4 sec
2/3 in the ground. and build mound of earth 2
ft high with pits 2x1x1 ft for 1/4 sec Cot.
No trees near.

44.30 Road bears N.E. and S.W.

68.00 Enter rolling rocky hills bear N.E. & S.W.

80.00 Set a granite stone 10x10x10 ins properly notched
and on N. side build mound of stone 2 ft high for
Cot to Secs 13, 14, 23 & 24. No trees near

Land: S. of hills, level.

Soil 2d rate

No timber or undergrowth

February 26. 1877

Township fractional 11 North Range 7 West BOOK 1030
Gila and Salt River Meridian.

- | Chains | East, on a random line between Sections 13 and 24. |
|--------|--|
| | Variation $14^{\circ} 30'$ East. |
| 14.00 | Leave rocky hill ^{and} enter level land, bears N. and S.W. |
| 31.20 | Road bears N.E. and S.W. |
| 40.00 | Set a stake for temporary $\frac{1}{4}$ sec cot. |
| 50.00 | Indirect E. boundary of $\frac{1}{4}$ 13 lks N of Cot to sec 13 ^{and} 24. From which Cot I run
$N 89^{\circ} 55' W$. on true line between sec 13 and 24, $on 14^{\circ} 30'$ East |
| 40.00 | Remove from stone or timber, drive charred stake 19 ins down, and build mound of earth 2 ft high with pipe 2x1x1 ft for $\frac{1}{4}$ sec cot. No trees near |
| 80.00 | The Cot to sec 13, 14, 23 and 24. |

Land mostly level
 Soil 1st and 2d rate.
 No timber or undergrowth.

Fractional Township 11 North Range 7 West
Gila and Salt River Meridian.

BOOK 1030

Chains North, between Sections 13 and 14.

Variation 14° 30' East.

- 40.00 Set a granite stone 18x14x10 in marked 1/4 set 3/4 in the ground and build mound of stone 2 ft high for 1/4 sec cor. No trees near
- 80.00 Set a limestone 10x10x6. Properly notched and on N side build mound of stone 2 ft high. For Cor to see 11, 12, 13 and 14. No trees near

Land: E. slope of rocky hills. bears N. and S.
Soil: 3d rate and worthless
No timber or undergrowth

Fractional Township 11 North Range 7 West
 Gila and Salt River Meridian. BOOK 1030

Chains	East, on a random line between Sections 12 and 13.
	Variation $114^{\circ}30'$ East.
7.00	Enter level plain bears N.E. and S.
33.00	Trail bears N. and S.
40.00	Set a stone for temporary $\frac{1}{4}$ sec Cor
51.00	Arroyo 30. k. wide flows S.
73.00	Road bears N.E. and forks S. bearing SW and S.E.
80.00	Intersect E. boundary of Sp at Cor to Secs 12 and 13. from which Cor. I run, West on true line between Secs 12 and 13 on $140^{\circ}30'$ East
40.00	Set a limestone $14 \times 10 \times 4$. marked $\frac{1}{4}$ sec $\frac{2}{3}$ in the ground, and build mound a foot high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec Cor, No trees near.
80.00	The Cor. to Secs 11, 12, 13, and 14.
	Land mostly level Soil 1st and 2d rate. No timber or undergrowth
	On account of the worthless character of the land I extend this line no further North.

Fractional 11 North Range 7 West

Township

Gila and Salt River

BOOK 1030 Meridian.

Chains North, between Sections 34 and 35.

Variation 14° 30' East.

- 18.00 Begin descent of mountain spur from Cor. Foot of mountain spur and enter level land bears N E. and W S W.
- 19.50 Road bears E. and W.
- 31.20 Datecruk Wash 150 ft wide flows W
- 33.00 Road bears E. and W.
- 40.00 Set granite stone 15x10x6 ins marked 1/4 set 2/3 in the ground and build mound of stone 2 ft high for 1st sec Cor. No trees near Farm buildings of W. M. Gilson, bears E. about 1/2 mile distant from this point
- 44.50 Enter gently rolling land bears N E. and W.
- 50.00 Set granite stone 12x8x8 ins properly notched set 2/3 in the ground, and on N. side build mound of stone for Cor to Secs 26, 27, 34 and 35 No trees near

Land: N. of Mountain slope, level, with 1st rate soil, and gently rolling with 2d rate soil.

Timber, Cottonwoods along Cruk

Fractional Township 11 North Range 10 West
 Giles and Salt River Meridian.

BOOK 1030

Chains

East, on a random line between Sections 26 and 35.

Variation $11^{\circ} 30'$ East.

40.00

Set a stone for temporary $\frac{1}{4}$ sec. Cor.

71.75

Line runs between Cabin 10 lks N. and Corral 20 lks S.

80.10

Intersect 2^{nd} line 16 lks S. of cor to Secs 25, 26, 35, and 36. From which cor. Iron $1.89053'$ W, on true line between Secs 26 and 35
 Va $11^{\circ} 30'$ East

40.05

Set granite stone $14 \times 12 \times 4$ ins marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft. Cor $\frac{1}{4}$ sec Cor. No stone near

80.00

The cor to Secs 26, 27, 34, and 35.

Land level and gently rolling
 Soil 1st and 2d rate
 No timber or undergrowth

Fractional 11 North Range of West
Township
Pila and Salt River Meridian.
BOOK 1030

Chains	North, between Sections 26 and 27.
	Variation 140° 30' East.
40.00	Set a granite stone 16x14x12 ins marked 7/4 set 3/4 in the ground and build mound of stone 2 ft high for 1/4 sec Cor. No trees near.
58.60	Road bears N.E. and S.W.
65.40	" " E. and S.W.
80.00	Set a granite stone 18x14x14 ins properly notched set 3/4 in the ground and on N side build mound of stone 2 ft high for Cor to Secs 22, 23, 26, and 27. No trees near

Land rolling
Soil 2d and 3d rate
No timber or undergrowth

Practical 11 North 12 West
Township, Range of West
Gila and Salt River Meridian.

BOOK

1039

Chains

East, on a random line between Sections 23 and 26.

BOOK 1039

Variation $14^{\circ} 30'$ East.

40.00 Set a stone for temporary $\frac{1}{4}$ sec cor
53.30 Road bears N.E. and W.S.W.
80.00 Intersect N. and S. line of the N. of Cor. to
Secs. 23, 24, 25, and 26. From which Cor.
I run

N. 89° 57' W. on true line
between Secs 23 and 26
at $14^{\circ} 30'$ East

40.00 Set a granite stone 15x10x8 ins. marked $\frac{1}{4}$ at
7/8 in the ground, and build ground of stone.
2 ft high, for $\frac{1}{4}$ sec cor. No trees near.
80.00 The Cor. to Secs 22, 23, 26, and 27.

Land rolling
Soil 3d rate
No timber or undergrowth.

On account of the worthless character
of the soil N. of this Cor. I extend
this line no further North.

fractional
Township *11 North* Range *7 West*
Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

BOOK 1030

Variation *140 30'* East.

Fractional Township 11 North Range 7 West
Gila and Salt River Meridian.

BOOK 1030
chains North, between Sections 33 and 34.

Variation $14^{\circ} 30'$ East.

- 1.50 Cont. rolling mesa bears NNE. & SW.
21.10 Road bears NW. and E.
40.00 Set a granite stone 16x8x8 ins. marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
stone 2 ft high for $\frac{1}{4}$ sec Cot
No trees near
80.00 Set a granite stone 24x20x20 ins
properly notched. set $\frac{3}{4}$ in the ground and
on N side, build mound of stone 2 ft
high for Cot to sec 27, 28, 33 & 34
No trees near

Land rolling mesa
Soil so rate
No timber or undergrowth.

Fractional Township 11 North Range 14 West
 Gila Salt River BOOK 1030 Meridian.

Chains East, on a random line between Sections 27 and 34.
 Variation $14^{\circ}30'$ East.

1000
 47.70
 79.80
 Set a stone for temporary $\frac{1}{4}$ Sec Cor
 Road bears $N71^{\circ}E$ & $S51^{\circ}W$.
 Intersect N & S line 19 lks. S of cor to
 Secs 26, 27, 34, & 35. From which Cor
 Run
 $S. 89^{\circ}52' W.$ on same line
 between Secs 27 and 34.
 Va $14^{\circ}30'$ East.

39.90
 79.80
 Set a granite stone $10 \times 8 \times 8$ ins marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground, and build mound of
 earth 2 ft high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$
 Sec. Cor. No trees near
 the Cor to Secs 27, 28, 33, and 34.

Land gently rolling
 Soil 2d rate
 No timber or undergrowth

Fractional 11 North 15 Range of West
Township
Gila Salt River Meridian.

BOOK
Chains

1030

North, between Sections 27 and 28.

Variation $14^{\circ} 30'$ East.

- 22.00 begin ascent of hill bears N.E. and N.W.
32.00 Ended rolling rocky summit.
40.00 Set a granite stone $14 \times 6 \times 6$ ins marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground, and build mound of
stone 2 ft high for $\frac{1}{4}$ sec Cor.
No trees near
80.00 Set a granite stone 14×6 ins. Properly notched
set $\frac{2}{3}$ in the ground, and on N side build mound
of stone 2 ft high for Cor. to sec. 27, 28
27. and 28. No trees near

Land rolling and stony
Soil 3d rate
No timber or undergrowth

Fractional 11 North Range 7 West
 Township 16
 Gila and Salt River Meridian. BOOK 1030

Chains East, on a random line between Sections 22 and 27.

Variation 140° 30' East.

40.00 Set a stone for temporary 1/4 sec Cor
 50.00 Intersect N. and S. line 14 1/2 m. N. of Cor to
 sees 22, 23, 26, and 27. From which Cor
 Run

N. 89° 54' W. on true line
 between sees 22 and 27.
 on 140° 30' East

40.00 Set a granite stone 12 x 8 x 8 in. mark with
 set of pins in the ground, and build mound of
 stone 2 ft high for 1/4 sec Cor.
 No trees near

50.00 The Cor to sees 21, 22, 27, and 28

Land rolling and sloping E.
 Soil 2d and 3d rate
 No timber or undergrowth

On account of the worthless character
 of the land N. of this Cor I depend the
 line no further North.

February 27, 1877

Sectional 11 North Range 7 West
Township
Gila and Salt River BOOK 1030
Meridian.

Chains

North, between Sections 32 and 33.

Variation 11° 00' East.

40.00 Set a granite stone 14x8x8 ins marked 44
set 4 1/2 in the ground, and build mound
of stone 2 ft high for 1/4 sec. Cor.

53.35 Goat bears 2 and 1/2.

80.00 Set a granite stone 14x8x8 ins. Properly
notched, set 4 1/2 in the ground, and on N
side build mound of stone 2 ft high
for Cor. to Secs. 28, 29, 32 and 33.

No trees near

Land rolling

Soil 2d rate

Grass abundant.

No timber or undergrowth

Fractional 11 North Range of West
Township 18
Gila and Salt River Meridian.

BOOK
Chains

1030

East, on a random line between Sections 28 and 33.

Variation 140° 30' East.

37.70 Gulch 35 lks wide flows S.

40.00 Set a stone for temporary 1/4 sec cor

80.00 Intersect N. and S. line 12 lks N of
Cortado Sec 27, 28, 33rd & 34, from which
Cor drawn

N. 89° 55' W on true line
between Secs 28 and 33
W 140° 30' East

40.00 Set a granite stone 20x12x12 ins marked
1/4 sec 3/4 in the ground, and build mound
of stone 2 ft high for 1/4 sec cor
No trees near

80.00 The Cortado Secs 28, 29, 32nd & 33.

Land rolling and sloping S.E.
Soil 2nd rate
No timber or undergrowth

Fractional Township 11 North Range 4 West
File 1030 Salt River Meridian. BOOK 1030

Chains North, between Sections 28 and 29.

Variation 140° 30' East.

40.00 Sebago granite stone 14x14x14 ins marked 1/4 set
2/3 in the ground, and build mound of stone
2 ft high for 1/4 sec. Cot. No trees near

80.00 Sebago granite stone 14x12x10 ins properly
notched, set 2/3 in the ground, and on N side
build mound of stone 2 ft high for Cot
to Secs 20, 21, 28, and 29.

No trees near

Land gently rolling Mesa
Soil 2d rate
No timber or undergrowth

Fractional Township 11 North Range 20 of West

Sila and Salt River

Meridian.

BOOK 1030

Chains East, on a random line between Sections 21 and 28.

Variation 140° 30' East.

18.75 Wash 50 lbs wide flows S.
40.00 Set a stone for temporary 1/4 sec cot
80.70 Intersect N 2nd line 24 lbs N of
cot to sec 21, 22, 27, and 28 from which

Cot. I run
N. 89° 50' W. on true line
between sec 21 and 28
va 140° 30' East

40.10 Set a granite stone 12 x 12 x 12 ins marked
1/4 set 4/3 in the ground and build mound
of stone 2 ft high for 1/4 sec cot
No trees near

80.70 The cot to sec 20, 21, 28, and 29.

Land rolling and sloping S.W.
Soil 2d and 3d rate
No timber or undergrowth

On account of the worthless nature
of the land N. of this cot. I extend
this line no further North.

Township.....Range.....

.....Meridian.

Chains

North, between Sections 20 and 21.

Variation

East.

Fractional Township 11 North Range 7 West
Gila and Salt River Meridian.

BOOK 1030
Chains

North, between Sections 31 and 32.

Variation $14^{\circ} 30'$ East.

40.00 Set a granite stone $12 \times 12 \times 6$ ins marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build ground of
stone 2 ft high for $\frac{1}{4}$ sec Cor
No trees near

50.75 Road bears E. and W.

80.00 Set a granite stone $12 \times 10 \times 10$ ins properly
notched, set $\frac{2}{3}$ in the ground, and on N
side build ground of stone 2 ft high
for Cor to secs 29, 30, 31, and 32.

No trees near

Land gently rolling

Soil 2d rate

No timber or undergrowth

Fractional 22
 Township 11 North Range 7 West
 Gila ^{4th} Salt River BOOK 1030
 Meridian.

Chains East, on a random line between Sections 29 and 32.

Variation 140° 30' East.

38.60 Wash 70 lks wide flows S.
 40.00 Set a stone for temporary 1/4 sec cor
 80.00 Intersect N. and S. line 12 lks N of
 Cor. to secs. 28, 29, 30, and 33. From which
 Cor. Iron.

N. 89° 55' W on true line
 between Secs 29 and 32
 on 140° 30' East

40.00 Set a granite stone 12x10x8 ins marked
 1/4 set 1/2 in the ground and build mound
 of stone 2 ft high for 1/4 sec cor.
 No trees near.

80.00 The Cor. to Secs. 29, 30, 31, and 32.

Land gently rolling
 Soil 2d rate
 No timber or undergrowth

Fractional Township 11 North Range 7 West
Gila and Salt River Meridian.

BOOK
Chains

1030

West, on a random line between Sections 30 and 31.

Variation 140° 30' East.

1.50 Wash 30x30 wide, flows SW.
4000 Set a stone lot temporary 1/4 sec cor
78.90 Indirect W. boundary of Op 10x10 S.
of cor to secs 30 and 31, from which Cor
I run.

S. 89° 56' E. on line
between secs 30 and 31
Va 140° 30' East

78.90 Set a post marked 1/4 S. 4 ft long flattened
pins wide 1 ft in the ground, drive charred
stake and build mound of earth 2 ft
high with pits 2x1x1 ft for 1/4 sec cor
No tree near.

78.90 The cor to secs 29, 30, 31, and 32.

Land gently rolling
Soil 1st and 2d rate
No timber or undergrowth

Fractional Township 11 North Range 7 West
file of Salt River BOOK 1030 Meridian.

Chains North, between Sections 29 and 30.

Variation $140^{\circ}30'$ East.

4000 Set a limestone $14 \times 10 \times 4$ ins. marked
 $7/4$ set $7/3$ in the ground, and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft for
 $7/4$ sec cor. Not trees near

8000 Set a granite stone $16 \times 8 \times 6$ ins properly
notched set $7/3$ in the ground and on 2 sides
build mound of stone 2 ft high for cor
to secs 19, 20, 29, and 30.
No trees near

Land gently rolling
Soil 2d rate
No timber or undergrowth

Fractional 11 North ²⁵ Range 7 West

Gila and Tall River Meridian.

BOOK 1030

Chains East, on a random line between Sections 20 and 29.

Variation $140^{\circ} 30'$ East.

40.00 Set as done for temporary 1/4 Sec Cor
79.90 Intersect N and S. line 7 W. S. of Cor to
Secs 20, 21, 28, and 29. From which cor

I run
S. $89^{\circ} 57' W.$ on true line
between Secs 20 and 29
Var $140^{\circ} 30'$ East

3995 Set granite stone $14 \times 10 \times 10$ ins - marked 7 f
set 7/3 in the ground and build mound
of stone 2 ft high for 1/4 Sec Cor
Not true near

79.90 The cor to Secs 19, 20, 29, and 30.

Land slopes S.
Soil 3d rate
No timber or undergrowth

Fractional ²⁰ Township 11 North Range 7 West
Gila and Salt River BOOK 1030 Meridian.

Chains West, on a random line between Sections 19 and 30.

Variation $140^{\circ} 30'$ East.

40.00 Set a stone for temporary $\frac{1}{4}$ sec Cor.
79.08 Intersect W. boundary of Sp 9 lken. of
Cor. to secs 19th and 30. from which Cor
run

N. $89^{\circ} 56'$ E on true line
between secs 19th and 30
W. $140^{\circ} 30'$ East

39.08 Set a granite stone 16x12x8 ins marked $\frac{1}{4}$
set $\frac{1}{2}$ in the ground and build mound
of stone 2 ft high for $\frac{1}{4}$ sec Cor
No trees near.

79.08 The Cor to secs 19, 20, 29th and 30.

Land gently rolling
Soil 2^d rate
No timber or undergrowth

On account of the worthless character
of the land I extend this line no
further north.

February 28. 1877

General Description

This Township contains some good farming land, along the bottoms of Date Creek, in the South Eastern portion of the Township.

The balance of the land subdivided in the Township consists of rolling Mesas covered with good grass, which adapts it for grazing purposes.

The only timber in the Township consists of Cottonwoods and willows growing along the banks of Date Creek, which rises and sinks at intervals as it flows through the Southeastern portion of the Township. There are two settlements in the Township.

The unsurveyed portion of the Township is covered by rough rocky hills and Mesas, and can never be utilized for any purpose.

A. Burton Foster
U.S. Depy. Surveyor

1030 1030 1030
List of Names.

BOOK 1030

28

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *the subdivision*.....

lines of fractional Township 11

North Range 7 W

6th and 7th Principal Meridian

Showing the respective capacities in which they
acted.

Richard Krope..... Chainman.

Cusbia Schroder..... Chainman,

Paul Brutech..... Axeman.

.....
Flagman.



Final Oath of Assistants.

We hereby certify that we assisted W. C. Gaster
Gaster U. S. Deputy Surveyor, in
 surveying the subdivision lines of
Fractional Township 11 North
Range 7 W
Gila and Salt River Meridian
Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Richard Shrop Chairman.
Eusebio Schroder Chainman,
Paul Brutochke Axeman.
 _____ Flagman.

Sworn to and subscribed before me, this 4th
 day of March, 1877

William Gaster
 Notary Public



Final Oath of Deputy Surveyor.

I, W. P. Foster

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 11th day of October

1876 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the


Subdivision lines of Sectional Townships 11 North

Range 7 West

Gila and Salt River Meridian

Territory of Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-



tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. S. Foster
Deputy Surveyor.

Sworn to and subscribed before me, this *4th*
day of *March*, 187*7*

William C. Foster
Notary Public



BOOK 1030

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

December 27, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 11 North,
Range 7 West,

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Le. Burton Foster,

Deputy Surveyor, under his contract of the

11th/₁₁day of October,

1876, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Masson
Surveyor General.