

S. 13 N., R. 3 W., page 49.  
S. 13 N., R. 1 W., page 6.

1

No. 1033

BOOK 1033

Field Notes.

BOOK 1033

of the Subdivision lines  
of Townships 13 North  
Ranges 1 & 3 West.


4th & Salt River Meridian  
Arizona

By O. H. Case, U.S. Dep. Surveyor  
under his contract dated July 17<sup>th</sup> 1871  
Survey commenced Nov 14<sup>th</sup> 1871  
" completed " 22<sup>nd</sup> "

No. 1033

TOWNSHIP 18 N. RANGE 1 West <sup>River</sup> ~~California~~ and Salt <sup>River</sup> MERIDIAN

BOOK 1033



Bancroft's Blank, Township Plot.

L. Bancroft & Co., 721 Market St., San Francisco.

- Meridian Line,*
- Base Line,*
- Standard Line,*
- Township Lines,*
- Section Line,*
- Meander Lines,*
- Office Work,*
- Ranch Lines Re-survey*

BOOK 1033



1A

## Preliminary Oaths of Assistants.

I, \_\_\_\_\_ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

At read

Subscribed and sworn to before me, this \_\_\_\_\_ day of  
187

U. S. Deputy Surveyor.

We, A. M. Lindsay and  
D. W. Brooks


do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

A. Mc Lindsay  
V. W. Brooks

Subscribed and sworn to before me, this 13<sup>th</sup> day of  
Nov. 1871

U. S. Deputy Surveyor  
C. W. Wells  
Clerk Dist Court  
3<sup>d</sup> Dist Yavapai County  
Arizona





I, Joseph Kerr  
do solemnly swear that I will well and truly perform the  
duties of Attorney  
according to instructions given me, and to the best of my  
skill and ability.

Joseph Kerr

Subscribed and sworn the be before me, this 13<sup>th</sup>  
day of Nov. 1871

~~U. S. Deputy Surveyor.~~  
C. C. Colles  
At Dist Court  
3<sup>o</sup> District.



I,  
swear  
Comp  
the be  
Si

W  
do sol  
of Ch

Field Notes of the Subdivision line  
of Township 13 North R. 1 W. Gila and Salt River  
Jurisdiction

Index for T. 13 N., R. 3 W. on Page 48

BOOK 1033

4-674.

Township 13 N. R. 1 W. Secs 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35

6	37	5	20	4	10	3	2	1
36		35		19				
7	34	8	19	9	9	10	11	12
33		32		18				
18	31	17	17	16	8	15	14	13
30		29		15				
19	27	20	14	21	8	22	23	24
26		25		13				
30	24	29	13	28	7	27	26	25
23		22		11				
31	21	32	11	33	6	34	35	36



Township 13 N. Range 1 West.

Gila and Salt River Meridian

North - between Sec<sup>s</sup> 33<sup>rd</sup>  
34

Pa.  $13^{\circ} 46'$  East

500 Begin descent North.

4000 Set a stone  $18 \times 10 \times 8$  in  
a mound of stone 3ft high  
for  $\frac{1}{4}$  Sec cor.

5800 Foot of mountain and ravine  
bears N.W.

5850 Begin ascent of spur of  
range, bears N.W.

8000 Set a stone  $24 \times 10 \times 4$   
in a mound of stone 3ft  
high for the cor to Sec<sup>s</sup>  
27, 28, 33<sup>rd</sup> and 34

Land rough and broken  
Soil mineral Some timber  
scattering Pine and oak

Township 13 N. Range 1 W.  
Gila and Salt River Meridian

North between Sec<sup>s</sup> 27 and 28  
Va. 13° 46' East.

- 1300 Ravine bears N.W.
- 4000 Set a stone 20x10x8 in  
a mound of stone 3ft high for  
1/4 Sec cor.
- 6000 Pines in little valley, bears E. and N.
- 6300 Begin ascent of spur of mountain  
range. 500 feet high bears N.W.
- 8000 Set a stone 18x10x6 in a  
mound of stone 3ft high for  
the cor to Sec<sup>s</sup> 21, 22, 27 and 28  
Land broken and hilly Soil  
mineral Some timber mostly pine  
High barren mountains East.

North between Sec<sup>s</sup> 21 and  
22.

Va. 13° 46' East.

- 400 Summit of spur bears N.W.

Township 13 N. Range 14 W.

Gila and Salt River Meridian

- 4000 Set a stone 12 x 10 x 8 in  
a mound of stone 3 ft high  
for 1/4 Sec cor. No trees near.
- 8000 Set a stone 20 x 12 x 4 in  
a mound of stone 3 ft high  
for the cor. to Sec 2 15 16, 21, 22  
Land rolling Soil mineral  
No timber

North between Sec 15 and  
16.

Dir.  $13^{\circ} 46'$  East.

- 3000 Summit of spur. bears West.
- 4000 Set a stone 16 x 14 x 12 in  
a mound of stone 3 ft high  
for 1/4 Sec cor. No trees
- 8000 Set a stone 10 x 8 x 8 in  
a mound of stone 3 ft  
high for the cor. to Sec 9  
10 15 and 16. No trees



Township 13 N., R. 1 W.  
Gila and Salt River Mountain

Level rolling Soil Mineral  
No timber

North between Sec<sup>s</sup> 9 and 10

2500 Begin ascent of spur of  
Mountain bear West

4000 Summit and set a stone  
12 x 10 x 4 in a mound of stone  
3 ft high for 1/4 sec cor. No  
timber

4400 Begin descent, bear NW,

6000 Foot of spur and begin ascent  
of another

7400 Summit bear W,

8000 Set a stone 12 x 6 x 6 in  
a mound of stone 3 feet high  
for the cor to Sec<sup>s</sup> 3, 4, 9, and 10

Level rolling Soil mineral  
No timber along line

Townships 13 N. R. 14.

Chula and Salt River Meridian

North on random line

between Sec<sup>s</sup> 3 and 4.

Pa.  $13^{\circ} 46'$  East.

20,50 Point of spur, bears west.

4000 Set temporary 1/4 Sec cor.

8012 Intersected North boundary

of Tps. 12 links East of post

cor to Sec<sup>s</sup> 3, 4, 9 and 10

from which cor I run

$S. 0^{\circ} 5' E$  on true line between

Sec<sup>s</sup> 3 and 4

Pa.  $13^{\circ} 46'$  East.

4012 Set a stone  $18 \times 10 \times 8$  in

a mound of stone 3 ft high

for 1/4 Sec cor. No misc

8012 The cor to Sec<sup>s</sup> 3, 4, 9 and 10,

Land rolling Soil

minimal No timber

Nov. 14<sup>th</sup> 1877

Township 13 N. Range 1 W.  
Gela and Salt River Meridian

Ch<sup>s</sup> North between Sec<sup>s</sup>  
32 and 33.

Or. 13° 46' East.

4000 Set a stone 20x12x12 in  
a mound of stone 3 ft high  
for 1/4 Sec cor. from which  
An oak 8 in dia. bears N 85° E 16 lbs  
" " " " " West 12 "

5000 Set a stone 19x16x8 in a  
mound of stone 3 ft high for the  
Cor to Sec<sup>s</sup> 28 29 32 and 33  
from which  
A pine 18 in dia. bears S 34° N. 29 lbs  
A W. oak, 8 " " " N 45° W 50  
No other near.

Land rolling so is Mineral  
Timber pine and oak

East on random line  
between Sec<sup>s</sup> 28 and 33



Township 13 N. Range. 1 W.  
Gila and Salt River Meridian

VA. 13° 46' East

- 3200 Road. from upper Lynx creek  
to Prescott,
- 4000 Set temporary  $\frac{1}{4}$  Sec cor,  
4800 Lynx creek, Runs N. N. E.  
50 links wide. Cañon 4 chains
- 8000 Intersected N and S line  
20 links South of post  
cor. <sup>to sec 27. 28. 33 & 34</sup> from which cor it  
runs S 89° 52' W, on true  
line between Sec 28 and 33

VA. 13° 46' East.

- 4000 Set a stone 14 x 10 x 7 in  
a mound of stone 3 ft high  
for  $\frac{1}{4}$  Sec cor. No trees near.
- 8000 The cor to Sec 28 & 29  
32 and 33.

Land rolling Soil mineral  
Lumber pine and oak.

Township 13 N. R. 1 W.

Gila and Salt River Meridian

North between Sec<sup>s</sup> 28<sup>th</sup> and 29<sup>th</sup>

Pa. 13° 46' East,

4000 Marked a pine 5 in dia for  
1/4 Sec cor, from which

a pine 10 in dia bears N 40° E 10  
" " 5 " " West. 10.

5400 Little creek runs NE, and  
from West. Water in tank

8000 Marked an oak 5 in dia for  
the cor to Sec<sup>s</sup> 20 21 28 and 29

Land rolling Soil mineral  
Lumber pine and oak,

East on Gaudreau line between  
Sec<sup>s</sup> 21 and 28.

Pa. 13° 46' East-

10,50 Road, from upper Lynx creek  
to Prescott, bears N 11° SE

2300 Fruit bears NE S 11.

4000 Set temporary 1/4 Sec cor,

Township 18 N. R. 1 W.

Chula and Salt River Meridian in

- 5400 Heavy pine timber on bluff.
- 5500 Lynx creek runs North 40th  
wide
- 5700 Mining ditch and trail bears  
N 30° E;
- 3010 Intersected N and S line at  
west corner, <sup>to sec 21, 22, 27 & 28,</sup> from which a  
run West on true line  
Va. 130° 46' East.
- 4005 Marked a pine 16 in dia for 1/4  
Sec cor. from which a pine 14 in  
dia bears, N 60° W. 12th P.
- A pine 10 in dia bears South-30, Sec
- 3010 The corner to Sec P-20 21 28<sup>th</sup>  
29. Land rolling Soil  
Principal timber pine and  
oak.

North between Sec-  
20 and 21



Township 13 N. Range 12W  
Gila and Salt River Meridian

ra. 13<sup>th</sup> 46' East.

- 26.50 Road from upper Lynx creek  
to Prescott bears N.W. S.E.
- 40.00 Marked a pine 8 in dia  
for 1/4 Sec cor. from which  
A pine 10 in dia bears N. 20° E 4000  
No others near.
- 80.00 Marked a cedar, 8 in dia for  
the cor. to Sec<sup>s</sup> 16, 17, 20, and 21  
from which  
A cedar, 18 in dia bears S.W. 1/4  
" " " " " " East 2"  
No others near.
- Land rolling soil mineral.  
Lumber pine and oak.

East on random line between  
Sec<sup>s</sup> 16 and 21

ra 13<sup>th</sup> 46' East

- 34.50 Lynx creek runs N.W. 50

Township 13 N, Range 1 W  
Gila and Salt River Indian

links wide

3600 Entered rolling land  
4000 Set temporary 1/4 Sec cor.  
8020 Intersected N. and S. line  
25 links North of post cor  
to Sec<sup>s</sup> 15, 16 21 and 22,  
from which cor is run  
N.  $89^{\circ} 44' W.$  on true line  
between Sec<sup>s</sup> 16 and 21  
Va.  $13^{\circ} 46' East,$

4040 Set a stone 16 x 10 x 8 in  
a mound of stone 3 ft high  
for 1/4 Sec cor N. true  
8020 The cor, to Sec<sup>s</sup> 16, 17, 20  
and 21

Land rolling Soil  
mineral Lumber west of  
Lynx creek Pine mostly.

Township 13 N. Range 1 W.  
Gila and Salt River Meridian

North-between Sec 16  
and 17.

Pa.  $13^{\circ} 46'$  East.

- 4000 Set a stone 12 x 10 x 8 in a mound of stone for  $\frac{1}{4}$  Sec cor, from which  
 a pin oak 8 in dia bears N  $35^{\circ} 6'$  E 0.6  
 " pine 18 in " " N  $46^{\circ} 1'$  E 54  
 Little dry creek runs North from corner.
- 5200 Dry creek runs N N, 50 links wide
- 5300 Begin ascent of mountain southerly
- 7200 Summit- and begin descent
- 7500 Gulch, runs N W 10 links wide
- 8000 Set a stone 20 x 14 x 10 in a mound of stone 3 ft high for the corner to Sec 8 & 9 16 and 17  
 No trees,



Township 13 N, Range 1 W

Gela and Salt River Division

Land broken and hilly  
Soil mineral No timber on North,

East on random line between  
Sec 9 and 16,

VA.  $13^{\circ}46'$  East

4000 Set temporary  $\frac{1}{4}$  Sec cor  
80.16 Intersected Pt and S line  
32 links South of post cor  
to Sec 9, 10, 15, and 16 from  
which cor I run S  $89^{\circ}46'$   
on true line between Sec  
9 and 16,

VA.  $13^{\circ}46'$  East

40.08 Set a stone  $18 \times 10 \times 8$  in  
a mound of stone 3 ft high  
for  $\frac{1}{4}$  Sec cor, No trees  
80.16 The cor to Sec 8 9 16<sup>and</sup>  
17 Land rough and broken  
Soil mineral No timber

Township 13 N. Range 1 W.

Gila and Salt River Meridian

North between Sec<sup>s</sup> 8<sup>th</sup> & 9<sup>th</sup>

VA. 13° 46' East,

40.00 Set a stone 16 x 10 x 8 in a mound of stone 3 ft high for 1/4 Sec cor. No trees.

80.00 Set a stone 20 x 14 x 10 in a mound of stone 3 ft high for this cor to Sec<sup>s</sup> 4, 5, 8, 9 & 9  
Land rolling soil mineral  
Placers. No timber East,

East on random line between  
Sec<sup>s</sup> 4 and 9,

VA. 13° 46' East,

40.00 Set temporary 1/4 Sec cor.

80.00 Suber section N and S line  
at first cor to sec<sup>s</sup> 3, 4, 9 and 10  
from which cor I run West  
on true line between Sec<sup>s</sup> 4 & 9  
VA 13° 46' East

Townships 13 N. Range 1 W.

Osage and Salt River Meridian

- 4000 Set a stone 14x12x12 in  
a mound of stone 3ft high  
for 1/4 Sec. cor. from which  
a granite boulder bears  
South - 20 links a boulder  
North - 40 "
- 8000 The corner to Sec<sup>s</sup> 4, 5, 8, 9  
Land broken Soil mineral  
No timber

North on random line  
between Sec<sup>s</sup> 4 and 5

va. 13<sup>+</sup> 46' East.

- 2000 Entered Scattering pines and  
cedars.
- 4000 Set temporary 1/4 Sec cor.
- 8012 Entered section North boundary  
of Twp at cor. of Sec<sup>s</sup> 4, 5,  
32 and 33. from which cor  
I run South on true line



Township 13 N. Range 1W  
Gila and Salt River Meridian

between Secs 4 and 5

Pa. 13<sup>o</sup> 46' East.

- 4012 Set a stone 12 x 10 x 10 in  
a mound of stone 3 ft high  
for 1/4 Sec cor, NW 1/4
- 8012 The cor. to Secs 4, 5, 8 and 9  
Land rolling soil mineral  
No timber of any account.

Nov. 15<sup>th</sup> 1871

North-between Secs 31 and 32

- 1200 Summit of mountain bears  
E and W.
- 4000 Set a stone 16 x 10 x 8 in a  
mound of stone 3 ft high for  
1/4 Sec cor, No mt near.
- 8000 Set a stone 24 x 18 x 12  
in a mound of stone 3 ft  
high for the cor. to Secs  
29, 30, 31 and 32  
Land broken and mountainous

Township 13 N, Range 1 W,  
Gila and Salt River Meridian

Soil mineral Some timber  
East and west in ravines  
Mostly - pine.

Great on random line between  
Sec<sup>s</sup> 29 and 32,

Pa. 13<sup>o</sup> 46' East

- 4000 Set temporary 1/4 Sec cor.  
5000 Begin ascent of ridge bearing  
N and S W, 600 feet high  
7400 Summit - and begin descent  
7980 Intersected N and S line  
at post cor to Sec<sup>s</sup> 28 29  
32 and 33, from which cor  
I run West on true line  
between Sec<sup>s</sup> 29 and 32  
Pa. 13<sup>o</sup> 46' East,  
3990 Set a stone 18 X 10 X 6 in  
a mound of stone 3 ft high  
for 1/4 Sec cor, from which

Township 13 N. Range 1 W.  
Gila and Salt River Meridian

a pine oak & in dia bears  
N 24° W. 40 links

No other near

7980 the corner to Sec 29 30 31 &  
32.

Land broken and mountainous  
Soil mineral Timber pine  
and oak.

West on random line between  
Sec. 30 and 31 Va. 13° 46' East

3800 Trail from Lynx creek to  
Prescott bears NW.

4000 Set temporary 14 Sec cor

6600 Summit of divide between  
Hassayampa, and Lynx creek

7990 Intersected West boundary  
of Tp. at a point 80 links  
south of post-cor to Sec  
30, 31, 25, and 36 from which



Township 13 N, Range 1 W,  
 Ohio and Salt River Meridian

Corner of run S.  $89^{\circ}45'6''$   
 on run line between Sec-  
 30 and 31

Var.  $13^{\circ}46'$  East,

3990 Set a post in a mound of  
 stone 3 ft high from which  
 a cedar 18 in bears N5E  
 20 links An oak, 4 in dia-  
 bears East 14 links,

7990 The corner to Sec<sup>s</sup> 29, 30  
 31 and 32,

Land mountainous Soil  
 mineral Timber pine and  
 oak.

North between Sec<sup>s</sup> 29  
 and 30,

Var.  $13^{\circ}46'$  East,

4000 Set a stone 14 x 8 x 8 in a  
 mound of stone 3 ft high for 1/4

Townships 13 N. Range. 1 W.  
Gila and Salt River Meridian

Sec. cor.

No trees near.

8000 Marked a pine 30 in dia for  
the corner to Sec<sup>s</sup> 19, 20, 29, and 30  
Round conical mountain S E 1000  
500 feet high.

Land rolling Soil mineral  
Timber pine and oak,

East on random Line between  
Sec<sup>s</sup> 20 and 29.

Ca.  $13^{\circ} 46'$  East.

500 Summit of ridge between conical  
hill and Mt. Walker north.

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8000 Intersected N and S line at  
post corner. to Sec<sup>s</sup> 20, 21, 28  
and 29, from which cor. I run  
West between Sec<sup>s</sup> 20 and 29  
Ca  $13^{\circ} 46'$  East

Township 13 N. Range 1 W.  
Gila and Salt River Meridian

40.00 Marked a cedar, 18 in dia for  
1/4 Sec cor. from which  
a Cedar, 30 in dia bears S 30° W, 19 Sec  
An oak, 18 in " " West 21 "

50.00 The corner to Sec 19, 20, 29 and  
30. Land broken and moun-  
tainous Soil mineral Lumber  
Pine and cedar.

Went on random line between  
Sec 19 and 30

Va. 13° 46' East,

28.00 Ravine bears North, & South

40.00 Set temporary 1/4 Sec cor.

64.00 Begin ascent of divide bear  
North & South

75.00 Sun's mit-

89.80 Entered West boundary  
of Township 15 miles North  
of Post cor to Sec 19 24 25



Township 13 N. Range 1 W.  
Gila and Salt River Meridian

and so from which corner D.  
run N.  $89^{\circ}54'E$  on true line  
between Sec<sup>s</sup> 19 and 20

va.  $13^{\circ}46'$  East,

39.80 Set a stone  $12 \times 10 \times 8$  in  
a mound of earth with pits  
for 14 Sec cor. No trees.

Land rolling in centre West  
and East mountainous

Lumber pine and oak & cottonwood.

74.80 The cor to Sec<sup>s</sup> 19 20 29 & 30

North between Sec<sup>s</sup> 19

and 20

va.  $13^{\circ}46'$  East.

600 Begin ascent of West slope  
of Mt Walker. 1000 feet high

2000 Summit of spire. Bears NW,  
and begin descent North.

4000 Set a stone  $20 \times 20 \times 10$  in a

Township 13 N. Range 1 W.  
Gila and Salt River Meridian

Mound of stone 3 ft high  
for cor to 14 Sec<sup>s</sup> from which  
A pine oak 6 in dia bears N80°W 15°E  
" " " 8" " " N88°E 20"

52,000 Dry creek runs East, 20 links  
wide. Head of Bashford's and  
Bigelow's Mining ditch about  
8 chains N.E.

8,000 Set a post in a mound of Stone  
3 ft high for the corner to Sect  
17, 18, 19 and 20 from which  
a pine 18 in dia bears West, 93°E  
" " 12" " " S30°W 25"  
No others near.

Land rolling on North end of line  
South mountains. Timber mostly  
pine. Soil mineral.

Township 13 N. Range. 1 W.  
Gila and Salt River Meridian

East on random line between  
Sec 17 and 20

N.  $13^{\circ} 46'$  East.

2800 Mining ditch Bashford and Bigelow North

4000 Set Temporary  $\frac{1}{4}$  Sec cor.

4800 Road bears North and South-East,

6000 Dry creek 20 links wide runs N.E.,

8010 Intersected N and S line 10  
links South of post cor. to

Sec 16, 17, 18 and 21 from actual  
cor. Run S  $89^{\circ} 58'$  W on true  
line between Sec 17 and 20

N.  $13^{\circ} 46'$  East.

4005 Set a stone  $18 \times 10 \times 10$  in  
manzanita brush for  $\frac{1}{4}$  Sec  
cor. No trees near.

8010 The corner of Sec 17, 18, 19  
and 20.

Land rolling S. W. corner  
Timber South and North



Township 13 N. Range 1 W,  
 Gila and Salt River Meridian

Mostly pine.

Apr. 16<sup>th</sup> 1871

Went on random line between  
 Sec<sup>s</sup> 18 and 19,

8 Va.  $13^{\circ}46'$  East,

8,000 Entered manzanita brush.

20,000 Left manzanita brush and  
 entered scattering pines in  
 ravine.

4,000 Set temporary 1/4 Sec cor.

Left pines and entered brush.

6,972 Intersected West-boundary  
 at post corner to Sec<sup>s</sup> 18/19/23  
 and 24. from which cor Down  
 East on line between Sec<sup>s</sup>  
 18 and 19.

Va.  $13^{\circ}46'$  East,

3,972 Set a post in a mound  
 with pits as per instructions  
 for 1/4 Sec cor, from which

Township 13 N Range 1 W.

Gila and Salt River Meridian

A pine 4 in dia bears N. 20° E 40 lbs  
 W others near.

7972 The corner to Sect 17, 18, 19, 20  
 Land rolling and hilly Soil  
 mineral Not much timber

North between Sect. 17 and  
 18.

U. 13° 46' East.

4000 Marked a Jack oak 8 in in  
 dia, for 1/4 Sec cor. 3 in group.

5000 Set a stone 18 x 10 x 8 in a mound  
 of stone 3 ft high for the cor. to  
 Sect 7, 8, 17 and 18 from which  
 a pine 12 in dia bears South, 4, lbs  
 Two ravines, unite at this point  
 and run North; one from SE other  
 from S.W.

Land rolling Soil mineral  
 Timber pine and oak

Township 13 N. Range 1 W.  
Gila and Salt River Meridian

East on random line between  
Sec 8 ~~7 and 8~~ 8<sup>th</sup> 1<sup>st</sup>  
Va. 13<sup>th</sup> 46 East

3400. Bashfords and Bejelows Mining  
ditch mouth - 4 chains South  
runs into gulch bears N. W. E.
- 4000 Set temporary N Sec cor.
- 4700 Entered Little bottom of Lynx  
creek, bears N and S,  
House, Bashfords, & Co, 8 chains  
North.
- 4810 Mining ditch bears North -
- 4900 Road to Prescott, " "
- 5500 Placer mine on right-bank  
of Lynx creek 164 chains North
- 6000 Lynx creek runs west 8 chains then  
North - 50 links wide.
- 8000 An intersected N and S line  
at post cor to Sec 8 9 16 49  
17 from which cor I run West



Township 13 N. Range 1 W.

Gila and Salt River Meridian

on true line between Sec<sup>s</sup> 8<sup>th</sup> and 7<sup>th</sup>

Va. 13° 46' East.

- 4000 Set a stone 12 X 10 X 8 in a mound of stone 3 ft high for  $\frac{1}{4}$  Sec cor from which a pine 24 in dia bears North - 6 links
- 8000 The corner to Sec<sup>s</sup> 17, 18, 7<sup>th</sup> and 8<sup>th</sup> Land rolling Soil mineral Timber pine and oak.

West on random line between Sec<sup>s</sup> 7<sup>th</sup> and 18,

Va. 13° 46' East.

- 4000 Set temporary  $\frac{1}{4}$  Sec cor.
- 6400 Begin ascent of brushy hill bears N.E. and leave timber
- 7966 Intersected West boundary of Twp. at post cor from which cor 2000 East on true line between Sec<sup>s</sup> 7<sup>th</sup> and 18

Township 13 N. Range 1 W.  
Gila and Salt River Meridian

Va.  $B^{\circ}46'$  East.

- 39.66 Set a stone 24 x 20 x 10 in  
a mound of stone 3 ft high  
for  $\frac{1}{4}$  Sec cor. No trees near  
but brush, all round.
- 79.66 The corner to Sec<sup>s</sup> 7, 8, 17, 18.  
Land rolling and brushy  
Soil mineral Some pine timber  
in gulches.

North between Sec<sup>s</sup>  
7 and 8

Va.  $13^{\circ}46'$  East

- 4000 Set a post in a mound of stone  
for  $\frac{1}{4}$  Sec cor from which  
A pine 8 inches bears N  $70^{\circ}$  W 20 lbs  
An oak, 8 " " " West 18 "
- 5500 Road to Prescott bears N  $W$   $44^{\circ}$   
'SE
- 7500 Leave pine timber enter brush

Townships 13 N. Range, 1 W.  
Gila and Salt River Meridian

Land.

9000 Set a stone 20 x 20 x 18 in a mound  
of stone 3 ft high for cor to Sect  
5, 6, 7, and 8. From which a  
Pine 10 in dia bears S 6 1/2° E, 100 lbs.  
Land rolling Soil mineral  
Lumber pine and oak,

East on random line between  
Sect 5 and 8

24. 13° 46' East,

4000 Set temporary 1/4 Sec cor.  
6400 Lignite creek runs N. N. W. 50 chains  
wide  
8000 Enter section N and S line  
20 links South of post cor  
to Sect. 4, 5, 8 and 9  
from which cor I run  
S 89° 52' W on true line between  
Sect 5 and 8



Township 13 N. Range 1 W  
 Gela and Salt River Meridian

Va. 13° 46' East,

- 4000 Set a stone 20x10x4 in  
 a mound of stone 3 ft high  
 for  $\frac{1}{4}$  Sec cor No 10
- 8000 The cor of sec 5-6 & 7 and 8  
 Land rolling Soil mineral  
 Some timber South  $\frac{1}{2}$  of  
 Section Mostly pine

West on random line  
 between Sec 6 and 7

Va. 13° 46' East,

- 3300 Road from Fox creek to  
 Prescott. bears N W. S E.
- 4000 Set temporary  $\frac{1}{4}$  Sec cor.
- 79,600 Euler section West boundary  
 of Township at a point  
 25 miles South of post  
 corner to Sec 6, 7 and 12  
 from which cor E run

Township 13 N. Range 1 W  
Gela and Salt River Meridian

Pa.  $13^{\circ}46'$  East.

4000 Set a stone  $20 \times 10 \times 4$  in  
a mound of stone 8 ft high  
for  $\frac{1}{4}$  Sec cor No 10

8000 The cor of sec 5, 6, 7 and 8  
Land rolling Soil mineral  
Some timber South  $\frac{1}{2}$  of  
Section Mostly pine

West on random line  
between Sec 6 and 7

Pa.  $13^{\circ}46'$  East.

3300 Road from Fox creek to  
Prescott. bears N W. S E.

4000 Set temporary  $\frac{1}{4}$  Sec cor.

79.60 On intersected West boundary  
of Township at a point  
25 links South of post  
corner to Sec 6, 7, 11 and 12  
from which cor I run



Township 13 N. Range 1 W.  
Chico and Salt River Meridian

S  $89^{\circ} 49' \frac{1}{2}^{\circ}$  on true line  
between Sec 6 and 7.  
Va.  $13^{\circ} 46'$  East.

3960 Set a stone in a mound of  
stone 3ft high for  $\frac{1}{4}$  Sec cor  
and also a post, from which  
a pinion 10 in bears  $N 40^{\circ} E 20$   
No other near.

7960 The corner to Sec 56 7<sup>th</sup>  
8.

Land rolling Soil poor No  
timber along line of gulch

North on ran down line  
between Sec 5 and 6.

Va.  $13^{\circ} 46'$  East.

3400 Entered Scattering Cedars.  
in gulch West of high mill

4000 Set lean wavy  $\frac{1}{4}$  Sec cor.

80,16 On intersected North boundary



Township 13 N. Range 1 W.  
Gila and Salt River Meridian

of T<sub>4</sub> at a point 30 links  
East of 1<sup>st</sup> corner to Sec<sup>s</sup>  
5, 6, 31, and 32 from which  
corner I run S<sup>10</sup> 13' E on true  
line between Sec<sup>s</sup> 5 and 6.

Pa. 13° 46' East.

4016 Set a post in a mound of  
stone 3/4 high for 14 Sec cor  
No trees near.

806 The cor to Sec<sup>s</sup> 5-6 7 and 8  
Land rolling Soil poor.  
No timber of value.  
Nov. 17<sup>th</sup> 1871

Townships 13 & 14 Range 14  
Gold and Salt River Meridian

### General Description

The surveyed portion of this Township contains some very fine timber land, consisting mostly of Pine and Oak.

Lynx Creek a stream of small size runs through the Township along its banks and gulches are several good places

claims. In the mountains round, gold in rock is found.

The unsurveyed portions embrace high barren mountains destitute of timber except in the South-Eastern portion probably.

W. H. Case

Deputy Surveyor.

A List of the Names of the individuals employed to assist  
in running, measuring, or marking the lines and corners  
described in the foregoing Field Notes of  
South boundary of Tps. 13 North  
& Range, 1 West of the Gila and  
Salt River Meridian and subdividing  
the same,

showing the respective capacities in which they acted.

A. M. Lindsay	Chainman
V. W. Brooks	Compassman.
Joseph. Kerr.	Chainman.
Thomas Head.	Axeman
John Riley	Chainman.
	Flagman
	<del>Chainman.</del>
	Mound Builder





## Final Oaths of Assistants.

We hereby certify that we assisted Omar H. Case  
 Deputy Surveyor, in surveying  
 the South boundary line of Tp. 13  
 North of Range 1 West of the Gila  
 and Salt River Meridian, and  
 subdividing the same.

and that said Survey has been in all respects, to the  
 best of our knowledge and belief, well and faithfully sur-  
 veyed, and the boundary monuments planted according to  
 the instructions furnished by the Surveyor-General.

A. H. Lindsay

V. W. Brooks,

Joseph Kerr

Shos. Phlece & John Riley

Subscribed and sworn to before

us, this 23<sup>d</sup> day of Nov.

1871

Crowell

clerk Dist Court

3<sup>d</sup> Dist A.S.

I, Oscar H. Case

Deputy Surveyor, do solemnly swear that, in pursuance with a contract with John Wasson

United States Surveyor-General for Arizona, bearing date the 17 day of July 1871, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

Township 13 North Range 1 West.

of the Gila and Salt River

Murichian, to wit the South boundary and Subdivision lines,



as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

*McBase*

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 23<sup>d</sup>  
day of November 1871

*Cowdell*

Clerk Dist Court

3<sup>d</sup> Dist and





Surveyor General's Office  
Tucson A.T.

Jan'y 29<sup>th</sup> 1872

The foregoing field Notes of  
the Survey of the Subdivision  
lines of Townships 13 N. Range  
1 West. of the Gila & Salt  
River Base and Meridian  
lines in the Territory of  
Arizona executed By A. H.  
Case, U.S. Deputy Surveyor  
under his contract dated  
July 17<sup>th</sup> 1871, having been  
critically examined, the  
necessary corrections and  
explanations made, the  
said field Notes and the  
Survey they describe are  
herby approved.

L. M. Basson  
U.S. Surveyor General  
for Arizona

Field Notes of the Subdivision  
Lines

E. Township No 13 North  
" Range No. 3 West,  
" The Gila and Salt River  
Meridian.

Territory of Arizona  
by,

Olebase Deputy Surveyor,  
Under his contract of July, 1871  
Survey commenced, Nov. 20<sup>th</sup> 1871  
Survey completed, " 22<sup>d</sup> 1871

TOWNSHIP 13 IV RANGE 3 IV. Gila and Salt River MERIDIAN

BOOK 1033



Bancroft's Blank, Township Plot.

A. L. Bancroft & Co., 721 Market St., San Francisco.

- Meridian Line,*
- Base Line,*
- Standard Line,*
- Township Lines,*
- Section Line,*
- Meander Lines,*
- Office Work,*
- Ranch Lines Re-survey*

BOOK 1033



## Preliminary Oaths of Assistants.

I, \_\_\_\_\_ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

*By me*

Subscribed and sworn to before me, this \_\_\_\_\_ day of \_\_\_\_\_ 1877

U. S. Deputy Surveyor.



We, *A. M. Lindsay* and *V. W. Brooks*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

A. M. Lindsay  
V. W. Brooks,

Subscribed and sworn to before me, this 13<sup>th</sup> day of  
Nov. 1871

U. S. Deputy Surveyor.

Crowell  
Clerk Dist Court  
3<sup>d</sup> Dist Navajo County  
Arizona



I,

Joseph Kerr.

do solemnly swear that I will well and truly perform the  
duties of Axmanaccording to instructions given me, and to the best of my  
skill and ability.

Joseph Kerr

Subscribed and sworn the be before me, this 13<sup>th</sup>  
day of Nov. 1871

H. J. Deputy Surveyor.

C. W. Wells  
Clk Dist Court  
3<sup>d</sup> Dist Ast.



# BOOK 1033

4-674.

Township 13 N. R. 3 W. So. S. R. B. M.

6	5	4	67	3	62	2	56	1
			66		65		61	55
7	8	9	65	10	61	11	54	12
					64		59	53
18	17	16		15	58	14	52	13
							57	51
19	20	21		22		23	50	24
								49
30	29	28		27		26		25
31	32	33		34		35		36

Township 13 N. Range. 3 West,  
Gila and Salt River Meridian

Begin at the established corner  
to Sec<sup>s</sup> 19, 24, 25, <sup>4th</sup> 30, on the  
Range line between ranges 2<sup>nd</sup> & 3,  
The South portion of Twp. 13 N. R. 3  
W. is mountain land, unfit for  
cultivation or timber land

Survey commenced, Nov. 20/87

Went between Sec<sup>s</sup> 24 and 25  
on true line

Wa. 13<sup>+</sup> 47' East as per  
Burt's improved Solar Compass.

40.00 Set a stone 18 x 14 x 12 in a  
mound of stone 3 ft high for  $\frac{1}{4}$   
Sec cor. No trees near

54.00 Begin ascent of Spur of mountain bears  
N.W. S.E. 300 feet high Some timber  
along base mostly pine.

64.00 Summit and begin descent.

80.00 Set a stone 12 x 10 x 10 in a mound  
of stone 3 ft high for the corner to.

Township 13 N Range 31.  
Gila and Salt River Meridian

Secs 23, 24, 25, 26.

Land rolling Soil mineral  
Timber scarce.

North between Secs 23<sup>rd</sup> & 24<sup>th</sup>

W. 13<sup>th</sup> 47<sup>th</sup> East.

Begin ascent of Mountain at post  
cor. 1000 feet high East Slope

3000 Summit bears N and S.

4000 Set a post in a mound of stone  
3 ft high for 1/4 Sec cor. No trees  
near. on N E Slope of Mountain

5000 Begin descent North.

8000 Marked a white oak, 8 in dia for  
the cor to Secs 13 14 23<sup>rd</sup> and 24<sup>th</sup>  
from which

A W. Oak 10 in dia, bears South 76<sup>th</sup>

" " " 8 " " " West. 13 "

" " " 10 " " " S 87<sup>th</sup> E 16 "

Land rolling and mountainous



Township 13 N. Range 3 W.

Gila and Salt River Meridian

Soil poor. Timber Pine oak  
and cedar.

East on random line between  
Sec<sup>s</sup> 13 and 24

Pa.  $13^{\circ} 47'$  East,

1000 Summit of range, bears East  
S.W.

1200 Indian creek head, South 5 ch.

4000 Set temporary  $\frac{1}{4}$  Sec cor.

8012 Intersected East boundary of  
Twp at 20 links South of post  
cor to Sec<sup>s</sup> 13 18 19 and 24

from which cor I run  $S 89^{\circ} 52' W$   
on true line between Sec<sup>s</sup>  
13 and 24

Pa.  $13^{\circ} 47'$  East,

4006 Set a stone  $24 \times 12 \times 12$  in  
a mound of stone 3 ft high  
for  $\frac{1}{4}$  Sec cor. No true

Township 13 N. Range 3 W,  
Gila and Salt River Meridian

8012 The corner to Sec 2-13 14 23  
and 24,

Land much broken Soil  
poor No timber of any worth,

North between Sec 2-13 14 14  
70° 47' East.

2000 Trail from Skull Valley to  
Prescott bears East, and S.W.

20,20 A open creek, runs East.

40,00 Set a stone 18 x 12 x 4 in a  
mound of stone 3 ft high for 14  
Sec. cor. from which

@ pile 18 in dia bears S 83° E 41.00  
" " " " " " S 75° N. 29,

73,50 Begin descent of range bears East  
and West, 400 feet high

7600 Little creek runs East 15 links  
wide

8000 Set a stone 16 x 8 x 6 in a mound

Township 13 N, Range 3 W,

Gila and Salt River Meridian

of stone 3 ft high for the cor.  
to Sec<sup>s</sup> 11, 12, 13, and 14,  
from which

A Cedar, 36 in bears S 40° E 49 ft.

" pine 6 in dia " South 19 "

Land hilly Soil 2<sup>nd</sup> rate

1<sup>st</sup> rate - Pine Timber

East on random line between  
Sec<sup>s</sup> 12 and 13,

to 13° 44' East,

4000 Set temporary 1/4 Sec cor.

4900 Aspen creek runs N E, 12 links  
wide

5200 Little creek runs N, N E, 21 links  
wide

8000 Intersected East boundary of Twp  
at post cor, to Sec<sup>s</sup> 7 12 13 and  
18, from which cor. I run West  
on true line between Sec<sup>s</sup> 12 and 13



Township 13. N. Range, 3<sup>d</sup> W.

Gila and Salt River Meridian

W. 13° 47' East.

4000 Marked a Cottonwood 12 in dia for  $\frac{1}{4}$   
Sec cor. from which  
a cotton wood, 16 in dia bears N86°W 80k  
Little creek runs East about 1 ch.  
South.

8000 The cor to Sect 11, 12, 13, and 14  
Land rolling Soil 1<sup>st</sup> and 2<sup>d</sup> rate  
Lumber pine and oak.

North - between Sect 11 and 12

W. 13° 48' East.

Begin ascent of Mountain  
800 feet high at cor.

3100 Summit Sloping gently North

4000 Set a stone 20 x 10 x 8 in a mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec  
cor from which

A Pine 12 in dia bears N88°E 20k

No others near

May 13 11. Range 3 & 4.

BOOK 1033

Gila and Salt River Meridian

8000 Set a stone 12x10x8 in a mound  
of stone 3ft high for the cor to  
Sec 1, 2, 11, and 12 from which  
a pine 20 in dia bears N. 37 W. 44 links  
" " 18 " " " S 20 E 32 "

No others near.

Land Mountainous Soil poor

Timber mostly pine of a stunted  
growth.

East of random line between  
Sec 1 and 12.

20. 18° 46' East.

4000 Set temporary 1/4 Sec cor.

6200 Dry arroyo runs S E, 21 links  
wide

8000 Intersect East boundary of  
7/8 at post cor <sup>to Sec 1, 2, 6 & 7</sup> from which cor  
Run West on true line between  
Sec 1 and 12.



Township 13 N. Range 3 E.

BOOK 1033

Gila and Salt River Meridian

W.  $13^{\circ}47'$  East,

4,000 Set a stone  $18 \times 10 \times 8$  in a mound of stone 3 ft high from which a Black Oak & a bear 306 stalks

6000 " " 6 miles " S  $20^{\circ}$  W, 30  
The cor to Sec<sup>s</sup> 1, 2, 11, and 12  
Land rolling Soil 2<sup>d</sup> rate  
Good timber pine and oak,

North <sup>boundary line</sup> between Sec<sup>s</sup> 1 and 2,

W.  $13^{\circ}47'$  East,

200 Dry creek runs N.E. 20 links wide

4,000 Set temporary 1/4 Sec cor,

6000 Dry arroyo runs N.W. 10 links wide and begins ascent of hill 300 feet high bears East and West.

80,12 Later erected North-boundary at post cor to Sec<sup>s</sup> 1, 2, 35-4-936 which is a stone in a mound



Township 18 N, Range 3 W,  
Chula and Salt River Meridian

No bearing trees.

From which cor I run South  
on true line between Sec 1 & 2

Va.  $13^{\circ} 47'$  East.

40.12 Set a post in a mound of stone  
3 ft high for  $\frac{1}{4}$  Sec cor. from  
which a pine 18 in diam bears North 20 degs

No others seen.

80.12  
~~80.12~~ The cor to Sec 1 2 11 and 12.

Land broken and overrunning  
timber on South portion of Sec 1,  
mostly pine.

Nov. 20 1871

West on true line between  
Sec 14 and 23.

Va.  $13^{\circ} 47'$  East.

18,00 Entered a spruce grove bears N & S.  
20,00 Little creek runs N, N E 10 links wide  
29,00 Another " " N. then E, dry bed

Township 13 N. Range 3 W,  
Gila and Salt River Meridian

12 bucks wide Left - aspens and  
entered pine.

34,60 Skull Valley trail bear NE,

4000 Set a stone 20 x 16 x 6 in a mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec. cor,  
from which

Dr. Oak 16 in dia - bears North 28 $^{\circ}$  E

" Pine 16 " " " S 85 $^{\circ}$  E 17"

6000 Divide between waters of Granite  
Creek and Skull Valley bear NW,

8000 Set a stone 18 x 10 x 10 in a mound  
of stone 3 ft high for the cor, to  
Sec. 14 15 22 and 23.

Land mountainous timber pine  
and oak, on East half of Sec 2  
South,

North between Sec 14 and  
15

Va. 13 $^{\circ}$  47' East.



Township 13 N. Range 3 W.

Gila and Salt River Meridian

- 10,000 Entered Boulders, Bear E and W,  
 4000 Set a stone 24 X 20 X 18 in a  
 mound of stone 3 ft high for  
 1/4 Sec cor.  
 8000 Set a stone 16 X 8 X 6, in a mound  
 of stone 3 ft high for the cor to  
 Sec 10, 11, 14, and 15, from which  
 a line 16 in this bears, N 60 E 36 lks  
 " " 10 " " " S 60 E 17 "  
 An oak 8 " " " N 80 W 20 "

Land rocky, Soil  
 poor stunted growth of pine  
 and oaks.

East on random line between  
 Sec 11 and 14 (20 13 4 1/2 East)

- 1000 Summit of divide bears N. W.  
 4000 Set temporary 1/4 Sec cor.  
 4200 Begin descent of Mountains  
 5600 Little creek side East about 5 chains



Township 18 N., Range 3 W.  
Gila and Salt River Meridian

- South of line
- 5930 Little Creek runs N.E. 10 links wide
- 77.70 " " " S.E. 10 " "
- 8000 Intersected N and S line 24 links  
North of post cor to Sec 11 12  
13 and 14 from which cor from  
N 89° 50' W, on true line between  
Sec 11 and 14,  
Va. 13° 47' East,
- 4000 Set, a stone 20 x 20 x 10 in a corner  
of stone 3 ft high for 14 Sec cor  
from which  
A pile 20 in dia bears N 80 E, 30 lbs  
" " 18 in " " " " " " " " " " " "
- 8000 The corner to Sec 10 11 14 and  
15 Land mountainous Soil poor  
Lumber pine and oak,

Township 13, North Range 3 N,

Gila and Salt River Meridian

North between Sec 2-10 and  
11,

va. 13<sup>th</sup> 47' East,

1900 Little creek runs NE 10 links wide  
Line runs along East Slope of  
Mountains

40,000 Set a stone 12 x 12 x 6 in a mound  
3 ft high for 1/4 Sec cor, from which  
A. Jack oak, 10 in dia bears, N, 15<sup>th</sup>, 12, 11,  
" " " 8 in " " N 30 E, 4<sup>th</sup>

8000 Set a stone 18 x 14 x 12 in a mound  
of stone 3 ft high on north slope of  
steep mountain for the cor to Sec-  
2, 3, 10 and 11,

Land broken some timber  
Pine mostly,

East on random line between  
Sec 2 and 11

va. 13<sup>th</sup> 47' East,



Township 13 N. Range 3 W,  
Gile and Salt River Meridian

- 400 Gulch runs NW.
- 800 Summit of divide bears NW.
- 4000 Set the corner 1/4 Sec cor.
- 79.80 Intersected North and South  
line 24 links North of post cor  
to Sec 1 2 11 and 12, from  
which cor it runs N. 89° 50' W.  
on true line between Sec. 2 & 11  
3 Va 13° 47' East
- 3990 Set a stone 24 x 12 x 8 in a  
mound of stone 3 ft high for  
1/4 Sec cor, from which  
a line 24 in dia bears S 88° 15' W.
- 79.80 This cor. to sec 2, 3, 10 & 11.  
Land gently rolling mostly  
Soil 2<sup>d</sup> rate Good pine timber

North on round line between  
Sec 2 and 3  
Va 13° 47' East



Township 13 N., Range, 3 W.  
 Gela and Salt River Meridian

- 600. Gulch runs N. N. W.
- 4000 Set temporary  $\frac{1}{4}$  Sec cor,
- 5800 Dry creek runs NE.
- 8000 Intersected North boundary  
 of Sp. 20 links East of post  
 cor, <sup>to sec 2, 3, 3, 4 & 35</sup> which is a stone in a mound  
 from which a pine 36 in N. W. 77 W  
 " " " " 10" SW. 22 W  
 from which cor I run  $S 0^{\circ} 8' E$   
 on true line between Sec 2 & 3  
 ca.  $13^{\circ} 47' East$ .
- 4000 Set a stone 18 x 10 x 8 in a mound  
 of stone 3 ft high for  $\frac{1}{4}$  Sec cor  
 from which a pine 20 in dia  
 bears  $N 24^{\circ} E$  10 links  
 A pine 12 in dia bears West 40 links
- 8000 The corner to Sec 2 3 10 and  
 " Land broken Soil & oak  
 Timber small pines, and oak  
 Nov, 21, 1871

Lowship, 13<sup>th</sup> 14 Range 3A,

Gila and Salt River Mountain

West on true line between  
Sec 10 and 15

Pa. 13<sup>th</sup> 4<sup>th</sup> East,

2800 Dry creek runs N.E. 10 miles  
wide

3000 Begin ascent of range bears  
N.E. 500 feet high

4000 Set a stone 24 X 20 X 10 in. in  
a mound of stone 3 ft high  
for 1/4 Sec cor. No trees near.

5000 Summit - bears N.E. S.W.

6000 Begin descent

8000 Set a stone 18 X 12 X 10 in  
a mound of stone 3 ft high for  
the cor to Sec 9, 10, 15, and 16

an great slope of mountains

Land rough and broken

Lumber scarce and inferior



Township 13 N. Range 37.

Gila and Salt River Meridian

North between Sec 9 and 10

Va. 13° 47' East.

- 4800 Set a stone 18x10x8 in a mound of stone 8 ft high for 1/4 Sec cor. No trees
- 6400 Begin ascent of spur of mountain's base NE.
- 6900 Summit and begin descent.
- 8000 Set a stone 12x10x10 in a mound of stone 8 ft high for the cor to Sec 3, 4, 9, and 10 Land poor. Soil worthless. A few scattering pines.

East on random line between Sec 3 and 10

Va 13° 47' East.

- 2000 Summit of ridge whose base begins 10 chains west of post, bears NE, SW.



Township 13 N. Range 3 W.  
Celeo and Salt River Meridian

4000 Set temporary 1/4 Sec cor,  
79.70 Intersected A and B line  
32 links North of Post cor  
to Sec<sup>s</sup> 2, 3, 10, and 11 from which  
cor & run N 89° 47' W on true  
line between Sec<sup>s</sup> 3 and 10

3985 Set a stone 14x10x8 in a  
mound of stone 3ft high for 1/4  
Sec cor. N line,

71.70 The cor to Sec<sup>s</sup> 3, 4, 9, and 10  
Land rolling and much broken  
Soil poor Timber Scattered

West on true line between  
Sec<sup>s</sup> 4 and 9,

N. 13° 47' East,

40.00 Set a stone 18x10x8 in a mound of  
stone 3ft high for 1/4 Sec cor.  
N line near,

60.00 Eulene high barren mountains in area

Township 13 N, Range 32 W,  
 Gela and Salt River Meridian  
 sible

North on random line  
 between Sec 3 and 4,

3600 Dry creek runs NE, 12 links  
 wide

4000 Set temporary 1/4 Sec cor

4100 Begin ascent of hill 400 feet  
 high

5400 Summit

8015 Intersected North boundary  
 line of T<sub>2</sub> at post-cor to  
 Sec 3, 4, 33, 34, from which  
 cor I run South on true line  
 between Sec 3 and 4

ra. 13° 47' East,

~~4015~~  
 4015 Set a stone 18x10x4 in a  
 mound of stone 3 ft high  
 for 1/4 Sec cor. from which  
 an oak 6 in dia bear N 21/4

Transcribed

Township 13 N. Range 8 N  
Gila and Salt River Meridian

50.13 26 links  
 my cor to sec 3, 4, 9 & 10  
 Land rolling and broken  
 Soil poor, No timber of  
 value. - Nov. 22<sup>nd</sup> 1897

General Description

The surveyed portion of this  
 Township contains a large quantity  
 of valuable timber consisting  
 chiefly of Pine Oak and Cedar  
 The streams at this season  
 of the year do not afford running  
 water. The unsurveyed embraces  
 the Aztec range of Mountains  
 and Foot-hills covered mostly  
 by a dense growth of brush.

W. C. Case  
 Deputy Surveyor.



BOOK 1033



List of Names.

A List of the Names of the individuals employed to assist  
in running, measuring, or marking the lines and corners  
described in the foregoing Field Notes of  
Township 13 North of Range 3 West,  
Cedar and Salt River Meridian  
the subdivision line,

showing the respective capacities in which they acted.

A M Lindsay,	Compassman.
W H Brooks	Chainman.
Joseph. Kerr.	Chainman.
Thomas Head	Axeman.
	Flagman



## Final Oaths of Assistants.

We hereby certify that we assisted Omar A. Lease  
 Deputy Surveyor, in surveying  
 Township 13 North of Range 3,  
 West of the Coteau and Salt  
 River Meridian. The subdivisions  
 laid.

and that said Survey has been in all respects, to the  
 best of our knowledge and belief, well and faithfully sur-  
 veyed, and the boundary monuments planted according to  
 the instructions furnished by the Surveyor-General.

A. M. Lindsay  
 V. W. Brooks,  
 Joseph Kerr  
 Thos. H. Sherrill

Subscribed and sworn to  
 before me this 23<sup>d</sup> day of  
 November 1871

E. W. Coe



Surveyor General's Office  
 Final Oath of Deputy Surveyor. 71

I, *Omar H. Case*

BOOK 1033

Deputy Surveyor, do solemnly swear that, in pursuance  
 with a contract with *John Wasson*

United States Surveyor-General for Arizona, bearing date  
 the 17 day of *July, 1871*, I have well, faithfully  
 and truly, in my own proper person, and in strict con-  
 formity with the instructions furnished by the Surveyor-  
 General, the Surveying Manual, and the laws of the  
 United States, surveyed all those parts or portions of

*The subdivision lines of Townships  
 13 North of Range 3 West. of Gila  
 and Salt River Meridian*



as are represented in the foregoing Field Notes as having

71A

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

*Webster*

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 28<sup>th</sup>  
day of November, 1871

*Edwards*  
116 1/2 1st Corn  
3<sup>rd</sup> District.



Surveyor General's Office  
Tucson A.T.

January 29<sup>th</sup> 1872

The foregoing field notes of  
the Survey of the Subdivision  
lines of Township 13 N. Range  
3 W. of the Gila & Salt River  
Base and Meridian Line  
in the Territory of Arizona  
executed by O. H. Case of  
Deputy Surveyor under  
his contract dated July 17<sup>th</sup>  
1871, having been critically  
examined, the necessary  
corrections and explanations  
made, the said field notes  
and the surveys they describe  
are hereby approved.

J. M. Hasson  
of. Surveyor General  
for Arizona