

No. 1036

1036

Field Notes.

of the Survey of the Sub-
 division lines of Town-
 ship 14 N. Range 10 W.
 Gila and Salt River
 Meridian Arizona.

By S. W. Foreman. Dep. Sur.
 under contract of May 29th 1871.
 Survey commenced Aug 31st "
 " completed Sept 7th "

No. 1036

Preliminary Oaths of Assistants.

I, _____ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this _____ day of _____ 187

U. S. Deputy Surveyor.

We, Geo. W. Carr and Joseph Ferris.

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

George W. Bar
Joseph Fenner

Subscribed and sworn to before me, this 5 day of
Aug 1871

U. S. Deputy Surveyor.

E. W. Wells
Clerk Dist Court
3^d District



We John Riley & James Allen
do solemnly swear that ^{we} will well and truly perform the
duties of *Flagman & Assessor*
according to instructions given me, and to the best of my
skill and ability.

John Riley
James Allen

Subscribed and sworn the be before me, this 5
day of Aug 1871



U. S. Deputy Surveyor.
C. W. Wells
Clerk Dist Com
3^d Dist Ala



4-674.

Township **14N**, R. *W. G. & R. B. M.*

6	58	5	48	4	32	3	21	2	11	1
57	56	47	31	20	10					
7	55	8	41	9	30	10	19	11	9	12
54	53	40	29	18	8					
18	53	17	39	16	28	15	17	14	7	13
52	51	38	27	16	6					
19	50	20	37	21	26	22	15	23	5	24
49	48	36	25	14	4					
30	47	29	35	28	24	27	14	26	3	25
46	45	34	23	13	2					
31	44	32	33	33	22	34	12	35	1	36

No. 1036

Field Notesof the survey of the SubdivisionLines of Township 14 North.of Range No. 1 West. of theGila & Salt River Meridian
Arizona TerritoryBy S. M. Foreman. Deputy Surveyor.Under his contract of.Survey commenced.Survey completed.

Township 1st North. Range 1 West
 Tila^{no} Salt River Meridian

Begin on the South Boundary
 at the corner to sections 35th & 36th
 and run. —
North.

between sections 35th & 36th
 Sac. $13^{\circ}45'$ East
 (as per East Boundary)

40.00 Set a section corner stone 16
 $\times 10 \times 4$ inches as per instructions
 No trees near.

80.00 Set a stone $18 \times 10 \times 6$ inches as
 per instructions for the corner
 to sections 25. 26. 35th & 36th.
 No trees near.

Land rough east slope.
 Soil poor^{and} stony.
 No timber.

Township 14 North. Range 1 West

6th Salt River Meridian

No East

on a random line between sections 25th & 26.
 Sas. 13°45' East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.94 Intersect the East boundary line at the
 corner to sections 25, 26, 30th & 31. from
 which corner I run—

West.

on a true line between sections 25th & 26.
 Sas. 13°45' East

39.97 Set a $\frac{1}{4}$ section corner stone 14 x 10
 x 6 inches as per instructions

No trees near.

79.94 The corner to sections 25, 26, 35th & 26.

Land rough, stray east slope
 of mountain. Soil poor

No timber.

Township 14 North Range 1 West
 6thth Salt River Meridian

Set North.

between sections 25th & 26.
 var. 13° 45' East

40.00 Set a 1/4 section corner stone
 16 x 8 x 4 inches as per instructions
 No trees near.

80.00 Set a stone 14 x 12 x 8 inches as
 per instructions for the cor-
 ner to sections

23, 24, 25th & 26.

No trees near.

Sand rough rolling east slope.
 Soil poor
 No timber

Township 14 North, Range 1 West

6th & Salt River Meridian

No. East.

on a random line between sections 24 & 25.

Var. $13^{\circ} 15'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.80 Intersect the east boundary at the corner to sections 24, 25, 19 & 30 from which corner true.

West.

on true line between sections 24 & 25.

Var. $13^{\circ} 45'$ East

39.90 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions

No trees near.

79.80 No the corner to sections 23, 24, 25 & 26.

Land rolling.

Soil 2nd rate.

No timber.

Downship 14 North Range 1 West
 Gila Salt River Meridian
 S. North

between sections 23rd & 24th
 var. 13°45' East

- 34.50 Lined benches 30 links wide runs E.
 40.00 Set a 1/4 section corner post in
 a mound ^{1/2} pits as per instructions
 No trees near
 and enter lead land
 41.50 Road bears S. E. ^{1/2} N. W.
 80.00 Set a post in a mound and pits
 as per instructions for the corner
 to sections 13, 14, 23rd & 24th.
 No trees near.

Land - 1st ^{1/2} half mile - rolling.
 Good level.

Soil 2nd ^{1/2} 1st rate.
 No timber

Township 14 North, Range 1 West
 6th Salt River Meridian
 1st East.

on a random line between sections 13^{1/2} & 24.
 Var. 13° 45' East

40.00 Set a temporary 1/4 section corner post.
 80.01 Intersect the east boundary line
 16 links south of the corner to sections
 13, 24, 18^{1/2} & 19, from which corner I run
 S. 89° 53' W.

on true line between sections 13^{1/2} & 24.
 Var. 13° 45' East

40.02 Set a 1/4 section corner post in
 a mound and feet as per instructions
 No trees near.

80.04 The corner to sections
 13, 24, 23^{1/2} & 24.

Land back.

Soil 1st rate. No timber.

Township 14 North Range 1 West.

Gila Salt River Meridian

Sec North

between sections 13th & 14th

each 13° 45' Each

40.00 Set a 1/4 section corner post
in mound and file as per in-
structions

No trees near.

80.00 Set a post in a mound and
file as per instructions for the
corner to sections

11.12.13th 14th.

No trees near.

Land lead. Soil 1st rate
No timber.

Township 14 North Range 1 West
 Gila Salt River Meridian

East.

on a random line between sections 12th & 13.

Var. 13° 45' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersection of the east boundary line
 9 links south from the corner
 to sections 12, 13, 7th & 18. from
 which corner run —
S. 89° 56' E.

on true line between sections 12th & 13.

Var. 13° 45' East

40.00 Set a 1/4 section corner post in
 a mound and to its as per in-
 structions. No trees near

80.00 The corner to sections
 11, 12, 13th & 14.

Land level.

Soil 1st rate. No timber.

Township 14 North Range 1 West.
 6th Salt River Meridian

North.

between sections 11th & 12th.

Sec. 13° 45' East.

40.00 Set a 1/4 section corner post
 in a mound and pits as
 per instructions.

No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the
 corner to sections.

1, 2, 11th & 12th.

No trees near.

Land level.

Soil 1st rate.

No timber.

Township 14 North, Range 1 West

Sec 9th Salt River Meridian

Sec 9th East.

on a random line between sections 1st & 12.

Var. $13^{\circ}45'$ East

0.00 Set a temporary $\frac{1}{4}$ section corner post

0.10 Intersect the east boundary line,

11 links south from the corner to section 1. 12. 6th of 7. from which corner I run

S. $89^{\circ}55'$ W.

on true line between sections 1st & 12.

Var. $13^{\circ}45'$ East.

40.05 Set a $\frac{1}{4}$ section corner post in a mound and file as per instructions. No trees near.

0.10 The corner to sections 1. 2. 11th & 12.

Stand clear.

Soil 1st rate

No timber.

Township 14 North. Range 1 West
 T14N R1W Salt River Meridian

North.

on a random line between sections 1^{mo} 2.
 Var. $13^{\circ}45'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

59.75 Road bears E. $\frac{1}{2}$ N.

80.20 Intersect the north Boundary 15
 links west from the corner to sections
 1, 2, 35^{mo} 36, from which corner I run -
S. $0^{\circ}6'$ N.

on true line between sections 1^{mo} 2.

Var. $13^{\circ}45'$ East

40.20 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions

No trees near.

80.20 The corner to sections

1, 2, 11^{mo} 12,

Land prob.

Soil 1st rate.

No timber

Date Aug. 31st 1871

Township 14 North, Range 1 West
 T14N R01W Salt River Meridian
 S1 North.

between sections 34th & 35.

Var. 13° 45' East

40.00 Set a 1/4 section corner stone 14
 x 10 x 6 inches as per instructions
 No trees near.

80.00 Set a stone 16 x 10 x 6 inches as per
 instructions for the corner to
 sections 26, 27, 34 & 35.
 No trees near.

Land rough stony west slope.
 Soil poor.
 No timber.

Township 14 North, Range 1 West
 T. 14. N. Salt River Meridian

No East.

on a random line between sections 26th & 35.

Var. $13^{\circ} 45'$ East

- 40.00 Set a temporary 1/4 section corner post
 41.00 Summit of hill 300 feet high, bears N. ⁹⁰ S.
 80.27 Intersect the N. ⁹⁰ S. Line 19 links
 north of the corner to sections
 25, 26, 33rd & 36, from which corner true-
N. $89^{\circ} 52'$ N.

on true line between sections 26th & 35

Var. $13^{\circ} 45'$ East

- 40.18 Set a 1/4 section corner stone 16
 $\times 12 \times 5$ inches as per instructions
 No trees near.

- 80.27 The corner to sections
 26, 27, 34th & 35.

Land broken and stony.

Soil poor. No timber

Township 14 North, Range 1 West
Gila & Salt River Meridian

- North - between sections 26th & 27th.
Var. 13° 45' East
- 40.00 Set a ¹/₄ section corner stone 14x10x6 inches
as per instructions at the N.W. Base of hill and
enter rolling land. No trees near.
- 80.00 Set a stone 14x12x8 inches as per instructions for the
corner to sections 22, 23, 26th & 27th. No trees near.
Land - broken and rocky on ¹/₂ half mile - then rolling.
Soil 2nd and 3rd rate. No timber.

East, on a random line between sections 23rd & 26.

Var. 13° 45' East

- 40.00 Set a temporary ¹/₄ section corner post.
- 80.00 Intersect the N & S Line at the corner to sections 23, 24, 25,
& 26, from which corner I run -

West, on a true line between sections 23rd & 26.

Var. 13° 45' East.

- 40.00 Set a ¹/₄ section corner stone 10x10x10 inches as per instructions. No trees near.
- 80.00 The corner to sections 22, 23, 26th & 27th.
Land - rolling. Soil 2nd rate. No timber.

Township 14 North, Range 1 West-
Tila & Salt River Meridian

No. North.

between sections 22 & 23.

Var. $13^{\circ} 45'$ East.

- 15.00 Lynd Creek 50 links wide runs East.
20.00 Along west end of cornfield
29.00 Ditch runs east.
40.00 Set a '44 section corner stone 12
x 10 x 8 inches as per instructions

No trees near.

48.00 Rained runs S. E.

61.00 Road, bears E & N.

80.00 Set a post in a mound and felt
as per instructions for the corner
to sections 14, 15, 22 & 23

No trees near.

Land rolling.

Soil 2^d rate.

No timber

Township 14 North, Range 1 West
 Gila Salt River Meridian

to East.

on a random line between sections 14 & 23.

Var. $13^{\circ}45'$ East

20.00 Road bears N. E. & S. N.

40.00 Set a temporary 1/4 section corner post

68.50 Road bears S. E. & N. N.

80.08 Intersect the North & South line 10 links
 south of the corner to sections 13, 14, 23
 & 24, from which corner I run —
S. $99^{\circ}56'$ N.

on true line between sections 14 & 23.

Var. $13^{\circ}45'$ East

40.04 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.

80.08 The corner to sections 14, 15, 22 & 23.

Land rolling.

Soil 2nd rate. No timber.

Township 14 North, Range 1 West
 Gila and Salt River Meridian

No North.

between sections 14^{and} 15
 var. $13^{\circ} 45'$ East

40.00 Set a $1/4$ section corner post in
 a mound and pits as per in-
 structions.

No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the cor-
 ner to sections

10, 11, 14^{and} 15.

No trees near

Land gently rolling.
 Soil 2nd rate.

No timber

Township 14 North Range 1 West
 6th & Salt River Meridian

East.

on a random line between sections 11 & 14.
 Var. $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.12 Intersect the N. & S. Line 7 links south
 from the corner to section 11. 12. 13 & 14
 from which corner I run —
 $S. 89^{\circ}57' W.$

on true line between sections 11 & 14.

Var. $13^{\circ}45'$ East

40.06 Set a $\frac{1}{4}$ section corner post in a
 mound and set as per instructions

No trees near.

80.12 The corner to sections
 10. 11. 14 & 15.

Land a little rolling.

Soil 2nd rate.

No timber.

Township 14 North, Range 1 West
Gila and Salt River Meridian

No. North.

between sections 10th & 11

Var. $13^{\circ}45'$ East

40.00 Set a $\frac{1}{4}$ section corner post in
a mound and pits as per in-
structions

No trees near.

80.00 Set a post in a mound and
pits as per instructions for the
corner to sections 2, 3, 10th & 11.

No trees near.

Land lead.

Soil $\frac{1}{2}$ rate.

No timber.

Township 14 North, Range 1 West

6th & Salt River Meridian

East.

on a random line between sections 2nd & 11

Sar. 13° 45' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line at the corner to sections 1, 2, 11 & 12, from which corner I run —

West.

on true line between sections 2nd & 11.

Sar. 13° 45' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions

No trees near.

80.00 The corner to sections

2, 3, 10 & 11.

Land level. Soil 1st rate.

No timber.

Township 14 North Range 1 West
 6th and Salt River Meridian

No North.

on a random line between sections 2nd & 3rd
 Var. $13^{\circ} 45'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

57.00 Road bears E. $\frac{1}{2}$ N.

80.1st Intersect the North boundary line
 10 links west of the corner to sec-
 tion 2, 3, 34th & 35, from which corner bears
S. $0^{\circ} 41'$ N.

on true line between sections 2nd & 3rd
 Var. $13^{\circ} 45'$ East.

40.1st Set a $\frac{1}{4}$ section corner post in
 a mound and pits as per instruction
 No trees near.

80.1st The corner to sections
 2, 3, 10th & 11.

Land level.

Soil 1st rate.

No timber

date Sept 1st 1871

Township 14 North, Range 1 West
 T14S R01W Salt River Meridian

Sec 33 North.

between sections 33 & 34
 Sec. 13' 45" Each

40.00 Set a 1st section corner stone 16
 x 10 x 5 inches as per instructions
 No trees near.

80.00 Set a stone 18 x 10 x 8 inches as per
 instructions for the corner to sec-
 tions 27, 28, 33 & 34.
 No trees near.

Land broken and stony.
 Soil poor. No timber.
 Some good grass.

Township 14 North, Range 1 West.

Set a $\frac{9}{10}$ Salt River Meridian

East.

on a random line between sections 27 & 34.
 Var. $13^{\circ}45'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner post

56.50 Deep ravine runs north.

80.00 Intersect the N. & S. Line at the
 corner to sections 26, 27, 34 & 35
 from which corner I run —
West.

on a true line between sections 27 & 34.
 Var. $13^{\circ}45'$ East

40.00 Set a $\frac{1}{4}$ section corner stone 16
 x 10 x 8 inches as per instructions
 No trees near.

80.00 The corner to sections
 27, 28, 33 & 34.

Land broken and stony.

Soil 3rd rate. No timber

Township 14 North, Range 1 West

6th & Salt River Meridian

No. North.

between sections 27^{1/2} & 28.

Var. 13° 45' East

40.00 Set a 1/4 section corner stone 14
x 10 x 4 inches as per instructions
No trees near.

45.00 Enter flat rolling land bears N.E.

80.00 Set a stone 30 x 20 x 20 inches as
per instructions for the corner to
sections 21, 22, 27^{1/2} & 28.

No trees near.

Land broken and rolling.
Soil 3rd rate.

No timber.

Township 14 North. Range 1 West
 6th and Salt River Meridian

20 East

on a random line between sections 22nd & 27.
 Var. $13^{\circ}45'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

60.00 Range runs North.

80.10 Intersect the N. & S. Line 14 links north of the corner to sections 22, 23, 26th & 27, from which corner I run N. $89^{\circ}54'$ W.

on true line between sections 21, 2nd & 27.
 Var. $13^{\circ}45'$ East.

40.05 Set a $\frac{1}{4}$ section corner stone 14 x 6 x 6 inches as per instructions
 Notes near.

80.10 The corner to sections

21, 22, 27th & 28.

Land broken and stony.
 Soil 3rd rate. No timber.

Township 14 North Range 1 West
 Gila and Salt River Meridian

North.

between sections 21⁴⁰ & 22.

Var. 13° 45' East

11.00 Lynd Creek 50 links wide runs N. E.

40.00 Set a '44 section corner stone 12 x 12
 x 10 inches as per instructions

No trees near.

42.50 Road bears E⁴⁰ N.

80.00 Set a stone 12 x 10 x 10 inches as
 per instructions for the corner
 to sections

15. 16. 21⁴⁰ & 22.

No trees near.

Land-p. s. slope of hill.

Soil 2^d rate.

No timber.

Township 14 North Range 1 West
 6th 40 Salt River Meridian

East

on a random line between sections 15th & 22.

Var. 13° 45' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line at the
 corner to sections 14, 15, 22nd & 23
 from which corner I run —

West

on true line between sections 15th & 22.

Var. 13° 45' East

40.00 Set a 1/4 section corner post in
 a mound and sets as per in-
 structions. / No trees near.

80.00 The corner to sections
 15, 16, 21st & 22.

Land. S. E. slope of hill.
 Soil 2nd onto

No timber.

Township 14 North, Range 1 West
 5th Salt River Meridian

As North.

between sections 15th & 16.

Sar. 13° 45' East

40.00 Set a 4th section corner stone 16 x 10
 x 6 inches as per instructions

No trees near.

80.00 Set a stone 18 x 10 x 8 inches as
 per instructions for the corner
 to sections 9, 10, 15th & 16.

No trees near.

Land — East slope of round
 hill. 300 feet high.

Summit of same about
 40 chains S.W. from corner.

Soil 2nd rate — for grass.

No timber.

Township 14 North, Range 1 West.

6th Salt River Meridian

No East.

on random line between sections 10 & 15.
 bearing $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner stone.

45.00 Enter level land bears N. 71° S. E.

79.94 Intersect the N. 71° S. Line 8 links
 south from the corner to sections
 10, 11, 14 & 15, from which corner
 I run —

S. $89^{\circ}57'$ N.

on true line between sections 10 & 15.
 bearing $13^{\circ}45'$ East

39.97 Set a $\frac{1}{4}$ section corner stone 14
 x 8 x 5 inches as per instructions

No trees near.

79.94 The corner to sections

9, 10, 15 & 16.

Land - east half - level - west half,
 east slope of hill. Soil 1st & 2^d rate
 No timber.

Townships 14 North, Range 1 West
 T14N R1W Salt River Meridian

14 North

between sections 9th & 10.

Var. 13°45' East

40.00 Set a 1/4 section corner stone 16 x 12
 x 4 inches as per instructions

No trees near.

47.00 Intersect level land, bears E. ^{1/2} N.

80.00 Set a post in a mound and set
 as per instructions for the corner
 to sections 3, 4, 9th & 10.

No trees near.

Land - sloping N. E. for 47 chains
 then level.

Soil - 2nd ^{3/4} 1st rate.

Timber - None.

Township 14 North Range 1 West.

Gila and Salt River Meridian

East.

on a random line between sections 3rd 10

Sar. 13° 45' East

40.00 Set a temporary 1/4 section corner post.

80.00 Submerge the N. and S. Line at the corner to sections 2, 3, 10th 11 from which corner I run—

West.

on true line between sections 3rd 10.

Sar. 13° 45' East

40.00 Set a 1/4 section corner post

in a mound and pile as per instructions. No trees near.

80.00 The corner to sections,

3, 4, 9th 10.

Land level.

Soil 1st rate.

No timber.

Township 14 North, Range 1 West
 6th and Salt River Meridian

No North.

on a random line between sections 3 & 4.

Var. $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

46.75 Road bears E. & N.

80.18 Subvert the north boundary at
 the corner to sections 3, 4, 33 & 34
 from which corner South.

on true line between sections 3 & 4.

Var. $13^{\circ}45'$ East

40.18 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions

No trees near.

80.18 The corner to sections

3, 4, 9 ^{and} 10.

Land lease.

Soil $\frac{1}{4}$ rate. No timber.

Date Sept 20 1871

Township 14 North. Range West
 6th Salt River Meridian

Ch. North.

between sections 32nd & 33.

Var. 13° 45' East.

- 33.60 Lyned Creek 30 links wide runs N. W.
- 40.00 Set a 4th section corner post in
 a mound and set as per instruc-
 tions. No trees near.
- 42.00 Steep bluff, 50 feet high bears N. E. ^{3/4} S. W.
- 80.00 Set a post in a mound and set
 as per instructions for the corner
 to sections 28, 29, 32nd & 33.
 No trees near.

Land rolling.

Soil 2^o rates.

No timber.

Township 14 North. Range 1 West

Side ⁴⁴ Salt River Meridian

No East.

on a random line between sections 28th & 33.
 Var. 13° 45' East.

32.50 Lynd Creek, 30 links wide runs N.E.

40.00 Set a temporary ⁴⁴ section corner post.

80.28 Intersect the north and south line
 at the corner to sections 27, 28, 33
 and 34, from which corner Run -
West.

on true line between sections 28th & 33.
 Var. 13° 45' East

40.14 Set a ⁴⁴ section corner post
 in a mound and pits as per
 instructions. No trees near.

80.28 The corner to sections
 28, 29, 32th & 33.

Land broken - Soil 2nd rate.
 No timber.

Township 14 North Range 1 West
 6th and Salt River Meridian
 No. 1 North.

between sections 28th & 29.

Var. 13° 45' East.

40.00 Set a 1/4 section corner post
 in a mound and pits as per
 instructions.

70.00 Road bears E. ^{and} N. No trees near.

80.00 Set a post in a mound and
 pits as per instructions for the
 corner to sections

20, 21, 28 ^{and} 29.

No trees near.

Land rolling.

Said 2^d rate.

No timber.

Township 14 North, Range 1 West
 5th Salt River Meridian
East.

on a random line between sections 21st & 28.

Var. 13° 45' East

- 7.50 Ravine runs S. E.
 39.00 Road bears N. E. ⁴⁰ S. W.
 40.00 Set a temporary ¹/₄ section corner post.
 57.00 Ravine runs N. E.
 78.00 Lynch Creek, 30 links wide, runs N. E.
 80.00 Intersect the N. ⁴⁰ S. Line at the corner
 to sections 21, 22, 27th & 28. from
 which corner I run —
West.

on true line between sections 21st & 28.

Var. 13° 45' East

- 40.00 Set a ¹/₄ section corner post, in a mound
 and pits as per instructions. No trees seen.
 80.00 The corner to sections 20, 21, 28th & 29.
 Land rolling. Soil 2nd rate.
 No timber.

Township 14 North Range 1 West

6th 4th Salt River Meridian

As North.

between sections 20 & 21.

Sec. 13° 45' East.

10.50 Iron runs S. E.

40.00 Set a 4" section corner post in
a mound ²/₄ feet as per instructions
No trees near.

80.00 Set a stone 18 x 10 x 6 inches as
per instructions for the corner
to sections.

16.17. 20 & 21.

No trees near.

Land rolling.

Soil 2nd rate.

No timber.

Township 14 North Range 1 West
 Gila and Salt River Meridian

Sec East.

on a random line between sections 16th & 21.

Var. $13^{\circ}45'$ East

40.00 Set a temporary 1/4 section corner post.

80.09 Intersuck the N. & S. line 13 links
 south from the corner to sections
 15, 16, 21 & 22, from which corner draw
S. $89^{\circ}54'$ N.

on true line between sections 16th & 21.

Var. $13^{\circ}45'$ East

40.01 Set a 1/4 section corner post in
 a mound and bits as per instructions

No trees near.

80.09 The corner to sections

16, 17, 20th & 21.

Land - summit of hill, 300 feet high

Soil - 3rd rate.

No timber.

Township 14 North Range 1 West
 6th ^{4th} Salt River Meridian

S. North.

between sections 16th & 17th
 Sec. 13° 45' East.

40.00 Set a 4th section corner stone
 12 x 10 x 6 inches as per instruc-
 tions.

No trees near.

80.00 Set a stone 16 x 10 x 10 inches
 as per instructions for the
 corner to sections.

8. 9. 16. ^{4th} 17.

No trees near.

Land - west slope of hill.
 Soil 3rd rate.

No timber.

Township 14 North. Range 1 West

Silo ^{no} Salt River Meridian

A East.

on random line between sections 9 & 16.

Var. $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.22 Intersect the N. & S. Line 9 links
south from the corner to sections

9. 10. 15 ^{no} 16. from which corner true
S. $89^{\circ}56'$ N.

on true line between sections 9 & 16.

Var. $13^{\circ}45'$ East

40.11 Set a $\frac{1}{4}$ section corner stone 16
 $\times 10 \times 5$ inches as per instructions

No trees near.

80.22 The corner to sections

8. 9. 16 ^{no} 17.

Land - sloping north.

Soil 3rd rate.

No timber.

Scale Sept 4th 1871

Township 14 North, Range 1 West
 Tada $\frac{2}{3}$ Salt River Meridian
 S. North

between sections 8^{and} 9.
 Var. $13^{\circ} 45'$ East

40.00 Set a $\frac{1}{4}$ section corner post in
 a mound and pits as per
 instructions

No trees near.

43.00 Enter level land, bears E. $\frac{2}{3}$ N.

80.00 Set a post in a mound and
 pits as per instructions for the
 corner to sections.

4. 5. 8. ^{and} 9.

No trees near.

Level land and rolling.

Soil 2nd $\frac{2}{3}$ 1st rate.

No timber.

Township 14 North. Range 1 West
 5thth Salt River Meridian

East.

on random line between sections 4th & 9.

Var. $13^{\circ}45'$ East

40.00 Set a temporary '4 section corner post
 80.00 Subjoin the N. & S. Line 14 links south
 of the corner to sections 3, 4, 9 & 10,
 from which corner I run—
S. $89^{\circ}52'$ N.

on true line between sections 4th & 9.

Var. $13^{\circ}45'$ East

40.00 Set a '4 section corner post in
 a mound and pits as per in-
 structions. No trees near.

80.00 The corner to sections,

4, 5, 8 & 9.

Land level. Soil 1st rate
 No timber.

Township 14 North, Range 1 West

Sida ^{no} Salt River Meridian

No North.

on a random line between sections 4^{no} 5.
Var. $13^{\circ}45'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

56.50 Road bears East ^{no} West.

80.10 Intersect the North boundary of
land east of the corner to sections
4. 5. 32^{no} 33, from which corner I run
S. $0^{\circ}7'$ East.

on true line between sections 4^{no} 5.
Var. $13^{\circ}45'$ East

40.10 Set a $\frac{1}{4}$ section corner post as
a mound and pits as per in-
structions. No trees near.

80.10 The corner to sections.

4. 5. 8^{no} 9.

Land lease. Soil 1st rate.

No timber.

Township 14 North, Range 1 West

Gila and Salt River Meridian

No North.

between sections 31 & 32.

Jan. 13° 45' East

36.40 Prairie runs N. E.

40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions
No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

29, 30, 31 & 32.

No trees near.

Land - rolling hills.

Soil 2nd rate.

No timber.

45

Township 14 North, Range 1 West
 6th & Salt River Meridian

to East.

on a random line between sections 29th & 32.

Var. $13^{\circ}45'$ East.

40.00 Set a temporary 44 section corner post.

80.00 Intersect the N. & S. Line 17 links
 north of the corner to sections 28
 29, 32th & 33. from which corner draw
N. $89^{\circ}53'$ W.

outline line between sections 29th & 32.

Var $13^{\circ}45'$ East

40.00 Set a 44 section corner stone 14
 $\times 10 \times 6$ inches as per instructions
 No trees near.

80.00 The corner to sections

29, 30, 31th & 32.

Land rolling.

Soil 2nd rate.

No timber.

Township 14 North Range 1 West
 T14N R01W Salt River Meridian
 N West.

on random line between sections 30 & 31.
 Var. $13^{\circ}40'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.60 Intersect the West boundary at the
 corner to sections. 30, 31, 25 & 36.
 from which corner I run —

East.

on true line between sections 30 & 31.
 Var. $13^{\circ}45'$ East

39.60. Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions

No trees near.

79.60. The corner to sections.

29, 30, 31 & 32.

Land rolling.

Soil 2nd rate.

No timber.

47

Township 14 North Range 1 West
 Gila ^{no} Salt River Meridian
 of North.

between sections 29^{no} & 30.
 Var. 13° 45' East

40.00 Set a 44 section corner post in
 a mound and pile as per instructions
 No trees near.

46.00 Road bears E ^{no} N.

80.00 Set a stone 24 x 16 x 6 inches as per
 instructions for the corner to
 sections 19. 20. 29^{no} & 30.
 No trees near.

Land rolling.

Soil 2^o water.

No timber.

Settled Sept 5th 1871

Township 14 North. Range 1 West
 Gila^{ms} Salt River Meridian
 East.

on a random line between sections 28 & 29.
 Sac. 13° 45' East.

- 40.00 Set a temporary $\frac{1}{4}$ section corner post.
 80.00 Intersect the N & S. Line at the corner
 to sections 20, 21, 28 & 29, from which
 corner I run -

West.

on true line between sections 20 & 29.
 Sac. 13° 45' East.

- 40.00 Set a $\frac{1}{4}$ section corner stake 12 x 10
 x 8 inches as per instructions

No trees near.

- 80.00 The corner to sections
 19, 20, 29 & 30.

Land rolling.

Soil 2^d rate.

No timber.

Township 14 North. Range 1 West
 6th & Salt River Meridian
 No West.

on random line between sections 19 & 30.
 Var. $13^{\circ}45'$ East

40.00 Set a temporary 1/4 section corner post.

59.00 Road bears S. E. $\frac{1}{2}$ N. W.

79.40 Intersect the West boundary line of land
 south from the corner to sections
 19, 30, 24 & 25 from which corner bears
S. $89^{\circ}56'$ E.

on true line between sections 19 & 30.
 Var. $13^{\circ}45'$ East

39.40 Set a 1/4 section corner stone
 10x10x8 inches as per instruction

79.40 No trees near
 the corner to sections
 19, 20, 29 & 30.

Land rolling. Soil 2^d rate.
 No timber

Township 12th North Range 1 West
 T12th and Salt River Meridian
 12th North.

between sections 19 & 20.

Var. 13° 43' East

40.00 Set a ^{1/4} section corner post in a mound and file as per instructions
 No trees near.

80.00 Set a post in a mound and file as per instructions for the corner to sections

17, 18, 19 & 20.

No trees near.

Land rolling, grassy hills
 Soil 2nd rate.

No timber.

Township 14 North, Range 1 West-

6th Salt River Meridian

Sec. East.

on a random line between sections 17th & 20.

Var. $13^{\circ}45'$ East

40.00 Set a temporary 4th section corner post.

80.08 Intersect the N. & S. Line 12 links
south from the corner to sections
16, 17, 20 & 21. from which corner, run
S. $89^{\circ}55'$ N.

on true line between sections 17th & 20.

Var. $13^{\circ}45'$ East

40.04 Set a 4th section corner stone 16×10
 $\times 4$ inches as per instructions.

No trees near.

80.08 The corner to sections

17, 18, 19 & 20.

Land - west slope of hill.

Soil 2nd rate - grass land.

No timber.

Township 14 North Range 1 West
 Gila & Salt River Meridian

West.

on random line between sections 18 & 19.
 Var. $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.50 Intersect the west boundary 28 links
 south from the corner to sections
 18, 19, 13 & 20, from which corner, Inm-
S. $89^{\circ}48'$ E.

on true line between sections 18 & 19.
 Var. $13^{\circ}45'$ East

39.50 Set a $\frac{1}{4}$ section corner post in a mound
 and pits as per instructions.

No trees near.
 79.50 The corner to sections
 17, 18, 19 & 20.

Land - sloping West.
 Soil - 2nd rate.
 No timber.

Township 14 North, Range 1 West
 Sd. ²/₃ Salt River Meridian

to North. between sections 17²/₃ & 18.

Var. 13° 45' Each

40.00 Set a ¹/₄ section corner stone 16 x 10 x 10 inches as per instructions. No trees near.

80.00 Set a stone 18 x 10 x 6 inches as per instructions for the corner to sections 7, 8, 17²/₃ & 18. No trees near.

Land high ²/₃ hilly. Soil 3rd rate. No timber.

X Set Sept 6th 1871

East. on a random line between sections 8²/₃ & 17²/₃.

Var. 13° 45' Each

40.00 Set a temporary ¹/₄ section corner post.

80.00 Subdivide the N. ²/₃ S. Sec 10 into 4 parts south from the corner to sections 8, 9, 16, ²/₃ & 17²/₃ from which corner I run S. 89° 06' W. on true line between sections 8²/₃ & 17²/₃.

Var. 13° 45' Each

40.00 Set ¹/₄ section corner stone 14 x 12 x 4 inches, as per instructions. No trees near.

80.00 The corner to sections 7, 8, 17²/₃ & 18.

Land hilly. Soil 3rd rate. No timber.

Township 14 North, Range 1 West

Site ^{no} Salt River Meridian

No West.

on a random line between sections 7 & 18.

Var. 13° 45' East

48.00 Set a temporary 1/4 section corner post.

50.00 Massive Granite boulders N. & S.

79.70 Intersect the west boundary 19 lines
north of the corner to sections 7, 18, 12 & 13
from which corner I run —
N. 89° 52' E.

on line line between sections 7 & 18.

Var. 13° 45' East

39.70 Set a 1/4 section corner stone 16 x 10 x 10
inches as per instructions.

No trees near.

79.70 The corner to sections.

7, 8, 17 & 18.

Land broken — and rocky.

Soil worthless.

No timber.

Township 14 North, Range 1 West.

6th Salt River Meridian
 1st North.

between sections 7th & 8

var. 13° 45' East

40.00 Set a 1/4 section corner stone 16 x 9
 x 4 inches as per instructions.

No trees near.

54.00 Entire smooth rolling land, bears E. ^{1/4} N.

80.00 Set a post in a mound and set
 as per instructions for the corner
 to sections 5, 6, 7th & 8.

No trees near.

Land - north slope of hill.

Soil 3rd and 1st rate.

No timber.

Township 14 North Range 1 West

Side ^{on} Salt River Meridian

A East.

on a random line between sections 5 & 8.

Var. $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.18 Subjoinct the N. & S. Line at the corner
to sections 4, 5, 8 & 9, from which corner South
West.

on a true line between sections 5 & 8.

Var. $13^{\circ}45'$ East

40.09 Set a $\frac{1}{4}$ section corner post in a mound
and pits as per instructions

No trees near.

80.18 The corner to sections
5, 6, ⁷/₈.

Land lead.

Soil 1st rate.

No timber.

Township 14 North. Range 1 West-
 Side of Salt River Meridian
 No West.

on a sandstone line between sections 6th & 7th
 Var. $13^{\circ} 43'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.20 Intersect the west boundary at the
 corner to sections 6, 7, 1st & 12
 from which corner I run —

East.

on a tree line between sections 6th & 7th.

Var. $13^{\circ} 45'$ East

39.20 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions

No trees near.

79.20 the corner to sections

5, 6, 7 and 8.

Land level.

Said 1st rate.

No timber.

Township 14 North Range 1 West
 6th Salt River Meridian

S. North.

on a random line between sections 5 & 6.
 Var. $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

50.75 Road bears E & N.

80.20 Intersect the North boundary 14 links
 west of the corner to sections 5, 6, 31 & 32
 from which corner run
S. $0^{\circ}6'$ N.

on true line between sections 5 & 6.

Var. $13^{\circ}45'$ East

40.20 Set a $\frac{1}{4}$ section corner post in a
 mound, and pits as per instructions

No trees near.

80.20 The corner to sections,

5, 6, 7 & 8.

Land - rolling

Soil - 2nd rate. No timber

Deata Sept 7th 1871

General Description.

40.
79
The lands in this Township
are better adapted to grazing
purposes than to farming.

34
The soil is of good quality
generally but there is no water,
and it can only be obtained
by wells at a depth of from
50 to 200 feet.

75
There is no
timber, but grass is abundant.

S. W. Freeman.

Deputy Surveyor.

Surveyor General's Office
Tucson Ariz.

October 20th 1871

The foregoing field Notes of
the Survey of the Subdivision
lines of Townships 124 N. Range
100. of the Gila and Salt
River Meridian and Base
line in the Territory of
Arizona executed by
S. W. Foreman of Deputy
Surveyor under his contract
dated May 29th 1871, having
been critically examined
the necessary corrections
and explanations made,
the said field notes and
the surveys they describe
are hereby approved

J. H. Mason
of. Surveyor General
for Arizona

List of Names.

A List of the Names of the individuals employed to assist
 in running, measuring, or marking the lines and corners
 described in the foregoing Field Notes of the
 Subdivision lines of Township
 14 N. R. 1 W.

showing the respective capacities in which they acted.

Geo. W. Carr	Compassman.
Joseph Greub	Chainman.
John Riley	Chainman.
James Allen	Flagman.
	Chainman.
	Flagman.

Final Oaths of Assistants.

We hereby certify that we assisted Salomon
W. Hornum Deputy Surveyor, in surveying

and that said Survey has been in all respects, to the
best of our knowledge and belief, well and faithfully sur-
veyed, and the boundary monuments planted according to
the instructions furnished by the Surveyor-General.

John Piley

James Allen

George W. Carr

Joseph French

subscribed and sworn to before
this 7 day of Sept a 1891

E. W. Wells

Clerk Dist Court

at West a 1891

Final Oath of Deputy Surveyor.

I, *Solomon W. Forester* an
 Deputy Surveyor, do solemnly swear that, in pursuance
 with a contract with *John Wasson*
 United States Surveyor-General for Arizona, bearing date
 the day of , I have well, faithfully
 and truly, in my own proper person, and in strict con-
 formity with the instructions furnished by the Surveyor-
 General, the Surveying Manual, and the laws of the
 United States, surveyed all those parts or portions of
 Subdivision lines of Township
 14 N. Range 1 W.
 Gila & Salt River Meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Foreman
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 7
day of Sept 1871

E. W. Wells
Clerk Dist Court
3^d District.

