

No. 1042

BOOK 1042

1042

Field Notes

BOOK 1042

OF THE SURVEY OF THE

SUBDIVISION LINES

BOOK 1042

-OF-

Township 18 N. Range 2 W.

Gila and Salt River Base and Meridian

ARIZONA.

No. 1042

By C. Benton Foster, D. S.

under contract dated Oct. 11, 1876.

Survey commenced March 21, 1877.

Survey completed March 23, 1877.

PRELIMINARY OATHS OF ASSISTANTS.

WE, *Almerin S. Skinkle*
 and *Richard Shupe*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers: that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Almerin S. Skinkle
Richard Shupe

Sworn to and subscribed before me, this 17th
 day of *March*, 1877

William C. Foster
 Notary Public



I ^{H.F.} Paul Brutschke

do solemnly swear that ~~we~~ ^I will well and truly perform the duties of Citizen

according to instructions given ~~us~~ ^{me}, and to the best of ~~our~~ ^{my} skill and ability

Paul Brutschke

Sworn to and subscribed before me this 17th day of March 1877

William Roster
Notary Public

William Roster



Index

BOOK 1042

Fractional

Township 18 North R. 2 West.

Gila and Salt River Meridian.

6	5	4	3	2	1				
28	27								
7	26	8	15	9	10	11	12		
25	24	14							
18	23	17	13	16	7	15	14	13	
22	22	12							
19	21	20	11	21	6	22	23	24	
20	19	10	10	6					
30	18	29	10	28	5	27	2	26	25
17	16	16	9	9	4				
31	16	32	8	33	3	34	1	35	36

Field Notes

of the No. 1042

Subdivision Lines

of
Fractional Township 18 North
Range 2 WestGila and Salt River Meridian
Territory of Arizona

Surveyed by

Ch. Ruston Foster

U.S. Dep. Surveyor

Under his Contract of
October 11th 1876Survey Commenced March 21st 1877
" Completed March 23^d 1877

Fractional T_p 18 N Range 2 W

Gila and Salt River Meridian

The SW portion of this T_p contains all the land fit for any use, the balance being covered by waste and useless land, hence I begin at the established Cor to Secs 34^E 35^E 2^E 3^E on S boundary of T_p. The Cor a volcanic stone properly notched from which Cor I run North between Secs 34^E 35^E

Ua 14° 30' East

as per Rusts Improved Salt Campers

40.00 Remote from stone or timber
drive charred stake 12 ins down and
build mound of earth 2 ft high with pits
2x1x1 ft for the sec cor No trees near
1/2 10 Old road bears E N E and W

80.00 Remote from stone or timber drive
charred stake 12 ins down and build
mound of earth 2 ft high with pits

Fractional T¹/₈A Range 2 W

Gila & Salt River Meridian
els

2x1x1ft and in center of pit S E
of Cor drms stake marked and Notched
2ft long 2ins squared 1ft in the
ground for Cor to Secs 26.27.34^Q & 35

No trees near
Sand Sloping W Soil 2nd & 3rd State
No timber or undergrowth

North between Secs 26^Q & 27^Q
Va 14° 30' East

40.00 Set a post marked 45.4ft long
of flattened 3ins wide 1ft in the ground
deposit stone marked + and build mound
of earth 2ft high with pits 2x1x1ft
for 1/4 Sec Cor No trees near

80.00 Set a post marked and notched 1ft long
3ins squared 1ft in the ground deposit
stone marked + and build mound of
earth 2ft high with pits 2x1x1ft
for Cor to Secs 22.23.26^Q & 27^Q

Fractional T_p 18 N Range 2 W

Gila and Salt River Meridians
Ch

No trees near
Sand rolling and sloping SW Soil 2nd 3rd rate
Timber a few scrub Cedars in Sec 26

The land N coming under the
head of west & useless I extend
this line no farther N

North between Secs 33rd & 34th
Va 14° 30' East

19.10 Trail bears NE and SW

26.07 Same " " NW and SE

40.00 Remote from stone or timber drain
Charral stake 19 in down and build mound of
earth 2 ft high with pits 2x1x1 ft
for Sec Cor No trees near

42.20 Old road bears E and W

80.00 Remote from stone or timber drain
Charral stake 12 in down and build mound of
earth 2 ft high with pits 2x1x1 ft in center

Fractional T_p 18 N Range 2 W

6th 6th Salt River Meridian

of pts S.E. of Cor down state marked and
notched 2 ft long 2 ins square 1 ft in the
ground for Cor to Secs 27th 28th 33rd & 34th

No trees near

Land mostly level, Soil 1st and 2nd rate

No timber or underground

Cor on random line

between Secs 27th & 34th

Va 14° 30' East

40.00 Set a stake for temporary 1/4 Sec Cor

80.00 Intersect New line at Cor to Secs 26

27th 34th & 35 from which Cor down

West on true line

between Secs 27th & 34th

Va 14° 30' East

40.00 Remote from stone or timber drive corner,

stake 12 in down and build mound of earth

2 ft high with pts 2x1x1 ft

for 1/4 Sec Cor No trees near

Fractional Tp 18 N Range 2 W

Old and Salt River Meridian

cts

80.00 The Cor to Secs 27, 28, 33 ^{and} 34

Sand Slopes W Soil 1st and 2^d rate

No timber or undergrowth

North between Secs 27^{and} 28

7a 14° 30' East

40.00 Remote from Stone or timber drive

Charred stake 12 ins down and build mound

of earth 2 ft high with pits 2 x 1 ft

for 1/4 Sec Cor No trees near

80.00 Remote from Stone or timber drive

Charred stake 12 ins down and build mound

of earth 2 ft high with pits 2 x 1 ft and in

center of pit 2 E of Cor drive stake marked

and watched 2 ft long 2 ins squared 1 ft in

the ground for Cor to Secs 21, 22, 27^{and} 28

No trees near

Sand Slopes SW Soil 1st and 2^d rate

No timber or undergrowth

Fractional T₁₈N Range 2 W

Gila Salt Pine Meridian

cho

East on random line

between Secs 22 E 27

T₁₄ 40° 30' East

40.00 Set a stone for temporary 1/4 Sec Cor

49.80 Intersect N₁₅ line 16 W S of Cor to Secs

22 23 26 E 27 from which Cor drawn

S 89° 53' Won true line

between Secs 22 E 27

T₁₄ 40° 30' East

39.90 Set a line stone 4x6x6 ins marked 1/4

Set 2/3 in the ground and built mound

of earth 2 ft high with pits 2x1x1 ft

for 1/4 Sec Cor No trees near

49.80 The Cor to Secs 21 22 27 E 28

Said ranging ² E 28 Slaking SW

Sail 2 ² E 28

Timber a few scrub Cedars in Sec 22

North between Secs 21 E 22

T₁₄ 40° 30' East

Fractional T¹/₈ N Range 2 W

Sec 4 Salt River Meridian
cks

40.00 Set a lime stone 10x10x10 ins Marked 14
Set 2/3 in the ground and build mound of
earth 2ft high with pits 2x1x1ft
for 1/4 sec Cor No trees near

80.00 Set a post marked and notched 4ft long
3 ins squared 1ft in the ground deposit
stone marked + and build mound of earth
2ft high with pits 2x1x1ft for Cor
to Secs 15, 16, 21 & 22 No trees near
Sand rolling & blowing SW. Soil 2nd 3rd rate
Timber Scattering Scrub Cedars

North between Secs 15 & 16
Pa 14° 30' East

40.00 Set a lime stone 12x12x10 ins marked 14
Set 2/3 in the ground and build mound
of stone 2ft high for 1/4 sec Cor. No trees near

80.00 Foot & slope of abrupt bluff bears N^W & SE
Set a lime stone 16 1/4 x 6 ins properly notched
Set 2/3 in the ground and on N side build

Fractional T^h 18 N Range 2 W

Gila and Salt River Meridian

Mound of stone 2 ft high for cor to
Secs 9. 10. 15 E and 16 No trees near
Sand rolling and sloping SW Soil Brate
Tomboy Scattering ledgers
Sand N of this cor weathered bluff

North between Secs 32 E and 33

Ta 14° 30' East

24.40 Wash 30 lbs wide flows E

40.00 Remote from stone or timber drive

Charred stake 12 ins down and build

Mound of earth 2 ft high with pits 2x1x1 ft

for 1/4 sec cor No trees near

65.60 Old road bears E and W

80.00 Remote from stone or timber drive

Charred stake 13 ins down and build mound

of earth 2 ft high with pits 2x1x1 ft and

in center of pit S of cor drive stake

marked and notched 2 ft long 2 ins square

1 ft in the ground for cor to Secs 28. 29. 32 E and 33

No trees near

Fractional T₆ 18^N Range 2^W
 Gila and Salt River Meridian

Sand level Soil 1st rate
 No timber or undergrowth

East on random line
 between Secs 28^Q & 33

7a 14° 30' East

40.00 Set a stake for temporary 1/4 Sec Cor

55.90 Trail bears N⁴⁵ E S

79.80 Intersect N⁴⁵ E line 5 lts S of Cor to Sec

27.28.33^Q 34^Q from which Cor from

S 89° 58' W on true line

between Secs 28^Q & 33

7a 14° 30' East

39.90 Remove from stone or timber drive Chond

Stake 12 in^s diam and build mound of earth

2 ft high with pit 2 x 4 ft for 1/4 Sec Cor

No trees near

79.80 The Cor to Secs 28 29 32^Q & 33

Sand level Soil 1st rate

No timber or undergrowth

Fractional T₁₈ N Range 22_N

Gila and Salt River Meridian

North between Secs 28⁴ & 29
 Pa 14° 30' East

4.00 Remove from stem or timber drive
 Churned state 12 ins down and build mound of
 earth 2 ft high with pits 2x1x1 ft
 for 1/4 Sec Cor No trees near

8.00 Remove from stem or timber drive Churned
 state 12 ins down and build mound of earth
 2 ft high with pits 2x1x1 ft and in center of
 pit 5 c of cor drive state marked & marked
 2 ft long 2 ins square 1 ft in the ground for
 Cor to Secs 20, 21, 28⁴ & 29. No trees near.
 Sand level Soil 1st rate
 No timber or underground
 March 21st 1877.

East on random line

between Secs 21⁴ & 28

Pa 14° 30' East

4.00 Set a state for temporary 1/4 Sec Cor

8.00 Intersect of random line 1/4 block of Cor to Secs

Fractural T_p 18 N Range 2 W

Gila Co Salt River Meridian
chs

21, 22, 27 & 28 from which cor I run
N 89° 54' W on true line
between Secs 21 & 28

var 4° 30' East

40.00 Remote from stone or timber drive
Chopped stake 12 ins down and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for 1/4 Sec Cor. No trees near

80.00 The cor to Secs 21, 22, 28 & 29.

Sand slopes W Soil 1 & 2 rate
No timber or undergrowth

North between Secs 20 & 21

va 14° 30' East

40.00 Remote from stone or timber drive
Chopped stake 12 ins down and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for 1/4 Sec Cor. No trees near

80.00 Set a post marked & notched 4 ft long
3 ins squared 1 ft in the ground deposit

Fractional T₅ 18th Range 2 24

Line and Salt Pine Meridian

Stone marked + and build mound of earth
2 ft high with pits 2x1x1 ft
for Cor to Secs 16, 17, 20 ^{Q₂} 21 from which
A Cedar 6 in dia bears S 79° E 26 lks dist
N of other tree near
Sand pretty rolling Soil 1 ^{Q₂} South
Timber an occasional Cedar in Sec 21

East on random line

between Secs 16 ^{Q₂} 21

on 14° 30' East

40.00 Set a stake for temporary 1/4 Sec Cor
79.90 Intersect N ^{Q₂} line 12 lks S of Cor to Secs
15, 16, 21 ^{Q₂} 22 from which Cor to run
S 89° 55' W on true line

between Secs 16 ^{Q₂} 21

on 14° 30' East

39.95 Set a post marked 1/4 2.4 ft long
flattened 3 in wide 1 ft in the ground
deposit Stone marked + and build mound

Fractious Sp 18th Range 2 W

Gila Salt River Meridian

Sho

of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor No trees near

49.90 The Cor to Secs 16, 17, 20th & 21

Sand rolling and Slapping W Soil 2nd rate
Timber scattering Scrub Cedar

North between Secs 16th & 17th
Ta 14° 30' East

40.00 Set a post marked 1/4 S 4 ft long

flattened 3 ins wide 1 ft in the ground
deposit Stone marked + and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor No trees near

46.00 Gulch 28 lks mile of less W

61.50 " 20 " " " "

80.00 Set a post marked 1/4 Natched 4 ft long

3 ins squared 1 ft in the ground deposit
Stone marked + and build mound of earth
2 ft high with pits 2x1x1 ft for Cor
to Secs 8, 9, 16th & 17th from which

Fractional T₁₈ Range 2 W
 Gila and Salt River Meridian
 etc

at Cedar 14 ins dia bears N 37° E 102 1/2 lks dist

" " 6 " " " N 58° W 116 " "

No other trees near
 Sand rolling and sloping SW
 Soil 3^d rate
 Timber scattering cedars

East on random line

between Secs 9th & 16

7a 14° 30' East

4000 Set a Stone for temporary 1/4 Sec Cor

8008 Intersect Nth Line 11 lks N of Cor to Secs

9.10.15th 16 from which Cor from

N 89° 55' W on true line

between Secs 9th & 16

7a 14° 30' East

4004 Set a lime Stone 18x10x10 in marked 1/4

Set 3/4 in the ground and build mound of

Stone 2 ft high for 1/4 Sec Cor to trees near

8008 The Cor to Secs 8.9.16th 17

Fractional T₁₈ N Range 2nd

Sec 4 Salt River Meridian

Sand rolling and Sloping S^W Soil 3rd rate
Timber Scrub Cedar

North between Secs 8 and 9
7a 14° 30' East

40.00 Set a post marked 14 S 4 ft long

flattened 3 ins wide 1 ft in the ground deposit

Stone marked + and build mound of earth

2 ft high with pits 2 x 1 x 1 ft

for 14 Sec Cor No trees near

76.00 Begin ascent steep bluff bears N^W 86

80.00 Set a line Stone 16 x 8 x 8 ins properly set

Set 2 ft in the ground and on N side build

mound of Stone 2 ft high for Cor to Sec 4. S. 8. E. 79.

No trees near

Sand rolling and Sloping S^W

Soil generally 3rd rate

Timber Scrub Cedar

Sand N of this Cor is utterly worthless.

Fractional T₁₆ St Range 2 W

Gila Salt River Meridian

North between Secs 31 & 32
T₁₆ R₂ 14° 30' East

- 8.90 Road to Prescott bears N W $\frac{1}{2}$ S E
- 40.00 Remote from Stone or timber drive
Chopped stake 12 ins down and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for $\frac{1}{4}$ sec cor. No trees near
- 75.50 Mark 40 lbs wide flange S E
- 80.00 Remote from Stone or timber drive chopped
stake 12 ins down and build mound of earth
2 ft high with pits 2 x 1 x 1 ft and in center
of pit S. E. of cor drive stake marked and
notched 2 ft long 2 ins square 1 ft in the ground
for Cor to Secs 29, 30, 31, & 32 No trees near
Sand level Soil 1st rate
No timber or underground

East on random line
between Secs 29 & 32
T₁₆ R₂ 14° 30' East

Fractional T₁ 18th Range 2 W

Gila Co. Salt River Meridian

chs

37.20 Old road bears N W $\frac{1}{4}$ Sec 8 E

40.00 Set a stake for temporary $\frac{1}{4}$ Sec cor

80.12 Intersect N $\frac{1}{4}$ Sec 15 1/2 mi S of Cor block
 28 29 32 $\frac{1}{4}$ Sec 33 from which cor drawn
 S 89° 54' W on true line
 between Secs 29 $\frac{1}{4}$ Sec 32
 T₁ 14° 30' East

40.06 Remove from stone or timber drive
 charred stake 12 in down and build mound
 of earth 2 ft high with pits 2 x 1 x 1 ft
 for $\frac{1}{4}$ Sec cor No trees near

80.12 The cor Secs 29, 30, 31 $\frac{1}{4}$ Sec 32
 Land level said 1 rate
 No timber or see long with

Next on random line
 between Secs 30 $\frac{1}{4}$ Sec 31
 T₁ 14° 30' East

8.90 Walk 50 lks mile flows S E

40.00 Set a stake for temporary $\frac{1}{4}$ Sec cor

Fractural Sp 18 N Range 2 W

La. and Salt River Meridian

42.90 Road to Precatt bears NW $\frac{1}{2}$ SE
 49.60 Intersect W boundary of Sp 26 W 5 after
 to Secs 30 $\frac{1}{2}$ 31 from which cor down
 S $89^{\circ}49'$ E on true line
 between Secs 30 $\frac{1}{2}$ 31
 Va 140 30 East

39.60 Remote from stone or timber drive
 chanced stake 12 ins down and build mound
 of earth 2 ft high with pits 2x1x1 ft
 for the Sec cor No trees near

49.60 The cor bears 29, 30, 31 $\frac{1}{2}$ 32
 Sand level Soil 1st rate
 No timber or underground

North between Secs 29 $\frac{1}{2}$ 30
 Va 140 30 East

20.10 Old road bears NW $\frac{1}{2}$ SE

40.00 Remote from stone or timber drive
 chanced stake 12 ins down and build
 mound of earth 2 ft high with pits 2x1x1 ft

Fractional T_p 18 N Range 2 W

Gila and Salt River Meridian

Ch

for 1/4 Sec Cor No trees near
8000 Remote from stone or timber down corner
State 12 ins down and build mound of earth
2 ft high with pits 2 x 1 x 1 ft and in center
of pit N E of Cor down State marked
and notched 2 ft long 2 ins square 1 ft
in the ground for Cor lines 19, 20, 29 & 30.

No trees near

Level soil 1st rate

No timber or undergrowth

Part on random line

between Secs 20th & 29th

Pa 14° 30' East

4000 Cut a stake for temporary 1/4 Sec Cor

79.90 Intersected on line 1/4 Sec S of Cor & Secs

20, 21, 28th & 29th from which Cor down

S 89° 57' W on true line

between Secs 20th & 29th

Pa 14° 30' East

Fractinal Tp 18 N Range 2 W

ch. Gila Co Salt River Meridian

- 3995 Remove from stone or timber drive cleared
state 12 ins down and build mound of
earth 2 ft high with pits 2x1x1 ft
for 1/4 sec cor No trees near
- 4990 The cor to Secs 19. 20 29 $4^{\circ} 30'$
S and Slopes S W Soil 1 $4^{\circ} 30'$ rate
No timber or undergrowth
March 22nd 1877.

Nest on random line

between Secs 19 $4^{\circ} 30'$

$7^{\circ} 14' 30''$ East

- 4000 Set a stake for temporary 1/4 sec cor
- 4940 Intersect W boundary of T 16 N S of cor
to Secs 19 $4^{\circ} 30'$ from which cor down
 $89^{\circ} 53'$ E on true line
between Secs 19 $4^{\circ} 30'$
 $7^{\circ} 14' 30''$ East

- 3940 Remove from stone or timber drive cleared
state 12 ins down and build mound of
earth 2 ft high with pits 2x1x1 ft

Structural Sp 18 N Range 2 W

also Gila and Salt River Meridian

for 1/4 Sec No trees near
 14940 The cor to Secs 19, 20, 29^Q and 30
 Sand level Soil 1st rate
 No timber or underground

North between Secs 19^Q and 20
 VA 14° 30' East

40.00 Remote from Stone or timber drive
 Chopped stake 12 ins down and build mound
 of earth 2 ft high with pits 2 x 1 x 1 ft
 for 1/4 Sec cor No trees near

80.00 Remote from Stone or timber drive
 Chopped stake 12 ins down and build mound of
 earth 2 ft high with pits 2 x 1 x 1 ft and in
 center of pit S E of cor drive stake marked
 and notched 2 ft long 2 ins squared 1 ft in
 the ground for cor Secs 17, 18, 19^Q and 20
 No trees near
 Sand gently sloped Soil 1st and 2nd rate
 No timber or underground

Fractural T_p 18 N Range 2 W

Gila and Salt River Meridian

chs

East on random line
between Secs 17th and 20th
Ta 140 30' East

4.00 Set a post for temporary 1/4 Sec. Cor
8.00 Intersect N 1/4 line 10 lks N of Cor. Secs
16, 17, 20 and 21 from which cor down
at 89° 56' W on true line
between Secs 17th and 20th

Ta 140 30' East

4.00 Set a post marked "40" 4 ft long flattened
3 ins wide 1 ft in the ground deposit stone
marked + and build mound of earth 2 ft high
with pits 2 x 1 x 1 ft for 1/4 Sec. Cor
No trees near

8.00 The cor to Secs 17, 18, 19 and 20.
Saw slopes W soil 2° rate
No timber or undergrowth

Next on random line
between Secs 18th and 19th

Fractional T_p 18 N Range 2 W

Gila and Salt River Meridian

Chs

Var 14° 30' East

4000 A stake for temporary $\frac{1}{4}$ Sec Cor
 1945 Intersect W boundary of T_p 19 N S
 of Cor 1 Sec 18th 19 from which Cor 2 run
 S 89° 52' E on true line
 between Sec 18th 19

Var 14° 30' East

3945 Remote from stone or timber drive
 Chained stake 12 ins down and build mound
 of earth 2 ft high with pits 2x1x1 ft
 for $\frac{1}{4}$ Sec Cor No trees near
 1945 The Cor 1 Sec 17, 18, 19th 20.
 Sand Slopes S Soil 2nd rate
 No timber or undergrowth

North between Sec 17th 18

Var 14° 30' East

4000 A line stone 10x8 ins Marked $\frac{1}{4}$
 Set $\frac{2}{3}$ in the ground and build mound
 of earth 2 ft high with pits 2x2x1 ft

Fractional T^p/S^t Range 2 W

Gila and Salt River Meridian

Chs

for 1/4 Sec Cir No trees near
80.00 Set a lime stone 6x14x12 ins properly

notched set 2/3 in the ground and on N
side build mound of stone 2 ft high
for Cor to Secs 8, 14 and 18. No trees near

Land gently rolling Soil 2^o rate
No timber or undergrowth

East on random line

between Secs 8 and 14

Va 14° 30' East

40.00 Set a post for temporary 1/4 Sec Cir

80.14 Intersect N and S line 12 lks N of Cor to

Secs 8, 9, 16 and 17 from which Cor from

N 89° 55' W on true line

between Secs 8 and 14

Va 14° 30' East

40.07 Set a post marked 1/4 Sec 4 ft long

flattened 3 ins wide 1 ft in the ground driven
Chimed flat and build mound of earth 2 ft

Fractional Tp 18 N Range 27 W

Gild and Salt River Meridian

dig with pits 2x1x1 ft for $\frac{1}{4}$ sec cor.

No trees near

8.14 The cor to Secs 7, 8, 14 and 18

Land rolling and sloping W

Soil 2^d rate

Timber a few Cedars on E end of line

Next on random line

between Secs 7 and 18

Va 140° 30' East

4.00 Set a post for temporary $\frac{1}{4}$ sec cor

79.20 Intersect W boundary of Tp 14 1/2 S of
Cor to Secs 7 and 18 from wheel cor Iron

S 89° 54' E on true line

between Secs 7 and 18

Va 140° 30' East

39.20 Set a post marked $\frac{1}{4}$ S 4 ft long

flattened 3 ins wide 1 ft in the ground

deposit stone marked + and build mound of
earth 2 ft high with pits 2x1x1 ft

Fractious Tp 18 N Range 200

Gila Cut Salt River Meridian
 etc.

for 1/4 Sec cor No trees near
 79.20 The cor to Sec 7, 8, 14 E of N
 Land rolling & Slaping W soil 2nd rate
 No timber or undergrowth.

North between Secs 7 & 8 of
 Wa 14° 30' East

40.00 Set a post marked 1/4 S. 4 ft long flattened
 3 in wide 1 ft in the ground deposit
 stone marked + and build mound
 of earth 2 ft high with pits 2 x 1 x 1 ft
 for 1/4 Sec cor No trees near
 80.00 Set a lime stone 12 x 12 x 6 ins properly
 notched and set 2/3 in the ground and on
 N side build mound of stone 2 ft high
 for Cor to Secs 5, 6, 7, E of N No trees near
 Land rolling Soil 2nd and 3rd rate
 Timber Scattering Cedars in Sec 8

Fractional T₁₈N Range 2W

Gila Co Salt River Meridian

East on random line
between Secs 5th & 8th
N₄ 14° 30' East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

74.00 Begin ascent of bluff bears N₇₇ ^W 56° E

80.16 In reach N₄ S line 20th Sec Cor to
Secs 4, 5, 8th & 7th. From which Cor down
S₈₉° 51' W on true line
between Secs 5th & 8th

N₄ 14° 30' East

40.08 Set a line stone 16x10x10 in marked

$\frac{1}{4}$ Sec $\frac{2}{3}$ in the ground and build

Mound of stone 2 ft high

for $\frac{1}{4}$ Sec Cor No trees near

80.16 The Cor to Secs 5, 6, 7th & 8th

Sand rolling and sloping W

Sail 3rd rate

Timber scattering scrub cedars

Fractional Twp 18N Range 2 W
Gila Salt River Meridian

ch

Nest on random line
between Secs 6^W of
Ta 14° 30' East

4000 Set a stone for temporary 1/4 Sec C

4890 Intersect W boundary of Tp 24 N S
of Cor to Secs 6^W of from which Cor drawn
S 89° 50' E on true line
between Secs 6^W of
Ta 14° 30' East

3890 Set a lime stone 6x12x6 in marked
1/4 Sec 2/3 in the ground and build
mound of stone 2 ft high for 1/4 Sec C
No trees near

4890 The Cor to Secs 5, 6, 7^W of
Sand rolling ^{encompassing} ~~Moiled~~ 5th 3rd 2nd 1st
No timber or undergrowth.
March 23rd 1877.

General Description
The surveyed portion of this
Tp contains some good arable

and grazing land but contains
no timber springs or running
water.

The unused portion is
covered by rolling barren mesas
and has a scattering growth
of scrub cedars suitable only
for use as fuel.

LeRoston Foster
Mt Depue, Oregon.

List of Names.

BOOK

1042

30

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *Practical*.....

Township 18 North Range 2
West Gila and Salt River
Meridian, Arizona Territory

Showing the respective capacities in which they
acted.

Almerio S. Skille..... Chainman.

Richard Strafe..... Chainman,

Paul Brutschke..... Axeman.

..... Flagman.

Final Oath of Assistants.

We hereby certify that, we assisted C. Burton
Joster U. S. Deputy Surveyor, in

surveying the subdivision lines of
Fractional Township 18 North
Range 2 West
Sixth Salt River Meridian
Arizona Territory

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.


Richard Spruce Chairman.
Americus S. Spinks Chainman,
Paul Brutschke Axeman.

..... Flagman.

William Joster

Sworn to and subscribed before me, this 31st
day of May, 1877.

William Joster
Notary Public



Final Oath of Deputy Surveyor.

I, Chas. Benton Foster

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 11th day of October

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the

Subdivision Lines of Fractional
Township 18 North Range 2 West
Gila and Salt River Meridians
Territory of Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. C. Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 31st
day of May, 1877.

William C. Foster

William C. Foster
Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA, December 27, 1877

*The foregoing Field Notes of the Survey of the**Subdivision Lines of
Township 18 North
Range 2 West**Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by L. Benton Foster,**Deputy Surveyor, under his contract of the 11th
day of October, 1876, having been**critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.**John Mason.*
Surveyor General.