

1043

No. 1043

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF- **BOOK 1043**

Township 18 N. Range 3 W.

*Gila and Salt River Base and Meridian*

**ARIZONA.** No. 1043

By C. Burton Foster, D. S.

under contract dated Oct. 11, 1876.

Survey commenced March 24, 1877.

Survey completed March 30, 1877.

# Index

## BOOK 1043

1A

township 18 N R. 3 W

Gila and Salt River Meridian.

6	56	5	42	4	33	3	22	2	11	1
55		54		41		32		21		10
7	53	8	41	9	31	10	19	11	9	12
52		57		40		30		19		8
18	57	17	39	16	29	15	18	14	7	13
50		49		38		28		17		6
19	48	20	37	21	27	22	16	23	5	24
48		47		37		26		15		4
30	46	29	36	28	25	27	13	26	3	25
45		44		35		24		12		2
31	43	32	34	33	23	34	11	35	1	36

*PRELIMINARY OATHS OF ASSISTANTS.*

WE, *Almerin S. Skinkle*  
 and *Richard Shrope*  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

*Almerin S. Skinkle*  
*Richard Shrope*

Sworn to and subscribed before me, this 17<sup>th</sup>  
 day of *William A. Foster* March, 1877



*William A. Foster*  
 Notary Public

H.E. I Paul Butschke

I do solemnly swear that ~~we~~ I will well and truly perform the duties of Axeman

according to instructions given ~~us~~ <sup>me</sup>, and to the best of ~~our~~ <sup>my</sup> skill and ability.

Paul Butschke

Sworn to and subscribed before me this 17<sup>th</sup> day of March 1877

William C. Foster  
Notary Public

William C. Foster



No. 1043

Township 18. North Range 3. West

Gila and Salt River Meridian  
hs.

Begin at the established cor.  
to Secs. 1, 2, 35, and 36. between Tps. 17<sup>th</sup> & 18.  
N. Range 3. W.

The Cor. a post properly notched  
and marked in mound of earth with  
pits, from which Cor.

I run

North between Secs. 35 and 36.

Var.  $14^{\circ} 35'$  East

as per Burts improved Solar Compass

31.20. Wood road bears N.E. and S.W.

40.00 Remote from stave or timber.

Drive charred stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits 2 x 1.75 ft. at  $1/4$  Sec. Cor.

No trees near.

74.00 Road to Williamson's Valley bears  
N.E. and S.W.

80.00 Remote from stave or timber.

Drive charred stake 12 ins. down

Township 18, North Range 3, West  
 Gila and Salt River Meridian  
 Chs.

and build mound of earth 2 ft. high  
 with pits 2x1x1 ft. <sup>deep</sup> in center of  
 pit S. E. from Cor. drive stake marked  
<sup>and</sup> notched 2 ft. long, 2 ins. square,  
 1 ft. in the ground for Cor. to Secs.  
 25, 26, 35 <sup>and</sup> 36. No trees near.

Land gently rolling <sup>and</sup> sloping N.  
 Soil 2 rates.

No timber or undergrowth.

Eastern Random line  
 between Secs. 25 <sup>and</sup> 36.

Var.  $14^{\circ} 35'$  East.

8.00	Road bars N. E. <sup>and</sup> S. W.
32.20	Road bars N. <sup>and</sup> S.
40.00	Set a stake for temporary $1/4$ Sec. Cor.
53.10	Road bars N. W. <sup>and</sup> S. E.
79.80	Intersect E boundary of Twp. 24 N. 35. of Cor. to Secs. 25 <sup>and</sup> 36. from which Cor. I run

Township 18. North Range 3 West  
 Gila and Salt River Meridian  
 chs.

S. 89.50' N. on true line.

between Secs. 25 and 26

Var.  $14^{\circ} 35'$  East.

39.90 Remote from water or timber.  
 Drive chared stake 12 ins. down <sup>up</sup> shield  
 mound of earth 2 ft. high with pits 2  
 $\times 1 \times 1$  ft. for  $\frac{1}{4}$  Sec. Cor. No trees near.

49.80 The cor. to Secs. 25, 26, 35 and 36.  
 Land gently rolling. Soil 2. rate.  
 No timber or undergrowth.

North between Secs. 25 and 26  
 Var.  $14^{\circ} 35'$  East

13.50 Road bears N. E. and S. W.

38.90 Mark 45 stks in E. flow E.

40.00 Remote from water or timber. Drive  
 chared stake 12 ins. down <sup>up</sup> shield mound  
 of earth 2 ft. high with pits  $2 \times 1 \times 1$  ft  
 for  $\frac{1}{4}$  Sec. Cor. No trees near

50.00 Brockmans house bears E. about 30  
 chs. distant from line.

Township 18. North Range 3. West  
Gila and Salt River Meridian  
cho.

80. 00 Remote from stem or timber, Drive  
chained stake 12. ins. down and build  
mound of earth 2 ft. high with pits  
2x1x1 ft. and in centre of pit. S.E. from  
cor. drive stake marked and notched  
2 ft. long. 2 ins. square 1 ft. in ground  
for cor. to Secs. 23, 24, 25, and 26.  
No trees near.

Level soil 1 and 2. water  
No timber or undergrowth.

East on random line,  
between Secs. 24 and 25.

Var.  $14^{\circ} 35'$  East

40. 00 Set a stake for temporary  $\frac{1}{4}$  Sec. Cor.

80. 00 Intersect E. boundary of Twp. at Cor. to  
Secs. 24. and 25. from which Cor.

I run

West on true line between Secs. 24 and 25.

Var.  $14^{\circ} 35'$  East



Township 18. North Range 3. West

Gila and Salt River Meridian

40.00 Remeter from stave or timber, drive chanced  
stake 12 ins. down <sup>and</sup> build mound of earth  
2 ft high with pits 2x1x1 ft. for  $\frac{1}{4}$  Sec.  
Cor. No trees near.

80.00 The Cor. to Secs. 23, 24, 25, and 26.  
Land level, soil 1 and 2. rate  
No timber or undergrowth

North between Secs. 23. and 24.

Var.  $14^{\circ} 35'$  East.

40.00 Remeter from stave or timber  
Drive chanced stake 12. ins down and  
build mound of earth 2 ft high with  
pits 2x1x1 ft. for  $\frac{1}{4}$  Sec. Cor. to trees near

80.00 Remeter from stave or timber. Drive  
chanced stake 12 ins. down <sup>and</sup> build mound  
of earth 2 ft high with pits 2x1x1 ft. and  
in center of pit S.E. of Cor. drive stake  
marked <sup>and</sup> notched 2 ft long 2. ins.  
squared. 1 ft. in the ground for cor to Secs.

Township 18. North Range 3 West

Chs. Gila and Salt River Meridian

13, 14, 23, and 24. No trees near.

Land mostly level.

Soil 1 and 2. rate. Grass abundant,  
No timber or undergrowth.

East on random line

between Secs. 13. and 24

Var.  $14^{\circ} 35'$  East

40. 00

Set a stake for temporary  $\frac{1}{4}$  Sec. Cor.

80. 10

Intersect E. boundary of T<sub>1</sub>, 16. N<sub>1</sub> of  
of Cor. to Secs. 13. and 24. from which Cor.  
I run

N.  $89^{\circ} 53'$  W. on true line.

between Secs. 13 and 24.

Var.  $14^{\circ} 35'$  East.

40. 05

Remote from stave or timber

Drive chanced stake 12 ins. down and

build around of earth 2 ft. high

with pits  $2 \times 1 \times 1$  ft. for  $\frac{1}{4}$  Sec. Cor.

No trees near

Township 18. North Range 3. West

Chs. Gila and Salt River Meridian

80.10 The Cor. to Secs. 13, 14, 23<sup>rd</sup> and 24<sup>th</sup>.  
Land level. Soil 1 and 2. rate.  
Grasses abundant.  
No timber or undergrowth

North between Secs. 13. and 14.  
Var.  $14^{\circ} 35'$  East

40.00 Remote from steen or timber.  
Drove chased stake 12 ins down and  
built mound of earth 2 ft high with  
pits 2x1x1 ft. for  $\frac{1}{4}$  Sec. Cor.  
No trees near.

80.00 Remote from steen or timber.  
Drove chased stake 12 ins. down, and  
built mound of earth 2 ft high with  
pits 2x1x1 ft. and in center of pit  
N. & S. Cor. drove stake marked and  
setched 2 ft. long 2 ins. squared, 1 ft  
in the ground for Cor. to Secs. 11, 12,  
13<sup>rd</sup> and 14. No trees near.

Township 18. North Range 3. West

Gila and Salt River Meridian  
chs. 1

Land gently slopes S.  
Soil 2. rate grasses abundant  
to timber on undergrowth.

East on random line  
between Secs. 12. and 13.

Var.  $14^{\circ} 35'$  East

40. 00

Set a stone for temporary  $1/4$  Sec. Cor.

79. 60

Intersect E. boundary of Tp: 24 lks.

N. of Cor. to Secs. 12. and 13.

from which Cor I run

N.  $89^{\circ} 50'$  W. on true line.

between Secs. 12. and 13.

Var.  $14^{\circ} 35'$  East

39. 80

Set a lime stone  $12 \times 10 \times 10$  ins marked

$1/4$  set  $2/3$  in the ground and built mound.

of earth 2 ft high with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec Cor.

No trees near.

79. 60

Run cor. to Secs. 11. 12. 13. and 14.

Land sloping gently S.

Township 18. North Range 3. West.

chs. Gila and Salt River Meridian

Soil 2. rate. Grasses abundant.  
No timber or undergrowth.

North between Secs. 11. and 12.

Var.  $14^{\circ} 35'$  East.

40.00 Remove fence stone on timber  
Drive chased stake 12 ins. down and  
build mound of earth 2 ft. high  
with pits 2x1x1/2 for 1/4 Sec. Cor  
No trees near

80.00 Set a lime stone 16x14x8 ins.  
properly set and set 2/3 in the  
ground and on N. side build mound  
of stone 2 ft. high for Cor. to Secs. 1.  
2. 11. and 12. No trees near  
Land gently rolling.

Soil 2. rate. Grasses abundant  
No timber or undergrowth.

East on random line

Township 18. North Range 3. West  
 Chs. Gila and Salt River Meridian

Between Secs. 1 and 12.

Var.  $14^{\circ} 35'$  East,

40.00 Set a stone for temporary  $1/4$  Sec. Cor.

80.00 Intersect E. boundary of T<sub>1</sub>P. 20.

1/2 mi. S. of Cor. to Sec. 1 and 12.

from which Cor. I ran

N.  $89^{\circ} 51'$  W. on true line,

Between Secs. 1 and 12.

Var.  $14^{\circ} 35'$  East

40.00 Set a lime stone  $10 \times 10 \times 10$  ins.

marked  $1/4$  with  $2/3$  in the ground  
 and build mound of earth 2 ft. high

with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor.

to trees near.

80.00 The cor. to Secs. 1, 2, 11, and 12.

Land rolling and sloping S. W.

Soil 2 and 3. rate.

No timber or undergrowth.

North on random line

Township 18: North Range 3 West.

chs. Gila and Salt River Meridian

between Secs. 1. and 2.

Var.  $14^{\circ} 35'$  East.

34.00 Wash 50 lbs. into flow. S. W.

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec. Cor.

79.90 Intersect N. boundary of Tp. 12-lks.

N. of Cor. to Secs. 1 and 2.

from which cor. I run

S.  $0^{\circ} 5'$  West on true line

between Secs. 1 and 2.

Var.  $14^{\circ} 35'$  East.

39.90 Set a lime stone  $10 \times 10 \times 6$  ins.

marked  $\frac{1}{4}$  sec  $\frac{2}{3}$  in the ground  
and build mound of stone 2 ft high  
for  $\frac{1}{4}$  Sec. Cor. to trees near.

79.90 the cor. to Secs. 1, 2, 11, and 12.

Land rolling and sloping S.

Soil 2. and 3. rate.

Timber, a few cedars in Sec. 1.

March 24<sup>th</sup> 1877

North between Secs. 34 and 35

Township 18. North Range 3. West

Gila and Salt River Meridian  
chs.

Var.  $14^{\circ} 35'$  East  
4. 40 Road to Williamsons Valley  
cross N. E. and S. W.  
40. 00 Remote from stave on timber.  
Drive charred stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits  $2 \times 1 \times \frac{1}{4}$  or  $\frac{1}{4}$  Sec. Cor.  
No trees near.

80. 00 Remote from stave on timber.  
Drive charred stake 12 ins. down and  
build mound of earth 2 ft high with  
pits  $2 \times 1 \times \frac{1}{4}$  in center of pit S. E. of Con drive stake  
marked and notched. With long 2 ins squared. 1 ft in  
the ground for Cor. Secs 26, 27, 34 & 35. No trees near.

Land mostly level.  
Soil T. rate. Grass abundant  
No timber or undergrowth.

Each on random line  
between Secs. 26. and 35.

Var.  $14^{\circ} 35'$  East.



Township 18 North Range 3. W.

Gila and Salt River Meridian  
chs.

40.00 Set a stake for temporary 1/4 Sec. Cor.

46.10 Road to Williamsens Valley.  
Cross S.W. and N.E.

80.00 Intersect N. and S. line 25 S. S. S.  
of Cor. to Secs. 25, 26, 35 and 36.

from which <sup>Cor.</sup> I run  
S.  $89^{\circ} 49'$  N. on true line

between Secs. 26 and 35.

W.  $14^{\circ} 35'$  East.

40.00 Remote from timber or timber.  
Drove charred stake 12 ins. down  
and build mound of earth 2 ft.  
high with pits  $2 \times 1 \times 1$  ft. for  
1/4 Sec. Cor. to trees near.

80.00 Like Cor. to Secs. 26, 27, 34 and 35.

Land mostly level. Soil 1 rate.  
Grass abundant.

No timber or undergrowth.

North between Secs. 26 and 27.

Township 18. North Range 3. W.  
Gila and Salt River Meridian

Var.  $14^{\circ} 35'$  East

- 40.00 Remote from stow or timber.  
Drive charred stake 12 ins. down  
and build mound of earth 2 ft high  
with pits  $2 \times 1 \times 1$  ft. for  $\frac{1}{4}$  Sec. Cor.  
to trees near.
- 46.20 Road bears E. and N.W.
- 57.00 Valley wash, 50 yds. wide, flows N.
- 60.00 House bears E. of line, about 5 chs. dish
- 64.00 House bears N. of line about 8.  
chs. dish.
- 80.00 Remote from stow or timber  
Drive charred stake 12 ins. down  
and build mound of earth 2 ft high  
with pits  $2 \times 1 \times 1$  ft. and in centre  
of pits N. E. of cor. drive stake  
marked and notched 2 ft. long 2 ins.  
squared 1 ft. in the ground for cor.  
to Secs. 22, 23, 26, and 27.  
No trees near

Township 18. North Range 3. N.  
 Gila and Salt River Meridian  
 chs)

Land level. Soil 1 rate  
 No trees or undergrowth.

Each on random line  
 between Secs. 23. and 26.

Var.  $14^{\circ} 35'$  Each

40.00 Set a stake for temporary  $\frac{1}{4}$  Sec. Cor.

41.00 Road to Prescott bears S. E. of N. N. W.

80.20 Intersect N. and S. line 12. Mts. N. of  
 Cor. to Secs. 23. 24. 25. and 26.

from which Cor. Run

N.  $89^{\circ} 55'$  True line

between Secs. 23. and 26.

Var.  $14^{\circ} 35'$  Each

40.10 Remote from timber or timber.

Drive chared stake 12 ins. down

and build mound of earth 2 ft. high

with pits  $2 \times 1 \times 1$  ft. for  $\frac{1}{4}$  Sec. Cor.

No trees near  
 the Cor. to Secs. 23. 24. 25. and 26.

80.20 Land level. Soil 1 rate.

Township 18. North Range 3. W.  
 1/4 Sec. 22 and Salk River Meridian  
 chs.  
 No timber or undergrowth.

North between Secs. 22. and 23.

Var.  $14^{\circ} 35'$  East

- 11.90 Road bears E. and N.  
 26.60 Road to Prescott bears N.W. and S.E.  
 40.00 Remote from stone or timber  
 Drive chased stake 12 ins. down  
 and build mound of earth 2 ft. high  
 with pits 2x1x1 for 1/4 Sec. Cor.  
 No trees near.
- 80.00 Remote from stone or timber.  
 Drive chased stake 12 ins. down  
 and build mound of earth 2 ft. high  
 with pits 2x1x1 ft. and in centre  
 of pit S.E. of cor. drive stake  
 marked and marked 2 ft. long, 2 ins.  
 squared 1 ft. in the ground for cor.  
 to Secs. 14, 15, 22. and 23. No trees near  
 Land level. Soil 1 Rate

Township 18 North Range 3 W  
 Ajila and Salt River Meridian  
 chs.

No timber or undergrowth

Eastern random line  
 between Secs. 14 and 23.

Var  $14^{\circ} 35'$  East

40.00 Set a stake for temporary  $1/4$  Sec. Cor.

80.00 Intersect N.  $1/4$  S. line 24 lks. S. of  
 Cor. to Secs. 13, 14, 22 and 24.

from which Cor. I run  
 S.  $89^{\circ} 50'$  W. on true line  
 between Secs. 14 and 23.

Var.  $14^{\circ} 35'$  East.

40.00 Remote from stone or timber.

Drive chanced stake 12 ins. down and  
 build mound of earth 2 ft. high  
 with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor.

No trees near.

80.00 Drive Cor. to Secs. 14, 15, 22 and 23.

Land mostly level. Soil 1 rate  
 No timber or undergrowth.

Township 18. North Range 3. N.  
 Gila and Salt River Meridian  
 Chs.

North between Secs. 14 and 15.

Var.  $14^{\circ} 3.5'$  East.

40.00

Remote from stems or timber.  
 Drive chanced stake 12 ins. down  
 and build mound of earth 2 ft. high  
 with pits  $2 \times 1 \times 1$  ft. for  $\frac{1}{4}$  Sec. Cor.  
 No trees near

80.00

Remote from stems or timber  
 Drive chanced stake 12 ins. down  
 and build mound of earth 2 ft. high  
 with pits  $2 \times 1 \times 1$  ft. and in centre  
 of pit S.E. of Cor. drive stake  
 marked and watched 2 ft. long 2 ins.  
 squared, 1 ft. in the ground for Cor.  
 to Secs. 10, 11, 14, and 15. No trees near.

Land level. Soil 2. rate

Grasses abundant.

No timber or undergrowth.

Cash on random lines.

Township 18. North Range 3. W.

Opila and Salk River Meridian  
chs.

between Secs. 11. and 14.

Var.  $14^{\circ} 35'$  East.

40.00 Set a stake for temporary  $\frac{1}{4}$  Sec. Cor.

80.10 Intersect N. and E. line 16 lks S. of  
Cor. to Secs. 11. 12. 13. and 14.

from which Cor. I run  
S.  $89^{\circ} 53'$ . New true line

between Secs. 11 and 14.

Var.  $14^{\circ} 35'$  East.

40.05 Re-measure from stone on timber

Drove chanced stake 12. ins. down  
and build mound of earth 2 ft. high  
with pits 2x1x1 ft. for  $\frac{1}{4}$  Sec. Cor.

No trees near

80.10 The Cor. to Secs. 10. 11. 14. and 15.

Land level. Soil 2. rate.

Grasses abundant.

No timber or undergrowth

North between Secs. 10 and 11.

Township 18. North Range 3. W.

Gila and Salt River Meridian  
Tns.

Var. 14° 35' East.

24.70  
40.00

Wood road bears N. E. and S. W.  
Remote from store on timber.  
Drive charred stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits 2x1x1 ft. for 1/4 Sec. Cor.  
No trees near.

80.00

Remote from store on timber.  
Drive charred stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits 2x1x1 ft. and in center  
of pit S. E. of Cor. drive stake  
marked and marked 2 ft. long 2 ins.  
square, 1 ft. in the ground for  
Cor. to Secs. 2, 3, 10. and 11.

No trees near  
Land gently sloping S.  
Soil 2. rate. Grass abundant.  
No timber or undergrowth



Township 18. North Range 3. W.

Opila and Salt River Meridian  
chp.

East on random line  
between Secs. 2. and 11.

Var.  $14^{\circ} 35'$  East

35.40 Wood road bears N.  $60^{\circ}$  and S. W.

40.00 Set a stake for temporary  $1/4$  Sec. Cor.

80.20 Intersect N. and S. line 10 fts. S. of  
Cor. to Secs. 1, 2, 11, and 12.

from which Cor. I run  
 $S. 89^{\circ} 56'$  W. on true line  
between Secs. 2. and 11.

Var.  $14^{\circ} 35'$  East.

40.10 Remote from stone or timber.  
Drive chard stake 12 ins. down  
and build mound of earth 2 ft high  
with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor.  
No trees near.

80.20 The Cor. to Secs. 2, 3, 10, and 11.  
Land slopes S. Soil 2 rate  
No timber or undergrowth.

Township 18. North Range 3. W.  
 Gila and Salt River Meridian

North on random line  
 between Secs. 2. and 3.  
 Var  $14^{\circ} 35'$  East

40.00 Set a stake for temporary  $1/4$  Sec. Cor.  
 80.00 Intuseck N. boundary of Twp. 20 N.  
 W. of Cor. to Secs. 2. and 3.

from which Cor. I run  
 S.  $0^{\circ} 9'$  W. on true line  
 between Secs. 2. and 3.

Var.  $14^{\circ} 35'$  East.

40.00 Set a stake marked  $1/4$  S. 4 ft long  
 flattened 3 in. wide 1 ft. in the  
 ground, drive chased stake 12. ins.  
 down and build mound of earth  
 2 ft high with pits  $2 \times 1 \times 1$  ft. for  
 $1/4$  Sec. Cor. to trees near

80.00 The Cor. to Secs. 2, 3, 10. and 11.  
 Land gently slopes S. Soil 2 rats  
 No timber or undergrowth.

March 26<sup>th</sup> 1877

Township 18. North Range B. N.  
 of 1/4 and Salt River Meridian  
 chs.

North between Secs. 33. and 34.

Var.  $14^{\circ} 35'$  East

40.00

Remote from stone or timber.  
 Drive chained stake 12 ins. down  
 and build mound of earth 2 ft.  
 high with pits  $2 \times 1 \times 1$  ft. for  $1/4$   
 Sec. Cor. No trees near.

80.00

Remote from stone or timber.  
 Drive chained stake 12 ins. down  
 and build mound of earth 2 ft. high  
 with pits  $2 \times 1 \times 1$  ft. and in centre  
 of pit S.E. of Cor. drive stake marked  
 and marked 2 ft. long 2 ins. squared  
 1 ft. in the ground for Cor. to Secs.  
 27. 28. 33. and 34. No trees near.

Land gently rolling. Soil 2. rate.

Grass abundant

No trees or undergrowth

East on random line.

Township 18. North Range 3. N.

Gila and Salt River Meridian

between Secs. 24. and 34.

Var.  $14^{\circ} 35'$  East

38.10 Old road bears S. and N.E.  
 40.00 Set a stake for temporary  $\frac{1}{4}$  Sec. Cor.  
 80.00 Intersect N. and S. line at Cor. to  
 Secs. 26. 27. 34. and 35.

From which Cor. I run  
 West on true line

between Secs. 24. and 34.

Var.  $14^{\circ} 35'$  East.

40.00 Remote from stone on timber  
 Drive chanced stake 12 ins. down  
 and build mound of earth 2 ft. high  
 with pits  $2 \times 1 \times 1$  ft. for  $\frac{1}{4}$  Sec. Cor.  
 No trees near.

80.00 The Cor. to Secs. 24. 28. 33. and 34.  
 Land greatly slopes N. E.  
 Soil 2. water. Grass abundant.  
 No timber or undergrowth.

Township 18. North Range 3. West

chs. Gila and Salt River Meridian

North between Secs. 27. and 28.

Var.  $14^{\circ} 35'$  East

40.00 Run out from stake or timber  
Drive charred stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor.  
No trees near.

85.00 Run out from stake or timber  
Drive charred stake 12 ins. down  
and build mound of earth 2 ft.  
high with pits  $2 \times 1 \times 1$  ft. and in  
center of pit S. E. of Cor. drive  
stake marked and marked 2 ft. long  
2 ins. squared 1 ft. in the ground  
for Cor. to Secs. 21. 22. 27 and 28.  
No trees near

Land gently slopes N.  
Soil red 2. rate, grass abundant  
No timber or undergrowth.

Township 18. North Range 3. West  
 Gila and Salt River Meridian  
 chs.

Each on random line  
 between Secs. 22. and 27.

Var.  $14^{\circ} 35'$  East

- 40.00 Set a stake for temporary  $1/4$  Sec. Cor.
- 46.00 V. A. Stephen's house bears N. about  
 10 chs. dist.
- 47.20 Road bears N. W. and S. E.
- 64.20 Valley wash 50 lks wide  
 flows S. E.
- 79.70 Intersect N. and S. line 28 lks.  
 W. of Cor. to Secs. 22, 23, 26. and 27.  
 from which Cor. I run  
 $S. 89^{\circ} 48'$  W. on true line  
 between Secs. 22. and 27  
 Var.  $14^{\circ} 35'$  East
- 39.85 Set a post marked  $1/4$  S. 4 ft. long  
 flattened 3 ins. wide 1 ft. in  
 the ground. Drive charred stake  
 and build mound of earth  
 2 ft. high with pits 2x1x1 ft.

Township 18. North Range 3 West.

chs. Ogila and Salt River Meridian

79.70 for 1/4 Sec. Cor. No trees near.  
The Cor. to Secs. 21, 22, 27, and 28.  
Land level. Soil 1 rate  
Grass abundant  
No timber or undergrowth

North between Secs. 21 and 22.

Var.  $14^{\circ} 35'$  East

40.00 Remote from stein or timber.  
Drive chanced stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits 2x1x1 ft. for 1/4 Sec. Cor.  
No trees near.

41.60 Valley wash 40 lks. under flows S. & E.

80.00 Remote from stein or timber  
Drive chanced stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits 2x1x1 ft. and in centre of  
pit S. & E. of Cor. drive stake  
marked and notched, 2 ft. long

Township 18. North Range 3 West

chs. Gila and Salt River Meridian

2 ins. squared 1 ft. in the ground  
for Cor. to Secs. 15, 16, 21 and 22.  
No trees near  
Land level. Soil 1 rate  
No timber or undergrowth

Each on crandew line  
between Secs. 15 and 22.

- 7.00
- 24.00
- 25.70
- 40.00
- 80.00

Enter cultivated field, bears N. and S. E.  
 Var.  $140^{\circ}35'$  East  
 Bears cultivated field, bears N. W. and S. E.  
 Road to Prescott bears N. W. and S. E.  
 Set a stake for temporary 1/4 Sec. Cor  
 Enter sec N. and S. line 20 N. W. S. of  
 Cor. to Secs. 14, 15, 22, and 23.  
 from which Cor. I run  
 S.  $89^{\circ}51'$  W. on true line  
 between Secs. 15 and 22.

Var.  $140^{\circ}35'$  East

- 40.00

Remote from stone or timber  
Drive chanced stake 12 ins. down



Township 18. North Range 3. West

chs. Gila and Salt River Meridian

and build mound of earth 2 ft. high  
with pits 2x1x1 ft. for 1/4 Sec. Cor.  
No trees near.

80.00 From Cor. to Secs. 15, 16, 21 and 22  
Land level. Soil 1 rate.  
No timber or undergrowth

North between Secs. 15 and 16.  
Var.  $140^{\circ} 35'$  East

4.80 Old road bears E. and W.  
18.00 Snow house bears E. about  
18 chs. dist.

40.00 Remote from stone or timber.  
Drive changed stake 12. ins. down  
and build mound of earth 2 ft. high  
with pits 2x1x1 ft. for 1/4 Sec. Cor.  
No trees near.

40.50 Enter S. E. edge of cultivated lands.  
48.00 Leave plowed ground, bears E. and W.  
and Tackett's house bears E. about

Township 18. North Range 3 West.

chs. Gila and Salt River Meridian

8 chs. dist.

52.00 Read brass N.W. and S. E.  
 80.00 Set a post marked and notched  
 4ft. long 3 ins. squared 1ft. in the  
 ground, drive charred stake 12 ins.  
 down and ~~on the side~~ build mound  
 of earth 2ft. high with pits 2x1x1.  
 ft. for Cor. to Secs. 9, 10, 15, and 16.  
 No trees near.  
 Land level. Soil 1 rate  
 No timber or undergrowth

East or random line  
between Secs. 10 and 15

38.50 Wood road <sup>Var. 14° 35' East</sup>  
 40.00 Set a stake for temporary 1/4 Sec. Cor.  
 80.00 Enter each N. and S. line 15 lks. S.  
 of Cor. to Secs. 10, 11, 14, and 15,  
 from which Cor. I run  
 S. 89° 54' - N. on true line

Township 18. North Range 3. West

Gila and Salt River Meridian

chs.

between Secs. 10. and 15

Var.  $140^{\circ} 35'$  East

40.00 Remote from stone or timber  
Drive chased stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor.  
No trees near.

80.00 The Cor. to Secs. 9, 10, 15 and 16.  
Land level. Soil 1 and 2. rate.  
No timber or undergrowth.

North between Secs. 9 and 10.

Var.  $140^{\circ} 35'$  East.

40.00 Remote from stone or timber  
Drive chased stake 12 ins. down  
and build mound of earth 2 ft. high  
with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor.  
No trees near

80.00 Remote from stone or timber  
Drive chased stake 12 ins. down

Township 18. North Range 3 West

Gila and Salt River Meridian  
chs.

and build mound of earth 2 ft. high  
with pits 2x1x1 ft. and in center  
of pit S. E. of Cor. drive stake  
marked and marked 2 ft. long  
2 ins. squared 1 ft. in the ground  
for Cor. to Secs. 3, 4, 9, and 10.

No trees near

Land mostly level.

Soil 2 rate. Grass abundant

No timber or undergrowth.

Each on random line  
between Secs. 3. and 10.

Var.  $14^{\circ} 35'$  East

40.00 Set a stake for temporary  $\frac{1}{4}$  Sec. Cor.  
80.20 Intersect N. and S. line 12. lks. S. of  
Cor. to Secs. 2, 3, 10, and 11.  
from which Cor. Run  
S.  $89^{\circ} 55'$  N. on true line  
between Secs. 3. and 10.

Township 18. North Range 3 West

chs. Gila and Salt River Meridian

Var.  $140^{\circ}35'$  East

40.10 Runets from stone or timber.  
Drive chanced stake 12 ins. down  
and build mound of earth 2 ft. high  
with spits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor.  
No trees near.

80.20 The Cor. to Secs. 3, 4, 9, and 10.  
Land slopes gently S.W.  
Soil 2 rate. Grass abundant  
No timber or undergrowth

North on random line

between Secs. 3 and 4.

Var.  $140^{\circ}35'$  East.

40.00 Set a stake for temporary  $1/4$  Sec. Cor.

80.00 Intersect N. boundary of Twp. 16 S.Ws.  
N. of Cor. to Secs. 3 and 4,  
from which Cor. Run  
 $1.0^{\circ}$  N. W. on true line  
between Secs. 3 and 4.

Township 18. North Range 3. West

chs. Gila and Salt River Meridian

Var.  $14^{\circ} 35'$  East

40.00 A stake marked  $1/4$  Sec. 4 ft. long  
flattened 3 ins. wide 1 ft. in the ground  
driv chased stake and build mound of  
earth 2 ft. high with pits  $2 \times 1 \times 1$  ft.  
for  $1/4$  Sec. Cor. No trees near.

80.00 The Cor. to Secs. 3, 4, 9, and 10.  
Land slopes gently S.W. Soil 2 rate  
No timber or undergrowth.

March 27<sup>th</sup> 1874

North between Secs. 32. and 33.

Var.  $14^{\circ} 35'$  East.

40.00 Remote from town or timber.  
Driv chased stake 12 ins. down and build  
mound of earth 2 ft. high with pits  $2 \times 1 \times 1$   
ft. for  $1/4$  Sec. Cor. No trees near.

80.00 Remote from town or timber. Driv chased  
stake 12 ins. down and build mound of earth  
2 ft. high with pits  $2 \times 1 \times 1$  ft. and in center  
of pit S. E. from Cor. driv stake marked

Township 18. North Range 3 West

Gila and Salt River Meridian  
chs.

and set out 2 ft long 2 ins. squared p.f.h. in the  
ground for Cor. to Secs. 28, 29, 32, and 33. No trees near  
Land gently rolling. Soil 2 rate.  
No timber or undergrowth.

Each on standard line  
between Secs. 28 and 33.

Var.  $14^{\circ} 35'$  East

40.00  
80.12

Set a stake for temporary 1/4 Sec. Cor.  
Intersect N. and S. line 14 lks. N. of Cor. to Secs.  
27, 28, 33 and 34. from which Cor. down  
N.  $89^{\circ} 53'$  W. on true line  
between Secs. 28 and 33.

Var.  $14^{\circ} 35'$  East

40.06  
80.12

Remote from stone or timber. Drive  
chained stake 12 ins. down and build mound  
of earth 2 ft. high with pits 2x1x1. ft. for  
1/4 Sec. Cor. No trees near.  
The Cor. to Secs. 28, 29, 32, & 33. No trees near  
Land gently rolling Soil 2 rate

Township 18. North Range 3 West

chs. Gila and Salt River Meridian

No timber or undergrowth.

North between Secs. 28 and 29.

Var.  $14^{\circ} 35'$  East

40.00 Remote from steers or timber. Drive  
chained stake 12 ins. down and build mound  
of earth 2 ft. high with pits  $2 \times 1 \times 1$  ft. for  
 $1/4$  Sec. Cor. No trees near.

46.05 Road bears N. E. and S. W.

80.00 Remote from steers or timber. Drive chained  
stake 12 ins. down and build mound of earth 2 ft.  
high with pits  $2 \times 1 \times 1$  ft. and in center of pits S. E.  
of Cor. drive stake marked and matched 2 ft. long  
2 ins. square 1 ft. in the ground for Cor. to  
Secs. 20, 21, 28, and 29. No trees near.  
Land gently rolling. Soil 2 rate.  
No timber or undergrowth.

Each on random line  
between Secs. 21 and 28.



Township 18. North Range 3. West

Spila and Salt River Meridian  
chs.

Var.  $14^{\circ} 35'$  East

13.60 Road bears N. and S.

40.00 Like a stake for temporary  $1/4$  Sec. Cor.

79.90 Between N. and S. line 12. lks. S. of Cor. to  
Secs. 21, 22, 27 and 28. from which Cor. I run  
 $S. 89^{\circ} 55'$  W. on true line  
between Secs. 21. and 28.

Var.  $14^{\circ} 35'$  East.

39.95 Remote from stream or timber. Drive  
chased stake 12 ins. down and build mound  
of earth 2 ft. high with pits  $2 \times 1 \times 1$  ft. for  
 $1/4$  Sec. Cor. No trees near.

79.90 The Cor. to Secs. 20, 21, 28. and 29.  
Land gently slopes N.E. Soil 2 rate.  
No timber or undergrowth

North between Secs. 20 and 21

Var.  $14^{\circ} 35'$  East

40.00 Remote from stream or timber. Drive chased  
stake 12 ins. down and build mound of earth

Township 18. North Range 3 West

chs. Gila and Salt River Meridian

2 ft. high with pits 2x141. ft. for 1/4 Sec. Cor.  
No trees near.

80.00 Run out from stone or timber down chanced  
stake 12 ins. down and build mound of earth  
2 ft. high with pits 2x141. ft. and in center  
of pit S.E. from Cor. drive stake marked and  
notched 2 ft. long 2 ins. square 1 ft. in the ground  
for Cor. to Secs. 16, 17, 20, and 21. No trees near.  
Land mostly level. Soil 2 rate  
No timber or undergrowth.

Each on random line  
between Secs. 16 and 21.

Var.  $14^{\circ} 35'$  East

18.80 Road bears N. and S.

40.00 Stake for temporary 1/4 Sec. Cor.

50.00 Road bears N.E. and S.W.

51.00 Truckman's house bears N. about 5 chs. dist.

54.70 Wash 40 ft. wide flows S.W.

80.00 Intersect N. and S. line at Cor. to Secs.

Township 18. North Range 3 West.

Gila and Salt River Meridian

chs.

15. 16. 21. and 22. from which Cor. Iron.  
With an true line  
between Secs. 16 and 21.

Var. 14° 35' East

40.00

Remete from stone or timber. Iron charred  
stake 12 ins. down and build mound of earth  
2 ft. high with pits 2x1x1 ft. for 1/4 Sec. Cor. No trees near.

80.00

To the Cor. to Secs. 16. 17. 20. and 21.  
Land level. Soil 1. rate  
No timber or undergrowth

North between Secs. 16. and 17.

Var. 14° 35' East

40.00

Remete from stone or timber. Iron charred  
stake 12 ins. down and build mound of earth 2 ft.  
high with pits 2x1x1 ft. for 1/4 Sec. Cor. No trees near.

89.00

Remete from stone or timber. Iron charred stake 12 ins.  
down and build mound of earth 2 ft. high with pits 2x1x1 ft.  
and in center of pits S.E. from Cor. Iron stake marked and notched  
2 ft. long 2 ins. square 1 ft. in the ground for Cor. to Secs. 16 & 17.

Township 18. North Range 3. West

chs. Gila and Salt River Meridian

No trees near

Land mostly level. Soil 1 and 2 rate  
No timber or undergrowth.

East on random line

between Secs. 9 and 16.  $\text{Var. } 14^{\circ} 35'$  East.

8.80 Road bears N. W. and S. E.

16.12 Wash 50 lks. wide. flows S. S. E.

40.00 Set a stake for temporary  $1/4$  Sec. Cor.

66.50 Road bears N. and S.

80.20 Intersect N. and S. line 16 lks. N. of Cor.

to Secs. 9, 10, 15, and 16. from which Cor. Run

N.  $89^{\circ} 53'$  N. on true line

between Secs. 9. and 16.

$\text{Var. } 14^{\circ} 35'$  East

40.10 Remote from town or timber. 5 iron chanced stake 12.

ins. down and held around of earth 2 ft. high with pits 2 x 1  
x 1 ft. for  $1/4$  Sec. Cor. No trees near.

80.20 Like Cor. to Secs. 8, 9, 16, and 17.

Land mostly level. Soil 1 rate.

Township 18. North Range 3. N.  
Gila and Salt River Meridian

No timber or undergrowth

North between Secs. 8 and 9.  
Var.  $140^{\circ} 35'$  East

- 14.40 Road bears N. W. and S. E.
- 40.00 Remote from stave or timber. Drive chained stake 12 ins. down and build mound of earth 2 ft high with pits 2x1x1 ft. for 1/4 Sec. Cor. No trees near.
- 80.00 Remote from stave or timber. Drive chained stake 12 ins. down and build mound of earth 2 ft. high with pits 2x1x1 ft. and in center of pit S. E. from cor. drive stake marked and notched 2 ft. long 2 ins. square ft. in the ground for cor. to Secs. 4, 5, 8, and 9. No trees near.  
Land level. Soil 1 rate  
No timber or undergrowth.

East on random line  
between Secs. 4 and 9.  
Var.  $140^{\circ} 35'$  East.

- 37.15 Road bears N. W. and S. E.
- 40.00 With a stake for temporary 1/4 Sec. Cor.
- 47.00 Valley wash 50 ft wide flows S S W

Township 18. North Range 3. N.  
Gila and Salt River Meridian

- chs.
- 50.00 Road bears N. and S.
- 80.00 Intersect N. and S. line 10 lks. S. of Cor. to  
Secs. 3, 4, 9, and 10. from which Cor. I run  
S.  $89^{\circ} 56' W.$  on true line  
between Secs. 4 and 9.  
Var.  $14^{\circ} 35' East.$
- 40.00 Run to from stone-corn tumber Iron chauld stake  
12 ins. down and build mound of earth 2 ft. high with  
pits 2x1 ft. for  $1/4$  Sec. Cor. No trees near.
- 80.00 Take Cor. to Secs. 4, 5, 8, and 9.  
Land level. Soil 1 rate  
No tumber or underground

North on random line

between Secs. 4 and 5.

$14^{\circ} 35' East.$

- 9.40 Old Well 8 lks. N. of line.
- 36.80 Road bears S. E. and N. W.
- 40.00 Set a stake for temporary  $1/4$  Sec. Cor.
- 50.22 Road bears N. N. W. and E. S. E.
- 72.75 Wash 30 lks. wide flows. S. E.

Township 18. North Range 3. N.  
Gila and Salt River Meridian

80.10 Intersch N. boundary of Tp. at Cor. to Secs. 4 and 5.  
from which Cor. Iron  
South on true line  
between Secs. 4 and 5.

Var.  $14^{\circ} 35'$  East

40.10 Remote from stone or timber. Drive chanced stake 12 ins.  
down and build mound of earth 2 ft. high with pits 2x1x1.  
for 1/4 Sec. Cor. No trees near.

80.10 The Cor. to Secs. 4, 5, 8, and 9.  
Land level. Soil 1 rate.  
No timber or undergrowth.

March 28<sup>th</sup> 1877

North between Secs. 31 and 32.  
Var.  $14^{\circ} 35'$  East

40.00 Remote from stone or timber.  
Drive chanced stake 12 ins. down and build  
mound of earth 2 ft. high with pits 2x1x1  
ft. for 1/4 Sec. Cor. No trees near.

80.00 Remote from stone or timber. Drive  
chanced stake 12 ins. down and build mound of

Township 18. North Range 3. W.  
 Gila and Salt River Meridian  
 Chs.

earth 2 ft. high with pits 2x1x1 ft. and  
 in centre of pit a. E. from cor. dove  
 stake marked and notched 2 ft. long 2 ins.  
 squared 1 ft. in the ground for cor. to  
 Secs. 29, 30, 31, and 32. No trees near  
 Land gently rolling  
 Soil 2. rate. Grass abundant  
 No trees or undergrowth.

Each an random line  
 between Secs. 29. and 32.

Var.  $14^{\circ}35'$  East

40.00 Stake for temporary 1/4 Sec. Cor.

66.00 Old road cross N. and E.

80.10 Intersect N. and S. line 20 lks. S. of  
 cor. to Secs. 29, 32, and 33, from which cor. run  
 S.  $59^{\circ}51'$  W. on true line.

between Secs. 29. and 32.

Var.  $14^{\circ}35'$  East.

40.05 Remote from stave or timber. Dove channel



Township 18. North Range 3 W.

Gila and Salt River Meridian  
chs.

stake 12 ins. down and build mound of earth  
2 ft. high with pits 2x1x1 ft. for 1/4 Sec. Cor.  
No trees near.

80.10 White Cor. to Secs. 29, 30, 31, and 32.

Land gently rolling  
Soil 2 rate, grass abundant  
No timber or undergrowth.

Wish on random line

between Secs. 30 and 31

Var.  $14^{\circ}35'$  East

31.10 Road bears N. and S.

40.00 Set a stake for temporary 1/4 Sec. Cor.

79.30 Intersect W. boundary of Twp. 26. N. of Cor.

to Secs. 30 and 31. from which Cor. run

S.  $89^{\circ}49'$  E. on true line

between Secs. 30 and 31.

Var.  $14^{\circ}35'$  East

39.30 Remote from stone or timber. Drive

chased stake 12 ins. down and build mound of

Township 18. North Range 3. N.  
 Gila and Salt River Meridian  
 chd

79.30 earth 2 ft. high with pits 2x1. ft. for  
 1/4 Sec. Cor. No trees near.  
 The Cor. to Secs. 29, 30, 31, and 32.  
 Land mostly level.  
 Soil & rate. Grass abundant  
 No timber or undergrowth.

North between Secs. 29 and 30.

Var. 1/4 35 Each

40.00 Remote from stone or timber.

Drive chanced stake 12 ins. down and build  
 mound of earth 2 ft. high with pits 2x1. ft.  
 for 1/4 Sec. Cor. No trees near.

80.00

Remote from stone or timber. Drive chanced  
 stake 12 ins. down and build mound of earth  
 2 ft. high with pits 2x1. ft. and in centre of  
 pits, 6. from Cor. drive stake marked and  
 marked 2 ft. long 2 ins. square 1 ft. in the ground  
 for Cor. to Secs. 19, 20, 29, and 30. No trees near.  
 Land mostly level.

Township 18. North Range 3. W  
 Gila and Salt River Meridian

chs.

Soil 2. rate. Grass abundant.  
 No timber or undergrowth.

East on random line  
 between Secs. 20 and 29.

Var.  $14^{\circ}35'$  East.

40.00 Set a stake for timber on  $1/4$  Sec. Cor.

79.70 Intersect N.  $1/2$  line 16 N. S. of Cor. to Secs.

20. 21. 28. and 29. from which Cor. Run.

W.  $89^{\circ}05'$  N. on true line.

between Secs. 20 and 29.

Var.  $14^{\circ}35'$  East

39.85 Remove saw stakes or timber. Drive a hard  
 stake 12 ins. down and build mound of earth  
 2 ft. high in the pits 2x1 ft. for  $1/4$  Sec. Cor.  
 No trees near.

79.70 Drive Cor. to Secs. 19, 20, 29, and 30.

Land mostly level. Soil 2. rate  
 No timber or undergrowth.

Township 18. North Range 3. W.

1/4 Sec. of Salt River Meridian

- ch.s.
- West on random line  
between Secs. 19. and 30  
Var.  $14^{\circ} 35'$  East
- 40.00 West stake for temporary 1/4 Sec. Cor.
- 44.50 Road bears N. and S.
- 79.40 Intrusech N. boundary of Tp. 18. 1/4 Sec. S. of Cor. to  
Secs. 19. and 30. from which Cor. I run  
 $W. 89^{\circ} 52'$  E. on true line  
between Secs. 19 and 30.  
Var.  $14^{\circ} 35'$  East.
- 39.40 Remote from stone timber. Saw charred  
stake 12 ins. down and build mound of earth 2 ft.  
high with pits 2 x 1 ft. for 1/4 Sec. Cor. No trees near.
- 79.40 The Cor. to Secs. 19, 20, 29, and 30.  
Land mostly level.  
Soil 2 rates. Grass abundant  
No timber or undergrowth.

North between Secs. 19. and 20.  
Var.  $14^{\circ} 35'$  East

# Township 18. North Range 3. W. Ejla and Salt River Meridian

- chs.
- 40.00 Remote from stem or timber. Iron chanced stake 12 ins. down and build mound of earth 2 ft. high with pits 2x1x1 ft. for 1/4 Sec. Cor. No trees near
  - 80.00 Remote from stem or timber. Iron chanced stake 12. ins. down and build mound of earth 2 ft. high with pits 2x1x1 ft. and in center of pit 1/2 in. from cor. iron stake marked and watched 2 ft. long 2 ins. square 1 ft. in the ground for Cor. to Secs. 17, 18, 19, and 20. No trees near. Land mostly level. Soil 2 rate. No timber or undergrowth.

East on random line  
between Secs. 17, and 20.  
Var. 14° 35' East

- 40.00 Set a stake for temporary 1/4 Sec. Cor.
- 80.00 Intersect N. and E. line 12 Chs. N. of Cor. to Secs. 16, 17, 20, and 21. from which Cor. Iron N. 89° 55' W. on true line between Secs. 17, and 20  
Var. 14° 35' East

Township 18. North Range 3. N.  
 Gila and Salt River Meridian

- 40.00 Remote from store or timber. Drive chanced stake  
 12 ins. down and build mound of earth 2 ft. high with  
 pits 2x1 ft. for 1/4 Sec. Cor. to trees near.
- 80.00 The Cor. to Secs. 17, 18, 19 and 20.  
 Land mostly level. Soil 2 rate  
 No timber or undergrowth.

West on sandbar line  
 between Secs. 18. and 19.  
 Var.  $14^{\circ} 35'$  East

- 40.00 Set a stake for temporary 1/4 Sec. Cor.
- 42.10 Road bears N. and S.
- 79.10 Intersect N. boundary of Tp. at Cor. to Secs. 18. and 19.  
 from which Cor. Drive  
 East on true line  
 between Secs. 18 and 19.  
 Var.  $14^{\circ} 35'$  East

- 39.10 Remote from store or timber. Drive chanced  
 stake 12 ins. down and build mound of earth 2 ft. high  
 with pits 2x1 ft. for 1/4 Sec. Cor. to trees near.

Township 18. North Range S. W.  
 Gila and Salt River Meridian

49.10  
 189. The Cor. to Secs. 17, 18, 19, and 20.  
 Land level. Soil 2 rate.  
 No timber or undergrowth

North between Secs. 17, and 18.  
 Var.  $140^{\circ} 35'$  East

40.00  
 - Runic from stave or timber. Drive chancy stake  
 12 ins. down, and build mound of earth 2 ft. high with  
 spits 2 x 141. ft. for  $1/4$  Sec. cor. No trees near.

80.00 Runic from stave or timber. Drive chancy stake 12 ins.  
 down and build mound of earth 2 ft. high with spits 2 x 141. ft. and  
 in center of spits. E. from Cor. drive stake marked as just chancy  
 2 ft. long 2 ins. square 1 ft. in the ground for Cor. to Secs.

7.8. 17, and 18. No trees near.  
 Land level. Soil 2. rate.  
 No timber or undergrowth.

East on random line  
 between Secs. 8, and 17.  
 Var.  $140^{\circ} 35'$  East

Township 18. North Range 3. N.  
Gila and Salt River Meridian

- chs.
- 40.00 Ush a stake for temporary 1/4 Sec. Cor.
  - 80.10 Intersect N. and S. line 16 Ws. N. of Cor. to  
Secs. 8, 9, 16, and 17. from which Cor. Run  
N. 89° 53' N. on true line  
between Secs. 8 and 17  
Var. 14° 35' East
  - 40.05 Remote from stem or timber. Saw charred  
stake 12 ins. diam. and build mound of earth 2 ft. high  
with pits 2 x 14 in. for 1/4 Sec. Cor. to true near.
  - 80.10 The Cor. to Secs. 7, 8, 17, and 18.  
Land mostly level. Soil 2 water  
to timber or undergrowth.

Mark on random line  
between Secs. 7 and 18  
Var. 14° 35' East

- 39.10 Road cross N. and S.
- 40.00 Ush a stake for temporary 1/4 Sec. Cor.
- 79.05 Intersect N. boundary of 16 Ws. N. of Cor.  
to Secs. 7 and 18. from which Cor. Run



Township 18. North Range 3. West

Gila and Salt River Meridian

chs.

N.  $89^{\circ} 54'$  E. on true line  
between Secs. 7 and 18.

Var.  $14^{\circ} 35'$  East

39.00 Remote from stem or timber. Drive champed stake 12 ins. down and build mound of earth 2 ft. high with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor. No trees near.

49.00 On Cor. to Secs. 7, 8, 17, and 18.  
Land mostly level. Soil 2 rate  
No timber or undergrowth.

March 29<sup>th</sup> 1877

North between Secs. 7 and 8.

Var.  $14^{\circ} 35'$  East.

40.00 Remote from stem or timber. Drive champed stake 12 ins. down and build mound of earth 2 ft. high with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor. No trees near.

80.00 Set a post marked and notched 4 ft. long 3 ins. square 1 ft. in the ground, drive champed stake and ~~on~~ <sup>at</sup> side build mound of earth 2 ft. high with pits  $2 \times 1 \times 1$  ft. for Cor. to Secs. 5, 6, 7, and 8. No trees near.  
Land mostly level. Soil 2 rate

Township 18, North Range 3 West

1/4 Sec. 5 and 8, Salt River Meridian

chs.

No timber or undergrowth

East on random line

between Secs. 5 and 8.

Var.  $14^{\circ} 35'$  East

28.20 Road bears W. E. and N. W.

40.00 Set a stake for temporary 1/4 Sec. Cor.

79.90 Intrusech N. end of line 21 lks. W. of Cor. to

Secs. 4, 5, 8, and 9, from which Cor. I run

W. 89 $^{\circ}$  51' N. on true line

between Secs. 5 and 8.

Var.  $14^{\circ} 35'$  East

39.95 Remote from stakes or timber. Down chanced  
stake 12 ins. down and build mound of earth 2 ft high  
with pits 2 x 1 x 1 ft for 1/4 Sec. Cor. No trees near.

79.90 Drive Cor. to Secs. 5, 6, 7, and 8

Land mostly level. Soil 2 rates

No timber or undergrowth.

West on random line

Township 18. North Range 3. West

Chs. (Gila) and Salt River Meridian

between Secs. 6 and 7.  
Var.  $14^{\circ} 35'$  East

40.00 Set a stake for temporary  $1/4$  Sec. Cor.

42.80 Road bears N. and S.

56.00 Run runs along foot of ridge covered with Cedars. Bears W.

78.90 Intersect N. boundary of Twp. 15 Nks. S. of Cor. to Secs. 6 and 7. from which Cor. Run W.  $89^{\circ} 54'$  E. on true line between Secs. 6 and 7.

Var.  $14^{\circ} 35'$  East.

38.90 Set a post marked  $1/4$  S. 4 ft. long flattened 3 ins. wide 1 ft. in the ground. Drive charred stake and build mound of earth 2 ft. high with pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor. No trees near.

78.90 Inter Cor. to Secs. 5, 6, 7, and 8.

Land level. Soil 2 rate.

Timber Cedar in S.W.  $1/4$  Sec. 6.

North on random line

Township 18. North Range 3. West

Chs. Gila and Salt River Meridian

Between Secs. 5 and 6.

Var.  $14^{\circ} 35'$  East.

23.10 Road bears N. W. and S. E.

40.00 Saw stake for temporary  $1/4$  Sec. Cor.

80.18 Intersect N. boundary of Twp. 26. 1/2 S. W. of Cor.  
to Secs. 5 and 6. from which Cor. I. run  
W.  $0^{\circ} 11'$  N. on true line

Between Secs. 5 and 6.

Var.  $14^{\circ} 35'$  East.

40.18 Saw a post marked  $1/4$  S. 1/4 ft. long flattened  
3 ins. wide 1 ft. in the ground. Saw charred  
stake and build mound of earth 2 ft. high with  
pits  $2 \times 1 \times 1$  ft. for  $1/4$  Sec. Cor. No trees near.

80.18 Like Cor. to Secs. 5, 6, 7, and 8.

Land gently rolling. Soil 2 rates.

No timber or undergrowth.

March 30 1877

Township 18. North Range 3. West  
 Gila and Salt River Meridian

chs.

### General Description

This Township contains an abundance of both arable and grazing land.

Wild grasses common to the country, grow abundantly throughout the Tp.

but on account of the dry character of the soil, no agricultural crops can be produced without artificial irrigation.

This Tp. contains no running streams or living springs, and scarcely any timber. Several settlers mostly engaged in raising stock have located in the Tp.

W. B. Foster  
 U. S. Deputy Surveyor

## List of Names.

58

A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of *the Subdivision Lines*  
of Township 18 North Range 3  
West 6th & Salt River Meridian  
Arizona Territory

Showing the respective capacities in which they  
acted.

*Almerius S. Skinkle* Chainman.

*Richard Shrope* Chainman,

*Paul Brutschke* Axeman.

Flagman.



59

# Final Oath of Assistants.

We hereby certify that we assisted W. B. Burton  
J. A. Foster U. S. Deputy Surveyor, in  
 surveying the subdivision lines of  
Township 18 North Range 3 West  
Gila and Salt River Meridian

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.

Almerin S. Skinkle Chainman,  
Richard Shreve Chainman,  
Paul Burton Axeman,  
 \_\_\_\_\_ Flagman.

*William Foster*

Sworn to and subscribed before me, this 31st  
 day of May, 1877

William Foster  
 Notary Public



60

Final Oath of Deputy Surveyor.

I, C. Buxton Foster

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 11<sup>th</sup> day of October

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the

Subdivision lines of  
Township 18 North Range 3 West  
1st 4th 5th 6th Meridians



as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-



tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Ch. Boston Foster*  
Deputy Surveyor.

Sworn to and subscribed before me, this 31<sup>st</sup>  
day of May, 1877

*William Foster*  
Notary Public



## U. S. Surveyor General's Office,

TUCSON ARIZONA, December 27, 1877.*The foregoing Field Notes of the Survey of the**Subdivision Series of  
Township 18 North,  
Range 3 West,**Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by L. Burton Foster,**Deputy Surveyor, under his contract of the 11<sup>th</sup>  
day of October, 1876, having been  
critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.**John Mason,  
Surveyor General.*