

Plotted  
correctly

No. 1045

Copied 1

Book No. 10

BOOK 1045

# Field Notes

BOOK 1045

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

Township, 19 N., Range, 1 W.

*Gila and Salt River Base and Meridian*

ARIZONA No. 1045

By J. J. Smith D. S.

under contract dated July 24", 1883

Survey commenced Sept 24", 1883

Survey completed " 29", 1883

1045

719 N.

R 1 W.

Chains

For description of  
instrument and  
preliminary notes  
See Book No 1

Survey commenced  
September 24<sup>th</sup> 1873  
Survey completed  
September 29<sup>th</sup> 1873

No. 1045

BOOK 1045

1B

T. 19 N. R. 1 W.

INDEX.

BOOK 1045

Township 19 N., Range 1 W.

Gila and Salt River Meridian.

6	5	49	4	34	3	23	2	12	1
		48		47		33		22	10
7	8	46	9	32	10	21	11	9	12
		46		45		31		20	8
18	17	44	16	30	15	19	14	7	13
		43		42		29		18	6
19	20	41	21	28	22	17	23	5	24
		40		39		27		16	4
30	29	38	28	26	27	15	26	3	25
		37		36		25		14	2
31	32	35	33	24	31	12	35	1	36

Referring the lines to the pages of the field notes.

surface survey

No. 1045

BOOK 1045  
1B

7.19 N. R. 1 W.

<sup>ins</sup>  
I Commenced <sup>From the Cor</sup> ~~at the Cor~~  
to Secs 1-2-35 and 36, on the  
South By of the Township, recently  
established by me.

~~Thence I run~~

North between Secs 35 and 36  
Var  $14^{\circ}$  E

over rough Surface

40.00 Set a Malpais Stone  $14 \times 7 \times 7$  ins  
9 ins in the ground for  $\frac{1}{4}$  Sec  
Cor. Marked  $\frac{1}{4}$  on W face, and  
raised a mound of Stone  
alongside. Pitts impracticable

72.00 Wash 50 lks side Co S.E.

80.00 Set a Malpais Stone  $14 \times 8 \times 6$  ins  
12 ins in the ground for Cor to  
Secs 25-26-35 and 36, marked  
with 1 notch on S & E edges  
and raised a mound of Stone  
alongside. Pitts impracticable  
Surface Rolling

7 19 N R. 1 W.

Chains

Soil 3d rate  
Good grass

S 86° 56' E, on a random line  
bet Secs 25 and 36

Var 14° 00' E

over rolling surface

40.00 Set Temporary 1/4 Sec Cor

80.14 Intersect Meridian line 12 lbs  
N of Cor to Secs 25, 30, 31 and 36  
precisely described by me.

Thence I run

N 86° 57' W on a true line

bet Secs 25 and 26, with same va

40.07 Set a Malpais Stone 17x8x4 ins  
11 ins in the ground  
for 1/4 Sec Cor. Marked 1/4 S on N  
face, and raised a mound of  
stone alongside.

Pits impracticable

80.14 The cor to Secs 25-26-30 and 36

T. 19 N. R. 1 W.

to Harris

Surface Rolling  
Soil 3d rate  
Good Grass

---

North bet Secs 25 and 26  
Va  $14^{\circ} 0' E$

40.00 Set a Malpais Stone  $13 \times 8 \times 6$  ins  
9 ins in the ground for  $\frac{1}{4}$  Sec Cor  
Marked 14 on W face, dug pits  
 $18 \times 18 \times 12$  ins N+S of stone  $5\frac{1}{2}$  ft  
dist, and raised a mound of earth  
 $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft base alongside

80.00 Set a Malpais Stone  $14 \times 10 \times 5$  ins  
9 ins in the ground for Cor to Secs  
23-24-25 and 26, Marked with  
2 notches on S. and 1 notch on E  
edges, dug pits  $18 \times 18 \times 12$  ins  
in each Sec,  $5\frac{1}{2}$  ft dist, and  
raised a mound of earth 2 ft high  
 $4\frac{1}{2}$  ft base alongside

J. 19 N. R. 1 W.

Chains

Surface Rolling  
Soil 3<sup>d</sup> rate  
Good Grass



S  $86^{\circ} 56' E$ . on a random line  
bet Secs 24 and 25

Var  $14^{\circ} 5' E$

40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
76.50 Dry wash 50 links wide Co S.  
80.20 Intersect Meridian 24 lks N  
of Cor to Secs 19-24-25 and 30  
previously described by me  
Thence I run

N  $86^{\circ} 46' W$ , on a true line bet  
Secs 24 and 25 with same Va

40.10 Set a Malpais Stone  $10 \times 10 \times 10$   
ins. 7 ins in the ground for  $\frac{1}{4}$  Sec  
Cor, marked  $\frac{1}{4}$  on N face -  
dug pits  $18 \times 18 \times 12$  ins E & W  
of stone 5 $\frac{1}{2}$  ft dist and raised

T. 19 N. R. 1 W.

chains

a mound of earth 1 1/2 ft high  
3 1/2 ft base alongside

80.20 The Cor to Secs 23-24-25 and 26

Surface Rolling

Soil 3<sup>d</sup> rate

Good Grass



North bet Secs 23 and 24

Var 14° 0 E

40.00

Set a Malpais Stone 13 x 8 x 5 ins  
8 ins in the ground for 1/4 Sec Cor. Marked 1/4 on

W face, dug pits 18 x 18 x 12 ins

N + S of stone 5 1/2 ft dist, and

raised a mound of earth 1 1/2 ft high  
3 1/2 ft base alongside

80.00

Set a Malpais Stone 10 x 10 x 5 ins

7 ins in the ground for Cor to  
Secs 13-14-23 and 24. Marked

with 3 notches on S. and 1 notch

on E edges, dug pits 18 x 18 x 12



T. 19 N. R. 1 W.


chains

ins. in each sec,  $5\frac{1}{2}$  ft dist, and raised a mound of earth 2 ft high,  $4\frac{1}{2}$  ft base alongside.

Surface Rolling

Soil 3<sup>d</sup> rate

Good grass



S.  $86^{\circ} 56'$  E on a random line bet Secs 13 and 24

(Var  $14^{\circ} 0'$  E)

40.00 Set Temporary  $\frac{1}{4}$  Sec Cor

77.00 Wash 40 lbs side Co. S.E.

80.10 Intersect Meridian  $\frac{1}{4}$  Sec

N of Cor to Secs 13, 18, 19 and 24, previously described by me.

Thence I run

N  $86^{\circ} 51'$  W. on a True line bet Secs 13 and 24, with same or

4005 Set a Malpais Stone  $18 \times 10 \times 6$  ins 12 ins in the ground for  $\frac{1}{4}$  Sec

7.19 N. R 1 W.

Chains

Cor. Marked '14 on N face  
and raised a Mound of Stone  
alongside, fits impracticable  
80.10 The Cor to Secs 13-14-23 and 24

Surface Rotten

Soil 3d rate

Good grass

North bet Secs 13 and 14

Va  $14^{\circ} 0' E$ 

40.00 Set a Malpais Stone  $18 \times 15 \times 5$  ins  
12 ins in the ground for '14 Sec Cor  
Marked '14 on N face, and  
raised a Mound of Stone alongside  
fits impracticable

44.00 Road bet N.E. and S.W.

80.00 Set a Malpais Stone  $13 \times 10 \times 4$  ins  
9 ins in the ground for Cor to  
Secs 11-12-13 & 14. Marked with  
4 notches on S and 1 notch on E

7.19. N R. 1 W.

Chains

edges and raised a Mound  
of Stone alongside. Pits impracticable  
Surface Rolling  
Soil 3d rate  
Good grass

---

S 86° 56' E. on a random line  
bet Secs 12 and 13.

va 14° 0' E

- 40.00 Set a temporary 1/4 Sec Cor
- 55.00 Road bis NE + SW.
- 80.04 Intersect Meridian 15 lks S of  
Cor to Secs 7, 12, 13 and 18  
previously described by me  
Thence I run

N 87° 02' W. on a true line  
bet Secs 12 and 13, with same va

- 40.02 Set a Malpais Stone 15 x 8 x 6 ins  
10 ins in the ground for 1/4 Sec  
Cor; Marked 1/4 on N face

7. 19. N. R 1 W.

Chains

and raised a Mound of Stone  
alongside, Pits impracticable

80.04 The Cor to Secs 11-12-13 and 14

Surface Rolling  
Soil 3<sup>d</sup> rate

Good grass

North bet Secs 11 and 12

Var 14° 0' E

40.00 Set a Malpais Stone 15x18x5 ins

10 ins in the ground for 1/4 Sec

Cor, Marked 1/4 on W. face

and raised a Mound of Stone  
alongside, pits impracticable

80.00 Set a Malpais Stone 14x10x5 ins

11 ins in the ground for Cor to

Secs 1-2-11 and 12, Marked with

5 notches on S. and 1 notch on

E edges, and raised a mound

of Stone alongside -

719 N R. 1 W.

Chains

Pits impracticable  
 Surface Rolling  
 Soil 3<sup>d</sup> rate  
 Good, Grass

S 86° 56' E, on a random line  
 bet Secs 1 and 12

Var 14° 0' E.

- 40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 41.50 Dry wash 50 lks wide Co S  
 60.00 Wash 35 lks wide Co. S.W.  
 80.80 Intersect Meridian 18 lks N of  
 Cor to Secs 1, 6, 7 and 12, previously  
 described by me.

Thence I run

N 86° 48' W. on a true line  
 bet Secs 1 and 12, with same Va

- 40.15 Set a Malpais Stone, 16 x 10 x 5 ins  
 11 ins in the ground for  $\frac{1}{4}$  Sec Cor  
 Marked  $\frac{1}{4}$  on N face, and  
 raised a Mound of Stone

7.19 N. R. 1 W.

Chains

80.30 alongside, pits impracticable  
 The Cor. to Secs 1, 2, 11 and 12.  
 Surface Rattling rough  
 Good grass  
 Soil 3<sup>d</sup> rate



40.00 North Ber Secs 1 and 2.  
 Var 14° 0' E.  
 Set a Malpais Stone 16 x 10 x 10 ins  
 11 ins in the ground for 1/4 sec Cor  
 Marked 1/4 on N face, and  
 raised a Mound of Stone  
 alongside, pits impracticable  
 over

719 N. R. 1 W.

chains

on a random line  
 North, bet Secs 1 and 2  
 Var  $14^{\circ} 0' E$

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.80.14 Intersect N By of T<sub>h</sub> 20 lks E  
 of Cor to Secs 1, 2, 35 and 36  
 of ~~originals~~ set by me  
 Thence I runS  $0^{\circ} 9' E$  on a true line

bet Secs 1 and 2 with same va

40.14 Set a Malpais Stone 16 x 10 x 10 ins  
 11 ins in the ground for  $\frac{1}{4}$  Sec Cor  
 Marked  $\frac{1}{4}$  on W face, and  
 raised a Mound of Stone  
 alongside. pits impracticable

80.14 The Cor to Secs 1, 2, 11 and 12.

Surface rough

Soil 3<sup>d</sup> rate

Good Grass.

---

From the Cor to Secs 2, 3, 34 and 35  
 on the South By of the Township.

J. 19 N. R. 1 W.

Chains recently established by me  
I run

North bet Secs 34 and 35

Var  $14^{\circ} 0' E$

40.00 Set a Malpais Stone  $18 \times 6 \times 6$  ins  
12 ins in the ground, for  $\frac{1}{4}$  Sec Cor  
Marked  $\frac{1}{4}$  on  $\frac{1}{4}$  face, and raised  
a Mound of Stone alongside.

Pits impracticable

80.00 Set a Malpais Stone  $15 \times 6 \times 6$  ins  
10 ins in the ground for Cor to Secs  
24-27, 34 and 35, Marked with 1  
Notch on S and 2 notches on  
E edges, and raised a Mound  
of Stone alongside

pits impracticable

Surface rolling

Soil 3<sup>d</sup> rate

Good grass

---



J. 19 N. R. 1 W.

Chains

S  $86^{\circ} 56'$  E on a random line  
bet Secs 26 and 35,

Va  $14^{\circ} 0'$  E

40.00 Set temporary  $\frac{1}{4}$  Sec Cor -

48.00 Wash 40 lbs wide Co S.E.

79.88 Intersect N + S line 16 lbs N of  
Cor to Secs 25-26, 35 and 36

Thence I run

N  $86^{\circ} 49'$  W. on a true line  
bet Secs 26 and 35, same Va

39.94 Set a Malpais Stone  $13 \times 12 \times 5$  ins  
9 ins in the ground for  $\frac{1}{4}$  Sec Cor  
Marked '4' on N face.

dug pit  $18 \times 18 \times 12$  ins,  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft base alongside

79.88 The Cor to Secs 26, 27, 34 and 35,

Surface Rolling

Soil 3<sup>d</sup> rate

Good grass

T 19 N. R 1 W

Chains

North bet Secs 26 and 27

Var  $14^{\circ} 0' E$ 

40.00 Set a Malpais Stone  $13 \times 12 \times 10$  ins  
 9 ins in the ground for  $\frac{1}{4}$  sec Cor  
 Marked  $\frac{1}{4}$  on W face  
 dug pits  $18 \times 18 \times 12$  ins <sup>N and S of stone</sup>  $5\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside

80.00 Set a Malpais Stone  $15 \times 10 \times 5$  ins  
 10 ins in the ground for cor to Secs  
 22-23-26 and 27. Marked with 2  
 notches on S and E edges. dug pits  
 $18 \times 18 \times 12$  ins in each Secs,  $5\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 2 ft high,  $4\frac{1}{2}$  ft base alongside  
 surface rolling  
 Soil 3<sup>d</sup> rate

good grass

---

T. 19 N. R. 1 W.

chains

S.  $86^{\circ} 56'$  E. on a random line  
bet Secs 23 and 24

On  $14^{\circ} 0'$  E

4000 Set Temporary  $1/4$  Sec Cor

79.92 Intersect N & S line 27 lks S of cor to  
Secs 23-24-25 and 26.

Thence I run

N  $87^{\circ} 08'$  W on a True line bet  
Secs 23 and 26. with same ca

39.96 Set a Melpis Stone  $18 \times 10 \times 5$  ins. 12 ins  
in the ground for  $1/4$  Sec Cor. Marked  
 $1/4$  on N face. dug pits  $18 \times 18 \times 12$  ins  
E & W of Stone  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft  
base alongside.

79.92 The Cor to Secs 22, 23, 26 and 27.

Surface Rolling

Soil 3<sup>d</sup> sale

good grass

J. 19 N. R. 1 W.

Chains

North bet Secs 22 and 23.

Cor  $14^{\circ} 0' E$

40.00 Set a Malpais Stone  $15 \times 10 \times 7$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec Cor  
Marked  $\frac{1}{4}$  on W face, and  
raise a mound of Stone alongside  
Pits impracticable

61.00 Road bet NE and S.W.

80.00 Set a Malpais Stone  $12 \times 8 \times 8$ , 8 ins  
in the ground for Cor to Secs 14, 15  
22 and 23. Marked with  
3 notches on S and 2 notches  
on E edges, and raised a  
Mound of Stone alongside  
Pits impracticable.

Surface Rolling  
Soil 3<sup>d</sup> Rate

Good Grass

J. 19 N. R. 1 W.

Chains

S 86° 56' E, on a random line  
bet Secs 14 and 23.

(Var 14° 0' E

38.00 Road hrs N.E. + S.W.

40.00 Set Temporary 1/4 Sec Cor

80.24 Intersect N + S line 18 lbs N of  
Corner, to Secs 13, 14, 23 and 24

Thence I run

N 86° 48' W on a true line bet  
Secs 14 and 23, with same va

40.12 Set a Melpais Stone 17 x 7 x 5 ins  
11 ins in the ground for 1/4 Sec Cor  
Marked 1/4 on N face, and raised  
a mound of stone alongside.


fit's impracticable

80.24 The Cor to Secs 14, 15, 23 and 23

Surface Rolling

Soil 3<sup>d</sup> rate

Good grass



J. 19 N. R. 14 W.

Chains

North bet Secs 14 and 15  
 Cor 14° 0' E

40.00 Set a Malpais Stone 18x7x7 ins  
 12 ins in the ground for 14 Sec Cor  
 Marked 14 on W face, and raised  
 a Mound of Stone alongside.

Pits impracticable

80.00 Set a Malpais Stone 15x12x8 ins  
 10 ins in the ground for Cor to Secs  
 10-11-14 and 15. Marked with 4  
 notches on S and 2 notches on E  
 edges. and raised a Mound  
 of Stone alongside.

Pits impracticable

Surface rolling  
 Soil 3<sup>d</sup> rate

Good Grass.

J. 19 N. R. 1 W.

Chains

S  $84^{\circ} 56'$  E. on a random line  
bet Secs 11 and 14.

Nar  $14^{\circ} 0'$  E

Over rolling ground

40.00 Set Temporary  $\frac{1}{4}$  Sec Cor

79.89 Intersect N+S line 20 lks N of Cor  
to Secs 11, 12, 13 and 14

Thence I run

N  $86^{\circ} 47'$  W on a true line  
bet Secs 11 and 14. with same Nar

39.94 Set a Melpis Stone  $14 \times 9 + 6$  ins, 9 ins  
in the ground for  $\frac{1}{4}$  Sec Cor. Marked  
 $\frac{1}{4}$  on N face, and raised a mound  
of stone alongside.

pits impracticable

79.89 The Cor to Secs 10, 11, 14 and 15.

Surface rolling

Soil 3<sup>d</sup> rate

good grass

J. 19 N. R. 1 W.

Chains

North bet Secs 10 and 11

Var  $14^{\circ} 0' E$

33.00 Wash 35 lbs wide Co S. W.

40.00 Set a Malpais Stone  $15 \times 10 \times 6$  ins,  
10 ins in the ground for  $\frac{1}{4}$  Sec Cor.  
Marked  $\frac{1}{4}$  on N. face and raised  
a Mound of Stone alongside.

fit impracticable

47.00 Wash 35 lbs wide Co. S. E

80.00 Set a Malpais Stone  $20 \times 10 \times 4$  ins  
15 ins in the ground for Cor to  
Secs 2, 3, 10 and 11. Marked with  
5 notches on S. and 2 notches on  
E edges, and raised a  
Mound of Stone alongside

fit impracticable

Surface Rolling

Soil 3<sup>d</sup> rate

Good Grass



7. 19 N. R. 1 W.

Chains

S.  $86^{\circ} 56' E$ , on a random line  
bet Secs 2 and 11.Va  $14^{\circ} 0' E$ 

16.00 Mesh 20 lks wide Co S.

40.00 Set Temporary  $\frac{1}{4}$  Sec Cor -80.06 Intersect N + S line 17 lks S of Cor  
to Secs 1, 2, 11 and 12

Thence I run

N  $87^{\circ} 03' W$ , on a true line  
bet Secs 2 and 11, with same Va -40.03 Set a Malpais Stone  $18 \times 10 \times 4$  ins  
12 ins in the ground for  $\frac{1}{4}$  Sec Cor.  
Marked  $\frac{1}{4}$  on N face, and raised  
a mound of Stone alongside,  
puts impracticable.

80.06 The Cor to Secs 2-3-10 and 11.

Surface rolling and rough

Soil 3<sup>d</sup> rate

good grass

7 19 N. R 1 W

Chains

North on a random line  
 — bet Secs 2 and 3

Var  $14^{\circ} 0' E$ 40.00 Set Temporary  $\frac{1}{4}$  Sec Cor.80.20 Intersect N By of Tp. 32 lks E of  
Cor to Secs 2-3-34 and 38 finally

Set by m. thence I run

$S 0^{\circ} 14' E$  on a true line bet  
 Secs 2 and 3, with same Va

40.20 Set a Melpais Stone  $12 \times 8 \times 7$  ins  
 8 ins in the ground for  $\frac{1}{4}$  Sec Cor  
 Marked  $\frac{1}{4}$  on W face, and raised  
 a mound of stone alongside.  
 pit impracticable

80.20 The Cor to Secs 2-3-10 and 11

Surface rough  
 Soil 3<sup>d</sup> rate

Good grass  
 Scattering timber

7.19 N. R. 1 W.

Chains

From The Cor to Secs 3, 4, 33 and 34  
on the S. 3/4 of the 1/4, recently estab-  
lished by me. From

North bet Secs 33 and 34

Var  $14^{\circ} 0' E$

- 40.00 Set a Malpais Stone  $18 \times 5 \times 5$  ins  
12 ins in the ground for 1/4 Sec Cor  
Marked '14' on W face, and  
raised a Mound of Stone along-  
side. pits impracticable
- 45.00 Descend into Cañon br. S.E.  
Ascend
- 59.00 Leave Cañon, Co. S.E.
- 80.00 Set a Malpais Stone  $15 \times 10 \times 6$  ins, 10 ins  
in the ground for Cor to Secs. 27, 28, 33 and 34  
Marked with 1 notch on S. and 3 notches  
on E edges and raised a Mound  
of stone alongside. pits impracticable  
Surface Mountainous  
Soil 3 Rate.

Good grass. Soil better

J. 19 N. R. 1 W.

Chains

S.  $86^{\circ} 36'$  E. on a random line  
bet Secs 27 and 34

Var  $14^{\circ} 0'$  E

Through scattering Cedar-

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

80.20 Intersect N and S line 15 lks S.  
of Cor to Secs 26, 27, 34 and 35

Thence I run

N  $87^{\circ} 02'$  W. on a true line bet  
Secs 27 and 34, with same Va.

40.10 Set a Malpais Stone  $15 \times 8 \times 6$  ins. 10 ins  
in the ground for  $\frac{1}{4}$  Sec Cor. Marked  
 $\frac{1}{4}$ , on N face, dug pits  $18 \times 18 \times 12$  ins  
E & W of Stone.  $5\frac{1}{2}$  ft dist, and raised  
a mound of earth  $4\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base alongside.

80.20 The Cor to Secs 27, 28, 33 and 34

Surface rolling

Soil 3<sup>d</sup> rate

good grass

Scattering cedar

T. 19 N. R. 1 W.

Chains

North bet Secs 27 and 28

Var  $14^{\circ} 0' E$ 

40.00 Set a Malpais Stone  $12 \times 8 \times 6$  ins,  
 9 ins in the ground for 1/4 Sec Cor  
 Marked 1/4 J. on W face and  
 raised a mound of stone alongside  
 job impracticable.

80.00 Set a Malpais Stone  $11 \times 9 \times 7$  ins,  
 8 ins in the ground for Cor to Secs  
 21, 22, 27, and 28. Marked with  
 2 notches on S. and 3 notches on E  
 edges, and raised a mound of  
 stone alongside.

job impracticable

Surface Rolling

Soil 3 rate

Good grass

Scattering cedar

7.19 N. R. 1 W.

Chains

S.  $86^{\circ} 56'$  E on a random line

bet Secs 22 and 27.

Va  $14^{\circ} 0'$  E40.00 Set Temporary  $1/4$  Sec Cor

80.04 Intersect N and S line 10 lks

N of Cor to Secs 22, 23, 24 and 27

Thence I run

N  $86^{\circ} 52'$  W on a true line

bet Secs 22 and 27, with same Va

40.02 Set a Malpais  $12 \times 10 \times 7$  ins. 9 insin the ground for  $1/4$  Sec cor, Marked $1/4$  on N face, and raised a  
mound of Stone alongside.

pits impracticable

80.04 The Cor to Secs 21, 22, 27 and 28.

Surface Rolling

Soil 3<sup>d</sup> rate

good grass

scattering cedar

T. 19 N. R. 1 W.

Cotains

North bet Secs 21 and 22

Var  $14^{\circ} 0' E$ 

32.00 Road bet N.E. and S.W.

40.00 Sera Malpais Stone  $10 \times 10 \times 8$  ins  
7 ins in the ground for '14 Sec Cor.  
Marked '14 on W. face.dug pits  $18 \times 18 \times 12$  ins N + S of stone  
 $5\frac{1}{2}$  ft dist, and raised a Mound  
of earth  $1\frac{1}{2}$  ft high  $.3\frac{1}{2}$  ft base  
alongside80.00 Sera Malpais Stone  $14 \times 10 \times 9$  ins  
9 ins in the ground for Cor to Sec  
15. 16. 21 and 22. Marked with  
3 notches on S and E edges,  
and raised a Mound of  
Stone alongsidepits impracticable  
Surface level and rolling  
Soil 3d rateGood Grass  
Scattering Cedar

7.19 N. R. 1 W.

Chains

S 86° 56' E, on a random line  
bet Secs 15 and 22.

Var 14° 0' E

40.00 Set Temporary 1/4 Sec Cor

48.00 Wash 30 lbs wide Co S.

80.30 Intersect N and S line 7 lbs N of  
Cor to Secs, 14, 15, 22 and 23.

Hence I run

N 86° 53' W, on a true line  
bet Secs 15 and 22, with same va

40.15 Set a Mclepais Stone. 9+8+7 ins  
6 ins in the ground for 1/4 Sec Cor  
Marked 1/4 on N face, and  
raised a mound of stone along-  
side, fits impracticable

80.30 The Cor to Secs 15, 16, 21 and 22.

Surface Rolling

Soil 3<sup>d</sup> rate

Scattering cedar





7.19 N. R. 1 W.

chains

North bet Secs 15 and 16

Var  $14^{\circ} 0' E$ 

40.00 Set a Malpais Stone  $11 \times 7 \times 8$  ins  
8 ins in the ground for 14 Sec  
Cor. Marked 14. on W. face  
and raised a mound of Stone  
alongside, pits impracticable.

80.00 Set a Malpais Stone  $16 \times 12 \times 8$  ins  
11 ins in the ground for bet Secs  
9, 10, 15 and 16. Marked with  
4 notches on S and 3 notches  
on E edges, and raised a  
Mound of Stone alongside,  
pits impracticable.

Surface rolling

Soil 3<sup>d</sup> rate

Good grass.

7.19 N. R 1 N

chains

S 86° 56' E on a random line  
bet Secs 10 and 15.

Va 14° 0' E

40.00 Set temporary 1/4 Sec Cor.

74.00 Wash 25 lbs wide Co. S.

80.18 Intersect N and S. line 12 lbs S.  
of Cor to Secs 10, 11, 14 and 15;

Thence I run

N 87° 01' W. on a True line  
bet Secs 10 and 15, with same Va

40.09 Set a Malpais Stone 10 x 10 x 6 ins  
7 ins in the ground for 1/4 Sec Cor.

Marked 44 on N face, and  
raised a Mound of Stone along-  
side. pits impracticable

80.18 The Cor to Secs 9, 10, 15 and 16  
surface of ~~the~~ <sup>the</sup> ~~line~~ <sup>line</sup> ~~is~~ <sup>is</sup> ~~not~~ <sup>not</sup> ~~at~~ <sup>at</sup>  
Sul 3' rate.

Grass good

~~Sul 3' rate~~

Scattering Cedar

J. 19 N. R. 1 W.

Chains

North bet Secs 9 and 10.

Var  $14^{\circ} 0' E$

40.00 Set a Malpais Stone,  $12 \times 8 \times 5$  ins  
9 ins in the ground for  $\frac{1}{4}$  Sec Cors  
Marked  $\frac{1}{4}$  on W. face and  
raised a Mound of Stone  
alongside, pits impracticable

80.00 Set a Malpais Stone  $17 \times 11 \times 8$  ins  
12 ins in the ground for Cor to  
Secs 3-4-9 and 10. Marked  
with 5 Notches on S. and 3 Notches  
on E edges, and raised a Mound  
of Stone alongside  
pits impracticable

Surface rolling and rough  
Soil 3<sup>d</sup> rate

Good Grass  
Scattering cedar

---

7.19 N. R. 1 W.

Chain

S  $86^{\circ} 56'$  E on a random line  
bet Secs 3 and 10.

Var  $14^{\circ} 0'$  E.

40.00 Set Temporary  $\frac{1}{4}$  Sec Cor

43.00 Wash 30 lks wide cor. S.

77.80 Intersect N and S line, 18 lks  
S of Cor to Secs, 2, 3, 10 and 11.

Thence I run

N  $87^{\circ} 04'$  W on a true line  
bet Secs 3 and 10, with same Va

39.90 Set a Malfair Stone  $12 \times 8 \times 6$  ins.

9 ins in the ground for  $\frac{1}{4}$  Sec Cor

Marked  $\frac{1}{4}$  on N face, and

raised a mound of stone alongside,

fits impracticable

77.80 The Cor to Secs, 3, 4, 9 and 10

Surface rough

Soil 3<sup>d</sup> rate

Good grass

Scattering cedar

J 19 N. R 1 W

Chains

North on a random line  
between Secs 3 and 4.

Va 14° 0' E

40.00 Set temporary 1/4 Sec Cor

80.17 Intersect N By of Tp 12 lks E of  
Cor to Secs. 3, 4, 33 and 34, recently  
established by me

Thence I run

5.0° 5' E on a true line

bet Secs 3 and 4, with same Va

40.17 Set a Malpais Stone 14 x 10 x 6 ins  
9 ins in the ground for 1/4 Sec Cor  
Marked 1/4, on W face, and  
raised a Mound of stone alongside,  
fits impracticable

80.17 The Cor to Secs 3, 4, 9 and 10.

Surface rough

Soil 3<sup>d</sup> rate

Good grass

Scattering timber

7.19 N. R. 1 W.

Chains

From the Cor to Secs. 4, 5, 32 and 33,  
on the South boundary of the Township  
recently established by me.

I run

North bet Secs 32 and 33,

Var 14° 0' E

40.00 Set a Malpais Stone 13 x 10 x 8 ins.  
9 ins in the ground for 1/4 Sec Cor  
Marked 14. on W face, and raised  
a Mound of Stone alongside  
fit impracticable

80.00 Set a Malpais Stone 15 x 10 x 7 ins  
10 ins in the ground for Cor to Secs  
28, 29, 32 and 33. Marked with  
1 notch on S and 4 notches on E edges  
and raised a Mound of Stone alongside  
fit impracticable

Surface rough

Soil 3<sup>d</sup> rate

Good grass

Wense leader

7. 19 W. R. 1 W.

Chains

S  $86^{\circ} 56'$  E. on a random line  
bet Secs 28 and 33.Var  $14^{\circ} 0'$  E32.00 Ash Fork and Prescott Road bears  
N and S.

35.00 Descend into Cañon.

38.00 Bottom of Cañon, Co N.E.

40.00 Set Temporary  $\frac{1}{4}$  Sec Cor

42.00 Leave Cañon, Co N.E.

58.00 Descend into Hell Cañon  
Co S.E.

64.00 Bottom of Cañon Co S.E. ascend.

70.00 Leave Cañon

80.20 Intersect N and S line 21 fms

S of Cor to Secs 27, 28, 33, and 34,

Thence I run

N  $87.05'$  W. on a true line  
bet Secs 28 and 33, with same va40.10 Set a Malpais Stone  $18 \times 10 \times 10$  ins  
<sup>12</sup> in in the ground  
<sup>11</sup> for  $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$   
on N face, and raised

T. 19 N. R. 1 W.

Chains

a mound of Stone alongside  
fits impracticable

80.20 The Cor to Secs 28, 29, 32 and 33.

Surface Mountainous

Soil 3<sup>d</sup> rate

Good Grass

Dense cedar brush

~~~~~

N 86° 56' W on a random line  
bet Secs 29 and 32.

Cor 14° 0' E

32.20.

Intersect W By of Township  
5<sup>th</sup> S of Cor to Secs 28, 29, 32  
and 34, vicinity established  
by monument I run

S 86° 57' E on a true line

bet Secs 29 and 32, with same ca

32.20

The Cor to Secs 28, 29, 32 and 33

Surface rolling



7 19 N. R. 1 W.

Chains

Soil 3 rate  
 Dense cedar -  
 - Brush

---

North bet Secs 28 and 29

Var  $14^{\circ} 0' E$ 

- 40.00 Set a Malpais Stone  $13 \times 12 \times 8$  ins  
 9 ins in the ground for 74 Sec Cor  
 Marked 14 on W face, and  
 raised a mound of Stone  
 alongside Pits *infract*
- 80.00 Set a Malpais Stone  $16 \times 7 \times 7$  ins  
 11 ins in the ground for Cor to  
 Secs 20, 21, 28 and 29. Marked  
 with 2 notches on S, and 4 notches  
 on E edges and raised a mound  
 of Stone alongside.
- Pits impracticable*  
 Surface Rolling

7.19 N. R. 1 W.

Chains

Silt 3<sup>d</sup> rate

Dense Cedar



S 86° 56' E, on a random line  
bet Secs 21 and 28.

Var 14° 0' E

- 35.00 Descent into Hells Cañon  
 40.00 Set temporary 1/4 Sec Cor  
 42.00 Road bro N + S.  
 45.00 Bottom of Cañon bro S.E. ascend  
 perpendicular Cliff  
 46.00 Leave Cañon  
 80.40 Intersect N and S line 14 lks  
 N of Cor to Secs 21, 22, 27 and 28  
 Thence I run  
 N 86° 50' W. on a true line  
 bet Secs 21 and 28 with same va  
 40.20 Set a Malpais Stone 15 x 10 x 8 ins  
 10 ins in the ground for 1/4 Sec  
 Cor. Marked 1/4 on N face

J 19 N. R. 1 W.

Chains

from which

A cedar 8 ins diam brs  $S 5^{\circ} E$   
20 lks dist, Marked '45. B.T.

A cedar 12 ins dia, brs  $N 10^{\circ} W$   
32 lks dist, Marked '45. B.T.

80.40 The Cor to Secs 20, 21, 28 and 29

Surface Mountainous

Soil 3<sup>d</sup> rate

Dense scrubby Cedar.

North  $86^{\circ} 56' W$ , on a random  
line bet Secs 20 and 29

Var  $14^{\circ} E$ 

31.76 Intersect - W By of Sp 10 lks N  
of Cor to Secs 20, 24, 25 and 29  
Prognity established by one  
thence I run

$S. 87^{\circ} 07' E$  on a true  
line bet Secs 20 and 29, same va

31.96 The Cor to Secs 20, 21, 28 and 29

7.19 N. R. 1 W.

chains

Surface Rolling  
Soil 3<sup>d</sup> rate  
Dense Cedar brush

---

North bet Secs 20 and 21  
Cor 14° 0' E

40.00 set

40.00 Set a Malpais Stone 17 x 8 x 7 ins  
11 ins in the ground for 1/4 Sec  
Cor. Marked 1/4 on N face, and  
raised a mound of stone  
alongside. pits impracticable.

80.00

Set a Malpais Stone 12 x 12 x 8 ins  
9 ins in the ground for Cor to Secs  
16, 17, 20 and 21. Marked with  
3 notches on S, and 4 notches on  
E edges, and raised a mound of  
stone alongside. pits impracticable

Surface Rolling  
Soil 3<sup>d</sup> rate  
Dense Scrubby Cedar

7.19 N. R. 1 W.

Chains

S  $86^{\circ} 56' E$ , on a random line  
bet Secs 16. and 21Var  $14^{\circ} 0' E$ 

Descend into Canon

- 5.50 Bottom of Canon  
 11.00 Leave Canon Co. S.  
 40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 58.00 Road to Ash Fork brs N & S.  
 80.10 Intersect N. and S line 25<sup>th</sup> lbs S. of  
 Cor to Secs 15. 16. 21 and 22

thence four

- N  $87^{\circ} 07' W$  on a true line  
 bet Secs 16. and 21, with same Va  
 40.05 Set a Malpais Stone  $12 \times 11 \times 5$  ins  
 9 ins in the ground for  $\frac{1}{4}$  Sec Cor.  
 Marked  $\frac{1}{4}$  on N face and raised  
 a mound of Stone alongside  
 pits impracticable  
 80.10 The Cor to Secs 16. 17. 20 and 21  
 Surface Mountainous  
 Soil 3<sup>d</sup> rate

J. 19 N. R. 1 W.

Chains

Dense Scrubby Cedar

---

North  $86^{\circ} 56'$  N. on a random  
line bet Secs 17 and 20.

Var  $14^{\circ} 0'$  E

3180

Intersect W By of Township at  
Cor to Secs 13, 17, 20 and 24  
recently established by me.

Thence Down

S.  $86^{\circ} 56'$  E on a true line  
bet Secs 17 and 20, with same va

3180

The Cor to Secs 16, 17, 20 and 21

Surface Rolling

Soil 3<sup>d</sup> rate

Dense Scrubby Cedar

---

719 N. R. 1 W.

Chains

North bet Secs 16 and 17  
Va 14° 0' E

- 18.00 Descend into Cañon
- 21.00 Bottom of Cañon Co S.E. ascend
- 27.00 Leave Cañon Co S.E.
- 40.00 Set a Malpais Stone 12x8x6 ins  
8 ins in the ground for 1/4 Sec Cor  
Marked 1/4 on W. face, and  
raised a Mound of Stone along-  
side - pit's impracticable
- 80.00 Set a Malpais Stone 17x10x8 ins  
11 ins in the ground for Cor to Secs  
8, 9, 16 and 17, Marke with 4 notches  
on S and E edges, and raised a  
Mound of Stone alongside  
pit's impracticable  
Surface rolling  
Soil 3<sup>d</sup> rate  
Dense Scrubby cedar

7.19 N. R. 1 W.

Chains

S.  $86^{\circ} 56'$  E. on a random line  
bet Secs 9 and 14.Over  $14^{\circ} 0'$  E40.00 Set temporary  $\frac{1}{4}$  Sec Cor

44.00 Road bro N and S.

79.99 Intersect N + S line 6 lks N of  
Cor to Secs 9. 10. 15 and 14.

Thence I run

N  $86^{\circ} 53'$  W. on a true line  
bet Secs 9 and 14, with same or39.99 Set a Malpais Stone  $15 \times 10 \times 5$  ins  
10 ins in the ground for  $\frac{1}{4}$  SecCor. Marked  $\frac{1}{4}$  on N face  
and raised a mound of stone  
alongside, pits impracticable

79.98 The Cor to Secs 8. 9. 14 and 17.

Surface Colling

Soil 3<sup>d</sup> rate

Dense Scrubby Juniper



J. 19 N. R. 1 W.

Chains

N.  $86^{\circ} 56'$  W. on a random line  
bet Secs 8 and 17.

Va  $14^{\circ} 00'$  E

31.36

Intersect W By of Sp at 4 lks  
S of Cor to Secs 8, 12, 13 and 17  
recapity established by me  
thence I run

$8.86^{\circ} 52'$  E on a true line  
bet Secs 8 and 17, with same Va

31.36

The Cor to Secs 8, 9, 16 & 17

Surface Rolling

Soil 3<sup>d</sup> rate

Dense cedar brush



North bet Secs 8 and 9

Va  $14^{\circ} 0'$  E

40.00

Set a Malpais Stone  $16 \times 10 \times 6$  ins  
11 ins in the ground for '14 Sec  
Cor. Marked '14. on W face  
and raised a mound of stone

7.19 N. R. 1 W.

Chairs

80.00

alongside, pit impracticable  
Set a Malpais Stone 18x8x4 ins  
12 ins in the ground for Cor to  
Secs 4, 5, 8 and 9. Marked  
with 5 notches on S. and 4 notches  
on E edges and raised a mound  
of stone alongside.

pit impracticable

Surface rolling

Soil 3<sup>d</sup> rate

Dense Cedar brush



S 86° 36' E, on a random line  
bet Secs 4 and 9

Var 14° 0' E

40.00

Set Temporary 1/4 Sec Cor.

45.70

Road brs N + S.

80.22

Intersect N and S line 24 lbs  
S of cor to Secs 3, 4, 9 and 10

7.19 N. R. 1 W.

Chains

Thence I run

N 87° 06' W. on a true line  
bet Secs 4 and 9, with same Va  
40.11 Set a Malpais Stone 21 x 8 x 4 ins  
16 ins in the ground for 1/4 Sec  
Cor Marked 1/4 on N face  
and raised a Mound of Stone  
alongside. pits impracticable.

80.22 The Cor to Secs 4, 5, 8 and 9  
Surface rolling  
Soil 3<sup>d</sup> rate & stony  
Dense scrubby cedar

---

N 86° 56' W on a random  
line bet Secs 5 and 8

Var 14° 0' E

31.14 Intersect W By of Township at  
The Cor to Secs 1, 5, 8 and 12  
recently established by one

7.19. N. R. 1 W.

Chains

Thence I run

S 86° 56' E on a true line

bet Secs 5 and 8, with same va

3.1.14. The cor to Secs 4, 5, 8 and 9

Surface rolling

Soil 3<sup>d</sup> rate

Dense scrubby cedar

North on a random line

bet Secs 4 and 5.

Var 14° 0' E

40.00 Set temporary 1/4 Sec Cor

80.16 Intersect N By of Township

10 lbs. E of Cor to Secs 4, 5, 32 and 33.  
Determined by ~~published~~  
by the Thence I run

S 0° 4' E on a true line

bet Secs 4 and 5, with same va

40.16 Set a Malpais Stone 12 x 8 x 5 ins  
& ins in the ground for 1/4 Sec Cor

J. 19 N. R. 1 W.

Chains

Marked  $\frac{1}{4}$  on W face and  
raised a mound of stone  
alongside, pits impracticable

80.14 The Cor to Secs 4, 5, 8 and 9

Surface rolling

Soil 3<sup>d</sup> rate

Dense scrubby cedar

---

7.19 N. R. 1 W.

## General Description

This township is mostly a rolling and level one, except the N.E. cor. which is mountainous.

There is some dense cedar and scattering cedar all over the township.

The grass is very abundant and of good quality. The soil average 2nd rate.

The Prescott and Ash Fork stage road passes through the N. part and the cattle cañon passes through the S.W. part.

For final info see Book No 28

52 BOOK 1045

3.19 92. R. I M.

U. S. Surveyor General's Office,

Tucson, Arizona, Feb'y. 13. 1884

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 19 North  
Range 1 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by J. J. Smith

Deputy Surveyor, under his contract of the 24th,

day of July, 1883, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved


Royal A. Johnson  
Surveyor General.



Township

Range

BOOK 54  
M. 1045



36 34.00

RR 66.75

66.75

6  
10  
16

66.75  
58.6