

✓ (44) 2nd  
Subs.  
Sp. 16. B. 17

No. 1047 BOOK 1047

# Field Notes

OF BOOK 1047  
the *Subdivision* lines of

Township *16 N.* Range *2 W.*  
*Eda's Salt River* Mer *1*, California,

BY  
*S. W. Foreman* Deputy Surveyor,

under his Contract of *August 7* 18*71*

Survey commenced *October 23* "

Survey completed *" 28* "

Platted,

No. 1047

Copied for Washington,


Transcript sent to Commissioner,

1047

*Examined & approved*

1A

31 32 33 34 35 36  
TOWNSHIP 16 N RANGE 2 Wash MERIDIAN



var. 14° 07' E

8028

var. 14° 07' E

Bancroft's Blank, Township Plot.

A. L. Bancroft & Company, 721 Market St., San Francisco.

Nov. 14 1910

Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Line,

Meander Lines,

Office Work,

Ranch Lines Re-surveyed,

BOOK 1047

BOOK 1047

*Preliminary Oaths of Assistants.*

I, \_\_\_\_\_ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this \_\_\_\_\_ day of

187

U. S. Deputy Surveyor.

— — — — —

We, *George W. Carr* and *Joseph Samuel* do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

George W. Carr  
Joseph Fennel

Subscribed and sworn to before me, this 2<sup>nd</sup> day of  
Sept 1871

U. S. Deputy Surveyor.  
Edw. Wells  
Clerk Dist Court  
3<sup>rd</sup> Dist Ark.



10

BOOK 1047

We, John Riley & James Allan  
do solemnly swear that we will well and truly perform the  
duties of Glasgow & Ayrshire respectively  
according to instructions given us, and to the best of our  
skill and ability.

John Riley  
James Allan

Subscribed and sworn the be before me, this 27  
day of Sept 1871



H. J. Deputy Surveyor.  
Edw. Wells  
Clerk West Court  
3<sup>d</sup> West A.S.



IF

BOOK 1047

4-674.

Township 16 N., R. 2 W., Secs. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36

6	58	5	42	4	38	3	22	2	11	1
57	56		41		32		21		10	
7	55	8	41	9	31	10	20	11	9	12
54	53		40		30		19		8	
18	52	17	40	16	29	15	18	14	7	13
51	50		39		28		17		6	
19	49	20	38	21	27	22	16	23	5	24
48	47		37		26		15		4	
30	46	29	36	28	25	27	14	26	3	25
45	44		35		24		13		2	
31	43	32	34	33	23	34	12	35	1	36

No. 1047

1901 BOOK 16  
BOOK 1047

Field Notes

of the survey of the Subdivision

Series of Townships 16 North

Range 2 West

Gila and Salt River Meridian

Arizona Territory

By S. M. Foreman Dep. Surveyor

Township 16 North Range 3 West  
Gila and Salt River Meridian  
No North.

between sections 35<sup>and</sup> 36.  
var. 14° 04' East  
(as per East boundary)

40.00 Set a 1/4 section corner post in a mound and file as per instructions  
No trees near.

62.25 Road bears East 3/4 West.

80.00 Set a post in a mound and file as per instructions for the corner to sections

25. 26. 35<sup>and</sup> 36.  
No trees near.

Soil - smooth gently rolling prairie.  
Soil - 1<sup>st</sup> rate sandy loam.  
No timber.



Township 16 North, Range 3 West

Edw. Salt River Meridian

No East

on random line between sections 25<sup>th</sup> & 36<sup>th</sup>  
var. 14° 07' East

- 40.00 Set a temporary 4<sup>th</sup> section corner post  
80.00 Intersect the East boundary line at the  
corner to sections 25, 36, 30<sup>th</sup> & 31<sup>st</sup> from  
which corner I run.

West

on a true line between sections 25<sup>th</sup> & 36<sup>th</sup>.

var. 14° 07' East

- 40.00 Set a 4<sup>th</sup> section corner post in a  
mound and pits as per instructions

No trees near.

- 80.00 The corner to sections  
25, 26, 30<sup>th</sup> & 36<sup>th</sup>.

Land - rolling prairie.

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North Range 2 West

Gila and Salt River Meridian

No North

between sections 25 & 26.  
var.  $14^{\circ} 04'$  each

46.00 Set a 1<sup>st</sup> section corner post in a mound and set as per instructions

No trees near.

48.00 Road bears N. N.  $\frac{1}{2}$  S. E.

50.00 Set a post in a mound and set as per instructions for the corner to sections

23, 24, 25 & 26.

No trees near.

Land - gently rolling prairie.

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 3 West

Tila <sup>and</sup> Salt River Meridian

to East.

on a random line between sections 24<sup>and</sup> 25.

var. 124° 07' East

40.00 Set a temporary 1/4 section corner post

52.00 Base of hill, near N. <sup>1/4</sup> S.

60.00 Top of same 50 feet high and then slopes gently east.

80.25 Intersect the East boundary line 1<sup>1/2</sup> links south from the corner to sections 2425. 19 <sup>3</sup>/<sub>4</sub> 20, from which corner True S. 89° 53' W.on true line between sections 24<sup>and</sup> 25

var. 124° 07' East

40.12 Set a 1/4 section corner post in a mound and pits as per instructions.

No trees near.

80.25 The corner to sections

28. 24. 25 <sup>3</sup>/<sub>4</sub> 26.

Land - rolling. Coal - 2' rate.

No timber.

Township 16 North, Range 2 West.

Gila and Salt River Meridian

No North.

between sections 23<sup>rd</sup> & 24<sup>th</sup>.  
 var. 120° 54' Each

40.00 Set a 44 section corner post in a mound and file as per instructions  
 No trees near.

80.00 Set a post in a mound, and file as per instructions for the corner to section

13. 14. 23<sup>rd</sup> & 24<sup>th</sup>.

No trees near.

Land - gently rolling prairie.  
 Soil - 1<sup>st</sup> rate, rich sandy loam.  
 No timber.

Township 16 North, Range 2 West

5th Salt River Meridian

East.

on random line between sections 13 & 24.

var.  $14^{\circ} 07'$  East

40.00 Set a temporary  $1/4$  section corner post.

80.15 Intersect the East boundary line at the corner to sections 13, 24, 18<sup>th</sup> & 19, from which corner I run

West.

on true line between sections 13 & 24.

var.  $14^{\circ} 07'$  East

40.07 Set a  $1/4$  section corner post in a mound and file as per instructions

No trees near.

80.15 The corner to sections

13, 14, 23 & 24.

Land - gently rolling prairie.

Soil - phosphate sandy loam

No timber.

Township 16 North, Range 3 West

Sec 14 Salt River Meridian

Sec 14 North

between sections 13<sup>th</sup> 14<sup>th</sup>  
 var. 12<sup>th</sup> 14<sup>th</sup> East

40.00 Set a 4<sup>th</sup> section corner post in a mound and pits as per instructions  
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

11. 12. 13<sup>th</sup> 14<sup>th</sup>.

No trees near.

Land gently rolling.

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 3 West

Gild <sup>ms</sup> Salt River Meridian

East.

on random line between sections 12 <sup>ms</sup> 13

var. 1st 04' East

40.00 Set a temporary <sup>1/4</sup> section corner post

80.00 Intersect the East boundary line 9 links

south from the corner to sections 12

13. <sup>7</sup>/<sub>16</sub> <sup>ms</sup> 18, from which corner draw

S. 89° 56' 24"

on true line between sections 12 <sup>ms</sup> 13.

var. 1st 04' East

40.00 Set a <sup>1/4</sup> section corner post in a

ground and pits as per instructions

No trees near

80.00 the corner to sections

11. 12. 13 <sup>ms</sup> 14.

Land gently rolling.

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 3 West.  
 T16<sup>n</sup> R03<sup>w</sup> Salt River Meridian  
 P<sub>no</sub> North

between sections 11<sup>th</sup> & 12<sup>th</sup>  
 var. 14° 0' 4" East -

40.00 Set a <sup>1/2</sup> section corner post in a  
 mound and set as per instructions  
 No trees near.

80.00 Set a post in a mound and  
 set as per instructions for the  
 corner to sections  
 1, 2, 11<sup>th</sup> & 12<sup>th</sup>.

No trees near.

Land nothing.  
 Soil - 1<sup>st</sup> & 3<sup>rd</sup> B. water  
 No timber.



Travis Ldgs, 16 North, Range 2 West  
 Tilo <sup>and</sup> Salt River Mendocino

East.

on random line between sections 1 <sup>and</sup> 12

var. 1st <sup>of</sup> East

40.00 Set a temporary <sup>1/4</sup> section corner post

80.10 Intersect the East boundary line at the  
 corner to sections 1, 12, 6 <sup>and</sup> 7, from which  
 corner run

West.

on true line between sections 1 <sup>and</sup> 12.

var. 1st <sup>of</sup> East

40.05 Set a <sup>1/4</sup> section corner post in a  
 mound and pile as per instructions

No trees near.

80.10 the corner to sections

1, 2, 11 <sup>and</sup> 12.

Land rolling.

Soil 2<sup>nd</sup> rate

No timber.

Township 16 North, Range 2 West  
Gila <sup>Co</sup> Salt River Meridian

North

on true line between sections 1<sup>st</sup> & 2

var. 14° 0' East

40.00 Set a 1<sup>st</sup> section corner post in a mound, and pits as per instructions

No trees near.

80.40 Intersect the 4<sup>th</sup> Standard Parallel line 1.95 chains East of the standard corner to sections 35<sup>th</sup> & 36, and set a post in a mound and pits as per instructions for the closing corner to sections 1<sup>st</sup> & 2.

No trees near.

Land rolling.

Soil 2<sup>d</sup> rate.

No timber

Date October 23<sup>rd</sup> 1871

Township 16 North, Range 3 West  
 Gila Salt River Meridian

No. North.

between sections 34<sup>th</sup> & 35.

Cor. 14° 07' East

40.00 Set a 1/2 section corner post in a mound  
 and file as per instructions

No trees near.

45.70 Road bears E. 1/2 N.

80.00 Set a post in a mound and file as  
 per instructions for the corner to  
 sections

26.27.34 & 35.

No trees near.

Land - rolling prairie

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West  
Gila<sup>and</sup> Salt River Meridian

No East.

on random line between sections 26<sup>3/4</sup> 35.

Var. 14° 07' East-

8.80 Road bears N. <sup>3/4</sup> S.

40.00 Set a temporary <sup>1/4</sup> section corner post.

69.00 Flat prairie runs north.

80.00 Intersect the N. <sup>3/4</sup> S. Line at the corner  
to sections 25, 26, 35<sup>3/4</sup> 36, from which  
corner I run -

West

on true line between sections 26<sup>3/4</sup> 35.

Var. 14° 07' East-

40.00 Set a <sup>1/4</sup> section corner post in a  
mound, and, sets as per instructions

No trees near.

80.00 The corner to sections

26, 27, 34<sup>3/4</sup> 35.

Land - smooth rolling prairie  
Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West  
 Gila and Salt River Meridian

No. North.

between sections 26 <sup>and</sup> 27.  
 var 1st 07. East

40.00 Set a 4" section corner post in a mound  
 and pits as per instructions

No trees near.

80.00 Set a post in a mound and pits  
 as per instructions for the corner  
 to sections

22, 23, 26 <sup>and</sup> 27.

No trees near.

Land - gently rolling prairie.

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West.

5th Salt River Meridian

to East.

on random line between sections 23<sup>rd</sup> & 26.

var. 1st<sup>o</sup> 07' East

- 6.70 Road runs N. <sup>90</sup> S.
- 30.00 Flat prairie runs North.
- 40.00 Set a temporary <sup>1</sup>/<sub>4</sub> section corner post.
- 79.50 Road bears N. N. <sup>90</sup> S. E.
- 80.06 Subjoin the N. <sup>90</sup> S. Line at the corner to sections 23, 24, 25<sup>th</sup> & 26, from which corner I run -

West.

on true line between sections 23<sup>rd</sup> & 26.

var. 1st<sup>o</sup> 07' East

- 40.03 Set a <sup>1</sup>/<sub>4</sub> section corner stone 16 x 10 x 14 inches in ground and set as per instructions. No trees near.
- 80.06 The corner to sections 22, 23, 26<sup>th</sup> & 27.
- Land - gently rolling.
- Soil - 1<sup>st</sup> rate. No timber.

Township 16 North, Range 2 West  
 T16<sup>40</sup> and Salt River Meridian

Section North.

between sections 22<sup>nd</sup> & 23<sup>rd</sup>  
 var. 14° 17' East

40.00 Set a 1/2 section corner post in a mound  
 and pits as per instructions

No trees near.

80.00 Set a post in a mound and pits as  
 per instructions for the corner to  
 sections

14. 15. 22<sup>nd</sup> & 23<sup>rd</sup>.

No trees near.

Land - gently rolling.

Soil - 1<sup>st</sup> rate.

No timber.

Ownership 16 North Range 2 West.

6th Salt River Meridian

Ch East.

on random line between sections 14<sup>th</sup> and 23.

var. 14° 04' East.

5.90 Road runs N. <sup>and</sup> S.

40.00 Set a temporary 1/4 section corner post.

42.00 Flat ravine runs North.

80.00 Subdivide the N. <sup>and</sup> S. Line of lands north  
from the corner to sections 13, 14, 23  
<sup>and</sup> 24, from which corner I run -  
N. 89° 54' W.

on true line between sections 14<sup>th</sup> and 23.

var. 14° 04' East

40.00 Set a 1/4 section corner post in a mound  
and pits as per instructions

No trees near.

80.00 The corner to sections

14, 15, 22 <sup>and</sup> 23.

Land - gently rolling.

Soil - <sup>1st</sup> prairie.

No timber.



Township 16 North, Range 2 West  
 6th Salt River Meridian

North.

between sections 14<sup>th</sup> & 15<sup>th</sup>.

var. 124° 07' East

40.00 Set a 1<sup>st</sup> section corner post in a mound  
 and set as per instructions.

No trees near.

80.00 Set a post in a mound and set as  
 per instructions for the corner to sections

10, 11, 14<sup>th</sup> & 15<sup>th</sup>.

No trees near.

Land - gently rolling prairie.

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West.  
 Td. Salt River Meridian  
 As East.

on random line between sections 11<sup>th</sup> & 12<sup>th</sup>  
 var. 14° 07' East

5.10 Road runs N. W. <sup>1/4</sup> S.

40.00 Set a temporary <sup>1/4</sup> section corner post

80.12 Intersect the N. <sup>1/4</sup> S. Line at the corner  
 to sections 11, 12, 13<sup>th</sup> & 14, from which  
 corner I run —

West.

on true line between sections 11<sup>th</sup> & 12<sup>th</sup>  
 var. 14° 07' East

40.06 Set a <sup>1/4</sup> section corner post on a  
 mound and, sets as per instructions

No trees near.

80.12 This corner to sections  
 10, 11, 12<sup>th</sup> <sup>1/4</sup> & 15.

Land - gully rolling.

Soil - <sup>1/2</sup> oats.

No timber.

Township 16 North, Range 2 West  
Gila and Salt River Meridian

North

between sections 10 & 11.

var. 14° 07' East

16.00 Road bears N. N. <sup>W</sup> S. E.

40.00 Set a 14 section corner post in a mound  
and pits as per instructions

No trees near

80.00 Set a post in a mound and pits as per  
instructions for the corner to sections

2, 3, 10 & 11.

No trees near.

Land - gently rolling prairie.

Soil - <sup>shaly</sup> silt.

No timber.

Ownership 16 North Range 3 West  
Gila and Salt River Meridian

Chs. East.

on random line between sections 2<sup>nd</sup> & 11  
var. 14° 04' East

- 40.00 Set a temporary 1/4 section corner post.  
44.50 Flat corner runs North.  
80.08 Intersect the N. & S. Line 11 lines  
south from the corner to sections  
1, 2, 11 & 12, from which corner I run  
S. 89° 55' W.

on true line between sections 2<sup>nd</sup> & 11.

var. 14° 04' East-

- 40.04 Set a 1/4 section corner post in a  
mound and pits as per instructions  
No trees near.  
80.08 The corner to sections  
2, 3, 10<sup>th</sup> & 11.  
Land gently rolling.  
Soil - 1<sup>st</sup> rate.  
No timber.

Township 16 North, Range 3 West

Gila and Salt River Meridian

to North.

on true line between sections 2<sup>nd</sup> & 3.

var. 14° 07' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions

No trees near.

80.30 Intersect the 4<sup>th</sup> Standard Parallel  
2.14 links East from the standard  
corner to sections 34<sup>th</sup> & 35, and set  
a post in a mound and pits as  
per instructions for the closing  
corner to sections

2, 3.

No trees near.

Land rolling.

Soil - 1<sup>st</sup> rate.

No timber.

Date: Oct. 24<sup>th</sup> 1871

Township 16 North, Range 3 West

Eda and Salt River Mendocino

Sec. North.

between sections 33<sup>1/2</sup> & 34

var. 124° 0' 24" East

40.00 Set a 1/4 section corner post in a mound and file as per instructions

No trees near.

45.10 Road bears E. 1/4 N.

80.00 Set a post in a mound and file as per instructions for the corner to sections

27.28.33<sup>1/2</sup> 34.

No trees near.

Lands - level prairie.

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 3 West  
 6th <sup>and</sup> Salt River Meridian

East.

on a random line between sections 27<sup>3</sup> & 34.  
 Var. 14° 07' East

40.00 Set a temporary 1/4 section corner post

80.00 Intersect the N. <sup>1/2</sup> S. Line at the corner  
 to sections 26, 27, 34 & 35, from  
 which corner I run -

West.

on true line between sections 27<sup>3</sup> & 34.  
 Var. 14° 07' East

40.00 Set a 1/4 section corner post in a mound  
 and pits as per instructions.

No trees near.

80.00 Run corner to sections

27, 28, 33 & 34.

Land - gently rolling prairie.

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West  
 Gila Salt River Meridian  
 Ch. North.

between sections 27<sup>th</sup> & 28.

Var. 14° 07' East

40.00 Set a 1/4 section corner post in a  
 mound and pits as per instructions  
 No trees near.

80.00 Set a post in a mound and  
 pits as per instructions for the  
 corner to sections

21.22. 27<sup>th</sup> & 28.

No trees near.

Land level prairie.

Soil 1<sup>st</sup> rate.

No timber.



Township 16 North, Range 2 West  
 T14S <sup>40</sup> and East River Meridian  
 T14E

in a random line between sections 22<sup>nd</sup> & 27<sup>th</sup>.

var. 141' 07" East

40.00 Set a temporary <sup>1/4</sup> section corner post.

80.00 Intersect the N. <sup>1/4</sup> S. Line 8 links South  
 from the corner to sections 22, 23, 26  
<sup>3/4</sup> 27, from which corner I run -  
S. 89° 05' W.

on true line between sections 22<sup>nd</sup> & 27<sup>th</sup>.

var. 141° 07' East

40.00 Set a <sup>1/4</sup> section corner post in a  
 mound and pits as per instructions

No trees near

80.00 The corner to sections

21, 22, 27<sup>th</sup> & 28.

Land back prairie:

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West.  
Gila <sup>and</sup> Salt River Meridian

No March.

between sections 21 <sup>and</sup> 22.  
var. 1400 y. East

40.00 Set a 1/4 section corner post in a mound and pile as per instructions  
No trees near.

80.00 ~~Set~~ a post in a mound and pile as per instructions for the corner to sections

15, 16, 21 <sup>and</sup> 22.

No trees near.

Land lease pruned.

Coal - 1<sup>st</sup> rate.

No timber.

Township 16 North Range 2 West

5th Salt River Meridian

East.

in random line between sections 15<sup>3/4</sup> 22.

Var. 144° 07' East

40.00 Set a temporary <sup>1/4</sup> section corner post.

80.08 Between the N. <sup>1/4</sup> S. Line at the corner  
to sections 14, 15, 22<sup>3/4</sup> & 23 from which  
corner I run -

West.

in true line between sections 15<sup>3/4</sup> & 22

Var. 144° 07' East

40.04 Set a <sup>1/4</sup> section corner post in a mound  
and pits as per instructions.

No trees near,

80.08 the corner to sections  
15, 16, 21<sup>3/4</sup> & 22.

Land lease from.

Oil Rate.

No timber

Township 16 North, Range 2 West  
 T16N R2W Meridian

Section North

between sections 15<sup>th</sup> & 16,  
 var. 124' 0" of East.

40.00 Set a 1/4 section corner post in a mound and pit as per instructions  
 No trees near.

80.00 Set a post in a mound and pit as per instructions for the corner  
 to sections

9, 10, 15<sup>th</sup> & 16

No trees near.

Land level prairie.

Soil 1<sup>st</sup> rate.

No timber

Township 16 North, Range 2 West  
 Gila and Salt River Meridian  
 No East.

on random line between sections 10<sup>1/4</sup> 15.

Var. 14° 07' East

40.00 Set a temporary 1/4 section corner post.

79.94 Intersect the N. and S. Line 6 links South  
 from the corner to sections 10, 11, 12 &  
 15 from which corner I run  
S. 89° 54' W.

on true line between sections 10<sup>1/4</sup> 15

Var. 14° 07' East

39.97 Set a 1/4 section corner post in a mound  
 and pits as per instructions

No trees near

79.94 The corner to sections

9, 10, 15<sup>1/4</sup> 16.

Land level.

Quit 1<sup>st</sup> rate

No timber

Township 6 North. Range 2 West.  
Gila & Salt River Meridian

No North

between sections 9<sup>th</sup> & 10.

Sar.  $14^{\circ} 04'$  East.

40.00 Set a  $\frac{1}{4}$  section corner post in a  
mound and pits as per instructions  
No trees near.

80.00 Set a post in a mound and pits  
as per instructions for the corner  
to sections

S. of 9<sup>th</sup> & 10.

No trees near

Land level.

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 3 West

Gila and Salt River Meridian

East.

on random line between sections 3 & 10.

Var.  $14^{\circ} 07'$  East

40.00 Set a temporary  $1/4$  section corner post.

77.00 Road bears N. & S.

80.00 Intersect the N. & S. Line at the corner  
to sections 2, 3, 10 & 11. from which  
corner I run -

West.

on true line between sections 3 & 10.

Var.  $14^{\circ} 07'$  East

40.00 Set a  $1/4$  section corner post in a  
mound and pits as per instructions

No trees near

80.00 The corner to sections

3, 4, 9 & 10.

Land lease for year.

Gold - 1<sup>st</sup> rate.

No timber.

Township 16 North. Range 3 West.

6th & 7th Salt River Meridian

Sec 3 North.

on true line between sections 3<sup>rd</sup> & 4<sup>th</sup>.  
Var. 124° 04' East.

40.00 Set a 1/2 section corner post in a mound and pits as per instructions.  
No trees near.

80.35 Intersect the 4<sup>th</sup> Standard Parallel line at a point 2.06 chains East from the standard corner to sections 33<sup>rd</sup> & 34<sup>th</sup>, and set a post in mound and pits as per instructions for the closing corner to sections 3<sup>rd</sup> & 4<sup>th</sup>.

No trees near.

Land - lead prairie.

Soil - 1<sup>st</sup> rate.

No timber.

Date. Oct. 25, 1871



Township 16 North. Range 2 West  
 5th Salt River Meridian

1st North.

between sections 32 <sup>and</sup> 33.

var. 1st 0 07' East

40.00 Set a 1/4 section corner post in a mound  
 and pits as per instructions

No trees near

80.00 Set a post in a mound and pits as  
 per instructions for the corner to  
 sections 28, 29, 32 <sup>and</sup> 33.

No trees near

Land - level prairie

Oil 1st rate.

No timber

Section 16 North Range 2<sup>nd</sup> Mer.  
Tola Salt River Meridian

East.

on a random line between sections 28<sup>th</sup> & 33<sup>rd</sup>  
var. 14° 04' East.

40.00 Set a temporary 1/4<sup>th</sup> section corner post.

43.50 Road bears N. N. <sup>W</sup> S. E.

80.00 Intersect the N. <sup>W</sup> S. Line 10 links  
south from the corner to sections  
27, 28, ~~30~~ 31, from which corner  
I run.

S. 89° 56' W.

on true line between sections 28<sup>th</sup> & 33<sup>rd</sup>  
var. 14° 04' East.

40.00 Set a 1/4<sup>th</sup> section corner post in a  
mound and pits as per instructions  
• No trees near.

80.00 The corner to sections  
28, 29, 32 & 33.

Land - level prairie.  
Soil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West  
 Gila and Salt River Meridian

No North.

between sections 28<sup>th</sup> & 29.

var. 14<sup>00</sup> 07' East

- 19.75 Road bears N. N.  $\frac{1}{4}$  S. E.  
 37.40 Road bears N. N.  $\frac{1}{4}$  S. E.  
 40.00 Set a  $\frac{1}{4}$  section corner post in a mound  
 and pits as per instructions.  
 No trees near.

- 80.00 Set a post in a mound and pits as  
 per instructions for the corner to  
 sections

20, 21, 28<sup>th</sup> & 29.

No trees near.

Land lead prairie.

Coil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West.

5th Salt River Meridian

No East.

in a random line between sections 21 & 28.

var.  $14^{\circ} 07'$  East.

40.00 Set a temporary 4th section corner post.

80.07 Intersect the N. & S. Line at the corner  
to sections 21, 22, 27 & 28, from  
which corner I run -

West.

in true line between sections 21 & 28.

var.  $14^{\circ} 07'$  East.

40.03 Set a 4th section corner post in a  
mound and dip it as per instructions

No trees near.

80.07 Run the corner to sections

20, 21, 28 & 29.

Land seal prairie  
Soil 1st rate.

No timber

Township 16 North. Range 2 West  
 T16N and Salt River Meridian

Section  
North.

between sections 20<sup>th</sup> & 21.

Var.  $14^{\circ} 07'$  East.

40.00 Set a  $\frac{1}{4}$  section corner post in a mound  
 and pit as per instructions

No trees near.

80.00 Set a post in a mound and pit  
 as per instructions for the corner  
 to sections

16. 17. 20<sup>th</sup> & 21.

No trees near.

Sand loess prairie.

Orch 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West  
 Tada Salt River Meridian

Sec East.

on a random line between sections 16<sup>th</sup> & 21.

Var. 12° 07' East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.00 Intersect the N. & S. Line 12 links  
 North from the corner to section  
 15, 16, 21 & 22 from which corner run  
 N. 89° 55' W.

on true line between sections 16<sup>th</sup> & 21.

Var. 14° 07' East

40.00 Set a  $\frac{1}{4}$  section corner post in a  
 mound and pits as per instructions

80.00 ~~the~~ <sup>No trees near</sup> the corner to sections

16, 17, 20 & 21.

Land - lease price

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West

Gila and Salt River Meridian

N. North. between sections 16<sup>3</sup>/<sub>4</sub> & 17.

Var. 14° 07' East.

40.00 Set a <sup>1</sup>/<sub>4</sub> section corner post in a mound and pile  
as per instructions. No trees near.

80.00 Set a post in a mound and pile as per instructions  
for the corner to sections 8, 9, 16<sup>3</sup>/<sub>4</sub> & 17. No trees near.  
Sand-lick prairie. Soil - 1<sup>st</sup> rate. No timber.

East. on random line between sections 9<sup>3</sup>/<sub>4</sub> & 16

Var. 14° 07' East

40.00 Set a temporary <sup>1</sup>/<sub>4</sub> section corner post.

80.06 Intersect the N. & S. Line at the corner to sections 9, 10,  
15<sup>3</sup>/<sub>4</sub>, 16, from which corner drive -

West. on true line between sections 9<sup>3</sup>/<sub>4</sub> & 16.

Var 14° 07' East

40.03 Set a <sup>1</sup>/<sub>4</sub> section corner post in a mound and  
pile as per instructions. No trees near.

80.06 The corner to sections 8, 9, 16<sup>3</sup>/<sub>4</sub> & 17.  
Sand-lick prairie. Soil 1<sup>st</sup> rate. No timber.

Township 16 North, Range 2 West,

Sec<sup>4</sup> Salt River Meridian

North, between sections 8<sup>th</sup> & 9<sup>th</sup>.

var. 124° 07' East.

40.00 Set a 1/4 section corner post in a mound and  
pile as per instructions. No trees near.

80.00 Set a post in a mound & pile as per instructions for  
the corner to sections 4, 5, 8 & 9. No trees near.  
Land-level prairie. Soil-1<sup>st</sup> rate. No timber.

East, on random line between sections 4<sup>th</sup> & 9<sup>th</sup>.

var. 124° 07' East.

40.00 Set temporary 1/4 section corner post.

80.08 Intersect the N. 1/4 S. Line 13 links south from  
the corner to sections 3, 4, 9 & 10, from which corner run  
S. 89° 54' W. on true line between sections 4<sup>th</sup> & 9<sup>th</sup>.

var. 124° 07' East

40.04 Set a 1/4 section corner post in a mound & pile as per  
instructions. No trees near.

80.08 The corner to sections 4, 5, 8 & 9.  
Land level prairie. Soil-1<sup>st</sup> rate. No timber.



Township 16 North. Range 3 West

Gila and Salt River Meridian

North.

on true line between sections 4<sup>th</sup> & 5.

Var. 124° 07' East.

40.00 Set a 4<sup>th</sup> section corner post in a mound  
and pits as per instructions.

No trees near.

60.50 Trail in flat prairie bears N. E.

80.25 Intersect the 4<sup>th</sup> Standard Parallel  
line 196 links east from the  
Standard corner to sections 32

& 33 and set a post in a mound  
and pits as per instructions for  
the closing corner to sections  
4<sup>th</sup> & 5.

No trees near.

Land a little rolling.

Coit 1<sup>st</sup> & 2<sup>d</sup> rate.

No timber.

Date Oct 26<sup>th</sup> 1871

Township 16 North, Range 2 West  
 Gd<sup>m</sup> Salt River Meridian

North

between sections 31<sup>mo</sup> 32

var. 12' 07" East.

40.00 Set a 1/4 section corner post in a mound  
 and pits as per instructions

No trees near.

80.00 Set a post in a mound and pits as  
 per instructions for the corner  
 to sections

"29, 30, 31<sup>mo</sup> 32.

No trees near.

Land gently rolling prairie  
 Soil 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 2 West

Gold and Salt River Meridian

East

on random line between sections 29 & 32

Var.  $14^{\circ} 07'$  East

40.00 Set a temporary  $4\frac{1}{2}$  section corner post.

80.00 Intersect the N. & S. Line at the corner  
to sections 28, 29, 32 & 33, from  
which corner I run

West

on true line between sections 29 & 32

Var.  $14^{\circ} 07'$  East

40.00 Set a  $4\frac{1}{2}$  section corner post in a  
mound and pits as per instructions

No trees near.

80.00 The corner to sections

29, 30, 31 & 32.

Land - gently rolling.

Q. rib 1<sup>st</sup> & 2<sup>d</sup> rate.

No timber

Township 16 North, Range 2 West.

Gila and Salt River Meridian

As West.

in a random line between sections 30<sup>th</sup> & 31,  
 was. 140° 07' East.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

78.65 Intersect the West boundary line at the  
 corner to sections 30, 31, 25<sup>th</sup> & 36,  
 from which corner I run

East.

in true line between sections 30<sup>th</sup> & 31,  
 was. 140° 07' East.

38.65 Set a  $\frac{1}{4}$  section corner post in a  
 mound and pits as per instructions

78.65 The corner to sections  
 No trees near.

29, 30, 31<sup>th</sup> & 32

Land - rolling.

Soil 2<sup>nd</sup> rate.

No timber.

Township 16 North, Range 3 West

Sec 19 & 20 Salt River Township

No North

between sections 29<sup>3/4</sup> & 30

Var. 124° 07' East.

23.60 Road bears N. 71° S. E.

40.00 Set a post in a mound and pile  
as per instructions for 1/4 section corner.

No trees near.

80.00 Set a post in a mound and pile  
as per instructions for the corner  
to sections 19, 20, 29<sup>3/4</sup> & 30.

No trees near.

Land - rolling prairie.

Soil 2<sup>nd</sup> rate.

No timber.

Township 16 North, Range 3 West  
 Gila and Salt River Meridian  
 of East.

on random line between sections 20<sup>3/4</sup> & 29  
 var.  $140^{\circ} 07'$  East.

24.50 Road bears N. N. <sup>W</sup> S. E.

40.00 Set a temporary  $1/4$  section corner past.

79.92 Intersect the N. <sup>W</sup> S. Line at the corner  
 to sections 20, 21, 28<sup>3/4</sup> & 29, from which  
 corner I run -

West.

on true line between sections 20<sup>3/4</sup> & 29  
 var.  $140^{\circ} 07'$  East.

39.96 Set a  $1/4$  section corner past in a  
 mound and pits as per instructions

79.92 The corner to sections  
 19, 20, 29<sup>3/4</sup> & 30.  
 No trees near.

Land - gently rolling.

Soil 2<sup>nd</sup> rate;

No timber.

Township 16 North, Range 3 West

5th and Salt River Meridian

3d West.

on random line between sections 19 & 30.

Var.  $14^{\circ} 07'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

62.75  $\frac{1}{2}$  lat. racine runs North.

78.50 Intersect the West boundary line  
10 links south from the corner to  
sections 19, 30, 24 & 25, from which  
corner I run -

S.  $89^{\circ} 56'$  E.

on true line between sections 19 & 30.

Var.  $14^{\circ} 07'$  East

38.50 Set a post in a mound and pit as  
per instructions for  $\frac{1}{4}$  section corner.

No trees near.

78.50 The corner to sections

19, 20, 29 & 30.

Land rolling.

Soil 2<sup>d</sup> rate.

No timber.

Township 16 North, Range 2 West  
 T16N R2W Salt River Meridian  
 S. North.

between sections 19<sup>th</sup> & 20.

var 124° 07' East.

21.20 Road bears N. W.  $\frac{1}{4}$  S. E.

40.00 Set a 4<sup>th</sup> section corner post in a mound  $\frac{1}{4}$  pits as per instructions  
 No trees near.

80.00 Set a post in mound  $\frac{1}{4}$  pits as per instructions for the corner to section

17. 18. 19<sup>th</sup> & 20.

No trees near.

Land - rolling prairie.

Ord 2<sup>nd</sup> rate.

No timber.



Township 16 North Range 2 West

Gold and Salt River Medicine

Tr. East.

on random line between sections 17 & 20.

Var. 1400 y' East.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.00 Intrench the N. & S. Line 7 links  
North from the corner to sections  
16. 17. 20 & 21. from which corner Survey -  
N. 89° 57' W.

on true line between sections 17 & 20.

Var. 1400 y' East

40.00 Set a  $\frac{1}{4}$  section corner post in a  
mound and pile as per instructions

No trees near.

80.00 The corner to sections,

17. 18. 19 & 20.

Land - rolling

Soil 5<sup>th</sup> rate.

No timber

Date Oct 27<sup>th</sup> 1871

Township 16 North, Range 2 West  
 T16N R2W S1E  
 Salt River Meridian  
 N West.

on random line between sections 18<sup>th</sup> & 19<sup>th</sup>  
 var. 14° 04' East.

40.00 Set a temporary 14 section corner post.

51.00 Wood in random runs N. E.

78.55 Intersect the West boundary line  
 at the corner to sections 18, 19.

13<sup>th</sup> & 24<sup>th</sup>, from which corner I run -  
East

on true line between sections 18<sup>th</sup> & 19<sup>th</sup>  
 var. 14° 07' East.

38.55 Set a 14 section corner stone 14 x 10  
 x 6 inches as per instructions

78.55 No trees near  
 the corner to sections  
 17, 18, 19 & 20.

Land rolling.

Coib 2<sup>d</sup> rate.

No timber.

Township 16 North, Range 2 West  
 6th Salt River Meridian

North.

between sections 17 & 18.

Var. 140° 07' East

40.00 Set a  $\frac{1}{4}$  section corner post in a  
 mound and pile as per instructions  
 No trees near.

80.00 Set a post in a mound and pile  
 as per instructions for the corner  
 to sections  
 7. 8. 17 & 18.

No trees near.

Land - rolling.

Grd 2<sup>d</sup> rate.

No timber.

Township 16 North, Range 2 West  
 7th<sup>th</sup> Salt River Meridian  
 Ad. East

on random line between sections 8<sup>th</sup> 17<sup>th</sup>,  
 Var. 124° 07' East.

40.00 Set a temporary 1/4 section corner post.

80.08 Intersect the N. & S. Line 12 links  
 south from the corner to sections  
 8, 9, 16 & 17, from which comes land -  
S. 89° 55' W.

on true line between sections 8<sup>th</sup> 17<sup>th</sup>,  
 Var. 140° 07' East

40.04 Set a 1/2 section corner post in a  
 mound and pile as per instructions

No trees near.

80.08 the corner to sections  
 7, 8, 17 & 18.

Land - rolling  
 Soil 2<sup>nd</sup> rate.  
 No timber.

Township 16 North. Range 2 West

Old Salt River Meridian

To West.

on random line between sections 7<sup>1/4</sup> & 18.

Var.  $14^{\circ} 07'$  East

12.00 Road and narrow runs N.E.

40.00 Set temporary  $1/4$  section corner post.

78.47 Subvert the West boundary line  
10 links south from the corner  
to sections 7, 18, 12<sup>1/2</sup> & 13. from which  
corner I run -

S.  $89^{\circ} 56'$  E.

on true line between sections 7<sup>1/4</sup> & 18

Var.  $14^{\circ} 07'$  East

38.247 Set a  $1/4$  section corner post in a  
ground and pits as per instructions

No trees near.

78.247 The corner to sections

7, 8, 17<sup>1/2</sup> & 18.

Land rolling. Soil 2<sup>1/2</sup> rats.

Timber only on west end of line.

Township 16 North, Range 2 West  
 T14 S Salt Run Meridian  
 T16 N

between sections 7<sup>th</sup> & 8.

var.  $14^{\circ} 07'$  East

18.00 Road and ravine runs N.E.

40.00 Set a 1<sup>st</sup> section corner post in  
 a mound and pits as per in-  
 structions. No trees near.

80.00 Set a stone  $16 \times 10 \times 10$  inches in  
 mound and pits as per instructions  
 for the corner to sections

5, 6, 7 & 8.

No trees near

Land - rolling.

Coib - 2<sup>nd</sup> rate.

No timber.

Township 16 North Range 21 West  
 Gila Salt River Meridian

East.

on random line between sections 5<sup>th</sup> & 8.  
 Var. 14° 07' East.

40.00 Set a temporary 1/4 section corner post.

50.50 Road and ravine runs N. E.

80.00 Intersect the N. & S. Line at the  
 corner to sections 4, 5, 8 & 9, from  
 which corner line -  
West.

on true line between sections 5<sup>th</sup> & 8.

Var. 14° 07' East

40.00 Set a 1/4 section corner post in a  
 mound and pile as per instructions  
 No trees near.

80.00 The corner to sections  
 5, 6, 7 & 8.

Land - rolling.

Grub - 2<sup>nd</sup> rate

No timber

Township 16 North, Range 2 West  
 Tada <sup>2</sup>/<sub>3</sub> Salt River Meridian  
 of West.

on random line between sections 6 <sup>4</sup>/<sub>4</sub> 7.  
 var. 14° 07' East.

40.00 Set a temporary 1/4 section corner post.

78.30 Intersect the West boundary line at  
 the corner to sections 6, 7, 1 <sup>2</sup>/<sub>4</sub> 12,  
 from which corner draw -  
East.

on true line between sections 6 <sup>4</sup>/<sub>4</sub> 7.  
 var. 14° 07' East.

38.30 Set a 1/4 section corner stone 124 x 10  
 x 8 inches as per instructions

No trees near.  
 78.30 The corner to sections  
 5, 6, 7 <sup>4</sup>/<sub>4</sub> 8.

Land - East slope of hill and  
 stony on west end of line

Orch - 2<sup>nd</sup> rate

Scattering Juniper trees



Township 16 North Range 2 West

6th Salt River Meridian

No. North.

on true line between sections 5<sup>th</sup> & 6.

Var. 14° 07' East.

40.00 Set a  $\frac{1}{4}$  section corner post in a mound and pile as per instructions

No trees near.

43.00 Begin steep ascent.

80.21 Intersect the 4<sup>th</sup> Standard Parallel line at a point 210 links East from the standard corner to sections 31<sup>st</sup> & 32<sup>nd</sup>, and at which point I set a stone 18x10x10 inches as per instructions for the closing corner to sections 5<sup>th</sup> & 6.

No trees near.

Land - rolling and steep hill side.

Soil - 2<sup>nd</sup> & 3<sup>rd</sup> rate.

No timber.

Date Oct 28<sup>th</sup> 1871

General Description

The lands in this Township excepting sections 5, 6, 7, & 8, are nearly all level and gently undulating, possessing a rich alluvial soil, that will produce abundantly whatever grains may be planted during ordinary seasons; and by artificial means for obtaining a good supply of water, would average first rate lands.

No timber

S. W. Foreman  
Supt. U.S. Surveyor

Surveyor General's Office  
Tucson A.T.

February 15<sup>th</sup> 1872

The foregoing Field Notes of the  
survey of the subdivision lines  
of Township 16 N. Range 2 W.  
of the Gila & Salt River Base  
and Meridian lines in the  
Territory of Arizona, executed  
by S. W. Foreman U.S. Dep. Surveyor  
under his contract of August 7<sup>th</sup>  
1871, having been critically ex-  
amined the necessary corrections  
and explanations made, the  
said field Notes and the surveys  
they describe are hereby approved

J. H. Nasson  
U.S. Surveyor General  
A.T.