

No. 1048

BOOK 1048 p-1

# Field Notes

the *Subdivision* lines of

Township *16 N.* Range *3 W.*

*Gila Salt River* Meridian, California, *Arizona*

BY BOOK 1048

*S. W. Foreman* Deputy Surveyor,

under his Contract of *August 7<sup>th</sup>* 18 *71*

Survey commenced *Oct 30*

Survey completed *Nov 14*

Platted,

No. 1048

Copied for Washington,

Transcript sent to Commissioner,

*Febry 15<sup>th</sup> 1872*

sec 30

TOWNSHIP

16 *Jr*

RANGE

3

West

MERIDIAN

sec 31

sec 32

sec 33

sec 34

sec 35

sec 36

sec 31


BOOK 1048

6.00

3.90

8000'

8015'



30

29

28

27

26

25

31

32

33

34

35

36

Var. 14° 08' E

Var. 14° 10' E

78.50

Bancroft's Blank, Township Plot.

A. L. Bancroft & Company, 721 Market St., San Francisco.

Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Line,

Meander Lines,

Office Work,

Ranch Lines Re-surveyed,

BOOK 1048

14° 10'

1A

BOOK 1048

1048

4-674.

Township 16 N.

R. 2 W. 4 S. R. B. & M.

6	58	5	44	4	33	3	22	2	11	1
57		56		43		32		21		10
7	53	8	42	9	31	10	20	11	9	12
54		53		41		30		19		8
18	52	17	40	16	29	15	18	14	7	13
57		50		39		28		17		6
19	49	20	38	21	27	22	16	23	5	24
49		48		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

No. 1048

BOOK 1048

1B

Field Notes

of the Survey of the Subdivision

Lines of Township 16 North

of Range 3 West

Gila and Salt River Meridian

Arizona Territory

Township 16 North. Range 3 West.  
Gila and Salt River Meridian

1st Begin on the south boundary of  
the Township at the corner to  
sections 35<sup>th</sup> & 36 and run  
North

between sections 35<sup>th</sup> & 36

var. 14° 10' East.

(as per East boundary, as run by myself)

25.00 Begin steep ascent of rising land bears E<sup>20</sup> N.

40.00 Set a 1<sup>st</sup> section corner stone 14 x 10  
x 5 inches as per instructions

No trees near.

80.00 Set a stone 16 x 10 x 8 inches as  
per instructions for the corner  
to sections 25.26.35<sup>th</sup> & 36.

No trees near

Land - rolling hills

Soil - 2<sup>nd</sup> rate.

Good grass -

Some scattering Juniper & Oak timber

Township 16 North, Range 3 West  
 Gila and Salt River Meridian  
 Sec 1 East.

on a random line between sections 25<sup>th</sup> & 36<sup>th</sup>.  
 Var. 124° 10' East

40.00 Set a temporary <sup>1/2</sup> section corner post.

45.00 Begin to descend East slope.

80.30 Intersect the East boundary line 19 lines  
 south from the corner to sections  
 25:36.30<sup>th</sup> & 31<sup>st</sup> from which corner I run  
S. 89° 52' W.

on true line between sections 25<sup>th</sup> & 36<sup>th</sup>.  
 Var. 124° 10' East

40.15 Set a <sup>1/2</sup> section corner post in a  
 mound, and set as per instructions

80.30 The trees near  
 the corner to sections

25, 26, 35<sup>th</sup> & 36<sup>th</sup>.

Land - rolling grassy hills.

Soil - 2<sup>nd</sup> rate.

Scattering Juniper <sup>3/4</sup> Oak trees.

Township 16 North Range 3 West

Gila Salt River Meridian

Section

between sections 25<sup>th</sup> & 26

1/4<sup>th</sup> 10' East.

40.00 Set a 1/4 section corner post in a mound and pits as per instructions  
No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

23.24. 25<sup>th</sup> & 26

No trees near

Land - rolling hills

Soil 2<sup>nd</sup> rate.

A few scattering Juniper trees

Township 16 North, Range 3 West  
 Gila and Salt River Meridian  
 In East

on a random line between sections 24<sup>th</sup> & 25<sup>th</sup>  
 var.  $14^{\circ}10'$  East

40.00 Set a temporary 74 section corner post.

52.50 Road bears N. N. <sup>90</sup> S. E.

80.22 Subsect the East boundary line 14  
 lines north from the corner to sections  
 24, 25, 19<sup>th</sup> & 30, from which corner same -  
N.  $89^{\circ}54'$  E.

on true line between sections 24<sup>th</sup> & 25<sup>th</sup>  
 var.  $14^{\circ}10'$  East

40.11 Set a 74 section corner stone 14x10x4  
 inches as per instructions

No trees near.

80.22 The corner to sections  
 23, 24, 25<sup>th</sup> & 26.

Sand - broken hills

Soil - 3<sup>rd</sup> rate.

A few scattering Juniper <sup>and</sup> Oak trees.



Township 16 North, Range 3 West  
 T4S<sup>4</sup> R14E Meridian  
 No. North.

between sections 23<sup>rd</sup> & 24<sup>th</sup>  
 var. 14° 10' East.

- 46.00 Set a 1/4 section corner post in a mound  
 and pit as per instructions, from which  
 a Juniper 6 in. diam bears N. 10 1/2° W. 38 links dist.  
 do 5 " " " S 26° E. 102 " "
- 48.00 Road bears N. N. <sup>W</sup> S. E.

- 50.00 Set a post in a mound and pit  
 as per instructions for the corner  
 to sections  
 13, 12, 23<sup>rd</sup> & 24<sup>th</sup>.

No trees near.

Land broken hills

Orch - 2<sup>nd</sup> rate.

Scattering bunches of Juniper trees

Township 16 North, Range 3 West  
 Gila and Salt River Meridian  
 S. East.

on a random line between sections 13<sup>and</sup> 24.  
 var. 14° 10' East

22.50 Road bears N. N.  $\frac{1}{2}$  S. E.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.28 Intersect the East boundary line at  
 the corner to sections 13, 24, 18<sup>and</sup> 19,  
 from which corner I run -  
West.

on true line between sections 13<sup>and</sup> 24.  
 var. 14° 10' East

40.14 Set a  $\frac{1}{4}$  section corner stone 16x10  
 x 10 inches as per instructions

No trees near.

80.28 The corner to sections  
 13, 14, 33<sup>and</sup> 24.

Land - broken hills

Orch - 2<sup>d</sup> rate

Scattering bunches of Juniper trees  
 Good grass.

Township 16 North, Range 3 West.  
 6th<sup>th</sup> Salt River Meridian  
 1<sup>st</sup> North.

between sections 13<sup>th</sup> & 14<sup>th</sup>.

Var. 14° 10' East.

12.00 Road bears N. 74° S. E.

40.00 Set a 1/4 section corner post in  
 a mound and pits as per instruc-  
 tions, from which -

a Juniper, 12 in. diam. bears N. 52 1/2° W. 110 links dist.

No other tree near.

80.00 Set a stone 18 x 10 x 10 inches as  
 per instructions for the corner  
 to sections

11, 12, 13 & 14

No trees near.

Land broken hills

Soil - 2<sup>nd</sup> rate.

Scattering Juniper. Good grass.

Township 16 North Range 3 West  
 6th <sup>and</sup> Salt River Meridian  
 to East.

on a random line between sections 12 <sup>and</sup> 13  
 Var.  $14^{\circ}10'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post  
 80.10 Intersect the East boundary line  
 177 links south from the corner to  
 sections 12, 13, 7 <sup>and</sup> 18, from which corner Run  
S.  $89^{\circ}53'$  W.

on true line between sections 12 <sup>and</sup> 13  
 Var.  $14^{\circ}10'$  East

40.05 Set a  $\frac{1}{4}$  section corner stone 16 x 12  
 x 6 inches as per instructions

No trees near.

80.10 The corner to sections  
 11, 12, 13 <sup>and</sup> 14.

Land - rough hills

Coys - 3<sup>rd</sup> rate.

Scattering Juniper trees.

Township 16 North, Range 3 West.  
 T16<sup>n</sup> R3<sup>w</sup> Salt River Meridian  
 S. 11<sup>th</sup> North.

between sections 11<sup>n</sup> 12<sup>n</sup>.  
 S. 11<sup>th</sup> 10' East.

40.00 Set a 1/4 section corner stone 18  
 x 12 x 5 inches as per instructions  
 No trees near.

80.00 Set a stone 18 x 10 x 8 inches as  
 per instructions for the corner  
 to sections

1, 2, 11<sup>n</sup> 12<sup>n</sup>.

No trees near.

Land - rough hills.

Soil - 3<sup>rd</sup> rate

No timber.

Some good grass.

Date Oct 30<sup>th</sup> 1871

Township 16 North, Range 3 West.  
 6th <sup>and</sup> Salt River Meridian  
 N East.

on a random line between sections 1 <sup>and</sup> 12.  
 Var.  $14^{\circ} 10'$  East.

40.00 Set a temporary  $\frac{1}{4}$  section corner post  
 on steep south slope of hill.

80.24 Intersect the East boundary line 19  
 links south from the corner to sections  
 1. 12. 6 <sup>and</sup> 7, from which corner I run -  
S.  $89^{\circ} 52'$  W.

on true line between sections 1 <sup>and</sup> 12  
 Var.  $14^{\circ} 10'$  East

40.12 Set a  $\frac{1}{4}$  section corner stone  $12 \times 12$   
 $\times 6$  inches as per instructions  
 No trees near.

80.24 The corner to sections  
 1. 2. 11 <sup>and</sup> 12.

Land - steep south slope of hill.  
 Soil - poor.  
 No timber

Township 16 North, Range 3 West  
 T<sub>14</sub>S R<sub>3</sub>W Meridian  
 S<sub>1</sub> North

on a true line between sections 1<sup>st</sup> & 2)

Var. 14° 10' East

10.00 Begin step S.W. slope of hill.

40.00 Set a 74 section corner stone 16 x 10  
 x 8 inches as per instructions

No trees near.

80.30 Intersect the 1<sup>st</sup> Standard Par-  
 allel line at a point 420 links  
 East from the standard corner  
 to sections 35<sup>th</sup> & 36<sup>th</sup>, at which  
 point I set a stone 18 x 12 x 8 inches  
 as per instructions for the closing  
 corner to sections 1<sup>st</sup> & 2.

No trees near.

Land - steep S.W. slope of south  
 end of high hill.

Coil-poor. No timber

Tranche 16 North. Range 3 West.

6th and 8th Range Meridian

6th North.

between sections 34<sup>th</sup> & 35.

Var. 14° 10' East

40.00 Set a 1/2 section corner post in a mound and pits as per instructions  
No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

26. 27. 34<sup>th</sup> & 35.

No trees near

Land - rolling grassy hills.

Soil - 2<sup>nd</sup> rate

Scattering Juniper <sup>and</sup> Oak brush.



Township 16 North, Range 3 West.  
 6th Salt River Meridian  
 1st East.

on arandom line between sections 26<sup>th</sup> & 35<sup>th</sup>.

Var. 1st<sup>o</sup> 10' East

40.00 Set a temporary 4<sup>th</sup> section corner post.

50.60 Road bears N.  $\frac{3}{4}$  S.

80.16 Intersect the N.  $\frac{3}{4}$  S. Line 20 links  
 south from the corner to sections  
 25. 26. 35<sup>th</sup> & 36. from which corner  
 Run -

S. 89° 51' N.

on true line between sections 26<sup>th</sup> & 35<sup>th</sup>.

Var. 1st<sup>o</sup> 10' East

40.08 Set a 4<sup>th</sup> section corner post in a mound  
 and pits as per instructions

No trees near.

80.16 The corner to sections

26. 27. 34<sup>th</sup> & 35

Land - rolling, grassy hills

Soil - 2<sup>nd</sup> rate.

Scattering Juniper trees.

No. 1048

BOOK 1048 14

Township 16 North. Range 3 West.

Idaho Salt River Meridian

Section  
North.

between sections 26<sup>3/4</sup> & 27.

Var. 124° 10' East

40.00 Set a 4th section corner stone 14 x 10  
x 7 inches as per instructions

No trees near.

80.00 Set a stone 18 x 10 x 6 inches as per  
instructions for the corner to sections

22, 23, 26<sup>3/4</sup> & 27.

No trees near.

Land - rolling grassy hills.

Soil - - 2<sup>d</sup> rate.

Scattering Juniper trees.

Township 16 North, Range 3 West.  
 Gila and Salt River Meridian  
 No. East.

on a random line between sections 23<sup>3</sup>/<sub>4</sub> & 26.

Var. 1st 10' East.

19.10 Road bears N. N. <sup>3</sup>/<sub>4</sub> S. E.

40.00 Set a temporary <sup>1</sup>/<sub>4</sub> section corner post.

80.12 Intersect the N. <sup>3</sup>/<sub>4</sub> S. Line at the corner  
 to sections 23, 24, 25 <sup>3</sup>/<sub>4</sub> & 26, from which  
 corner I run.

West.

on true line between sections 23<sup>3</sup>/<sub>4</sub> & 26.

Var. 1st 10' East.

40.06 Set a <sup>1</sup>/<sub>4</sub> section corner stone 12 x 10 x 8  
 inches as per instructions

A Juniper 10 in. diam. bears N. 17<sup>1</sup>/<sub>2</sub> W. 44 links dist.

No other tree near.

80.12 The corner to sections  
 22, 23, 26 <sup>3</sup>/<sub>4</sub> & 27.

Land rolling hills

Orch - 2<sup>nd</sup> rate.

Juniper timber

Township 16 North. Range 3 West  
 T16<sup>ms</sup> Salt River Meridian  
 No. North.

between sections 22 & 23.

Var. 14° 10' East.

1st. 60 Road bears E. & N.

40.00 Set a 4" section corner stone 16 x 10 x 8  
 inches as per instructions

a Juniper 12 in. diam. bears S. 66° E. 37 links dist.

No other tree near

80.00 Set a stone 18 x 10 x 10 inches as per instruc-  
 tions for the corner to sections

14, 15, 22 & 23.

a Juniper 6 in. diam. bears N. 12° E. 42 links dist.

No other trees near

Land - rolling grassy hills

Coil - 2" rate.

Juniper timber.

Township 16 North, Range 3 West

Old and Salt River Meridian

No East.

on a random line between sections 14<sup>th</sup> & 23.

var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

63.00 Road bears N. N. & S. E.

80.18 Intersect the N. & S. Line 15 links north  
from the corner to sections 13, 14, 23  
and 24, from which corner I run  
N. 89° 51' E.

on true line between sections 14<sup>th</sup> & 23.

" var. 14° 10' East

40.09 Set a 1/4 section corner post in a  
ground: <sup>as</sup> per instructions

No trees near.

80.18 The corner to sections

14, 13, 23 <sup>and</sup> 23.

Land - rolling grassy hills.

Soil - 2<sup>nd</sup> rate.

Scattering Juniper trees.

Township 16 North. Range 3 West  
 Td. Salt River Meridian  
 N. North.

between sections 14<sup>th</sup> & 15.  
 var. 140° 10' East

40.00 Set a 1/4 section corner post in a mound  
 and pile as per instructions  
 No trees near.

80.00 Set a post in a mound and pile as  
 per instructions for the corner  
 to sections

10. 11. 14<sup>th</sup> & 15.

No trees near.

Sand broken hills.

Grub - 2<sup>nd</sup> rate.

Some scattering Juniper trees.

Township 16 North. Range 3 West.  
 Tola <sup>and</sup> Salt River Meridian

East.

on random line between sections 11 <sup>and</sup> 14  
 Var. 124° 10' East.

23.50 Road bears N. N.  $\frac{1}{2}$  S. E.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.15 Intersect the N.  $\frac{1}{2}$  S. Line at the corner  
 to sections 11, 12, 13  $\frac{1}{2}$  14, from which  
 corner I run

West.

on true line between sections 11 <sup>and</sup> 12.  
 Var. 124° 10' East

40.27 Set a  $\frac{1}{4}$  section corner stone 12 x 10  
 x 6 inches as per instructions. No ties run.

80.15 The corner to sections 10, 11, 14  $\frac{1}{2}$  15.

Land - broken hills

Soil - 2<sup>nd</sup> rate.

a few scattering juniper trees.

Some good grass.

Township 16 North Range 3 West.  
 6th Salt River Meridian

No North

between sections 10<sup>th</sup> & 11

var.  $124^{\circ}10'$  East

29.00 Road bears N. W.  $\frac{3}{4}$  S. E.

40.00 Set a  $\frac{1}{4}$  section corner stone  $14 \times 12 \times 5$   
 inches as per instructions.

No trees near.

80.00 Set a stone  $16 \times 12 \times 8$  inches as per  
 instructions for the corner to sections

2, 3, 10<sup>th</sup> & 11.

No trees near.

Land - broken hills.

Soil - 2<sup>nd</sup> rate.

Some scattering Juniper trees and  
 some good grass.

Date Oct 31<sup>st</sup> 1871



Township 16 North Range 3 West  
 T14<sup>th</sup> and Salt River Meridian

St East

in random line between sections 2<sup>nd</sup> 11  
 var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.  
 80.28 Intersect the N. 1/4 S. Line 21 links south  
 from the corner to sections 1, 2, 11 & 12  
 from which corner I run —  
S. 89° 31' W.

in true line between sections 2<sup>nd</sup> 11  
 var. 14° 10' East

40.1st Set a 1/4 section corner stone 18x12  
 x 4 inches as per instructions.  
 No trees near.

80.28 The corner to sections  
 2, 3, 10 & 11.

Land — rough and broken  
 Soil poor.  
 No timber.

Township 16 North, Range 3 West.

6th Salt River Meridian

Sec. North.

on a true line between sections 2 & 3.

Var.  $14^{\circ} 10'$  East

40.00 Set a  $\frac{1}{4}$  section corner stone  $18 \times 12$   
 $\times 5$  inches as per instructions

No trees near

80.25 Intersect the 4<sup>th</sup> Standard Parallel  
line at a point 398 links east from  
the standard corner to sections

24 & 25,, at which point I set a

stone  $16 \times 10 \times 8$  inches as per instructions  
for the closing corner to sections

2 & 3.

No trees near

Land rough S. W. Base of hill.

Soil - poor.

No timber

Township 16 North. Range 3 West  
 Tila and Salt River Meridian  
 S. North.

between sections 33<sup>rd</sup> & 34<sup>th</sup>  
 var. 124° 10' East.

42.00 Set a 1/4 section corner stone 14  
 x 10 x 5 inches as per instructions  
 from which  
 a Juniper 5 in. diam. bears N. 90° W. 27 links dist.  
 No other trees near.

80.00 Set a stone 16 x 10 x 10 inches as per  
 instructions for the corner to section  
 27, 28, 33<sup>rd</sup> & 34<sup>th</sup>.  
 from which a

Juniper 8 in. diam. bears S. 31° W. 46 links dist.  
 No other trees near.

Land - broken hills.

Orch - 2' wide.

Scattering Juniper trees.

Good grass

Township 16 North, Range 3 West  
 64<sup>and</sup> Salt River Meridian

East.

on random line between sections 27<sup>th</sup> & 34<sup>th</sup>  
 var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

80.23 Intersect the N. & S. Line at the corner  
 to sections 26, 27, 34<sup>th</sup> & 35, from which  
 corner I run.

West.

on true line between sections 27<sup>th</sup> & 34<sup>th</sup>.  
 var. 14° 10' East

40.11 Set a 1/4 section corner stone 16 x 10 x 10  
 inches as per instructions

No trees near.

80.23 The corner to sections

27, 28, 33<sup>th</sup> & 34.

Land broken hills

Soil - 2<sup>nd</sup> rate.

Scattering Juniper trees.

good grass.

Township 16 North, Range 3 West  
 T16<sup>N</sup> R03<sup>W</sup> Salt River Meridian  
 S. North

between sections 27<sup>3</sup>/<sub>4</sub> 28  
 Sec. 124° 10' East

40.00 Set a 1/4 section corner post in  
 a mound and pits as per in-  
 structions

No trees near

80.00 Set a stone 16 x 12 x 7 inches as  
 per instructions for the corner  
 to sections

21, 23, 27<sup>3</sup>/<sub>4</sub>, 28.

from which a

Juniper 10 in. diam. bears S. 86° W. 127 links dist.

No other trees near.

Land - broken hills

Soil - 2<sup>o</sup> rate.

Scattering Juniper trees.

Township 16 North, Range 3 West  
 6th Salt River Meridian  
 S. East.

on a random line between sections 22<sup>3/4</sup> & 27  
 var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.  
 80.17<sup>7</sup> Intersect the N. & S. Line 20 links south  
 from the corner to sections 22, 23,  
 26<sup>3/4</sup> & 27 from which corner I run  
S. 89° 51' W.

on true line between sections 22<sup>3/4</sup> & 27  
 var. 14° 10' East

40.08 Set a 1/4 section corner stone 14 x 10  
 x 6 inches as per instructions

No trees near.

80.17<sup>7</sup> The corner to sections  
 21, 22, 27<sup>3/4</sup> & 28.

Land broken grassy hills  
 Soil - 2<sup>nd</sup> rate.

Scattering Juniper timber

Township 16 North, Range 3 West.  
 T4d 3/4 Salt River Meridian  
 S. North.

between sections 21<sup>40</sup> and 22

var. 14° 10' East.

40.00 Set a 1/4 section corner post in a mound and pit, as per instructions.  
 No trees near.

50.00 Set a stone 16 x 10 x 8 inches as per instructions for the corner to sections

15, 16, 21<sup>40</sup> and 22.

No trees near.

Land rolling hills.

Good - 2<sup>nd</sup> rate.

Good grass.

Some scattering Juniper trees.

Township 16 North. Range 3 West  
 6th & Salt River Meridian  
 No East.

on a random line between sections 15<sup>3</sup>/<sub>4</sub> 22.  
 Var. 1st 10' East

23.75 Road bears N. 71° S. E.

40.00 Set a temporary 4 section corner post.

80.10 Intersect the N. & S. Line 14 links  
 south from the corner to sections  
 15. 15. 22<sup>3</sup>/<sub>4</sub> 22. from which corner  
 run -

S. 89° 54' W.

on true line between sections 15<sup>3</sup>/<sub>4</sub> 22.  
 Var. 1st 10' East

40.05 Set a stone 14 x 12 x 5 inches as per  
 instructions, for 4 sec. cor.

80.10 No trees near  
 the corner to sections

15. 16. 21<sup>3</sup>/<sub>4</sub> 22.

Land - rolling grassy hills.

Soil - 2' rate.

Some scattering Juniper trees.



29

Township 16 North. Range 3 West  
 6th Salt River Meridian

Ch. North

between sections 15 & 16.

var.  $14^{\circ} 10'$  East.

- 18.00 Road bears N. N.  $\frac{3}{4}$  S. E.
- 40.00 Set a  $\frac{1}{4}$  section corner stone  $10 \times 10 \times 5$   
 inches as per instructions.  
 from which a  
 Juniper 10 in. diam. bears S.  $25^{\circ}$  W. 123 links dist.  
 No other tree near.
- 80.00 Set a stone  $16 \times 12 \times 5$  inches as per  
 instructions for the corner to  
 sections 9, 10, 15  $\frac{3}{4}$  16.  
 No trees near.
- Land - rolling hills  
 Soil - 2<sup>d</sup> rate.  
 Scattered Juniper trees

Township 16 North, Range 3 West

Side of Salt River Meridian

to East.

in random line between sections 10 <sup>3</sup>/<sub>15</sub>

Var. 14° 10' East

40.00 Set a temporary <sup>1</sup>/<sub>4</sub> section corner post.

80.15 Intersect the N. & S. Line 9 links north  
from the corner to sections 10. 11. 14  
<sup>3</sup>/<sub>15</sub> from which corner true -  
N. 89° 54' W.

in true line between sections 10 <sup>3</sup>/<sub>15</sub>

Var. 14° 10' East

40.07 Set a <sup>1</sup>/<sub>4</sub> section corner post in a mound  
and pits as per instructions  
from which a

Juniper 9 in. diam. bears N. 63° W. 101 links dist

No other tree near

80.15 The corner to sections

9. 10. 15 <sup>3</sup>/<sub>16</sub>.

Sand - rolling hills

Soil - 2<sup>d</sup> rate.

Scattered Juniper trees.

Township 16 North, Range 3 West  
 Gila <sup>and</sup> Salt River Meridian  
 1/4 North.

between sections 9 & 10.

Var. 1st 10 East.

40.00 Set a 1/4 section corner stone 12x12  
 x 5 inches as per instructions

No trees near.

54.30 Road bears N. N. & S. E.

80.00 Set a stone 18x10x8 inches as per  
 instructions for the corner to  
 sections 3, 4, 9 & 10.

No trees near.

Land broken hills

Soil - 3<sup>rd</sup> rate.

A few scattering Juniper trees.

Date Nov 1<sup>st</sup> 1871

Township 16 North, Range 3 West  
 Sec 4<sup>th</sup> Salt River Meridian  
 T<sup>16</sup> East.

on a random line between sections 3<sup>rd</sup> 10

Var. 14° 10' East.

40.00 Set a temporary 1/4 section corner post.  
 Pa. 20 Intersect the N. & S. Line 8 links south  
 from the corner to sections 2, 3, 10 & 11  
 from which corner I run  
S. 89° 05' 4" N.

on true line between sections 3<sup>rd</sup> 10.

Var. 14° 10' East.

40.80 Set a 1/4 section corner stone 16 x 10  
 x 5 inches as per instructions

No trees near

80.20 The corner to sections

3, 4, 9 & 10.

Land - broken hills

Soil - 3<sup>rd</sup> rate.

Scattering Juniper trees

Township 16 North, Range 3 West  
 Gds <sup>ms</sup> Salt River Meridian  
 Co. North.

on true line between sections 33 & 34.

Var. 14° 10' East.

40.00 Set a 1/2 section corner stone 14x14  
 x 4 inches as per instructions.

No trees near.

80.18 Intersect the 24<sup>th</sup> Standard Parallel  
 line at a point 420 links East  
 from the standard corner to  
 sections 33 & 34, and at which  
 point I set a stone 18x14x8 inches  
 as per instructions for the closing  
 corner to sections 33 & 34.

No trees near.

Land - rough <sup>3/4</sup> broken  
 Soil - 3<sup>rd</sup> rate.

A little scattering Juniper timber.

Township 16 North. Range 3 West  
 T16<sup>N</sup> Salt River Meridian

March

between sections 32<sup>N</sup> 33

var. 14° 10' East

22.75 Deep ravine runs N. N.

40.00 Set a 1/4 section corner stone  
 14 x 12 x 6 inches as per instructions  
 No trees near

80.00 Set a stone 18 x 10 x 8 inches as  
 per instructions for the corner  
 to sections

28.29.32<sup>N</sup> 33.

No trees near.

Land - rolling hills

Soil - 2<sup>nd</sup> rate.

Some scattering juniper trees

Township 6 North, Range 3 West  
 Gd. <sup>no</sup> Salt River Meridian  
 S. East.

on a random line between sections 28 <sup>no</sup> 33.  
 var. 14° 10' East.

40.00 Set a temporary <sup>no</sup> 1/4 section corner east.

80.27 Intersect the N. <sup>no</sup> S. Line at the corner  
 to sections 27, 28, 33 <sup>no</sup> 34 from  
 which corner I run -  
West.

on true line between sections 28 <sup>no</sup> 33  
 var. 14° 10' East

40.13 Set a <sup>no</sup> 1/4 section corner stone 14 x 10  
 x 7 inches as per instructions  
 of pier 10 in. diam. bears S. 77 1/2° W. 153 links dist.  
 No other trees near.

80.27 The corner to sections  
 28, 29, 32 <sup>no</sup> 33.

Land - rolling hills  
 Soil - 2<sup>nd</sup> rate  
 Scattering Juniper timber

Township 16 North Range 3 West

Sec 10 Salt River Meridian

Sec 10 North.

between sections 28<sup>th</sup> & 29.  
var. 111° 10' East.

40.00 Set a 1/4 section corner post in a mound and pts as per instructions  
No trees near.

51.00 Set a post in a mound and pts as per instructions for the corner to sections

20, 21, 28<sup>th</sup> & 29.

from which a

Juniper 6 in diam. bears N. 43 1/2° W. 21 links distant.  
No other trees near.

Land - rolling hills

Soil - 2<sup>nd</sup> rate.

Scattering Juniper trees.



Township 16 North Range 3 West  
 T14S R10E Mendenhall  
 Co East.

on a random line between sections 21<sup>4</sup> & 28.  
 Var.  $124^{\circ}10'$  East.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.20 Intersect the N.  $\frac{1}{4}$  S. Line 17 links  
 south from the corner to sections  
 21. 22. 27<sup>4</sup> & 28. from which corner  
 Iron -

N. 89<sup>o</sup> 53' W.

on true line between sections 21<sup>4</sup> & 28.  
 Var.  $124^{\circ}10'$  East

40.10 Set a  $\frac{1}{4}$  section corner post on  
 a mound and pits as per instructions  
 No trees near.

80.20 The corner to sections  
 20. 21. 28<sup>4</sup> & 29.

Land - rolling hills

Soil - 2<sup>nd</sup> rate.

Scattered Juniper trees

Township 16 North, Range 3 West  
 6th and Salt River Meridian  
 to North.

between sections 20 & 21  
 var.  $14^{\circ} 10'$  East

40.00 Set a '44 section corner post in  
 a mound and pits as per in-  
 structions

No trees near

80.00 Set a stone  $14 \times 10 \times 5$  inches  
 as per instructions for the  
 corner to sections

16, 17, 20 & 31

No trees near

Land selling

Good - 2<sup>d</sup> rate

Some scattering Juniper trees.

Township 16 North, Range 3 West  
 Giles and Salt River Meridian  
 S. East.

run a random line between sections 16<sup>3/4</sup> 21  
 was. 124° 10' East.

40.00 Set a temporary 1/4 section corner post.

80.18 Intersect the N. 3/4 S. Line 21 lands  
 south from the corner to section  
 15.16. 21<sup>3/4</sup> 22. from which corner run  
 S. 89° 51' W.

run true line between sections 16<sup>3/4</sup> 21  
 was. 124° 10' East.

40.09 Set a 1/4 section corner post  
 in a mound and pts as per  
 instructions. No trees near.

80.18 The corner to sections  
 16.17. 20<sup>3/4</sup> 21.

Land rolling.

Corb 2<sup>nd</sup> rate.

Some scattering Juniper trees.

Township 16 North, Range 3 West  
 6th<sup>th</sup> and Salt River Meridian  
 16<sup>th</sup> North.

Between sections 16<sup>th</sup> & 17<sup>th</sup>.

var. 1st 10' East

40.00 Set a 4<sup>th</sup> section corner post in  
 a mound and pits as per instruc-  
 tions.

from which a

Juniper 8 in. diam. bears S. 29° W. 12 links  
 distant. No other trees near.

62.00 Road bears N. N.  $\frac{3}{4}$  S. E.

80.00 Set a post in a mound and pits  
 as per instructions for the  
 corner to sections

8, 9, 16<sup>th</sup> & 17<sup>th</sup>.

No trees near.

Land rolling.

Coil 2<sup>nd</sup> rate.

Scattering Juniper trees.

Township 16 North. Range 3 West.  
 Tida <sup>and</sup> Salt River Meridian  
 to East.

on a random line between sections 9<sup>th</sup> & 16<sup>th</sup>  
 var.  $14^{\circ} 10'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.  
 80.12 Intersect the N. <sup>9<sup>th</sup></sup> S. Line at the  
 corner to sections 9, 10, 15<sup>th</sup> & 16<sup>th</sup>  
 from which corner run  
West.

on a true line between sections 9<sup>th</sup> & 16<sup>th</sup>.  
 var.  $14^{\circ} 10'$  East.

40.06 Set a  $\frac{1}{4}$  section corner post in  
 a mound and pits as per in-  
 structions.

No trees near.  
 80.12 In corner to sections  
 8, 9, 16<sup>th</sup> & 17.

Land rolling

Cost 2<sup>nd</sup> rate

Scattering Juniper timber

Date  
 Nov 2<sup>nd</sup> 1871

Township 16 North. Range 3 West

5th and Salt River Meridian

No. North

Between sections 8<sup>th</sup> & 9<sup>th</sup>

Sec. 14° 10' East.

40.00 Set a 1<sup>st</sup> section corner post in  
a mound and pits as per  
instructions

No trees near

80.00 Set a post in a mound and  
pits as per instructions for the  
corner to sections 4, 5, 8<sup>th</sup> & 9<sup>th</sup>  
from which a

Juniper 2.0 in. diam. bears N. 10° E.  
27 links distant.

No other trees near  
Land rolling.

Soil 3<sup>rd</sup> rate.  
Scattering Juniper trees.

Township 16 North. Range 3. West.  
 6th Salt River Meridian  
 1st East.

on a random line between sections 4<sup>th</sup> & 9.  
 var.  $14^{\circ}10'$  East.

29.50 Road bears N. W. <sup>3/4</sup> S. E.

40.00 Set a temporary <sup>1/4</sup> section corner post.

80.08 Intersect the N. <sup>3/4</sup> S. Line 14 links  
 north from the corner to sections  
 3, 4, 9 <sup>3/4</sup> 10 from which corner  
 I run

North  $89^{\circ}54'N$ .

on true line between sections 4<sup>th</sup> & 9  
 var.  $14^{\circ}10'$  East.

40.05 Set a <sup>1/4</sup> section corner post in a  
 mound and pits as per instructions  
 a Juniper 6 in. diam. bears N.  $65^{\circ}E$ . 37 links dist.  
 do 9 " " " S.  $72^{\circ}E$  41 " "

80.08 The corner to sections 4, 5, 8 <sup>3/4</sup> 9  
 Land rolling. Soil 2<sup>nd</sup> rate  
 Scattering Juniper timber

Township 16 North. Range 3 West  
 5th and Salt River Meridian

Sec 4 North.

on a true line between sections 4<sup>th</sup> and 5<sup>th</sup>  
 var. 14° 10' East.

40.00 Set a 1/4 section corner post in a mound  
 and pits as per instructions

No trees near.

44.80 Road bears N. W. <sup>1/4</sup> S. E.

48.00 do " N. W. <sup>1/4</sup> S. E.

80.20 Intersect the 4<sup>th</sup> Standard Parallel  
 line at a point 418 links east from  
 the standard corner to sections  
 32<sup>nd</sup> and 33 and at which point I  
 set a post in a mound and pits  
 as per instructions for the  
 closing corner to sections 4<sup>th</sup> and 5<sup>th</sup>.

No trees near.

Land - rolling. Soil - 1<sup>st</sup> rate for grass.  
 Scattered Juniper trees.



Township 16 North. Range 3 West  
 Tada <sup>and</sup> Salt River Meridian  
Sec 31 North

between sections 31 <sup>and</sup> 32

var.  $14^{\circ} 10'$  East

40.00 Set a  $\frac{1}{4}$  section corner post on  
 a mound and pile as per instructions  
 No trees near.

80.00 Set a post in a mound and pile  
 as per instructions for the corner  
 to sections

29. 30. 31 <sup>and</sup> 32. No trees near

Land - rolling.

Soil - 1<sup>st</sup> rate grass land.

No timber.

Township 16 North. Range 3 West  
 Tada Salt River Meridian  
East.

on a random line between sections 29<sup>3</sup> & 32  
 var. 124° 10' East.

28.25 Skull Valley creek 20 links wide runs N.  
 40.00 Set a temporary  $\frac{1}{4}$  section corner post  
 80.06 Intersect the N $\frac{1}{2}$  S. Line at the corner  
 to sections 28, 29, 32<sup>3</sup> & 33, from  
 which corner I run —  
West.

on true line between sections 29<sup>3</sup> & 32  
 var. 124° 10' East

40.03 Set a  $\frac{1}{4}$  section corner post in  
 a mound and pits as per instructions  
 No trees near

80.06 The corner to sections  
 29, 30, 31<sup>3</sup> & 32.

Land rolling.  
 Corb - 1<sup>st</sup> rate.  
 No timber

Township 16 North, Range 3 West.

Eda  $\frac{3}{4}$  Salt River Meridian

S West.

in a random line between sections 30  $\frac{3}{4}$  31  
var.  $124^{\circ}10'$  East

6.00 Road bears N.  $\frac{3}{4}$  S.  $\frac{3}{4}$  enter cornfield.

26.00 Leave cornfield.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

72.00 Road bears N. E.  $\frac{3}{4}$  S.  $\frac{3}{4}$ .

78.46 Intersect the west boundary line  
10 links north from the corner to  
sections 30, 31, 25  $\frac{3}{4}$  36, from which  
corner I run -

N. 89 $^{\circ}$  56' E.

on true line between sections 30  $\frac{3}{4}$  31.  
var.  $124^{\circ}10'$  East

38.46 Set a  $\frac{1}{4}$  section corner post in a  
mound and pits as per instructions

No trees near.

78.46 The corner to sections 29, 30, 31  $\frac{3}{4}$  32.

Land rolling. Soil 1 $^{\text{st}}$  rate.

No timber.

Township 16 North. Range 3 West  
 6th and Salt River Meridian

North, between sections 29 & 30  
 Var. 14° 10' East.

40.00 Set a  $\frac{1}{4}$  section corner post in a mound  
 and pile as per instructions. No trees near.

80.00 Set a post in a mound and pile as per instructions  
 for the corner to sections 19, 20, 29 & 30. No trees near.  
 Land rolling. Coils 1<sup>st</sup> rate. No timber.

East, on a random line between sections 20 & 29.  
 Var. 14° 10' East.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.10 Intersect the N.  $\frac{1}{4}$  S. Line 11 chs. south from the  
 corner to sections 20, 21, 28 & 29, from which corner Town  
S. 89° 55' W. on true line between sections 20 & 29.

Var. 14° 10' East

40.05 Set a  $\frac{1}{4}$  section corner post in a mound and  
 pile as per instructions. No trees near.

80.10 The corner to sections 19, 20, 29 & 30.

Land-rolling. Coils - 1<sup>st</sup> & 2<sup>nd</sup> rate. No timber.

49

Township 16 North, Range 3 West

Tada  $\frac{2}{3}$  Salt River MeridianS. West. on random line between sections 19 & 20.var.  $14^{\circ} 10'$  East40.00 Set a temporary  $\frac{1}{4}$  section corner post.78.50 Intersect the West boundary line at the corner  
to sections 19, 20, 24 & 25, from which corner run  
East. on true line between sections 19 & 20.var.  $14^{\circ} 10'$  East.38.50 Set a  $\frac{1}{4}$  section corner post in a mound and pits  
as per instructions. No trees near78.50 <sup>NB</sup> The corner to sections 19, 20, 29 & 30.Land selling. Drib 1<sup>st</sup> rate. No timberNov 3<sup>rd</sup> 1871North. between sections 19 & 20.var.  $14^{\circ} 10'$  East.40.00 Set a  $\frac{1}{4}$  section corner post in a mound and  
pits as per instructions. No trees near.80.00 Set a post in a mound and pits as per instructions  
for the corner to sections 17, 18, 19 & 20. No trees near.  
Land selling. Drib 1<sup>st</sup> rate. No timber.

Township 16 North, Range 3 West

7th and Salt River Meridian

East

on a random line between sections 17<sup>th</sup> & 20.

Var. 124° 10' East

40.00 Set a temporary 1/4 section corner post.

79.90 Intersect the 7<sup>th</sup> S. Line at the corner  
to sections 16, 17, 20 & 21 from which  
corner run -

West

on true line between sections 17<sup>th</sup> & 20.

Var. 124° 10' East.

39.95 Set a 1/4 section corner post in a  
ground and pits as per instructions

No trees near.

79.90 The corner to sections

17, 18, 19 & 20.

Land rolling.

Corb - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 3 West.  
 Gids <sup>9/4</sup> Salt River Meridian  
 to West.

on a random line between sections 18<sup>9/4</sup> 19.  
 var. 121° 10' East.

40.00 Set a temporary <sup>1/4</sup> section corner post.  
 78.42 Intersect the West boundary line  
 10 links North from the corner to section  
 18.19.13<sup>9/4</sup> 24, from which corner run  
N. 89° 36' S.

on true line between sections 18<sup>9/4</sup> 19.  
 var. 121° 10' East.

38.42 Set a <sup>1/4</sup> section corner post on a  
 mound and set as per instructions  
 No trees near.

78.42 The corner to sections  
 17.18.19<sup>9/4</sup> 20.

Land rolling.  
 Soil - 1<sup>st</sup> rate.  
 No timber.

Township 16 North. Range 3 West  
 6th<sup>th</sup> Salt River Meridian  
 Sec. 14 North.

between sections 14<sup>th</sup> and 18.  
 var. 12<sup>th</sup> 10' East

40.00 Set a  $\frac{1}{4}$  section corner post in a mound and pits as per instructions  
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

7, 8, 14<sup>th</sup> and 18.

No trees near.

Land selling.

Coib - 1<sup>st</sup> rate.

No timber



Township 16 North, Range 3 West  
 T16N R3W Meridian  
 S. East.

on a random line between sections 8 <sup>1/4</sup> 17.  
 var.  $14^{\circ} 10'$  East.

40.00 Set a temporary  $1/4$  section corner post.

56.75 Road bears N. <sup>1/4</sup> S.

80.00 Intersect the N. <sup>3/4</sup> S. Line 13 links North  
 from the corner to sections 8, 9, 16 <sup>1/4</sup> 17.  
 from which corner I run —  
N.  $89^{\circ} 54' W$ .

on true line between sections 8 <sup>1/4</sup> 17.  
 var.  $14^{\circ} 10'$  East.

40.00 Set a  $1/4$  section corner post on  
 a mound and pits as per instructions  
 No trees near.

80.00 The corner to sections  
 7, 8, 17 <sup>1/4</sup> 18.

Sand rolling.

Soil - 1<sup>st</sup> rate.

No timber

Traverse 16 North, Range 3 West  
 Tada Salt River Meridian  
 to West

on random line between sections  $7\frac{3}{4}$  & 18  
 var.  $124^{\circ} 10'$  East.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.  
 78.40 Intersect the West boundary line 8  
 links south from the corner to sections  
 $7\frac{1}{2}$ , 12 & 13 from which corner I run  
S.  $59^{\circ} 54'$  E

on true line between sections  $7\frac{3}{4}$  & 18.  
 var.  $124^{\circ} 10'$  East.

38.40 Set a  $\frac{1}{4}$  section corner post in a  
 mound and pile aspen crickets  
 No trees near.

78.40 The corner to sections  
 $7\frac{1}{2}$ , 8, 12 &  $13\frac{3}{4}$ .

Land rolling.

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North. Range 3 West.  
 T16<sup>th</sup> and Salt River Meridian  
 T16<sup>th</sup> North.

between sections 7<sup>th</sup> and 8.  
 var. 124° 10' East.

- 3.00 Enter cornfield  
 25.00 Road bears E<sup>th</sup> N.  
 40.00 Set a 1/4 section corner post in a mound and pits as per instructions.  
 No trees near.  
 65.00 Leave cornfield bears S. E. and N. N.  
 70.00 House & chains N. of line  
 74.00 Road<sup>o</sup> bears N. N. and S. E.  
 80.00 Set a post in a mound and pits as per instructions for the corner to sections 5, 6, 7<sup>th</sup> & 8.  
 No trees near.

Land rolling.

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North Range 3 West  
 Tada <sup>and</sup> Salt River Meridian  
 to East

on random line between sections 5<sup>th</sup> & 8

var. 14° 10' East

40.00 Set a temporary 1/4 section corner post

80.00 Intersect the N. 1/4 S. Line at the cor-  
 ner to sections 4, 5, 8 & 9, from which  
 corner I run -

West.

on true line between sections 5<sup>th</sup> & 8.

var. 14° 10' East

40.00 Set a 1/4 section corner post in  
 a mound and pits as per instructions

No trees near.

80.00 The corner to sections

5, 6, 7 & 8.

Land rolling.

Soil 1<sup>st</sup> rate.

No timber.

Township 16 North. Range 3 West.

Eds <sup>any</sup> Salt River Meridian

hd West.

on a random line between sections 6 <sup>any</sup> 7

var. 1st° 10' East

- 24.00 Road bears N. <sup>any</sup> S.
- 4.50 Enter cornfield bears N. <sup>any</sup> S.
- 28.00 Lead paw.
- 40.00 Set a temporary 1/4 section corner post.
- 58.00 Road bears N. E. <sup>any</sup> S. W.
- 78.36 Intersect the West boundary line of  
link's south of the corner to sections  
6. 7. 1 <sup>any</sup> 12 from which corner true-  
S. 89° 57' E.
- on true line between sections 6 <sup>any</sup> 7.
- var. 1st° 10' East.
- 38.36 Set a post in a mound and pits as  
per instructions for 1/4 section corner.
- No trees near.
- 78.36 The corner to sections  
5. 6. 7 <sup>any</sup> 8.
- Land rolling, Soil 1st <sup>any</sup> rate. No timber

Township 16 North. Range 3 West

Sec 14 Salt River Meridian

Sec 14 North.

on true line between sections 5<sup>3/4</sup> & 6.

var. 14° 10' East

40.00 Set a 14 section corner post in a mound and pits as per instructions

No trees near.

54.50 Road bears N. N. <sup>3/4</sup> S. E.

80.19 Intercept the 4<sup>th</sup> Standard Parallel 425 links east from the standard corner to sections 31. <sup>3/4</sup> 32 where I set a post in a mound and pits as per instructions for the closing corner to sections

5<sup>3/4</sup> & 6. No trees near.

Land rolling.

Soil 1<sup>st</sup> rate

No timber.

Done

Nov 24<sup>th</sup> 1871

Surveyor General's Office  
Tucson A.T.

February 15<sup>th</sup> 1872

The foregoing Field Notes of the  
summary of the subdivision lines  
of Township 16 N. Range 3 N.  
of the Gila & Salt River Base  
and Meridian lines in the  
Territory of Arizona executed  
by S. W. Foreman U.S. Deputy  
Surveyor, under his contract  
dated August 7<sup>th</sup> 1871, having  
been critically examined, the  
necessary corrections and  
explanations made, the  
said Field Notes and the  
summary they describe are  
hereby approved

John Wasson  
U.S. Surveyor General  
A.T.