

BOOK 1049

No. 1049

BOOK 1049

# Field Notes

OF  
the Subdivision lines of

Township 16 N. Range 4 W.

Gila & Salt River Meridian, Arizona, California,

BY  
S. W. Foreman Deputy Surveyor,

under his Contract of August 7 1871

Survey commenced Nov. 7 "

Survey completed " 13 "

No. 1049

Platted,

Copied for Washington,

Transcript sent to Commissioner, Feb. 15 72

1049

TOWNSHIP 16 *N* RANGE 4 *W* MERIDIAN


BOOK 1049

8.30  
80.40

6.82  
6.00  
80.00

*Down 14° 12' E*

*Down 14° 08' E*



Bancroft's Blank, Township Plot.

A. L. Bancroft & Company, 721 Market St., San Francisco.

78.50  
Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Line,

Meander Lines,

Office Work,

Ranch Lines Re-surveyed,

BOOK 1049

*Nov 14*

1A

## BOOK 1049

4-674.

Township 16 N. R. 4 W. G. S. P. B. 2 M.

6	58	5	45	4	33	3	22	2	11	1
57		56		42		32		21		10
7	55	8	42	9	31	10	20	11	9	12
54		53		41		30		19		8
18	52	17	40	16	29	15	18	14	7	13
51		50		39		28		17		6
19	49	20	38	21	27	22	16	23	5	24
48		47		37		26		15		4
30	46	29	36	28	25	27	14	26	3	25
45		44		35		24		13		2
31	44	32	34	33	23	34	12	35	1	36

18  
No. 1049

BOOK 1049

Field Notes

of the survey of the Subdivisions  
Series of Township 16 North  
Range 4 West.

Gila Salt River Meridian

Arizona Territory

By S. W. Foreman, Deputy Surveyor

Under his contract of  
Survey commenced  
Survey completed.

Township 16 North. Range 4 West  
 6th & Salt River Meridian

No. Begin on the boundary line at  
 the corner to sections 35 & 36  
 and run  
North.

between sections 35 & 36.

For 124° 08' East

(as per East Boundary)

40.00 Set a 44 section corner post in  
 a mound and pits as per in-  
 structions

No trees near

80.00 Set a post in a mound and  
 pits as per instructions for the  
 corner to sections

35, 26, 35 & 36.

No trees near.

Land - rolling

Soil - 2<sup>nd</sup> rate.

No timber

Township 16 North. Range 4 West  
 6th <sup>and</sup> 5th South River Meridian

To East.

on random line between sections 25<sup>th</sup> & 26<sup>th</sup>  
 var. 1st<sup>o</sup> 08' East

40.00 Set a temporary <sup>1/4</sup> section corner post.  
 80.18 Intersect the East boundary line  
 at the corner to sections 25. 26  
 30<sup>th</sup> & 31 from which corner I run -  
West.

on true line between sections 25<sup>th</sup> & 26<sup>th</sup>.  
 var. 1st<sup>o</sup> 08' East

40.09 Set a <sup>1/4</sup> section corner stone 16x8  
 x 5 inches as per instructions  
 No trees near.

80.18 The corner to sections  
 25. 26. 25<sup>th</sup> & 26<sup>th</sup>.

Land - rolling.

Orch - 2<sup>nd</sup> rate.

No timber.

Township 16 North, Range 4 West  
Gda & Salt River Meridian

16 North.

between sections 25<sup>th</sup> & 26.  
var. 14° 08' East

40.00 Set a 14 section corner stone 10 x 10  
x 8 inches in ground and set as  
per instructions.

No trees near.

80.00 Set a post in a mound and set  
as per instructions for the corner  
to sections

23, 24, 25<sup>th</sup> & 26.

No trees near.

Land - rolling.

Osib - 2<sup>nd</sup> rate.

No timber.

Township 16 North. Range 4 West  
 Gila and Salt River Meridian

East.

on random line between sections 24<sup>th</sup> & 25.  
 var.  $114^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.10 Intersect the N. & S. Line 10 links  
 south from the corner to sections  
 24, 25, 19<sup>th</sup> & 20. from which corner line -  
 S.  $89^{\circ} 56'$  N.

on true line between sections 24<sup>th</sup> & 25.  
 var.  $114^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner stone  $16 \times 8$   
 x 4 inches as per instructions

No trees near.

80.10 the corner to sections

23, 24, 25<sup>th</sup> & 26.

Land - nothing.

Coil - 2<sup>nd</sup> rate

No timber.



Township 16 North, Range 4 West  
 Gila & Salt River Meridian

S. North.

between sections 23<sup>rd</sup> & 24<sup>th</sup>  
 var. 14° 08' East

40.00 Set a post in a mound and pits as per instructions

No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

13, 14, 23<sup>rd</sup> & 24<sup>th</sup>.

No trees near

Land - rolling.

Oil - 2<sup>nd</sup> rate.

No timber.

Township 16 North. Range 4 West  
 6th and Salt River Meridian

As East.

on random line between sections 13<sup>3/4</sup> & 24  
 var. 14° 08' East

40.00 Set a temporary <sup>1/4</sup> section corner post.

80.15 Intersect the N. & S. Line at the corner  
 to sections 13. 24. 18<sup>3/4</sup> & 19. from which  
 corner I run—

West.

on true line between sections 13<sup>3/4</sup> & 24

var. 14° 08' East

40.07 Set a <sup>1/4</sup> section corner post in a  
 mound and feet as per instructions

No trees near

80.15 the corner to sections,

13. 1st. 23<sup>3/4</sup> & 24.

Land - rolling.

Soil - 2<sup>nd</sup> rate.

No timber

Township 16 North Range 4 West  
 7th and Salt River Meridian

No. North.

between sections 13<sup>th</sup> & 14<sup>th</sup>  
 var. 14° 05' East

10.00 Road bears N. E.  $\frac{3}{4}$  S. W.  
 40.00 Set a  $\frac{1}{4}$  section corner post in  
 a mound and pits as per instruction  
 No trees near

80.00 Set a post in a mound and  
 pits as per instructions for the  
 corner to sections  
 " 11. 12. 13<sup>th</sup> & 14<sup>th</sup>.

No trees near  
 Land - rolling  
 Good - 2<sup>d</sup> rate.  
 No timber.

Township 16 North. Range 4 West  
 6<sup>th</sup> and Salt River Meridian

East.

on a random line between sections 12<sup>th</sup> and 13

var.  $14^{\circ}08'$  East

D

8.00 Road bears N. and S.

40.00 Set temporary  $\frac{1}{4}$  section corner post.

65.25 Road runs N. E.  $\frac{3}{4}$  S. W.

80.00 Enter the East boundary line  $17\frac{1}{2}$   
 links south from the corner to sections  
 12, 13, 7<sup>th</sup> and 18 from which corner true -  
S.  $89^{\circ}53'$  W.

on true line between sections 12<sup>th</sup> and 13

var.  $14^{\circ}08'$  East

40.00 Set a  $\frac{1}{4}$  section corner post in a mound  
 and pits as per instructions,

N

No trees near

80.00 the corner to sections

11, 12, 13<sup>th</sup> and 14.

Land - pulling.

Cost - 2<sup>nd</sup> rate.

No timber

Township 16 North, Range 4 West.  
 Gila and Salt River Meridian  
 H. Hooch.

between sections 11<sup>th</sup> and 12.

var. 14° 08' East

- 9.50 Fence bears E. <sup>and</sup> N.  
 16.00 do " N.E. <sup>and</sup> S.W.  
 24.00 House & chain E. of line  
 40.00 Set a 1/4 section corner post in  
 a mound and sets as per instructions  
 No trees near.  
 80.00 Set a post in a mound with sets  
 as per instructions for the corner  
 to sections

1. 2. 11<sup>th</sup> and 12.

No trees near.

Land - rolling.

Orch - 1<sup>st</sup> date.

No timber.

Township 16 North, Range 4 West  
 Gila and Salt River Meander

East.

on random line between sections 1<sup>st</sup> & 12  
 var. 124° 08' East

- 1.00 Enter field - bears N. <sup>1/2</sup> S.  
 16.00 Leave same bears S. <sup>1/2</sup> N. E.  
 18.00 Road bears N. <sup>1/2</sup> S.  
 20.00 Enter meadow bears N. <sup>1/2</sup> S.  
 24.00 House 2 chains N. of line.  
 32.00 Leave meadow bears N. <sup>1/2</sup> S.  
 40.00 Set temporary 1/4 section corner post.  
 42.00 Enter cornfield, bears N. <sup>1/2</sup> S.  
 60.00 Leave same bears N. <sup>1/2</sup> S.  
 80.00 Intersect the east boundary at the  
 corner to sections 1, 12, 6, & 7, from  
 which corner I run -

West. on true line between sections 1<sup>st</sup> & 12  
 var. 124° 08' East

- 40.00 Set a 1/4 section corner post in a mound and  
 pit, as per instructions. No trees near.  
 80.00 Run the corner to sections 1, 2, 11 & 12.  
 Land - rolling. Rail 1<sup>st</sup> rate, No timber.

Township 16 North. Range 4 West  
 Gila & Salt River Meridian  
 1<sup>st</sup> North.

on true line between sections 1<sup>st</sup> & 2.

var.  $14^{\circ} 08'$  East

25.00 Enter cornfield bears E.  $\frac{1}{2}$  N.

38.00 Leave same bears E.  $\frac{1}{2}$  N.

40.00 Set a  $\frac{1}{4}$  section corner post in a mound and pits as per instructions

No trees near.

80.07 Intersect the 4<sup>th</sup> Standard Parallel line 6.12 chains East from the standard corner to sections 35 & 36. and set a post in a mound and pits as per instructions for the closing corner to sections

1<sup>st</sup> & 2.

No trees near.

Land - gently rolling.

Soil - 1<sup>st</sup> rate. No timber.

Date Nov 7<sup>th</sup> 1871

Township 16 North. Range 4 West  
 5th and Salt River Meridian

No. North

between sections 34<sup>th</sup> & 35<sup>th</sup>  
 var. 12<sup>th</sup> 08' East

40.00 Set a 1<sup>st</sup> section corner stone 16x12  
 x 3 inches as per instructions  
 No trees near.

80.00 Set a stone 18x10x10 inches as per  
 instructions for the corner to sections  
 26, 27, 34<sup>th</sup> & 35.  
 No trees near.

Land - broken stony hills.

Soil - 3<sup>rd</sup> rate.

No timber

Oak and Juniper Bush and  
 some grass



Township 16 North, Range 4 West  
 6th & Salt River Meridian  
 T. East.

on random line between sections 26<sup>and</sup> 35.

Var.  $14^{\circ}08'$  East

- 18.00 Enter smooth rolling land, bears N.  $\frac{3}{4}$  S.  
 40.00 Set a temporary  $\frac{1}{4}$  section corner post.  
 57.50 Road bears N.  $\frac{3}{4}$  S.  
 80.20 Intersect the N.  $\frac{3}{4}$  S. Line 14 links south  
 from the corner to sections 25, 26,  
 35 & 36, from which corner true -  
 S.  $89^{\circ}54'$  W.

on true line between sections 26<sup>and</sup> 35.

Var.  $14^{\circ}08'$  East

- 40.10 Set a  $\frac{1}{4}$  section corner post in  
 a mound and pits as per instructions  
 No trees near.  
 80.20 The corner to sections  
 26, 27, 34<sup>and</sup> 35.  
 Land - rolling  
 Soil - 2<sup>nd</sup> rate.  
 No timber

Township 16 North. Range 4 West  
 5th and Salt River Meridian

1/4 North.

between sections 26<sup>th</sup> & 27<sup>th</sup>.

var. 124° 08' East

- 10.00 Descent, 100 feet high, bears N. <sup>3</sup>/<sub>4</sub> S.  
 20.00 Enter smooth rolling land. E. <sup>3</sup>/<sub>4</sub> N.  
 40.00 Set a <sup>1</sup>/<sub>4</sub> section corner post in a  
 mound and set as per instructions

No trees near

61.00 Enter cornfield bears E. <sup>3</sup>/<sub>4</sub> N.

- 80.00 Set a post in a mound and set  
 as per instructions for the corner  
 to sections 22, 23, 26<sup>th</sup> & 27<sup>th</sup>.

No trees near.

Land rolling.

Quit - 2<sup>d</sup> rate.

No timber.

Township 16 North Range 4 West.  
 Side of Salt River Meridian  
 to East.

on a random line between sections 23<sup>rd</sup> & 26.  
 var.  $14^{\circ} 08'$  East

- 3.00 Leave cornfield, bears N.  $\frac{3}{4}$  S.  
 40.00 Set temporary  $\frac{1}{4}$  section corner post.  
 55.00 Road bears N.  $\frac{3}{4}$  S.  
 80.00 Indicate the N.  $\frac{3}{4}$  S. Line at the  
 corner to sections 23, 24, 25 & 26,  
 from which corner I run -

West.

on true line between sections 23<sup>rd</sup> & 26.  
 var.  $14^{\circ} 08'$  East

- 40.00 Set a  $\frac{1}{4}$  section corner post at  
 a mound and pits as per instructions  
 No trees near.  
 80.00 the corner to sections  
 22, 23, 26<sup>th</sup> & 27.

Land - railing.

Soil 1<sup>st</sup> & 2<sup>nd</sup> rate.

No timber.

Township 16 North. Range 4 West

Edw & Salt River Meridian

16 North.  
between sections 22, <sup>23</sup> 23.

var. 1st <sup>08</sup> ' East

20.00 Enter cornfield, bears E. <sup>08</sup> N.

40.00 Set a <sup>1/4</sup> section corner post in a mound and pits as per instructions

No trees near.

45.00 Enter cornfield bears E. <sup>08</sup> N.

68.00 Leave same " E <sup>08</sup> N.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

14, 15, 22 <sup>23</sup> 23.

No trees near.

Land - rolling.

Dist. 1<sup>st</sup> <sup>08</sup> <sup>22</sup> rate.

No timber.

Township 16 North. Range 4 West.  
 Sec 4 Salt River Meadew  
 to East.

on random line between sections 14<sup>th</sup> & 23.  
 var. 14° 08' East

- 6.00 Enter meadow land, bears N. <sup>2</sup>/<sub>4</sub> S.  
 8.00 Horse 5 chains north of line.  
 40.00 Set temporary 1/4 section corner post <sup>and</sup> leave meadow  
 and enter rolling land bears N. <sup>2</sup>/<sub>4</sub> S.  
 round marsh - 200 feet diameter.  
 42.50 Horse 5 links north of line.  
 50.75 Road - bears N. <sup>2</sup>/<sub>4</sub> S. and forks about 8 chains N. of line.  
 80.13 Intersect the N. & S. Line at the corner to sections  
 13, 14, 23 & 24, from which corner I run -  
West.

on true line between sections 14<sup>th</sup> & 23.  
 var 14° 08' East

- 40.06 Set a 1/4 section corner post in ground and  
 set as per instructions. No trees near.  
 80.13 The corner to sections 14, 15, 22<sup>nd</sup> & 23.  
 Land - level and rolling.  
 Corib 1<sup>st</sup> rate. No timber.

Township 16 North. Range 4 West

Gda and Salt River Meridian

S. North.between sections 14<sup>th</sup> & 15var. 1st<sup>th</sup> 08' East40.00 Set a 1/4 section corner post in a mound and pits as per instructions  
No trees near.54.00 Old road bears N. E. <sup>1/4</sup> S. W.

78.50 Dry creek, 100 links wide, runs N. E.

80.00 Set a post in a mound and pits as per instructions for the corner  
of sections10, 11, 14<sup>th</sup> & 15.

No trees near.

Sand - beach.

Orch - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 4 West.

Side of Salt River Meridian

East.

on random line between sections 11 & 14.  
Var.  $121^{\circ} 08'$  East

0.60 Dry Creek 100 links wide, runs N. E. and  
is 10 chains distant.

40.00 Set temporary  $\frac{1}{4}$  section corner post.

69.00 Road bears N.  $\frac{1}{2}$  S.

80.15 Intersubject the N.  $\frac{1}{2}$  S. Line 1st link  
north from the corner to sections  
11, 12, 13 & 14, from which corner, Run -  
N.  $89^{\circ} 54'$  E.

on true line between sections 11 & 14.  
Var.  $121^{\circ} 08'$  East

40.07 Set a  $\frac{1}{4}$  section corner post in  
a mound and pits as per instructions

80.15 W No trees near.  
The corner to sections

10, 11, 14  $\frac{1}{2}$  & 15.

Land - level meadow.

Pay 1<sup>st</sup> rate. No timber.

Township 16 North, Range 4 West  
 Gila and Salt River Meridian  
 S. North.

between sections 10<sup>th</sup> & 11.

var. 1st<sup>o</sup> 08' East

0.00 A house about 20 chains E. of line.

10.00 Set a  $\frac{1}{4}$  section corner post in  
 a mound and file as per instructions  
 No trees near

0.00 Set a post in a mound and file as  
 per instructions for the corner to  
 sections.

2. 3. 10<sup>th</sup> & 11.

No trees near

Land - level.

Soil - 1<sup>st</sup> rate.

No timber.



Township 16 North Range 4 West

Gila and Salt River Meridian

Ch East.

on random line between sections 2<sup>nd</sup> & 11

Var. 14° 08' East

14.50 Road bears N. E. & S. W.

22.00 do " N. E. & S. W.

40.00 Set temporary 1/4 section corner post.

60.00 House 8 chains N. of line.

68.00 Enter cornfield, bears N. & S.

75.00 Leave same " N. & S.

80.05 Intersect the N. & S. Line at the corner to sections 1, 2, 11<sup>th</sup> & 12 from which corner drain.

West.

on true line between sections 2<sup>nd</sup> & 11

Var 14° 08' East

40.02 Set a 1/4 section corner post in a mound and set as per instructions

No trees near.

80.05 the corner to sections 2, 3, 10<sup>th</sup> & 11.

Land clear, Soil 1<sup>st</sup> rate. No timber.

Township 16 North, Range 4 West  
 Gila <sup>and</sup> Salt River Meridian  
 No. North

run true line between sections 2<sup>nd</sup> & 3.  
 var. 14° 08' East

40.00 Set a 1/4 section corner post in a mound and file as per instructions

No trees near

80.08 Intersect the 4<sup>th</sup> Standard Parallel line 6 chains East of the standard corner to sections 34<sup>th</sup> & 35 and set a post in a mound and file as per instructions for the closing corner to sections 2<sup>nd</sup> & 3.

No trees near.

Land - level.

Cor. 1<sup>st</sup> rate.

No timber.

Date Nov 8<sup>th</sup> 1871

Township 16 North Range 4 West  
 6th & Salt River Meridian  
 1/4 North

between sections 33<sup>1/2</sup> & 34  
 var. 12' 18" East.

40.00 Set a 1/4 section corner stone 12x10  
 x 6 inches as per instructions  
 No trees near.

80.00 Set a stone 18x10x10 inches as  
 per instructions for the corner  
 to sections  
 27, 28, 33<sup>1/2</sup> & 34.

No trees near.

Land - broken stony hills.

Soil - 3' rate - for grass only.

No timber.

Oak and Juniper brush.

Transects 16 North. Range 4 West  
 Gila and Salt River Meridian  
 to East.

on random line between sections 27 & 34.  
 var.  $14^{\circ}08'$  East

40.00 Set temporary  $\frac{1}{4}$  section corner post.  
 80.35 Intersect the N. & S. Line 21 links  
 south from the corner to sections  
 26. 27. 34 & 35. from which corner true -  
 S.  $89^{\circ}15'$  W.

on true line between sections 27 & 34.  
 var.  $14^{\circ}08'$  East.

40.12 Set a  $\frac{1}{4}$  section corner stone 16 x 10  
 x 10 inches as per instructions

No trees near.  
 80.25 The corner to sections  
 27. 28. 33 & 34.

Land - broken rough hills.  
 Soil poor. No timber.  
 Oak brush and rocks

Township 16 North. Range 4 West.  
 Tada & Salt River Meridian  
 S. North.

between sections 27 & 28.  
 var. 14° 08' Each

40.00 Set a 1/4 section corner stone 14x10  
 x 5 inches as per instructions  
 No trees near.

48.00 Enter smooth rolling land.

70.00 Enter cornfield. bears N.E. & S.W.

80.00 Set a post in a mound and set  
 as per instructions for the corner  
 to sections

21. 22. 27 & 28.

No trees near

Land - 1/2 half mile rough and  
 broken, then gently rolling.

Soil - 3<sup>rd</sup> and 1<sup>st</sup> rate.

No timber

Juniper and Oak brush

Township 16 North. Range 4 West

Side <sup>and</sup> Salt River Meridian

East.

on random line between sections 22<sup>nd</sup> & 27<sup>th</sup>.  
Var. 1st° 08' East

20.00 Leave cornfield bears N. E. <sup>3/4</sup> S. H.

40.00 Set a temporary <sup>1/4</sup> section corner post.

57.50 Old road, bears N. <sup>and</sup> S.

58.00 Enter cornfield bears N. <sup>and</sup> S.

80.00 Intersect the N. <sup>and</sup> S. Line at the corner  
to sections 22, 23, 26, <sup>and</sup> 27, from  
which corner run —

West.

on true line between sections 22<sup>nd</sup> & 27<sup>th</sup>.

Var. 1st° 08' East

40.00 Set a <sup>1/4</sup> section corner post in a mound  
and sets as per instructions

No trees near.

80.00 The corner to sections

21, 22, 27 <sup>and</sup> 28.

Land - gently rolling.

Dir - 1<sup>st</sup> rate, No timber.

Township 16 North, Range 4 West -  
 6th & Salt River Meridian

Sec North.

between sections 21<sup>st</sup> & 22<sup>nd</sup>  
 var. 14° 08' East

- 21.00 Leave cornfield bears N. E. <sup>3/4</sup> S. W.
- 40.00 Set a 1<sup>st</sup> section corner post in  
 a mound and sets as per instructions  
 No trees near.
- 50.00 Enter cornfield bears N. E. <sup>3/4</sup> S. W.
- 74.00 Leave do " " "
- 80.00 Set a post in a mound and sets  
 as per instructions for the corner  
 to sections 15, 16, 21<sup>st</sup> & 22<sup>nd</sup>.  
 No trees near.
- Land - gently rolling.  
 Soil - 1<sup>st</sup> rate.  
 No timber.

Township 16 North, Range 4 West  
Gda and Salt River Meridian

East.

on a random line between sections 15<sup>th</sup> & 22.  
var. 14° 08' East

40.00 Set a temporary 1/4 section corner post

62.00 Old road bears N. 70° S.

80.00 Intersect the N. and S. Line 7 links  
north from the corner to section  
14, 15, 22<sup>nd</sup> & 23. from which corner run  
N. 89° 57' W.

on true line between sections 15<sup>th</sup> & 22.

var. 14° 08' East

40.00 Set a 1/4 section corner post in a  
mound and pits as per instructions

No trees near

80.00 the corner to sections

15, 16, 21<sup>st</sup> & 22.

Land, gently rolling

Soil - 1<sup>st</sup> rate.

No timber.



Township 16 North. Range 4 West.  
 6th & Salt River Meridian  
 No. North.

Between sections 15 & 16.

Var. 1st = 08' Each

28.50 Dry Creek runs N. E. 50 links distant

29.00 Enter cornfield bears N. E.

40.00 Set a 1/4 section corner post in a mound and file as per instructions.

No trees near.

a house 20 chains E. of line

65.00 Leave cornfield, bears E. 1/4 N.

80.00 Set a post in a mound and file as per instructions for the corner to section

9.10.15 & 16.

No trees near.

Land - level and walling.

Coil - 1st rate.

No timber.

Township 16 North Range 4 West

Gila and Salt River Meridian

East.

on random line between sections 10 & 15

Var.  $14^{\circ} 05'$  East

20.00 Hoopoe 30 chains south of line

35.00 Enter cornfield bears N.  $\frac{1}{2}$  S.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

70.00 Leave cornfield bears N.  $\frac{1}{2}$  S.

80.12 Intersect the N.  $\frac{1}{2}$  S. Line at the corner  
to sections 10, 11, 14 & 15, from which  
corner I run.

West.

on true line between sections 10 & 15.

Var.  $14^{\circ} 08'$  East

40.06 Set a  $\frac{1}{4}$  section corner post in a  
mound and set it as far as possible

No trees near.

80.12 the corner to sections

9, 10, 15 & 16.

Land - lead. Soil - 1<sup>st</sup> rate

No timber.

Township 16 North, Range 4 West  
 6th and Salt River Meridian  
 1st North.

between sections 9<sup>th</sup> & 10.  
 var. 124° 08' East.

40.00 Set a 1<sup>st</sup> section corner post in  
 a mound and set it as per instructions  
 No trees near.

80.00 Set a post in a mound and  
 set it as per instructions for the  
 corner to sections  
 3, 4, 9<sup>th</sup> & 10.

No trees near.

Land nearly level.

Grass - 1<sup>st</sup> rate.

Some scattering Juniper trees.

Township 16 North, Range 4 West  
 6th & Salt River Meridian

East.

on random line between sections 3 & 10  
 var.  $14^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.00 Intusich the N.  $\frac{1}{2}$  S. Line at the corner  
 to sections 2, 3, 10 & 11, from which  
 corner run -

West.

on true line between sections 3 & 10.

var.  $14^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner post in a  
 mound and pits as per instructions

80.00 No trees near  
 the corner to sections

3, 4, 9 & 10.

Land - gently rolling

Soil - 1<sup>st</sup> rate.

No timber.

Township 16 North, Range 4 West

5th & 6th Salt River Meridian

No North.

on true line between sections 3<sup>rd</sup> & 4<sup>th</sup>.  
var.  $14^{\circ} 08'$  East.

40.00 Set a 4<sup>th</sup> section corner post in  
mound and pits as per instructions  
No trees near.

80.12 Intersect the 4<sup>th</sup> Standard Par-  
allel line, 5.86 chains East  
from the Standard corner to  
sections 33<sup>rd</sup> & 34<sup>th</sup> of township 17  
North, and set a closing corner  
post in a mound and pits as  
per instructions for the corner  
to sections 3<sup>rd</sup> & 4<sup>th</sup>.

No trees near

Land - gently rolling.

Soil - 1<sup>st</sup> rate.

Scattering Juniper trees.

Done Nov 9<sup>th</sup> 1871

Township 16 North. Range 4 West.

Gila and Salt River Meridian

Section  
North.

between sections 32<sup>nd</sup> and 33<sup>rd</sup>  
var.  $121^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner stone  $14 \times 10$   
 $\times 6$  inches as per instructions

No trees near.

80.00 Set a stone  $16 \times 12 \times 10$  inches as  
per instructions for the corner  
to sections

28, 29, 32<sup>nd</sup> and 33<sup>rd</sup>.

No trees near.

Land - broken rough hills.

Soil - poor. No timber

Oak and Juniper brush.

Township 16 North Range 4 West

Sec 3 Salt River Meridian

Sec East.

on random line between sections 28 & 33.

var. 140° 08' East

40.00 Set a temporary 1/4 section corner post.

80.30 Intersect the N. & S. Line 17 links  
south from the corner to sections  
27, 28, 33 & 34, from which corner run  
S. 89° 53' W.

on true line between sections 28 & 33

var. 140° 08' East

40.15 Set a 1/4 section corner stone 16x10  
x 8 inches as per instructions

No trees near

80.30 the corner to sections

28, 29, 32 & 33

Land - lilly and stony

Soil - 3<sup>rd</sup> rate.

Scattering Juniper & Oak brush

Township 16 North, Range 4 West  
 6th & Salt River Meridian  
 S. North.

between sections 28<sup>th</sup> & 29.  
 var.  $14^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner stone  $16 \times 6$   
 $\times 5$  inches as per instructions  
 No trees near.

63.00 Leave stony hills and enter  
 rolling land, bears E.  $4^{\circ}$  N.

80.00 Set a post in a mound and set  
 as per instructions for the corner  
 to sections

20.21. 28<sup>th</sup> & 29.

No trees near

Land - broken hills.

Cost - 3<sup>rd</sup> rate.

No timber

Oak and Juniper brush in bunches.



Township 16 North Range 4 West  
 6<sup>th</sup> Salt River Meridian  
 1<sup>st</sup> East.

on random line between sections 21<sup>st</sup> & 28.  
 var. 124° 08' East

40.00 Set a temporary 1/4 section corner post.

59.50 Enter cornfield bears N. <sup>1/2</sup> S.

80.10 Intersect the N. <sup>1/2</sup> S. Line at the  
 corner to sections 21. 22. 27<sup>th</sup> & 28.  
 from which corner I run —

West

on true line between sections 21<sup>st</sup> & 28.  
 var. 124° 08' East

40.05 Set a 1/4 section corner post in a  
 mound and note as per instructions.

80.10 <sup>No trees near</sup>  
 the corner to sections

20. 21. 28<sup>th</sup> & 29.

Land - gently rolling

Soil - 1<sup>st</sup> <sup>1/2</sup> 2<sup>nd</sup> oats

Some scattering Juniper trees in bunches

Township 16 North. Range 4 West  
 T4a and Salt River Meridian

S. North

between sections 20<sup>th</sup> and 21<sup>st</sup>  
 var.  $14^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner post in a mound and set as per instructions  
 No trees near.

56.50 Dry Creek, 50 yards wide, runs N. E.

80.00 Set a post in a mound and set as per instructions for the corner to sections

16, 17, 20<sup>th</sup> and 21<sup>st</sup>.

No trees near

Land - rolling.

Soil - 1<sup>st</sup> and 2<sup>nd</sup> rates.

Scattering Juniper trees.

Township 16 North, Range 4 West

Section 16 Salt River Meridian

Section East

on random line between sections 16<sup>th</sup> & 21<sup>st</sup>.  
Var.  $14^{\circ} 08'$  East

52.00 Dry creek, 50 links wide, runs N. E.

40.00 Set temporary  $\frac{1}{4}$  section corner post.

80.16 Intersect the N. & S. Line 11 links  
north from the corner to sections  
15, 16, 21<sup>st</sup> & 22, from which corner  
Iron -

N.  $89^{\circ} 55'$  W.

on true line between sections 16<sup>th</sup> & 21<sup>st</sup>  
Var.  $14^{\circ} 08'$  East

40.08 Set a  $\frac{1}{4}$  section corner post in  
a mound and file as per instructions  
The trees near

80.16 The corner to sections 16, 17, 20<sup>th</sup> & 21<sup>st</sup>.

Land - rolling.

Soil 1<sup>st</sup>  $\frac{1}{4}$   $2^{\circ}$  rate.

a few scattering Juniper trees.

Township 16 North, Range 4 West

Sec 4<sup>th</sup> Salt River Meridian

Sec 4<sup>th</sup> North.

between sections 16<sup>th</sup> & 17<sup>th</sup>.

Var. 1st<sup>st</sup> 08' East

40.00 Set a 1<sup>st</sup> section corner post in a mound and pits as per instructions

No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections 8, 9, 16<sup>th</sup> & 17<sup>th</sup>.

from which.

A Juniper, 8 in. diam. bears 76.29<sup>th</sup> N. 177<sup>th</sup> long. dist.

do. 6 " " " 3.68<sup>th</sup> N. 182 " "

No other trees near.

Land - rolling.

Soil - 1<sup>st</sup> <sup>ch. 4<sup>th</sup></sup> 2<sup>nd</sup> rate.

Scattering Juniper trees.

Township 6 North, Range 4 West  
 S. 1/4 Salt River Meridian

East.

on random line between sections 9<sup>th</sup> & 16.  
 var. 14° 08' East

40.00 Set a temporary 1/4 section corner post.

80.20 Subjoinct the N. & S. Line at the  
 corner to sections 9, 10, 15<sup>th</sup> & 16,  
 from which corner I run.

West.

on true line between sections 9<sup>th</sup> & 16.  
 var. 14° 08' East

40.10 Set a 1/4 section corner post in a  
 mound and set it as per instruction  
 from which - a Juniper, 20 inches  
 diameter bears S. 17° E. 121 links dist.

80.20 No other tree near  
 the corner to sections  
 8, 9, 16<sup>th</sup> & 17.

Land rolling.  
 Soil 1<sup>st</sup> rate.

Scattering Juniper timber.

Township 16 North, Range 4 West  
 T16N R4W Meridian

North, between sections 8<sup>th</sup> & 9.

var 124° 08' East

40.00 Set a  $\frac{1}{4}$  section corner post in a mound  
 and pits as per instructions. No trees near.

80.00 Set a post in a mound and pits as per instructions for  
 the corner to sections 4, 5, 8 & 9. No trees near.  
 Land rolling. Soil 1<sup>st</sup> rate. Scattering Juniper trees.

East - on random line between sections 4<sup>th</sup> & 9.

var. 124° 08' East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.12 Subdivide the N.  $\frac{1}{2}$  S. Line 10 rods south from the  
 corner to sections 3, 4, 9 & 10, from which corner true -  
S. 89° 55' W. - on true line between sections 4<sup>th</sup> & 9.

var. 124° 08' East

40.06 Set a  $\frac{1}{4}$  section corner post in a mound  
 and pits as per instructions. No trees near.

80.12 The corner to sections 4, 5, 8 & 9.

Land rolling. Soil 1<sup>st</sup> rate.  
 Scattering Juniper trees.

43

Township 16 North, Range 4 West  
 Gila Salt River Meridian  
 North.

on true line between sections 4<sup>th</sup> & 5.

var. 1st 0 18' East

40.00 set a 4<sup>th</sup> section corner post in a  
 mound and pits as per instructions  
 a Juniper, 9 inches diameter bears N. 42 1/2° E.  
 136 links distant. No other trees near.

80.20 Intersect the 4<sup>th</sup> Standard  
 Parallel line, 609 links East from  
 the standard corner to sections  
 32<sup>nd</sup> & 33, of Township 17 North  
 and set a post in a mound and  
 pits as per instructions for the  
 closing corner to sections 4<sup>th</sup> & 5.

No trees near.

Land - rolling.

Orbit - 1<sup>st</sup> rate.

Scattering Juniper trees.

Done Nov 10<sup>th</sup> 1871

Township 16 North, Range 4 West

6th<sup>ms</sup> Salt River Meridian

North, between sections 31<sup>ms</sup> & 32.

Var. 124° 08' East

40.00 Set a <sup>1/4</sup> section corner stone 16x12x6 inches as per instructions. No trees near.

80.00 Set a stone 18x10x8 inches as per instructions for the corner to sections 29, 30, 31<sup>ms</sup> & 32. No trees near. Land-rough, stony hills. Soil poor. No timber. Juniper and Oak brush.

East, on random line between sections 29<sup>ms</sup> & 32.

Var. 124° 08' East

40.00 Set a temporary <sup>1/4</sup> section corner east.

80.28 Subvert the N. & S. Line, 21 rods North from the corner to sections 28, 29, 32<sup>ms</sup> & 33, from which corner -

N. 89° 51' W. - on true line between sections 29<sup>ms</sup> & 32

Var. 124° 08' East

40.124 Set a <sup>1/4</sup> section corner stone 16x10x8 inches, as per instructions. No trees near.

80.28 The corner to sections 29, 30, 31<sup>ms</sup> & 32. Land-rough, low hills. Soil poor. Juniper<sup>ms</sup> & Oak brush.



Township 16 North, Range 4 West  
 6th Salt River Meridian  
 S. West.

on random line between sections 30<sup>3/4</sup> 31  
 var. 14° 08' East

37.00

Rare in run N.E.

40.00

Set a temporary '4 section corner post.

78.86

Intersect the West boundary line at  
 the corner to sections 30, 31, 25<sup>3/4</sup> 36,  
 from which corner I run —  
East.

on true line between sections 30<sup>3/4</sup> 31  
 var. 14° 08' East

38.86

Set a '4 section corner stone 16 x 12  
 x 8 inches as per instructions.

No trees near.

78.86

The corner to sections

29, 30, 31<sup>3/4</sup> 32

Land - rough<sup>3/4</sup> & stony.

Soil - poor.

Juniper<sup>3/4</sup> & Oak brush.

Township 16 North, Range 4 West

Section <sup>29</sup> Salt River Meridian

Section North

between sections 29<sup>th</sup> & 30

var. 14' 08" Each

40.00 Set a 1/2 section corner stone 16x10  
x 10 inches as per instructions

No trees near.

80.00 Set a stone 18x10x6 inches as per  
instructions for the corner to  
sections

19.20. 29<sup>th</sup> & 30.

No trees near.

Land - rough - stony hills

Soil - poor.

a few scattering trees and

Oak and Juniper brush

Township 16 North. Range 4 West.

Sec 4<sup>th</sup> Salt River Meridian

Sec. East.

on random line between sections 20<sup>th</sup> & 29.

var.  $14^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post

48.25 Dry creek, 20 links wide, runs N. E.

80.26 Intersect the N. & S. Line 18 links  
south from the corner to sections  
20, 21, 28<sup>th</sup> & 29. from which corner  
Run -

S.  $89^{\circ} 52'$  N.

on true line between sections 20<sup>th</sup> & 29.

var.  $14^{\circ} 08'$  East -

40.13 Set a  $\frac{1}{4}$  section corner stone 16 x 10  
x 4 inches as per instructions

No trees near

80.26 The corner to sections

19, 20, 29<sup>th</sup> & 30.

Land - rough hills.

Soil - poor.

Juniper and Oak brush

Township 16 North, Range 4 West  
 T16N R4W Salt River Meridian

West.

on random line between sections 19<sup>30</sup> & 30.  
 var. 12° 08' East

- 36.00 Dry creek, 30 links wide, runs N. E.  
 40.00 Set a temporary <sup>1/4</sup> section corner post  
 78.71 Intersect the West boundary line 20  
 links south from the corner to sections  
 19.30.24<sup>3</sup> & 25. from which corner I run  
S. 89° 51' E.

on true line between sections 19<sup>30</sup> & 30.  
 var. 12° 08' East

- 38.70 Set a <sup>1/4</sup> section corner stone 12 x 12  
 x 8 inches as per instructions.  
 No trees near.  
 78.70 <sup>ry</sup> the corner to sections.

19.20.29<sup>30</sup> & 30.

Land - rough hills.

Soil poor.

Juniper<sup>ms</sup> & Oak brush.

Township 16 North. Range 4 West  
 7th Salt River Meridian  
 1<sup>st</sup> North.

between sections 19<sup>th</sup> & 20

var.  $14^{\circ} 08'$  East.

- 21.00 Dry creek, 50 links wide, runs N.E.
- 40.00 Set a 1<sup>st</sup> section corner stone  $14$   
 $\times 10 \times 5$  inches as per instruction.  
 No trees near.
- 42.50 Dry ravine runs east. - leave rough  
 hills and enter rolling land.
- 80.00 Set a post in a mound and  
 set as per instructions for the  
 corner to sections 17, 18, 19<sup>th</sup> & 20.  
 No trees near.

Land - 1<sup>st</sup>/<sub>4</sub> half mile - rough  
 then - rolling.

Soil - 3<sup>rd</sup>/<sub>4</sub> 2<sup>nd</sup> rate.

A few scattering Juniper trees.

Township 16 North, Range 4 West

Sec<sup>ms</sup> Salt River MeridianEast.on random line between sections 17<sup>th</sup> & 20.

var. 124° 08' East

40.00 Set a temporary 1/4 section corner post.

80.10 Intersect the N. & S. Line at the corner  
to sections 16, 17, 20<sup>th</sup> & 21, from which  
corner I run.West.on true line between sections 17<sup>th</sup> & 20

var. 124° 08' East

40.05 Set a 1/4 section corner post in a  
mound and set as per instructions

The trees near.

80.10 The corner to sections

17, 18, 19<sup>th</sup> & 20.

Land-rolling

Coil 2<sup>nd</sup> mate.

Scattering Juniper trees.

Date Nov 11<sup>th</sup> 1871

Township 16 North Range 4 West

6th <sup>and</sup> Salt River Meridian

West.

on random line between sections 18<sup>th</sup> & 19.  
var. 121° 08' East

40.00 Set temporary 1/4 section corner post.

78.60 Intersect the West boundary line  
12 links south from the corner to  
sections 18, 19, 18<sup>th</sup> & 24 from  
which corner I run.

S. 89° 35' E.

on true line between sections 18<sup>th</sup> & 19.  
var. 121° 08' East

38.60 Set a 1/4 section corner stone  
16 x 12 x 5 inches as per instructions

78.60 <sup>of</sup> the corner to sections  
17, 18, 19<sup>th</sup> & 20.

Land calling.

Soil - 3<sup>rd</sup> rate

Scattering Juniper trees.

Township 16 North. Range 4 West

6th and Salt River Meridian

North.

between sections 17<sup>th</sup> & 18.

Var. 124° 08' East

40.00 Set a 1/4 section corner post in  
a mound and pile as per instructions  
No trees near.

80.00 Set a post in a mound and pile  
as per instructions for the corner  
to sections 7, 8, 17<sup>th</sup> & 18. from which  
a Juniper 6 inches diameter bears  
N. 16° W. 37 links distant.

No other trees near.

Land - rolling.

Soil - 3<sup>rd</sup> rate.

Scattered Juniper trees.



Township 16 North, Range 4 West  
 Gila Salt River Meridian.

Sec 1 East.

on random line between sections 8<sup>2</sup> 17<sup>1</sup>  
 var. 14° 08' East

40.00 Set a temporary 1/4 section corner post.

80.00 Submerge the N. 20 S. Line 13 links  
 south from the corner to sections  
 8, 9, 16<sup>2</sup> 17<sup>1</sup> from which corner I run.  
S. 89° 55' W.

on true line between sections 8<sup>2</sup> 17<sup>1</sup>  
 var. 14° 08' East.

40.00 Set a 1/4 section corner post in a  
 mound and pits as per instructions

No trees near.

80.00 Run the corner to sections  
 7, 8, 17<sup>2</sup> 18.

Land - rolling.

Grid - 2<sup>nd</sup> rate.

Scattering Juniper trees.

Township 16 North, Range 4 West

6th <sup>and</sup> Salt River Meridian

West.

on random line between sections 7<sup>th</sup> & 18.

Var.  $14^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

78.60 Intersect the West boundary at the corner to sections 7, 18, 12 <sup>and</sup> 13, from which corner I run -

East.

on true line between sections 7<sup>th</sup> & 18

Var  $14^{\circ} 08'$  East

38.60 Set a  $\frac{1}{4}$  section corner post in a mound and pits as per instructions a Juniper 10 inches diameter bears  $\pi. 52^{\circ} N. 83$  links distant. The other tree near.

78.60 The corner to sections 7, 8, 17 <sup>and</sup> 18.

Laud - calling.

Quit - 3<sup>rd</sup> rate.

Scattering Juniper timber.

Township 16 North, Range 4 West.

Sec 14 and Salt River Meridian

Sec 14 North

between sections 7<sup>th</sup> and 8.

Var. 124° 08' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions

a juniper 14 inches diameter bears S. 32° E. 110 links distant.

No other tree near

80.00 Set a post in a mound and pits as per instructions for the corner to sections

5, 6, 7<sup>th</sup> and 8.

No trees near

Land - rolling.

Soil - 2<sup>nd</sup> rate.

Scattering Juniper trees.

Township 16 North Range 4 West

6th & 7th Salt River Meridian

East.

on random line between sections 5<sup>th</sup> & 8.

Var. 14° 08' East

40.00 Set temporary 1/4 section corner post.

80.10 Intersect the N. & S. Line, at the corner  
to sections 4, 5, 8<sup>th</sup> & 9, from which  
corner I run -

West

on true line between sections 5<sup>th</sup> & 8.

Var. 14° 08' East

40.05 Set a post in a mound and pits  
as per instructions, for 1/4 section corner

No trees near.

80.10 the corner to sections

5, 6, 7<sup>th</sup> & 8.

Land - rolling.

Soil - 2<sup>nd</sup> rate.

Scattering Juniper trees.

Townships 16 North, Range 4 West

6th & 8th Range Meridian

1/2 West.

on random line between sections 6<sup>th</sup> & 7<sup>th</sup>.  
Var. 124° 08' East

40.00 Set temporary 1/4 section corner post  
78.40 Intersect the West boundary line  
9 links south from the corner to section  
6. 7. 1. <sup>and</sup> 12. from which corner I run  
S. 89° 56' E.

on true line between sections 6<sup>th</sup> & 7<sup>th</sup>.  
Var. 124° 08' East

38.40 Set a 1/4 section stone 14 x 10 x 6  
inches as per instructions

No trees near.

78.40 The corner to sections  
5. 6. <sup>and</sup> 8.

Land - rolling.

Soil - 3<sup>rd</sup> rate.

Scattering Juniper trees.

Township 16 North, Range 4 West

Geo<sup>ms</sup> Ball & Rein Meridian

Sec 4 North.

on true line between sections 5<sup>th</sup> & 6.

Var.  $14^{\circ}08'$  East

40.00 Set a 4<sup>th</sup> section corner post in  
a mound and pits as per instructions  
No trees near.

80.50 Intersect the 4<sup>th</sup> Standard Par-  
allel line 6.50 chains East from  
the Standard corner to sections  
31<sup>ms</sup> & 32 and set a post in a  
mound and pits as per instructions  
for the closing corner to sections  
5<sup>ms</sup> & 6. No trees near.

Land - rolling.

Soil - 2<sup>d</sup> rate.

Scattering Juniper trees.

Sub Nov 13<sup>th</sup> 1871

## General Description

This Township embraces the extreme S. W. portion of Williamson Valley and contains much good land for farming and grazing. There is plenty of water and some fine meadow land. The scattering Juniper wells also supply a considerable population with plenty of fuel.

S. W. Foreman,  
Deputy Surveyor

Surveyor General's Office 60

Tucson Ar. BOOK 1049

Febry 15<sup>th</sup> 1877

The foregoing Field Notes of the survey  
of the subdivision lines of Town-  
ship 16 N. Range 4. W. of the  
Gila & Salt River Base and Me-  
ridian lines in the Territory of  
Arizona, executed by S. W.

Foreman, U.S. Dep. Surveyor,  
under his contract dated August  
17<sup>th</sup> 1871, having been critically  
examined, the necessary cor-  
rections and Explanations made  
the said field Notes and the sur-  
veys they describe are hereby  
approved.

John Masson  
U.S. Surveyor General  
Ar.