

13 No. 1050

BOOK 1050

P-1

BOOK 1050

Field Notes

OF

the *Subdivision* lines of

Township *17 N.* Range *4 E.*

Gila & Salt River Meridian, *Arizona* California,

BY

S. W. Foreman Deputy Surveyor,

under his Contract of *August 7th* 18 *71*

Survey commenced *Dec 4* "

Survey completed *" 9* "

Platted,

No. 1050

Copied for Washington,

Transcript sent to Commissioner,

Feb 15 1872

TOWNSHIP 19 IV RANGE 4 W

MERIDIAN


79.50

Nov 14th 1862

Crayge Rocky hills: & Worthless Sands -

BOOK 1050

Nov. 14th 1862



Pines & Ranch

Nov. 14th 1862

Road to Pines

Bancroft's Blank, Township Plot.

A. L. Bancroft & Company, 721 Market St., San Francisco.

- Meridian Line,
- Base Line,
- Standard Line,
- Township Lines,
- Section Line,
- Meander Lines,
- Office Work,
- Ranch Lines Re-surveyed,

BOOK 1050

1A BOOK 1050

4-674.

Township 17 N. R. 4 W. S. 2 S. R. B. 2 M.

| | | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|----|----|
| 6 | 55 | 5 | 39 | 4 | 31 | 3 | 20 | 2 | 9 | 1 |
| 54 | 53 | 38 | 30 | 19 | 8 | | | | | |
| 7 | 52 | 8 | 37 | 9 | 29 | 10 | 18 | 11 | 7 | 12 |
| 51 | 50 | 36 | 28 | 17 | 6 | | | | | |
| 18 | 49 | 17 | 35 | 16 | 27 | 15 | 16 | 14 | 5 | 13 |
| 48 | 47 | 34 | 26 | 15 | 4 | | | | | |
| 19 | 46 | 20 | 34 | 21 | 25 | 22 | 14 | 23 | 3 | 24 |
| 45 | 44 | 33 | 24 | 13 | 2 | | | | | |
| 30 | 43 | 29 | 33 | 28 | 23 | 27 | 12 | 26 | 1" | 25 |
| 42 | 41 | 32 | 22 | 11 | 1' | | | | | |
| 31 | 40 | 32 | 32 | 33 | 21 | 34 | 10 | 35 | 1 | 36 |

No. 1050

BOOK 1050

13

Field Notes

of the Survey of the Subdivision
Series of Township 17ⁿ North
of Range 4 West of the
6thⁿ Salt River Meridian

Arizona Territory

P. S. H. Foreman, Dep. Surveyor

Under his contract of
Survey commenced
Survey completed

Township 17 North Range 4 West
 Gila and Salt River Meridian

The River on the south boundary line
 at the standard corner to sections
 35 $\frac{1}{2}$ 36. - and run -
North.

Between sections 35 $\frac{1}{2}$ 36.

Sar. 14° 00' East

(as per East Boundary)

- 10.00 House 5 chains E. of line
 19.00 Road bears N.E. $\frac{1}{2}$ S.W.
 40.00 Set a post in a mound
 and pits as per instructions
 No trees near.
 58.00 House 1 chain East of line.
 73.00 Road bears S.E. $\frac{1}{2}$ N.W.
 80.00 Set a post in a mound and pits
 as per instructions for the corner
 to sections 35. 26. 35 $\frac{1}{2}$ 36.

No trees near.

Land - level. Soil 1st rate. - Meadow land.

No timber.

Township 17 North Range 4 West
 6th Salt River Meridian

East.

on random line between sections 25 & 36.
 var. $14^{\circ} 07'$ East

- 28.60 Road bears N. W. & S. E.
 40.00 Set a temporary $\frac{1}{4}$ section corner post.
 46.00 Road bears S. E. & N. W.
 60.00 3 houses 20 chains south of line.
 69.00 Road to Kualpai bears 36° S.
 80.00 Intersect the East boundary line at the
 corner to sections 25, 36, 30 & 31 from
 which corner run —
West.

on true line between sections 25 & 36.
 var. $14^{\circ} 07'$ East

- 40.00 Set a $\frac{1}{4}$ section corner post in a mound
 and pits as per instructions. No trees near.
 80.00 The corner to sections 25, 26, 35 & 36.
 Land - level, Soil - 1st rate
 No timber.

1st EBTownship 1st North, Range 4 WestT¹⁴ Salt River MeridianNo. North.between sections 25th & 26.

var. 14° 07' East

40.00 Set a ¹/₄ section corner post in a mound
and file as per instructions.

No trees near.

50.00 Enter rolling land bears E. ⁹/₄ N.56.00 Road runs N. W. ³/₄ S. E.80.00 Set a stone 12 x 10 x 8 in. in a mound
and file as per instructions for the
corner to sections23.24. 25th & 26.

No trees near.

Land - level, and gently rolling,
on north end of line.Soil - 1st rate.

No timber.

Township 17 North Range 4 West

Side Salt River Meridian

East.

on random line between sections 24 & 25.

Var. $14^{\circ} 07'$ East

40.00 Set a temporary $1/4$ section corner post.

79.98 Intersect the N. & S. Line at the corner
to sections 24, 25, 19 & 20. from which corner run
West.

on true line between sections 24 & 25.

Var. $14^{\circ} 07'$ East

39.99 Set a $1/4$ section corner stone $10 \times 10 \times 8$
inches in a mound and pile as per
instructions.

79.98 No trees near
the corner to sections

23, 24, 25 & 26.

Land - gently rolling

Soil - 1st rate.

No timber.

Township 17 North Range 4 West

Gila ^{and} Salt River Meridian

No Work

between sections 23⁹⁰ & 24

var. 114° 07' Each

40.00 Set a 1/4 section corner post in mound and pits as per instruction

No trees near.

80.00 Set a post in a mound and pits as per instructions for the corners to sections 13, 14, 23⁹⁰ & 24.

No trees near.

Land - gently rolling.

Soil - 1st rate

No timber.

Township 14 North Range 4 West

61st and Salt River Meridian

East.

on random line between sections 13th & 24th
 Var. 14° 07' East

30.00 Enter plowed ground bears N. E. & S. W.

40.00 Set a temporary 1/4 section corner post

49.00 Leave plowed ground. bears N. E. & S. W.

80.09 Intersect the East boundary line at the
 corner to sections 13, 24, 18th & 19, from
 which corner I run -

West.

on true line between sections 13th & 24th
 Var. 14° 07' East

40.04 Set a 1/4 section corner post in a
 mound and pits as per instructions

80.09 ^{1/4} No trees near
 the corner to sections

13, 14, 23th & 24.

Land - gently rolling.

Soil - 1st rate.

No timber.

Township 1st North Range 4 West
 Gile and Salt River Meridian
 No. North.

between sections 13th & 14th

Var. 124° 04' East

40.00 Set a ^{1/4} section corner post in a mound and file as per instructions

No trees near.

79.50 Road bears N. N. ^{3/4} S. E.

80.00 Set a post in a mound and file as per instructions for the corner to sections 11, 12, 13th & 14th.

No trees near.

Old military camp about 20 chains N. E. from corner.

Land - gently rolling.

Soil - 1st rate.

No timber.

Township 14 North, Range 4 West
 Gila and Salt River Meridian
 S. East.

on random line between sections 12^{and} 13
 var. $14^{\circ} 07'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post
 80.00 Intersect the East boundary line 12 lines
 south from the corner to sections 12,
 13, 7^{and} 18, from which corner draw —
S. $89^{\circ} 35'$ W.

on true line between sections 13^{and} 13.

var. $14^{\circ} 07'$ East

40.00 Set a $\frac{1}{4}$ section corner post in a mound
 and pits as per instructions.

No trees near.

80.00 The corner to sections 11, 13, 13^{and} 14.

Land — nearly level.

Soil — 1st rate.

No timber.

Township 1st North. Range 4 West.
Tide ^{and} Salt River Meridian

No North.

between sections 11th & 12.
var. 1st 07' East

40.00 Set a ⁴⁴ section corner post in a mound
and file as per instructions
a Juniper, 10 in. diam. bears N. 86° W. 36 links distant
do. 8 " " " S. 71° E. 61 " "

80.00 Set a post in a mound and file as
per instructions for the corner to section
1. 2. 11th & 12.

No trees near

Land - gently rolling.
Soil - 1st rate.
Scattering Juniper trees.

Township 14 North, Range 4 West

Side ^{and} Salt River Meridian

to East.

on random line between sections 1st & 12.

var. 124° 0' East

40.00 Set a temporary 1/4 section corner post.

80.10 Intersect the East boundary line 13

links North from the corner to sections

1, 2, 6th & 7. from which corner same -

N. 89° 54' N.

on true line between sections 1st & 12.

var. 124° 0' East

40.05 Set a 1/4 section corner post in a mound
and pits as per instructions

No trees near.

80.10 the corner to sections,

1, 2, 11th & 12

Land - level.

Soil - 1st rate.

No timber.

Township 1st North Range 4 West
 Gila and Salt River Meridian

No North.

on random line between sections 1st & 2.
 var. 14° 07' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the North boundary line 8
 links west from the corner to sec-
 tions 1, 2, 35th & 36, from which corner
 Run -

S. 0° 03' N.

on true line between sections 1st & 2.
 var. 14° 07' East

40.00 Set a 1/4 section corner post in a
 mound and sets as per instructions

80.00 The corner to sections
 No trees near.

1, 2, 11th & 12.

Land - loc - Soil - 1st rate

No timber.

Date Dec. 4th 1871

Township 14 North, Range 4 West
 T. 14 N. & Salt River Meridian
 S. 34 North.

between sections 34 & 35.

Var. $124^{\circ} 07'$ East

38.00 Road bears N. N. & S. E.

40.00 Set a 4th section corner post in a
 mound and pits as per instructions
 No trees near.

20.00 Set a stone $14 \times 10 \times 10$ inches in a
 mound and pits as per in-
 structions for the corner to
 sections 26, 27, 34 & 35.

No trees near.

Land - lead.

Soil 1st rate.

No timber.

A round knob - 50 feet high,
 about 10 chains N. E. from corner
 to apex.

Townships 1st North, Range 4th West.

Side ^{and} Salt River Meridian

East.

on random line between sections 26 & 35.

Var. 14° 07' East

40.00 Set a temporary 1/4 section corner post.

61.00 Nailed on line.

62.00 Road bears S. E. & N. W.

80.00 Intersect the N. & S. Line at the corner
to sections 25, 26, 35 & 36, from which
corner Iron -

West.

on true line between sections 26 & 35.

Var. 14° 07' East

40.00 Set a 1/4 section corner stone 14x8x6
inches in mound and pds, as per instructions

No trees near.

50.00 the corner to sections

26, 27, 34 & 35.

Land back. Soil 1st rate.

No timber.

Township 14 North, Range 4 West
 6th and Salt River Meridian
 S. North.

between sections 26 & 27.

var. $124^{\circ} 07'$ East

33.00 Road bears N.W. & S.E.

40.00 Set a 1/4 section corner stone 14 x 8 x 8
 inches as per instructions

No trees near.

here the land become gently rolling

80.00 Set a post in a mound and set
 as per instructions for the
 corner to sections

22, 23, 26 & 27.

No trees near.

Land - 1st half mile level
 then gently rolling.

Soil - 1st rate.

Timber - none -

Township 14 North Range 4 West.

6th and 6th Range Meridian

East.

on a random line between sections 23rd & 26th
var. $14^{\circ}07'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

55.00 Road bears N. N. $\frac{1}{2}$ S. E.

80.20 Intersect the N. $\frac{1}{2}$ S. line 14 links north
from the corner to sections 23, 24, 25
& 26, from which corner I run -
N. $89^{\circ}54'$ N.

on true line between sections 23rd & 26th
var. $14^{\circ}07'$ East

40.10 Set a $\frac{1}{4}$ section corner post in a mound
and file as per instructions

80.20 No trees near
The corner to sections

22, 23, 26th & 27th.

Land - gently rolling.

Soil - 1st rate for grass

No timber.

Township 14 North. Range 4 West

5th Salt River Meridian

No. North.

between sections 22nd & 23.
 var. 14° 07' East

40.00 Set a 1/4 section corner post in a mound
 and pits as per instructions.

No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the corner
 to sections 14, 15, 22nd & 23.

No trees near.

Land - gently rolling.

Soil - 1st rate for grazing.

No timber.

Township 1st North, Range 4 West.
 Gila and Salt River Meridian
 East.

on random line between sections 14th & 23rd
 var. 14° 07' East

36.50 Road bears N. N. & S. E.

40.00 Set a temporary 1/4 section corner post.

80.12 Intersect the N. & S. Line at the
 corner to sections 13, 14, 23 & 24
 from which corner I run —
West.

on true line between sections 14 & 23
 var. 14° 07' East

40.06 Set a 1/4 section corner post in a
 mound and sets as per instructions
 No trees near.

80.12 the corner to sections
 14, 15, 22 & 23.

Land - gently rolling.
 Soil - 1st rate grass land.
 No timber.

Township 1st North, Range 4th West
 Gila and Salt River Meridian
 S. North.

- between sections 14th & 15th
 var. 14° 07' East
- 28.50 Road bears N. W. & S. E.
- 32.15 One Juniper tree 10 inches diameter.
- 40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions
 No trees near.
- 80.00 Set a post in a mound and pits as per instructions for the corner to sections
 10, 11, 14th & 15th.
 No trees near.
- Land - gently rolling.
 Soil - 1st rate.
 Some scattering Juniper trees.

Township 1st North, Range 4 West
 Gila and Salt River Meridian

East.

on random line between sections 11th & 14th.
 var. 124° 07' East

40.00 Set a temporary 1st section corner
 post

79.60 Road bears N. N. ^W S. E.

80.00 Intersect the N. ^W S. Line at the corner
 to sections 11, 12, 13 th & 14th from which
 corner I run -

West.

on true line between sections 11th & 12th.
 var. 124° 07' East

40.00 Set a 1st section corner post in a mound
 and pits as per instructions

No trees near

80.00 the corner to sections

10, 11, 14 th & 15th

Land - gently rolling.

Soil - 1st rate for grass.

No timber

Township 14 North. Range 4 West
 Tola ^{and} Salt River Meridian
 No. North.

between sections 10 ^{and} 11.

Var. $14^{\circ} 07'$ East

40.00 Set a $\frac{1}{2}$ section corner east in a mound and set as per instructions
 No trees near.

20.00 Set a post in a mound and set as per instructions for the corner
 to sections

D. 3, 10 ^{and} 11.

No trees near.

Land - gently rolling.

Soil - $\frac{1}{2}$ rate.

a few scattering clumps of
 Juniper trees.

Township 1st North, Range 4 West
 Tada ^{and} Salt River Meridian

East.

on random line between sections 2 ^{and} 11.

Var. 124° 07' East

40.00 Set a temporary 1/4 section corner post.

80.08 Intersect the N. & S. Line at the corner
 to sections 1, 2, 11 & 12, from which corner
 I run -

West.

on true line between sections 2 ^{and} 11.

Var. 124° 07' East

40.04 Set a 1/4 section corner post in a mound
 and pits as per instructions

No trees near.

80.08 The corner to sections

2, 3, 10 ^{and} 11.

Land - nearly level.

Soil - 1st rate.

No timber.

Township 14 North. Range 4 West
 6th and Salt River Meridian
 3rd North.

on random line between sections 2nd & 3.

var. $14^{\circ} 07'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.17 Intersect the North boundary line
 12 links east from the corner
 to section 2, 3, 34th & 35. from which
 corner I run -

S. $0^{\circ} 05'$ E.

on true line between sections 2nd & 3.

var. $14^{\circ} 07'$ East

40.17 Set a $\frac{1}{4}$ section corner post in
 a mound and pits as per in-
 structions. No trees near.

80.17 The corner to sections

2, 3, 10th & 11.

Land - lead. Soil 1st rate.

No timber.

Dec. 5th 1871

Township 1st North Range 4 West

Gila and Salt River Meridian

No. North.

between sections 33rd & 34.

var. 14⁰⁰ 7' East

40.00 Set a 1/4 section corner stone 10 x 10 x 8 inches in mound and file as per instructions.

No trees near.

80.00 Set a post in a mound and file as per instructions for the corner to sections.

27, 28, 33rd & 34.

No trees near.

Land - gently rolling.

Drip - 1st rate.

No timber.

Township 14 North Range 4 West

6th and Salt River Meridian

East.
 on random line between sections 27 & 34.
 Var. 14° 07' East

40.00 Set temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line at the corner
 to sections 26, 27, 34 & 35, from which corner. Same -
West.

on true line between sections 27 & 34.
 Var. 14° 07' East

40.00 Set a 1/4 section corner post in a
 mound and fill as per instructions

No trees near.

80.00 The corner to sections.

27, 28, 33 & 34.

Land - gently rolling.

Soil - 1st rate.

No timber.

Township 17 North. Range 4 West.

5th Salt River Meridian

to North.

between sections 27th & 28.

var. 124° 07' East

40.00 Set a 4th section corner post in a mound and file as per instructions

No trees near.

80.00 Set a post in a mound and file as per instructions for the corner to sections

21, 22, 27th & 28.

No trees near.

Land - gently rolling.

Soil - 1st rate.

No timber.

Township 14 North, Range 4 West

Gila and Salt River Meridian

East.

on random line between sections 22nd & 27th.

var. $14^{\circ}07'$ East

40.00 Set temporary $\frac{1}{4}$ section corner post.

48.00 Road bears N. ^{and} S.

80.10 Intersect the N. $\frac{1}{2}$ S. Line 7 rods south
from the corner to sections 22, 23, 26

$\frac{1}{2}$ 27, from which corner run -
S. $89^{\circ}07'$ N.

on true line between sections 22nd & 27th.

var. $14^{\circ}07'$ East

40.05 Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions

No trees near.

80.10 The corner to sections

21, 22, 27th & 28.

Land - gently rolling.

Soil - 1st rate

A few scattering Juniper trees.

25

Township 14 North, Range 4 West

Gda ^{and} Salt River Meridian1st North.between sections 21 ^{and} 22.

var. 14° 07' East

40.00 Set a ^{1st} section corner post in a mound and set as per instructions
No trees near.

80.00 Set a post in a mound and set as per instructions for the corner to sections

15, 16, 21 ^{and} 22.

No trees near.

Land - gently rolling.

Soil - 1st rate.

Scattering clumps of Juniper trees.

Township 14 North, Range 4 West
 6th and Salt River Meridian

East.

on random line between sections 15th & 22

var. 14° 07' Each

40.00 Set a temporary 1/4 section corner post.

43.00 Road bears N. 90° S.

40.05 Intersect the N. & S. Line at the
 corner to sections 14, 15, 22 & 23.

from which corner I run -

West.

on true line between sections 15th & 22

var. 14° 07' Each

40.02 Set a 1/4 section corner post in a mound
 and pile as per instructions

No trees near

40.05 The corner to sections

15, 16, 21st & 22.

Land - gently rolling.

Soil - 1st rate.

Scattering Juniper trees.

Township 1st North, Range 4 West
 Tada Salt River Meridian
 No. North.

between sections 15th & 16
 var. 14° 07' East

40.00 Set a post in a mound
 and pits as per instructions.

No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the corner
 to sections 9, 10, 15th & 16. - from which
 a Juniper 18 inches diameter bears
 N. 35¹/₂° W. - 240 links distant.

No other trees near.

Land - gently rolling.
 Soil - 1st rate.
 Scattering Juniper timber.

Township 17 North, Range 4 West
 Gila and Salt River Meridian

No East.

on random line between sections 10 & 15.

var. $124^{\circ}07'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

44.50 Road bears $N. \frac{1}{2} S.$

80.16 Intersect the $N. \frac{1}{2} S.$ Line 6 links south from the corner
 to sections 10, 11, 14 & 15, from which corner, $S. \text{var.}$
 $S. 89^{\circ}57' W.$

on true line between sections 10 & 15

var. $124^{\circ}07'$ East

40.08 Set a $\frac{1}{4}$ section corner post in a mound
 and pits, as per instructions, from which
 a Juniper, 12 in. diam., bears $N. 27^{\circ} W. 168$ links dist.

No other tree near.

80.16 the corner to sections

9, 10, 15 and 16.

Land - gently rolling

Soil - 1st rate.

Scattering Juniperus triseriata.

Township 14 North, Range 4 West.

6th 3/4 Salt River Meridian.

No. North.

between sections 9^{and} 10.

var 124° 07' East

40.00 Set a 1/4 section corner post in a mound
and pits as per instructions.

No trees near.

80.00 Set a stone 14 x 10 x 6 inches in a
mound and pits as per instructions
for the corner to sections

3, 4, 9^{and} 10.

from which a Juniper 10 inches diameter
bears S. 83° W. 30 links distant.

No other trees near.

Land - rolling.

Soil - 1st rate.

Scattering Juniper trees.

Township 14 North. Range 4 West

61st and Salt River Meridian
 No East.

on a random line between sections 3rd & 10
 var. 14° 07' East

- 27.20 Road bears N. N. $\frac{1}{2}$ S. E.
 40.00 Set a temporary 1/4 section corner post
 67.00 Road bears S. E. $\frac{1}{2}$ N. N.
 80.06 Intersect the N. $\frac{1}{2}$ S. Line at the corner
 to sections 2, 3, 10th & 11 from which
 corner I run —

West

on true line between sections 3rd & 10.
 var. 14° 07' East

- 40.03 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.

- 80.06 The corner to sections
 3, 4, 9th & 10.
 Land — nearly level prairie
 Soil — 1st rate.
 No timber.

Township 17 North, Range 4 West
 Tada Salt River Meridian
 North.

on random line between sections 3rd & 4
 var. 124° 04' East
 17.00 Enter smooth lead prairie bears E & N.
 40.00 Set a temporary 1/4 section corner post
 67.90 Road bears N. N. ^W S. E.
 80.10 Intersect the North boundary line
 at the corner to sections 3, 4, 33 & 34
 from which corner I run -
 South.

on true line between sections 3rd & 4
 var. 124° 04' East
 40.10 Set a 1/4 section corner post in a
 mound and pits as per instru-
 tions. No trees near.
 80.10 The corner to sections
 3, 4, 9 & 10.
 Land - lead prairie.
 Soil - 1st rate. No timber
 Dec. 6th 1871.

Accts

Township 17 North. Range 4 West
 6th & 5th Salt River Meridian

North

between sections 32 & 33

var. $14^{\circ}07'$ Each

- 0.00 Set a $\frac{1}{4}$ section corner post in a mound and file as per instructions. No trees near.
- 0.00 Set a post in a mound and file as per instructions for the corner to sections 28, 29, 32 & 33. No trees near.
- Land-level. Soil 1st rate. No timber.

East on random line between sections 28 & 33

var. $14^{\circ}07'$ Each

- 0.00 Set a temporary $\frac{1}{4}$ section corner post
- 0.08 Intersect the N. & S. Line at the corner to sections 27, 28, 33 & 34, from which corner I run —
- West on true line between sections 28 & 33
- var. $14^{\circ}07'$ Each

- 40.04 Set a $\frac{1}{4}$ section corner post in mound and file, as per instruction. No trees near.
- 80.08 The corner to sections 28, 29, 32 & 33.
- Land-gently rolling. Soil-1st rate. No timber.

Township 14 North, Range 4 West -
Gda and Salt River Meridian

North, between sections 28th & 29.

Var. 14° 07' East

40.00 Set a ^{1/4} section corner post in a mound and pile
as per instructions. No trees near.

80.00 Set a post in a mound and pile as per instructions for the
corner to sections 20, 21, 28th & 29. No trees near.

Land - gently rolling. Soil - 1st rate. Scattering Juniper trees.

East, on random line between sections 21st & 28.

Var. 14° 07' East

40.00 Set a temporary ^{1/4} section corner post.

80.00 Intersect the N. & S. Line, 9 rods south from the corner to sections
21, 22, 27th & 28. from which corner I run -

S. 89° 56' W. on true line between sections 21st & 28.

Var. 14° 07' East

40.00 Set a ^{1/4} section corner post in a mound and pile
as per instructions. No trees near.

80.00 The corner to sections 20, 21, 28th & 29.

Land - gently rolling. Soil 1st rate.
Scattering Juniper trees.

Township 17 North Range 4 West
 Gila & Salt River Meridian

North. between sections 20th & 21.

Var. 14° 07' East

40.00 Set a ^{1/4} section corner post in mound and file as per instructions. No trees near.

80.00 Set a post in a mound and file as per instructions for the corner to sections 16.17.20 & 21. No trees near.

Land - gently rolling. Soil - 1st rate.
 Some scattering Juniper trees - in clumps

East. on random line between sections 16th & 21

Var. 14° 07' East

40.00 Set a Temporary ^{1/4} section corner post.

80.10 Subsect. the N. & S. Line at the corner to sections 15.16.21 & 22, from which corner Issue -

West. on true line between sections 16th & 21

Var. 14° 07' East

40.05 Set a ^{1/4} section corner post, in mound & file, as per instructions. No trees near.

80.10 The corner to sections 16.17.20 & 21.

Land - gently rolling. Soil - 1st rate.
 Scattering bunches of Juniper trees.

Township 1st North, Range 4 West
 T10th and Salt River Meridian
 T10th North.

between sections 16th and 17th.
 var. 124° 04' East

40.00 Set a 1/4th section corner post in a
 mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the corner
 to sections

S. 9. 16th and 17th.

No trees near

Land - gently rolling.
 Soil - 1st rate.
 Scattered Juniper trees.

Township 17 North Range 4 West
 Gila and Salt River Meridian

As East.

on random line between sections 9th & 16th
 var. 14° 07' East

40.00 Set a temporary 1/4 section corner post.

80.07 Intersect the N. & S. Line 12 links
 north from the corner to sections 9, 10, 15
 and 16, from which corner I run -
N. 89° 58' W.

on true line between sections 9th & 16th.

var. 14° 07' East

40.03 Set a 1/4 section corner post in a mound
 and pile as per instructions.

No trees near

80.07 This corner to sections
 8, 9, 16th & 17

Land - rolling.

Soil - 1st rate.

Scattering Juniper trees

Township 14 North, Range 4 West

Section 4 and Salt River Meridian

Sec. 4 North

between sections 8 & 9.

var. $14^{\circ} 07'$ East

40.00 Set a $1/4$ section corner post in a mound and set as per instructions from which

A Juniper, 10 in. diam. bears $N. 61^{\circ} E. 147$ links dist.

do 8 " " " S. $77^{\circ} E. 152$ " "

80.00 Set a post in a mound and set as per instructions for the corner to sections

4, 5, 8 & 9

No trees near.

Land - gently rolling.

Soil - 1st rate.

Scattering Juniper timber.

Township 17 North, Range 4 West
Gila and Salt River Meridian

No. East.

on random line between sections 4th & 9th
var. 1st° 07' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line 6 links south
from the corner to sections 3, 4, 9 & 10
from which corner draw -
S. 89° 57' N.

on true line between sections 4th & 9th.

var. 1st° 07' East

40.00 Set a 1/4 section corner post in a mound
and pits as per instructions

No trees near.

80.00 The corner to sections

4, 5, 8th & 9th.

Land - gently rolling.

Orch - 1st rate.

Scattering Juniper timber.

39

Township 17 North, Range 4 West
 Gila & Salt River Meridian
 No North.

on random line between sections 4 & 5.
 var. $14^{\circ} 07'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.18 Intersect the North Boundary line of
 the corner to sections 4, 5, 32 & 33
 from which corner I run
South.

on true line between sections 4 & 5
 var. $14^{\circ} 07'$ East

40.18 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instruction.

80.18 No trees near
 the corner to sections

4, 5, 8 & 9.

Land - gently rolling
 Soil - 1st rate.

Scattering Juniper trees.

date Dec. 7th 1871

Township 1st North. Range 4 West

Gila Salt River Meridian

No. North

between sections 31st & 32

var. 14° 07' East

40.00 Set a 1/4 section corner post in a mound
and pits as per instructions.

No trees near.

80.00 Set a post in a mound and pits
as per instructions for the corner
to sections

29.30.31st & 32.

from which

a Juniper, 20 in. diam, bears N. 18° W. 278 least dist.

No other trees near.

Land - gently rolling.

Soil - 1st rate grass land.

Scattering Juniper trees.

Township 17 North Range 4 West

6th 4th Salt River Meridian

No East

on random line between sections 29 & 32 -
var. 14° 07' East.

40.00 Set temporary 1st section corner post

80.00 Intersect the N. & S. Line at the
corner to sections 28, 29, 32 & 33.
from which corner I run -
West.

on true line between sections 29 & 32
var. 14° 07' East.

40.00 Set a 1st section corner post in a
mound and pits as per instructions.

80.00 No trees near
the corner to sections
29, 30, 31 & 32

Land-rolling.

Doib - 1st. rate grass land.
Scattering Juniper trees.

Township 17 North. Range 4 West
 Tila ^{and} Salt River Meridian
 4th West.

on random line between sections 30 & 31.
 var. $14^{\circ}07'$ East

40.00 Set temporary $\frac{1}{4}$ section corner post.

79.94 Intersect the West boundary line 8
 links south from the corner to sections
 30, 31, 25 & 36, from which corner draw -
S. $89^{\circ}57'$ E.

on true line between sections 30 & 31.

var. $14^{\circ}07'$ East

39.94 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 a Juniper, 10 in. diam. bears N. 44° E. 67 link dist.
 do 8 " " " S 36° W. 71 " "

79.94 ^{at} the corner to sections

29, 30, 31 ^{and} 32.

Land - rolling.

Prod 2^o rate.

Scattering Juniper trees

43

Township 1¹/₄ North, Range 4 West
 Gila Salt River Meridian
 S¹/₂ North.

between sections 29¹/₂ 30
 var. 14° 07' East

40.00 Set a 14 section corner stone 14 x 10
 x 6 inches as per instructions
 No trees near.

80.00 Set a stone 12 x 12 x 10 inches
 as per instructions for the
 corner to sections
 19, 20, 29¹/₂ 30.
 No trees near.

Land - rolling.

Soil - 2nd rate.

Scattering Juniper trees.

Township 14 North, Range 4 West
 T4 and S. 4th. River Meridian

to East.

on random line between sections 20 & 29.
 Var. $121^{\circ} 07'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.124 Intersect the N. & S. Line 11 links north
 from the corner to sections 20, 21, 28
 and 29, from which corner draw
N. $89^{\circ} 55'$ W.

on true line between sections 20 & 29
 Var. $140^{\circ} 07'$ East

40.07 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions

No trees near.

80.124 the corner to sections

19, 20, 29 & 30

Land - rolling.

Soil - 2^d rate.

Scattering Juniper trees.

Township 17th North. Range 4th West
 Tada and Salt River Meridian
 Co West.

on random line between sections 19th & 30th
 var. 14° 07' East

40.00 Set a temporary 1/4th section corner post

80.00 Intersect the West boundary line 6
 links North from the corner to
 sections 19.30.24th & 25. from which
 corner I run -

N. 89° 57' East.

on true line between sections 19th & 30th.
 var. 14° 07' East.

40.00 Set a 1/4th section corner stone 16x10x8
 inches, as per instructions, from which
 a Juniper 6 in. diam. bears S. 16¹/₂° W. 75 links dist.
 do 5 " " " S. 25° W. 88 " "

80.00 The corner to sections

19.20.29th & 30.

Land. rolling.

Oril - 2nd rate.

Scattering Juniper timber.

Township 17 North, Range 4 West
 T14th and Salt River Meridian
 T. North.

between sections 19th and 20.
 of ar. 14° 07' East

40.00 Set a 1/4 section corner stone 14 x 12 x 5
 inches as per instructions
 No trees near.

90.00 Set a stone 16 x 10 x 6 inches as per
 instructions for the corner to
 sections

17, 18, 19th and 20

No trees near.

Land-rolling.

Orb - 2^o rate.

Scattering Juniper trees.

Township 1st North, Range 4 West
 Tada & Salt River Meridian
 1st East.

on random line between sections 17th & 20th
 var. 14° 07' East

40.00 Set a temporary 1/4 section corner post.

80.10 Intersect the N. & S. Line at the
 corner to sections 16. 17. 20th & 21st
 from which corner I run -
West.

on true line between sections 17th & 20th
 var. 14° 07' East.

40.05 Set a 1/4 section corner post in
 mound and pits as per instructions

80.10 No trees near
 the corner to sections
 17. 18. 19th & 20th

Land-rolling.

Paid 2nd rate.

Scattering Juniper trees.

Done Dec. 8th 1871

Township 1⁴ North, Range 4 West
 Gila ^{and} Salt River Meridian
 1⁴ West.

on random line between sections 18 & 19.
 var. 14^o 04' East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.88 Intersect the West boundary line
 9 links south from the corner to
 sections 18, 19, 13⁹ & 24, from which corner,
 I run -

S. 89^o 56' E.

on true line between sections 18 & 19.
 var. 14^o 07' East

39.88 Set a $\frac{1}{4}$ section corner stone 16 x 10 x 4
 inches as per instructions, from which
 a juniper 6 in. diam. bears N. 33^o W. 82 links dist.

No other trees near.

79.88 The corner to sections

17, 18, 19⁹ & 20.

Land - rolling

Soil - 2^o ^{and} 3^o rate.

Scattering Juniper timber.

Divisions 1st of North. Range 4 West.
Side ^{and} Salt River Meridian
On North.

between sections 1st of 18

var. 140° 07' East.

40.00 Set a '44 section corner post in a mound and set as per instructions, from which.

A Juniper 8 inches diameter bears S. 56° E. 27 rods distant.

No other trees near.

80.00 Set a stone 16 x 12 x 8 inches as per instructions for the corner to sections

7, 8, 1st of ^{and} 18.

No trees near.

Land - rolling.

Soil - 2nd rate.

Scattered Juniper trees.

Township 17th North. Range 4 West

6th & Salt River Meridian

to East. ✓

on random line between sections 8th & 17th.

Var. $14^{\circ} 17'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.90 Enter the N. & S. Line 12 links south
from the corner to sections 8, 9, 16th & 17th
from which corner I run.

S. $89^{\circ} 55'$ N.

on true line between sections 8th & 17th

Var. $14^{\circ} 07'$ East

39.95 Set a $\frac{1}{4}$ section corner post in a mound
and pits as per instructions

No trees near.

79.90 the corner to sections

7, 8, 17th & 18.

Land - rolling.

Soil - 2nd & 3rd rate.

Scattering Juniper trees.

Township 14 North, Range 4 West

6th 1/2 Ball River Meridian

To West.

on random line between sections 7th & 18.

Var. $14^{\circ} 07'$ East

40.00 Set a temporary 1/4 section corner post.

79.80 Subsect the W. Boundary Line at the corner to sections 7, 18, 12th & 13 from which corner I run -

East.

on true line between sections 7th & 18

Var. $14^{\circ} 07'$ East

39.80 Set a 1/4 section corner stone 14x8
x 6 inches as per instructions.

A Juniper, 10 in. diam. bears N. 66th W. E. 120 links dist.

No other tree near

79.80 The corner to sections

7, 8, 17th & 18.

Land rolling.

Soil 3rd rate.

Scattering Juniper.

Township 1st North Range 4 West
 Tada & Salt River Meridian
 1st North.

between sections 7th & 8.

var. 14° 07' East

40.00 Set a $\frac{1}{4}$ section corner stone 16 x 10
 x 4 inches as per instructions.
 No trees near.

80.00 Set a stone 18 x 10 x 6 inches as
 per instructions for the corner to
 sections

S. 6. 7th & 8.

No trees near.

Land rolling.

Soil 3rd rate.

Scattering Juniper trees.

Township 14 North, Range 4 West

Block ⁴⁴⁹ Salt River Meridian
 No. East.

on a random line between sections 5th & 8.
 var. 14° 07' East

40.00 Set a temporary 1/4 section corner post.

79.96 Intersect the N. & S. Line at the
 corner to sections 4, 5, 8th & 9 from
 which corner same

West.

on true line between sections 5th & 8.
 var. 14° 07' East

39.98 Set a 1/4 section corner stone 14
 x 10 x 6 inches as per instructions

79.96 No trees near.
 the corner to sections
 5, 6, 7th & 8.

Land - rolling.

Soil - 2nd & 3rd rate.

Scattering Juniper trees.

Township 17 North. Range 4 West
 5th & Salt River Meridian
 S. West.

on random line between sections 6th & 7.
 var. $14^{\circ} 07'$ East

40.00 Set a temporary 44 section corner post.

79.75 Intersect the West boundary line
 14 links south from the corner
 to sections 6, 7, 1st and 12. from which
 corner I run -
S. $89^{\circ} 54'$ E.

on true line between sections 6th & 7.
 var. $14^{\circ} 07'$ East

39.75 Set a 44 section corner post in a
 mound and pits as per instructions

No trees near.

79.75 The corner to sections
 5, 6, 7th and 8.

Land rolling.

Soil 3rd rate.

Scattering Juniper trees.

Sections 17 North Range 4 West.

Gila Salt River Meridian

No North.

on random line between sections 5th & 6.

var. $14^{\circ} 07'$ East

40.00 Set a temporary 1/2 section corner post.

80.20 Intersect the North boundary line
at the corner to sections 5, 6, 31
& 32, from which corner Drive -

South.

on true line between sections 5th & 6.

var. $14^{\circ} 07'$ East.

40.20 Set a 1/2 section corner stone 16
 $\times 8 \times 4$ inches as per instructions

a Juniper, 10 in. diam. bears N. 10° W. 22 feet dist.

No other trees near.

80.20 the corner to sections

5, 6, 7 & 8.

Land rolling. Soil 3rd rate.

Scattering Juniper trees.

Alerte Dec. 9th 1871

General Description.

The lands in this Township except the west tier of sections are of good quality for grazing and farming.

The soil is a rich alluvial sandy loam and the scattering Juniper trees are useful for fuel, and some of them are of good size and will answer for many purposes ~~useful~~ to the settlers.

Water can be procured by wells of only a few feet in almost any part of the Township.

S. H. ^NCorrigan.

Dep. U. S. Surveyor.

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the Sub-division Lines of Township 16 N. of Ranges 2, 3, & 4 W. & 17 N. Ranges 2, 3, & 4 W.

Gila and Salt River Meridian and Base line.

Showing the respective capacities in which they acted.

| | |
|---------------|-------------|
| Geo. W. Carr | Compassman. |
| Joseph Samuel | Chainman. |
| James Allen | Axeman. |
| John Redey | Fileman. |

Final Oaths of Assistants.

We hereby certify that we assisted Solomon W.
Fireman A/S. Deputy Surveyor, in surveying
the Subdivision lines of Townships
16 N. Ranges 2. 3 $\frac{1}{2}$ 4 W. ^{and} 17
N. Ranges 2. 3. $\frac{1}{2}$ 4 W.
Gulf & Salt River Meridian
and Base line

and that said Survey has been in all respects, to the
best of our knowledge and belief, well and faithfully sur-
veyed, and the boundary monuments planted according to
the instructions furnished by the Surveyor-General.

John Pile

James Allen

George W. Carr

Joseph Fenner

Subscribed and Sworn to before us
this 9th day of Dec a 1871

E. W. Wells

Clerk Dist Court
3^d Dist A.S.

Final Oath of Deputy Surveyor.

I, Solomon W. Foreman of
 Deputy Surveyor, do solemnly swear that, in pursuance
 with a contract with John Wagon
 United States Surveyor-General for Arizona, bearing date
 the 7th day of August 1877, I have well, faithfully
 and truly, in my own proper person, and in strict con-
 formity with the instructions furnished by the Surveyor-
 General, the Surveying Manual, and the laws of the
 United States, surveyed all those parts or portions of
 the Subdivision lines of Town-
 ships 16 N. Rgs 2, 3, & 4 W. &
 17 N. Ranges 2, 3 & 4 W.
 Gila & Salt River Meridian
 and Base line



as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Salomon M. Foreman
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 9th
day of Decem^r 1871

Edw. Wells
Clerk Dist Court
3^d Dist Cal.



Surveyor General's Office
Tucson Ariz.

February 15th 1872

The foregoing field notes of
the survey of the Subdivision
lines of Township 17 N. Range
4 N. of the Gila & Salt River
Base and Meridian lines
in the Territory of Arizona
executed by S. W. Foreman
U.S. Deputy Surveyor, under
his contract dated August
7th 1871, having been critically
examined, the necessary
corrections and explanations
made, the said Field Notes
and the surveys they des-
cribe are hereby approved.

John Mason
U.S. Surveyor General
Ariz.