

No. 1051

BOOK

P. 1
1051

Field Notes

of the Subdivision lines
of Township 15 N. Range
2 West, of the Gila and
Salt River Meridian, Arizona.

By S. W. Foreman, Dep. Surveyor
under his contract dated October 14, 1871
Survey commenced Dec. 25, 1871
Survey completed Dec. 30, 1871

No. 1051

Manuscript sent to Commissioner

March 20, 1872

1051

1A BOOK 1051

1051
4-674.

Township 15 N. R. 2 W. Secs. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36.

6	58	5	42	4	31	3	22	2	11	1
57	56		41		30		21		10	
7	55	8	40	9	29	10	20	11	9	12
54	53		39		28		19		8	
18	52	17	38	16	27	15	18	14	7	13
51	50		37		26		17		6	
19	49	20	36	21	25	22	16	23	5	24
48	47		35		24		15		4	
30	46	29	34	28	29	27	14	26	3	25
45	44		33		23		13		2	
31	43	32	32	33	28	34	12	35	1	36

No. 1051

BOOK 1051

1B

Field Notes

of the survey of the Subdivision

Lines of Township 15 North.

of Range 2 West.

Gila and Salt River Meridian

Arizona Territory

Township 15 North, Range 2 West
 Tada and Salt River Meridian

37.00 Peg in the south boundary of
 the Township at the corner
 to sections 35^{2/4} 36^{2/4} on
North.

between sections 35^{2/4} 36^{2/4}.

var. 12° 04' East.

(as per East boundary line)

38.00 Road bears S^{2/4} W.

46.00 Set a 1/4 section corner post in
 mound 2/3 pits as per instructions

No trees near.

50.00 Set a post in a mound 2/3 pits
 as per instructions for the
 corner to sections

35. 26. 35^{2/4} 36.

No trees near

Land rolling prairie

Orch - Potatoes

No timber

Township 15th North, Range 2nd West
 Tila and Salt River Meridian

No. East. on a random line between sections
 25th & 36.

var. 1st^o 04' East

40.00 Set a temporary 1/4 section corner post

65.00 Second bank 30 feet high.

80.00 Intersect the East boundary line
 at the corner to sections 25, 36

30th & 31. from which corner I run

West. on true line between sections
 25th & 36.

var. 1st^o 04' East

40.00 Set a 1/4 section corner stone 12x10
 x 8 inches and marked as per
 instructions.

No trees near.

80.00 The corner to sections

25, 36, 35th & 36.

Land - rolling.

Soil - prairie.

No timber.

13
 Township 15 North, Range 3 West,
 6th & Salt River Meridian
 1st North.

between sections 25th & 26.
 var. 74° 04' East.

- 40.00 Set a 1st section corner post in a mound and pits as per instructions
 No trees near.
 - 60.00 A House 20 chains west of line
 - 80.00 Set a stone 14 x 10 x 10 inches in mound and pits and marked as per instructions for the corner to sections 23, 24, 25th & 26.
 No trees near.
- Land rolling.
 Soil 1st rate.
 No timber.

Township 15 North, Range 2 West
 6th & Salt River Meridian

S. East. on a random line between sections
 24 & 25.

Var $14^{\circ} 04'$ East
 30.00 Road bears S. 54° N. E.
 40.00 Set a temporary $\frac{1}{4}$ section corner post
 42.00 Enter cornfield bears N. 45° S.
 51.00 Leave Cornfield bears N. E. 45° S. N.
 62.00 a house 10 chains N. of line.
 80.00 Intersect the East boundary line
 at the corner to sections 24, 25
 19 $\frac{3}{4}$ 30. from which corner I run
 West on true line between sections
 24 & 25.

Var $14^{\circ} 04'$ East
 40.00 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 No trees near.
 80.00 The corner to sections 23, 24, 25 & 26.
 Sand rolling. Soil - 1st rate.
 No timber

Township 15 North Range 2 West
 Gila ^{and} Salt River Meridian
 S. North.

between sections 23rd & 24th
 var. 14° 04' East

40.00 Set a 1/4 section corner stone 14
 x 10 x 8 inches in mound and
 pits as per instructions

No trees near.

80.00 Set a post in a mound ^{and} pits
 as per instructions for the
 corner to sections

13. 14. 23rd & 24th.

No trees near.

Land - rolling

Coils ^{1st} Private.

No timber.

Township 15 North, Range 2 West
Side of Salt River Meridian

East. on a random line between sections
13^q & 24.
Var. 14° 04' East

40.00 Set a temporary 1/4 section corner post.
80.10 Intersect the East boundary line
8 links north from the corner to
sections 13, 24, 18^q & 19, from which
corner I run -

N. 89° 57' W. on true line between sections
13^q & 24.
Var. 14° 04' East

40.05 Set a 1/4 section corner post in
a mound and set, as per
instructions.

80.10 No trees near.
The corner to sections
13, 14, 23^q & 24.

Land rolling
Gravel - 1/4 rate.
No timber.

7
 Townships 15 North. Range 2 West.
 Gila and Salt River Meridian
 T^h North

between sections 13th & 14th
 var. 14° 04' East.

40.00 Set a 4th section corner post
 in a mound and pits as per
 instructions.

No trees near

80.00 Set a post in a mound and
 pits as per instructions for
 the corner to sections
 11, 12, 13th & 14.

No trees near.

Sand palling
 Soil - 1st rate
 No timber.

Township 15 North, Range 2 West

Secs ¹⁴ Salt River Meridian

1/2 East, in a random line between sections
12 & 13.

Var. $14^{\circ}04'$ East

40.00 Set a temporary 1/4 section corner post.

79.96 Intersick the East boundary line
at the corner to sections 12, 13

& 18, from which corner run
West, in a true line between sections
12 & 13.

Var. $14^{\circ}04'$ East

39.98 Set a 1/4 section corner post in a
ground and pits as per instructions.

79.96 No trees near
the corner to sections
11, 12, 13 & 14.

Land rolling

Orbit - Private

No timber

Township 15 North, Range 2 West
 6 days Salt River Meridian
 1/4 North.

between sections 11^{1/2} & 12.
 var. 140° 04' East

40.00 Set a 1/4 section corner post in
 a mound and pits as per in-
 structions.

No trees near.

80.00 Set a stone 14 x 8 x 8 inches in
 mound and pits as per in-
 structions for the corner to
 sections 1, 2, 11^{1/2} & 12.

No trees near

Sand rolling
 Soil - phosphate
 No timber

Township 15 North, Range 2 West
 6th and Salt River Meridian

1/4 East, on a random line between sections
 1^{qms} 12.

var. $144^{\circ} 04'$ East

40.00 Set a temporary 4 section corner post.

80.00 Submerge the East boundary line
 at the corner to sections 1, 12, 6

and 7 from which corner I run —
 West, on true line between sections
 1^{qms} 12.

var. $144^{\circ} 04'$ East

40.00 Set a 4 section corner stone 14×8
 \times benches in mound and pits as
 per instructions

80.00 No trees near
 the corner to sections
 1, 2, 11^{qms} 12.

Land rolling.
 Soil - ^{sh}rate.
 No timber.

Township 15 North. Range 2 West.
Gila ^{and} Salt River Meridian

Sec North. on random line between sections
1 ^{and} 2.

var. $124^{\circ}04'$ East

40.00 Set a temporary ^{1/4} section cor. post.

80.13 Subvert the North boundary at
the corner to sections 1, 2, 35 ^{and} 36,
from which corner I run —
South, on true line between sections
1 ^{and} 2.

var. $124^{\circ}04'$ East.

110.17 Set a ^{1/4} section corner post
in a mound ^{and} pits as per instructions.

No trees near.

80.12 The corner to sections
1, 2, 11 ^{and} 12.

Land smooth rolling prairie
Soil — 1st rate

No timber.

Date Dec. 25th 1871

Township 15 North Range 2 West.

G. S. Salt River Meridian

Ch. North

between sections 34th & 35th
var. 14° 04' East

40.00 Set a ^{1/4} section corner post in a mound and pits as per instructions
No trees near.

80.00 Set a post in a mound ^{and} pits as per instructions for the corner to sections

26, 27, 34th & 35.

No trees near.

Land rolling

Soil 1st rate.

No timber.

Township 15 North. Range 2 West
 6th ^{and} Salt River Meridian
 to East.

on a random line between sections 26 ^{and} 35
 var. $14^{\circ} 04'$ East.

- 14.00 Road runs N. W. ^{to} S. E.
 40.00 Set a temporary $\frac{1}{4}$ section corner post.
 53.50 Road bears N ^{to} S.
 80.00 Intersect the N ^{to} S. Line at the
 corner to sections 25, 26, 35 ^{and} 36
 from which corner I run —
 West. on true line between sections
 26 ^{and} 35.

var. $14^{\circ} 04'$ East.

- 40.00 Set a $\frac{1}{4}$ section corner stone 16×10
 $\times 8$ inches in mound ⁴/₁₆ pits and
 marked as per instructions
 of No trees near.
 80.00 the corner to sections
 26, 27, 34 ^{and} 35.
 Land gently rolling.
 Soil - 1st rate. No timber.

Township 15 North, Range 2 West
 6d^{and} Salt River Meridian
 15 North.

between sections 26^{and} 27.
 var. 14' 11" East

38.00 1 Round bear, N. N. & S. E.
 40.00 Set a 4th section corner stone 16 x 10 x 10
 inches in ground and set as per instructions.

No trees near.

80.00 Set a stone 18 x 10 x 10 inches in a
 ground and set as per instructions
 for the corner to sections
 22, 23, 26^{and} 27.

No trees near.

Ground - gently rolling
 Soil 1st rate

No timber

Township 15 North, Range 3 West

Gila and Salt River Meridian

S. East. on random line between sections

23rd & 26.

Var. $14^{\circ} 04'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

59.00 Road runs N. & S. and thence 20 chains south of line.

80.20 Intersect the N. & S. Line 5 links south from the corner to sections 23, 24, 25th & 26. from which corner

I run -

S. $89^{\circ} 58'$ W. on true line between sections

23rd & 26.

Var $14^{\circ} 04'$ East

40.10 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions.

No trees near.

80.20 The corner to sections 22, 23, 26th & 27.

Land gently rolling

Soil - 1st rate.

No timber.

Township 15 North, Range 3 West
 T15N R3W Meridian
 1/4 North

between sections 22nd & 23.
 var. 14' 11" East

40.00 Set a 4" section corner post in a
 mound and pits as per instructions
 No trees near.

80.00 Set a stone 14x10x10 inches in
 mound and pits as per instructions
 for the corner to sections
 14, 15, 22nd and 23.

No trees near.

Land - gently rolling
 Soil - 1st rate
 No timber

Township 15 North Range 2 No.

Side of Salt River Meridian

No East. on random line between sections

14th & 23.

var. 14° 04' East

37.00 Road to Chino Valley bears N. ⁸⁹/₁₀₀ S.

40.00 Set a temporary ¹/₄ section corner post

80.00 Subdivide the N. ⁸⁹/₁₀₀ S. Line 9 leads
north from the corner to sections
13, 14, 23 & 24, from which corner
I run

N. 89° 56' N. on true line between sections

14th & 23.

var. 14° 04' East

40.00 Set a ¹/₄ section corner post in a
mound and pits as per instructions

No trees near.

80.00 The corner to sections

14, 13, 23 & 23.

Land - gently rolling

Soil - 1st rate

No timber

Township 15 North, Range 2 West
 Gila ^{and} Salt River Meridian
 Sec. North.

between sections 14th & 15th.

var. 14th & 14th East.

40.00 Set a 14th section corner post in
 a mound and pits as per instructions.
 No trees near.

80.00 Set a post in a mound and
 pits as per instructions for
 the corner to sections

10, 11, 14th & 15th.

No trees near.

Land gently rolling.

Soil - phosphate.

No timber.

Township 15 North Range 2 West
 6th and Salt River Meridian

Sec East, on random line between sections
 11^{3/4} & 14.

Var. 14° 04' East

34.00 Road bears N⁴⁵ W S.

40.00 Set a temporary 1/4 section corner post.

79.92 Intersect the N. 1/4 S. Line 10 links
 south from the corner to sections
 11, 12, 13^{3/4} & 14, from which corner
 Run -

S. 89° 56' W. on true line between sections
 11^{3/4} & 14.

Var 14° 04' East

39.96 Set a 1/4 section corner post, in a
 mound and pits as per instructions

No trees near.

79.92 The corner to sections

10, 11, 14^{3/4} & 15.

Land gently rolling
 Soil - 1st rate

No timber.

Township 15 North, Range 2 West
Gila and Salt River Meridian
S. North.

between sections 10 ^{and} 11.
var. 1st 04' East

80.00 Set a ^{1/4} section corner post in
a mound and pits as per instructions
No trees near.

80.00 Set a post in a mound and
pits as per instructions for the
corner to sections
2, 3, 10 ^{and} 11.

No trees near.

Land gently rolling
Soil - 1st rate
No timber.

Township 15 North, Range 2 West

6th and Salt River Meridian

Ch^s East, on random line between sections
2nd & 11.

12.50 Road bears N⁴⁵ and S. Var. 1st⁰ 04' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line at the corner to sections 1, 2, 11th & 12 from which corner I run -

West, on true line between sections
3rd & 11.

40.00 Set a 1/4 section corner post in a mound and pits as per instructions. Var. 1st⁰ 04' East.

80.00 The corner to sections
2, 3, 10th & 11.

Land - rolling prairie

Soil - 1stst rate.

No timber.

Township 15 North, Range 2 West

Gda ^{and} Salt River Meridian

1/4 North, in a random line between sections
2 ^{and} 3.

var. 121° 04' East

10.00 Road bears N. W.

40.00 Set a temporary 1/4 section cor. post.

80.16 Intersect the North boundary line
13 links west from the corner
to sections 2, 3, 34 ^{and} 35, from
which corner I run -

S. 0° 6' W. on true line between sections
2 ^{and} 3.

var. 121° 04' East

40.16 Set a 1/4 section corner post in
a mound ^{of} pits as per instructions

No trees near.

80.16 The corner to sections
2, 3, 10 ^{and} 11.

Land gently rolling prairie
Soil ^{is} rate

No timber

Date Dec 26th 1871

Township 15 North, Range 2 West
 Tada & Salt River Meridian

The North between sections 33^{1/2} & 34

var. 124° 04' East

40.00 Set a 1/4 section corner post in mound & pit
 as per instructions. No trees near.

80.00 Set a post in mound & pit as per instructions for corner
 between 27, 28, 33^{1/2} & 34. No trees near.
 Sand - gently rolling. Soil 1st rate. No timber

East on random line between sections 27^{1/2} & 34

var. 124° 04' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line at the corner to sections
 26, 27, 34^{1/2} & 35, from which issue 1 acre -
 NE 1/4 on true line between sections 27^{1/2} & 34

var. 124° 04' East

40.00 Set a 1/4 section corner post in mound and pit
 as per instructions. No trees near.

80.00 The corner to sections 27, 28, 33^{1/2} & 34.
 Sand - gently rolling. Soil 1st rate. No timber

Township 15 North, Range 2 West

Gila and Salt River Meridian

1/4 North. between sections 27th & 28

var. 121° 04' East

40.00 Set 1/4 section corner post in a mound and pits
as per instructions. No trees near.

80.00 Set a post in mound & pits as per instructions for corner
to sections 21, 22, 27th & 28. No trees near.
Land rolling prairie. Soil 1st rate. No timber.

East on random line bet. sections 23th & 27.

var. 121° 04' East

35.00 Road bears N. N. ^{1/4} S. E.

40.00 Set temporary 1/4 section corner post.

80.08 Intersect the N. & S. Line at the corner to sections

23, 23, 26th & 27, from which corner I run
West, on true line between sections 22nd & 27.

var. 121° 04' East.

40.04 Set 1/4 section cor. post. in mound & pits as per instructions. No trees near.

80.08 The corner to sections 21, 22, 27th & 28.

Land gently rolling. Soil 1st rate. No timber.

Township 15 North, Range 3 West
 6th and Salt River Meridian
 1st North.

between sections 21^{and} 22
 var. 124° 04' East

21.50 Road bears N. W. ^{and} S. E.

40.00 Set a ^{1/4} section corner post in a
 mound and pit as per instructions
 No trees near.

80.00 Set a post in a mound ^{and} pit
 as per instructions for the
 corner to sections

15, 16, 21^{and} 22.

No trees near

Land calling for a

Coil - 1st rate.

No timber.

Township 15 North, Range 2 West

Gila and Salt River Meridian

No East. on random line between sections

15th & 22.

var. 124° 04' East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.00 Intersect the N. & S. Line 10 links south
from the corner to sections 14, 15

22 & 23, from which corner S. line

S. 89° 56' W. on true line between sections

15th & 22.

var 124° 04' East

40.00 Set a $\frac{1}{4}$ section corner post in
a mound and pit as per instructions

No trees near.

80.00 The corner to sections

15, 16, 21st & 22.

Land gently rolling prairie.

Soil - 1st rate.

No timber.

Township 15 North, Range 2 West
 6thth Salt River Meridian
 15 North.

between sections 15th & 16
 var. 121° 02' East

20.00 Set a 1st section corner post in
 a mound and pits as per instruc-
 tions. No trees near.

80.00 Set a post in a mound and
 pits as per instructions for the
 corner to sections
 9, 10, 15th & 16.

No trees near.
 Land gently rolling
 Corb-^{1st} rate
 No timber.

Township 13 North Range 2 West

Gila^{ms} Salt River Meridian

40.00 East. on random line between sections

10^{ms} 15.

var. 121° 04' East

40.00 Set a temporary 1/4 section corner post

80.09 Intersect the N. 1/4 S. Line at the corner to sections 10, 11, 12^{ms} 15

from which corner I run -

West. on true line between sections

10^{ms} 15.

var. 121° 04' East

40.04 Set a 1/4 section corner post in a mound and pits as per instructions

No trees near.

80.09 The corner to sections

9, 10, 15^{ms} 16.

Land gently rolling.

Soil 1st rate.

No timber.

Township 13 North Range 2 West
 6thth Salt River Meridian
 1st North.

between sections 9th & 10

var. 14° 0 21' East

40.00 Set a 1/2 section corner post in
 a mound and set as per in-
 structions.

No trees near.

80.00 Set a post in a mound and
 set as per instructions for
 the corner to sections
 3, 4, 9th & 10.

No trees near.

Land gently rolling.

Soil - 1st rate.

No timber.

Township 15 North, Range 2 West

6th 4th Salt River Meridian

Sec East, on random line between sections
3^{4th} 10.

var. 14° 04' East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.00 Intersect the N. ^{4th} S. Line of lands
north of the corner to sections

2, 3, 10 ^{4th} 11, from which corner run
N. 89° 57' W. on true line between sections
3^{4th} 10.

var. 14° 04' East

40.00 Set a $\frac{1}{4}$ section corner post in mound
and set as per instructions.

No trees near.

80.00 Run the corner to sections

3, 4, 9 ^{4th} 10.

Land gently rolling prairie
Soil - 1st strata

No timber.

Township 15 North, Range 2 West.

6th Salt River Meridian

As North, on random line between sections
3^{9/16} & 4.

var. 121° 04' East.

40.00 Set a temporary 1/4 section corner post.

80.10 Intersect the N. boundary line at
the corner to sections 3, 4, 33
and 34 from which corner I run
South, on true line between sections
3^{9/16} & 4.

var. 14° 04' East

40.10 Set a 1/4 section corner post in
ground 1/4 pits as per instructions.

No trees near.

80.10 The corner to sections
3, 4, 9^{9/16} & 10.

Land gently rolling
Soil - 1st rate.

No timber.

Date Dec. 27 - 1871

Township 15 North, Range 2 West
 Gila and Salt River Meridian
 1st North

between sections 32nd & 33.
 var. 1st° 04' East

40.00 Set a $\frac{1}{4}$ section corner post in a
 mound ^{and} pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the
 corner to sections
 28, 29, 32nd & 33
 No trees near.

Land gently rolling sparse
 Soil - 1st rate.
 No timber.

Township 15 North, Range 2 West.

Sec 4th Salt River Meridian

Sec East. on random line between sections

28³/₄ 33

var. 14° 04' East

40.00 Set temporary 1/4 section corner post

79.96 Intersect the N. 1/4 S. Line at the corner to sections 27, 28, 33³/₄ 34 from which corner I run -

West. on true line between sections

28³/₄ 33.

var. 14° 04' East

39.98 Set a 1/4 section corner post in ground 1/2 pits as per instructions

No trees near.

79.96 The corner to sections

28, 29, 32³/₄, 33

Land gently rolling prairie
Soil - 1st rate.

No timber.

Township 13 North Range 2 West
 6th and Salt River Meridian
 1/4 North

between sections 28th & 29.
 var. 124' 6" East

40.00' Set a 1/4 section corner post in
 ground and pits as per instructions
 No trees near.

80.00' Set a post in ground and pits
 in accordance with instructions
 for corner to sections
 20, 21, 28th & 29.
 No trees near.

Land - undulating prairie
 Soil - 1st rate.
 No timber.

Township 15 North, Range 3 West

6thth Salt River Meridian

to East. on caution line between sections
21st & 28.

Var. 124° 04' East

40.00 Set a temporary 1/4 section corner post

80.12 Subdivide the N. & S. Line 6 links
south from the corner to section
21.22.27th & 28. from which corner I run
S. 89° 57' W. on true line between sections
21st & 28.

Var. 124° 04' East.

40.06 Set a 1/4 section corner post in ground
and pits as per instructions

No trees near.

80.12 Run corner to sections 20.21
28th & 29.

Land - gently rolling prairie
Soil - 1st rate.

No timber.

Township 15 North, Range 2 West
 T15N R2W Meridian
 S1 North.

between sections 20th & 21st
 var. 124°04' East.

40.00' Set a 1st section corner post in
 mound and pile as per instructions

No trees near.

48.00' Road bears N. N. ^W & S. E.

80.00' Set a post in mound ^{and} pile as
 per instructions for the corner
 to sections

16. 17. 20th & 21st.

No trees near.

Land - gently rolling

Soil - 1st rate

No timber

37

Township 15 North. Range 2 West
 6th and Salt River Meridian.

Rs East. on random line between sections
 16th & 21.

var. $14^{\circ} 04'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.10 Intersect the N. & S. Line at the
 corner to sections 15, 16, 21st & 22
 from which corner I run —

West. on true line between sections
 16th & 21.

var. $14^{\circ} 04'$ East

40.05 Set a $\frac{1}{4}$ section corner post in
 mound and pits as per instructions

N. No trees near.

80.10 the corner to sections

16, 17, 20th & 21.

Land gently rolling

Soil - 1st rate.

No timber.

Township 15 North. Range 2 West
 Gila ^{and} Salt River Meridian
 1/4 North.

between sections 16 ^{1/4} and 17 ^{1/4}.
 var. 121° 12' East

40.00 Set a 1/4 section corner post in
 mound and pits as per instruction.
 No trees near.

0.00 Set a post in mound and pits
 as per instructions for the
 corner to sections

8. 9. 16 ^{1/4} and 17 ^{1/4}.

No trees near.

Land - gently rolling prairie
 Soil 1st rate.
 No timber.

Township 15 North, Range 2 West.
 Gila ^{and} Salt River Meridian

Set East on random line between sections
 9 ^{and} 16.

Var. $14^{\circ} 04'$ East

40.00 Set temporary $\frac{1}{4}$ section corner post

80.00 Intersect the N. & S. Line of links
 North of the corner to sections
 9, 10, 15 ^{and} 16, from which corner
 Iron -

$21.89^{\circ} 56'$ N. on true line between sections
 9 ^{and} 16.

Var. $14^{\circ} 04'$ East

40.00 Set a $\frac{1}{4}$ section corner post in
 mound ^{and} pits as per instructions

80.00 The corner to sections
 No trees near.

8, 9, 16 ^{and} 17.

Land - gently rolling

Soil - 1st rate.

No timber

Township 15 North Range 3 West
 Gila Salt River Meridian
 1/4 North.

between sections 8th & 9.
 var. 14° 05' East

40.00 Set a 1/4 section corner post in
 mound ^{1/2} pits as per instructions
 No trees near.

80.00 Set a post in mound and pits
 as per instructions for the corner
 to sections

4, 5, 8th & 9.

No trees near.

Land - gently rolling prairie
 Soil - 1st rate.
 No timber.

Township 15 North, Range 2 West.
 6th & Salt River Meridian

1/2 East, on random line between sections
 4th & 9.

var. 121° 04' East

40.00 Set temporary 1/4 section corner post

50.20 Intersect the Nth S. Line at the
 corner to sections 3, 4, 9 & 10
 from which corner I run -

1/2 East, on true line between sections
 4th & 9.

var. 124° 01' East

40.10 Set a 1/4 section corner post in
 mound ^{of} pits as per instructions

No trees near

80.20 The corner to sections

4, 5, 8 & 9.

Land gently rolling

Orch. 1st rate

No timber

Township 15 North, Range 2 West

Gila Co Salt River Meridian

No North on random line between sections
4th & 5.

var. $121^{\circ} 04'$ East

40.00 Set temporary $1/4$ section corner post
51.18 Intersect the North boundary line
7/4 miles east of the corner to section
4, 5, 32nd & 33, from which corner
I run.

S. $0^{\circ} 03'$ E. on true line between sections
4th & 5.

var. $121^{\circ} 04'$ East

41.18 Set a $1/4$ section corner post in
ground and pits as per instructions
The trees near.

81.18 The corner to sections
4, 5, 8th & 9.

Land - rolling prairie
Soil - 1st rate.
No timber.

Dec 28th 1871

Township 15 North. Range 2 West
 6th & Salt River Meridian
 T₁₅ North.

between secs. 31^{9/16} 32

var. 114° 02' East

46.00 Set a 1/4 sec. cor. post in mound
 and pits as per instructions

No trees near.

fields of about 160 acres, 10 chs. S.

50.00 Set a post in mound and pits
 as per instructions for the cor.

to secs. 29. 30. 31^{9/16} 32.

No trees near

Land rolling.

Soil 2^d rate.

No timber

Scattering bunches of Oak brush

Township 15 North. Range 2 West

Tds ⁴/₄ Salt River MeridianR^s East. on random line bet. secs29th & 32.

var 14° 04' East

18.00 Road runs N. ⁴/₄ S.40.00 Set a true ¹/₄ sec. cor. post.80.14 Intersect the N. ⁴/₄ S. Line blinks

N. from the cor. to secs 28, 29, 32

⁴/₄ 33 from which cor. I run

N. 89° 57' N. on true line bet. secs

29th and 32.

var 14° 04' East

40.07 Set a ¹/₄ sec. cor. post on mound
and pits as per instructions.

No trees near.

80.14 The cor. to secs. 29, 30, 31th & 32.

Land rolling

Soil 1st and 2^d rate

Scattering brush. No timber

Township 15 North. Range 3 West.
 6th Salt River Meridian

Go West on random line bet. secs
 30^{1/2} & 31.

var. 144° 04' East

44.00 Set a true ^{1/4} sec. cor. post.

44.50 Begin to ascend N. slope of
 foot hills bears. S. ^{1/4} N. N.

49.20 Intersect the West boundary
 line at the cor. to secs. 30, 31, 25^{1/2}
 & 36. from which cor. I run
 East on true line bet. secs. 30^{1/2} & 31

var. 144° 04' East

39.20 Set a ^{1/4} sec. cor. stone 16x10x8
 in. and marked as per instructions
 No trees near.

49.20 The cor. to secs. 29, 30, 31^{1/2} & 32
 Land rolling ^{1/2} broken.
 Soil 2' and 3' rate.
 Scattering brush. No timber

Township 15 North, Range 2 West
 T. 15th S. R. 2nd W. Mendocino

No North, bet. secs. 29th & 30.
 var. 1st & 11th East
 22.50 Road bears N. W. & S. E.

40.00 Set a $\frac{1}{4}$ sec. cor. post in mound
 and pits as per instructions.
 No trees near.

80.00 Set a post in mound and
 pits as per instructions for
 the cor. to secs.

19. 20. 29th & 30.

No trees near.

Land rolling.

Soil 1st & 2nd rate

Some scattering Juniper
 trees and Oak brush.

Township 15 North Range 2 West
 6th & Salt River Meridian
 1/2 East. on random line bet. secs.

20th & 29.

var. $124^{\circ} 04'$ East.

40.00 Set a true $1/4$ sec. cor. post.

80.00 Intersect the 16th S. Line at
 the cor. to secs. 20, 21, 28th & 29.
 from which cor. I run -

West. on true line bet. secs. 20th & 29.

var. $124^{\circ} 04'$ East

40.00 Set a $1/4$ sec. cor. post in mound
 and pits as per instructions

No trees near

80.00 The corner to sections.

19, 20, 29th & 30.

Land gently rolling.

Soil ph. rate.

Scattering Juniper & Oak trees

Township 15 North, Range 2 West

6thth Salt River Meridian

No West. or random line bet. secs.

19th 30.

var. $14^{\circ} 02'$ East

40.00 Set a true. ^{1st} sec. cor. post.

49.00 Intersect the West boundary line
14 links South from the cor.

to sections 19. 30. 24th & 25.

from which cor. I run

S. $89^{\circ} 54'$ E. on true line bet. secs

19th 30.

var. $14^{\circ} 02'$ East

39.00 Set a ^{1st} sec. cor. stone $14 \times 10 \times 6$
in. in ground ²/₃ pits as per instructions

No trees near.

49.00 The cor. to sections

19. 20. 29th 30.

Land gently rolling.

Soil 1st rate.

Scattering Juniper ²/₃ Oak trees.

Township 15 North, Range 2 West
 T. 15 N. Salt River Meridian
 S. 1 North. bet. sec. 19th & 20.
 var. 124° 04' East

40.00 Set a $\frac{1}{4}$ sec. cor. post in mound
 and pits as per instructions.
 An Oak 124 in. diam. bears N. 26° W. 206 links dist.
 No other tree near.

80.00 Set a post in mound and pits
 as per instructions for the cor.
 to sections
 17, 18, 19th & 20.

No trees near.

Land rolling

Oil 1st rate

Scattering Juniper $\frac{1}{4}$ Oak trees.

Township 15 North. Range 2 West

Gda. and Salt River Mendocino

Sec. East. on random line bet. sections
1st and 20.

var. $14^{\circ} 04'$ East

13.75 Road bears N. N. $\frac{1}{2}$ S. E.

40.00 Set a $\frac{1}{4}$ sec. cor. post.

80.21 Intersect the N. and S. Line 9
links South from the cor. to sec.
16. 1st and 20 and 21. from which cor.
I run.

S. $89^{\circ} 56'$ N. on true line bet. secs
1st and 20.

var. $14^{\circ} 04'$ East

240.10 Set a $\frac{1}{4}$ sec. cor. post on mound
and pits as per instructions

No trees near.

80.21 The cor. to sec. 1st, 18, 19 and 20.

Land - gently rolling.

Soil - 1st rate

Scattering Juniper and Oak trees
along West part of line

Township 15 North. Range 2 West
 Gila ^{and} Salt River Meridian

No. West. on a random line bet. secs.
 18th & 19.

var. 14° 04' East
 40.00 Set a true ^{1/4} sec. cor. post

79.06 Intersect the West boundary line
 13 links North from the cor.
 to secs. 18, 19, 13 & 24. from
 which cor. I run -

N. 89° 54' E. on true line bet. secs.
 18th & 19.

var. 14° 04' East
 39.06 Set a ^{1/4} sec. cor. post in ground
 and pits as per instructions.

No trees near
 79.06 The cor. to sections
 17, 18, 19th & 20.

Land rolling. Soil 1st rate
 Scattering Juniper & Oak trees

Township 15 North Range 2 West

6th and Salt River Meridian

Sec. North. bet. secs. 17th and 18.

var. 121° 0' 11" East

12.50 Road bears N. W. ^{4th} S. E.

40.00 Set a stone 12 1/2 x 10 x 6 in. and
marked as per instructions
for the 1st sec. cor.

No trees near.

80.00 Set a post in mound and
bits as per instructions for the
cor. to secs.

17.8. 17th and 18.

No trees near

Land rolling from

Oriskany 1st rate.

No timber.

Done Dec 29th 1871

Township 15 North Range 2 West
T. 15th Salt River Meridian

R. East. on random line bet. secs

8th 17.

var. 14° 04' East.

40.00 Set a corner. $\frac{1}{4}$ sec. cor. post.

80.12 Intersect the Nth S. Line at
the cor. to secs. 8, 9, 16th 17
from which cor. I run

West. on true line bet. secs 8th 17.

var. 14° 04' East

40.06 Set a $\frac{1}{4}$ section cor. post in
mound and pits as per in-
structions. No trees near

80.12 The cor. to sections

of 8, 17th 18.

Land gently rolling.

Soil 1st rate.

No timber.

Township 15 North, Range 2 West

Gila and Salt River Meridian

The West. or random line bet. secs
7 & 18.

var. $14^{\circ} 04'$ East.

40.00 Set a tem. $\frac{1}{4}$ section cor. post.

76.80 Intersect the West boundary
line at the cor. to sections

7, 18, 12 and 13, from which
cor. I run -

East. on true line bet. secs. 7 & 18.

var. $14^{\circ} 04'$ East.

38.80 Set a $\frac{1}{4}$ sec. cor. post on a
mound and pits as per in-

structions. No trees near.

78.80 The cor. to sections

7, 8, 17 & 18.

Land rolling prairie.

Soil 1st rate.

No timber.

Township 15 North Range 2 West
 Gila ^{and} Salt River Meridian

Sec. North. bet. sec. 7 ^{and} 8.
 var. 124° 04' East

40.00 Set a '44 section corner post
 in a mound and file as per
 instructions

No trees near.

80.00 Set a post in a mound ^{and} file
 as per instructions for the
 corner to sections.

5.6. 7 ^{and} 8.

No trees near.

Land gently rolling.

Soil phosphate.

No timber.

Township 15 North, Range 3 West

6th Salt River Meridian

No East on random line bet. secs

5th & 8.

var. $12^{\circ} 04'$ East

40.00 Set a term. $1/4$ sec. cor. post.

80.08 Intersect the 16th S. Line 15.

line South of the cor. to sec

4, 5, 8 & 9, from which cor. from

S. $89^{\circ} 54'$ N. on true line bet. secs

5th & 8.

var. $14^{\circ} 04'$ East

40.04 Set a $1/4$ sec. cor. post in mound
and pits as per instructions

No trees near.

80.08 The cor. to secs. 5, 6, 7 & 8.

Land rolling.

Soil phosphate.

No timber.

Township 15 North, Range 2 West,
Gila and Salt River Meridian
No West, on random line bet. secs

6^{1/4} 7.

var. 124° 04' East

40.00 Set a ^{1/4} sec. cor. post.

78.75 Intersect the West boundary line
10 links South from the cor. to secs.
6. 7. 1^{1/4} 12. from which cor. Town-
S. 89° 56' E. on true line bet. secs
6^{1/4} 7.

var. 124° 04' East

38.75 Set a ^{1/4} sec. cor. stone 16 x 10 x 4 in.
as per instructions. No trees near

78.75 The cor. to sections

5. 6. 7^{1/4} 8.

Land rolling.

Ord 2^d rate.

No timber.

Township 13 North Range 2 West

Ida and Salt River Meridian

L. North. on a random line bet. secs
5 and 6.

var. $14^{\circ} 04'$ East

40.00 Set a true. $\frac{1}{4}$ sec. cor. post.

80.21 Intersect the N. Boundary line
8 links West of the cor. to secs.
5, 6, 31 and 32. from which cor
I run.

S. $0^{\circ} 03'$ N. on true line bet. secs
5 and 6.

var. $14^{\circ} 04'$ East

40.24 Set a $\frac{1}{4}$ sec. cor. stone $14 \times 10 \times 8$
in. as per instructions.

No trees near.

80.24 The cor. to secs. 5, 6, 7 and 8.
Land selling. Oil 2^{d} rate.
No timber.

Done Dec 30th 1871

General Description.

This Township contains much good land for farming and grazing purposes.

There is a scarcity of water, which could be secured by wells at a moderate depth, and will no doubt soon be brought into use.

There are a few scattering Juniper ^{and} Oak trees in the S. W. portion of the Township.

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the Subdivision Lines of Township 15 N. Ranges 1 & 2 West. Gila and Salt River Meridian

showing the respective capacities in which they acted.

	Compassman.
Geo. Ellwood	Chainman.
Joseph Samuel	Chainman.
Fred Sueder	Axeman.
James Baker	Relayman



Final Oaths of Assistants.

We hereby certify that we assisted Solomon
W. Foreman as Deputy Surveyor, in surveying
the subdivision lines of Townships
15 N. Ranges 1 & 2 N. Gila and
Salt River Meridian

and that said Survey has been in all respects, to the
best of our knowledge and belief, well and faithfully sur-
veyed, and the boundary monuments planted according to
the instructions furnished by the Surveyor-General.

George Ellwood
Joseph French
Fred. Fisher
James Baker

Subscribed & Sworn to before me
this 21st day of February 1872
Prothonotary
Pined Co

Final Oath of Deputy Surveyor.

I, *Solomon W. Foxman*
Deputy Surveyor, do solemnly swear that, in pursuance
with a contract with *John Wesson*
United States Surveyor-General for Arizona, bearing date
the 14th day of October 1871, I have well, faithfully
and truly, in my own proper person, and in strict con-
formity with the instructions furnished by the Surveyor-
General, the Surveying Manual, and the laws of the
United States, surveyed all those parts or portions of
the Subdivision lines of Town-
ships 15 N. Ranges 1 & 2 N.
Gila and Salt River Meridian



as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Salomon W. Chaceau
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 21st
day of February 1872

Procurator
Probate Dept
Pinna Co




Surveyor General's Office
 Tucson A. T. March 20 1872

The foregoing field notes of the survey of the subdivision lines of Township 15 N. Range 2 West of the Gila and Salt River Base and Meridian lines in the Territory of Arizona, executed by S. H. Foreman, U. S. Dep. Surveyor under his contract dated October 14, 1870, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

John W. Mason
Surveyor General.

TWP 15 N., RANGE 2 West

MERIDIAN



Bancroft's Blank, Township Plot.

A. L. Bancroft & Company, 721 Market St., San Francisco.

Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Line,

Meander Lines,

Office Work,

Ranch Lines Re-surveyed,

BOOK 1051

BOOK 1051

var 13° 56' E