

No. 1054

BOOK 1054

P. 1

Field Notes

OF BOOK 1054

the *Subdivision* lines of

Township *17 N.* Range *3 W.*

Gila & Salt River Meridian, California, *Arizona*

BY

S. W. Foreman Deputy Surveyor,

under his Contract of *August 7th* 18*71*

Survey commenced *Nov 25*

Survey completed *Dec 7*

Platted,

No. 1054

Copied for Washington,

Transcript sent to Commissioner,


Feb 15 1872

1054

TOWNSHIP 17 N. RANGE 3 West MERIDIAN

Cor. 14° 16' East Cor. 14° 16' E

BOOK 1054



Cor. 14° 16' E

Cor. 14° 16' E

Bancroft's Blank, Township Plot.

A. L. Bancroft & Company, 721 Market St., San Francisco.

- Meridian Line,*
- Base Line,*
- Standard Line,*
- Township Lines,*
- Section Line,*
- Meander Lines,*
- Office Work,*
- Ranch Lines Re-surveyed,*

BOOK 1054

1A

BOOK 1054

4-674.

Township 17 N, R. 3 W, Sec 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

6	58	5	42	4	31	3	22	2	11	1
57	56		41		30		21		10	
7	55	8	40	9	29	10	20	11	9	12
54	53		39		28		19		8	
18	52	17	38	16	27	15	18	14	7	13
57	50		37		26		17		6	
19	49	20	36	21	26	22	16	23	5	24
48	47		35		25		15		4	
30	46	29	34	28	24	27	14	26	3	25
45	44		33		23		13		2	
31	43	32	32	33	23	34	12	35	1	36

986b5m3-01

No. 1054

13

Field Notes

of the Survey of the Subdivision
Lines of Township 1st North
of Range 3 West of the
Gila and Salt River Meridian
Arizona Territory

By S. H. Foreman, Deputy Surveyor

Under his contract of
Survey commenced
Survey completed.

10
Township 14 North, Range 3 West
Gila and Salt River Meridian

So Begin on the South Boundary Line
at the standard corner to sections
35²/₃, 36²/₃ and run
North.

between sections 35²/₃ & 36²/₃
Var. 14° 10' East.

(as per East Boundary Line)

40.00 Set a 1/4 section corner stone 14 x 8
x 5 inches as per instructions

No trees near.

80.00 Set a stone 16 x 12 x 6 inches and
marked as per instructions, for the
corner to sections

35. 26. 35²/₃ 36.

No trees near.

Land - rough west slope of hill.
Soil - 3^d rate.

Timber - none.

Oak and Juniper Bush.

Township 17 North, Range 3 West
Gila and Salt River Meridian

No East.

on random line between sections 25 & 36.

Var. $14^{\circ}10'$ East

40.00 Set a temporary 1/4 section corner post.

80.20 Intersect the east boundary line at the corner to sections 25, 36, 30 & 31, from which corner I run —

West.

on true line between sections 25 & 36.

Var. $14^{\circ}10'$ East

40.10 Set a 1/4 section corner stone 16x12x10 inches and marked as per instructions

No trees near.

80.20 The corner to sections

25, 26, 35 & 36.

Land - broken west slope

Soil - 3rd rate.

Scattering juniper trees and Oak brush.

23

Township 1st of North, Range 3. Sec.
 6. 1/4th Salt River Meridian

As North.

between sections 25th & 26.

Var. 114° 10' East

40.00 Set a 1/4 section corner stone 16 x 10
 x 5 inches as per instructions

No trees near.

80.00 Set a stone 18 x 10 x 6 inches as
 per instructions for the corner
 to sections 23, 24, 25th & 26.

No trees near.

Land - broken hills

Soil - 3rd rate.

Juniper ^{and} Oak brush

No timber.

Township 17 North Range 3 West

Gila ^{ms} Salt River Meridian

As East.

on random line between sections 24^{ms} & 25
 Var. $14^{\circ}10'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.28 Intersect the N. & S. Line 17 links
 south of the corner to sections
 24. 25. 19^{ms} & 30. from which corner - True -
S. $89^{\circ}53'$ N.

on true line between sections 24^{ms} & 25.

Var. $14^{\circ}10'$ East

40.12^h Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions

No trees near.

80.28 The corner to sections

23. 24. 25^{ms} & 26.

Lands - broken hills

Soil - 3rd rate.

Juniper & Oak Brush.

Township 17 North. Range 3 West.
 6th 4th Salt River Meridian

No North

between sections 23 & 24
 Sec. 14° 10' Each

40.00 Set a 1/2" section corner stone 14 x 10
 x 10 inches as per instructions

No trees near.

80.00 Set a post in a mound and pile
 as per instructions for the corner
 to sections 13. 14. 23 & 24.

No trees near

Land - rolling hills

Soil - 3rd rate.

Juniper ^{4th} and Cat brush and
 a few Juniper trees.

Township 14 North. Range 3 West
 Gila Salt River Meridian.
 Sec. East.

on random line between sections 13 & 24.

Var. $14^{\circ}10'$ East

40.00 Set a $\frac{1}{4}$ section corner post - temporary.

80.23 Intersect the east boundary line 15
 links north from the corner to
 sections 13, 24, 18 & 19, from which corner
 I run -

N. $89^{\circ}54'$ W.

on true line between sections 13 & 24.

Var. $14^{\circ}10'$ East.

40.11 Set a $\frac{1}{4}$ section corner post in a
 mound and sets as per instructions

No trees near.

80.23 The corner to sections
 13, 14, 23 & 24.

Land - rolling hills.

Soil - 3rd rate.

Bush and a few scattering
 Juniper trees.

7
 Townships 1st North, Range 30th W. 1-
 T10th S. Salt River Meridian
 In North.

between sections 13th & 14th.

Sec. 14th 10' East

- 20.00 Enter smooth rolling land.
 40.00 Set a 4th section corner post in
 a mound and set as per in-
 structions.

No trees seen.

- 80.00 Set a post in a mound and
 set as per instructions for the
 corner to sections 11, 12,
 13th & 14th.

No trees seen.

Land - rolling.

Soil - 1st rate - for grass.
 Scattering Juniper trees.

Township 14 North, Range 3 West
 T4d⁴⁰ Salt River Meridian
 S. East.

on a random line between sections 12⁴⁰ & 13
 Var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

40.14 Subreach the East boundary line
 8 links south from the corner to section
 12, 13, & 18, from which corner draw—
S. 89° 54' W.

on true line between sections 12⁴⁰ & 13,
 Var. 14° 10' East

40.07 Set a 1/4 section corner post in
 a mound and pits as per instructions

No trees near.
 40.14 The corner to sections

11, 12, 13⁴⁰ & 14.

Land - rolling

Soil - 1st rate.

Some scattering clumps of Juniper
 trees.

Township 17 North. Range 3 West
 T14 S10 East River Meridian

Sec 11 North.

between sections 11th & 12th.

Sec. 14° 10' East

40.00 Set a 1/4 section corner post
 in a mound and pits as per
 instructions.

No trees near.

80.00 Set a post in a mound and
 pits as per instructions for
 the corner to sections.

1, 2, 11th & 12th.

No trees near.

Land-rolling.

Soils - 1st rate grass land.
 Some scattering Juniper trees in
 clumps.

Township 17 North, Range 3 West
 T14 S Salt River Meridian

No East

on random line between sections 1st & 12.

Sec. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the East boundary at the corner to sections 1, 12, 6th 7th from which corner I run -

West.

on true line between sections 1st & 12.

Sec. 14° 10' East.

40.00 Set a 1/4 section corner post in a mound and set it as per instructions

No trees near.

80.00 The corner to sections

1, 2, 11th & 12.

Land - gently rolling

Soil - 1st rate.

No timber on line.

Some scattering timber south of line.

Township 1st North, Range 3rd West
 T10Sth & Salt River Meridian

1st North.

on random line between sections 1st & 2.

Var. 14° 10' East

40.00 Set a temporary 1/4 section corner back.

48.50 Road bears E. $\frac{90}{10}$ N.

70.00 Verde river, 100 links wide, runs East. (dry bed)

80.20 Intersect the north boundary line at the
 corner to sections 1, 2, 35th & 36.

from which corner I run —

South.

on true line between sections 1st & 2.

Var. 14° 10' East

40.20 Set a 1/4 section corner post in a mound
 and fast as per instructions

No trees near.

80.20 The corner to sections

1, 2, 11th & 12.

Land — gently rolling.

Soil — 1st rate. No timber.

Date Nov 25th 1871

Township 1st North, Range 3 West
 T¹S. Salt River Meridian

Section

between sections 34th & 35th
 var. 121° 10' East

40.00 Set a 1st section corner post in a mound and file as per instructions
 No trees near.

and begin to ascend S. W. slope.

80.00 Set a post in a mound & file as per instructions for the corner to section 26, 27, 34th & 35th.

No trees near.

Land - rolling and broken foot hills

Soil - 2nd rate. No timber.

Juniper & Oak brush.

Townships 1st North, Range 3 West.

64th and Salt River Meridian

East.

on random line between sections 26th and 35.

Var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

80.12 Intersick the N. & S. Lines at the corner
to sections 25, 26, 35th and 36. from
which corner I run —

West.

on true line between sections 26th and 35.

Var. 14° 10' East

40.06 Set a 1/4 section corner post in a
mound and pits as per instructions

No trees near.

80.12 the corner to sections

26, 27, 34th and 35.

Land — broken hills.

Soil — 3rd rate.

Some scattering Juniper timber.

No. 1054

Township 17 North. Range 3 West
Gila and Salt River Meridian

S. North.

between sections 26th & 27th
var. 14° 10' East

40.00 Set a 1/2 section corner post in a mound and pits as per instructions.

No trees near.

80.00 Set a stone 18 x 10 x 10 inches as per instructions for the corner to sections 22, 23, 26th & 27th.

No trees near.

Land - rough hills

Soil - 3rd rate.

Scattering juniper trees.

Township 1st North, Range 3 West
 T¹⁴ & Salt River Meridian

No. East.

on a random line between sections 23 & 26.

Var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

80.24 Intersect the N. & S. Line at the corner
 to sections 23, 24, 25 & 26, from
 which corner true —

West.

on true line between sections 23 & 26.

Var. 14° 10' East

40.12 Set a 1/4 section corner stone 16x10
 x 10 inches as per instructions.

No trees near.

80.24 The corner to sections
 22, 23, 26 & 27.

Land. broken hills.

Soil - 3rd rate - grass land.

No timber.

Township 1st North. Range 3 West
 Gila and Salt River Meridian
 1st North.

between sections 22nd and 23.

Var. 14° 10' East.

40.00 Set a 1/2 section corner post in a mound
 and pile as per instructions

No trees near.

80.00 Set a stone 18 x 10 x 8 inches as per
 instructions for the corner to sections

14. 15. 22nd and 23.

No trees near.

Land - broken hills

Soil - 3rd rate - grassland.

Scattering Juniper trees.

Township 17 North. Range 3 West
 6th & Salt River Meridian

No East.

on random line between sections 14th & 23.

Var. 14° 10' East

40.00 Set a temporary 1st section corner post.

80.00 Intusset the N. & S. Line at the
 corner to sections 13, 14, 23 & 24
 from which corner I run -

West.

on true line between sections 14th & 23

Var. 14° 10' East

40.00 Set a 1st section corner post in
 a mound an 8 feet as per instruction

No trees near

80.00 the corner to sections

14, 15, 22 & 23.

Land - rolling hills.

Soil - 1st rate - grazing

Scattering Juniper trees.

Township 17 North, Range 3 West
 6thth Salt River Meridian
 1st North.

between sections 14th & 15th

Var. 14° 10' East

40.00 Set a 14 section corner post in a mound and pits as per instructions. No trees near.

80.00 Set a stone 20 x 10 x 8 inches in a mound and pits as per instructions, for the corner to sections 10, 11, 14th & 15th.

No trees near

Land - rolling hills.

Soil - 1st rate grass land.

Some scattering Juniper trees.

Township 17 North, Range 3 West
Gila & Salt River Meridian.

No East.

on random line between sections 11th & 14th
Sas. $14^{\circ} 10'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner post

80.16 Intersect the N. & S. Line 13 links south
from the corner to sections 11, 12, 13,
and 14, from which corner true —
S. $89^{\circ} 54'$ W.

on true line between sections 11th & 14th
Sas. $14^{\circ} 10'$ East

40.08 Set a $\frac{1}{4}$ section corner post in a mound
and fit as per instructions.

A Juniper 10 in. diam. bears S. 50° E. 125 links distant.

No other tree near.

80.16 The corner to sections
10, 11, 12th & 13th.

Land - rolling. Soil 1st rate.
Scattering Juniper timber.

Township 14 North, Range 3 West
 Gila & Salt River Meridian
 No. North.

between sections 10 & 11.

Var. $14^{\circ} 10'$ East

40.00 Set a $\frac{1}{2}$ section corner post in a mound and feet as per instructions
 No trees near.

80.00 Set a post in a mound and feet as per instructions for the corner to sections 2, 3, 10 & 11.

No trees near.

Land - gently rolling,
 Soil - 1st rate.
 Scattered Juniper trees.

Nov 24th 1871

Township 14 North. Range 3 West
 6th & Salt River Meridian
 1/2 East.

on random line between sections 2nd & 11
 var. 14° 10' East.

- 40.00 Set a temporary 1/4 section corner post
 80.00 Intersect the N. & S. Line at the corner
 to sections 1, 2, 11, & 12, from which
 corner I run -

West.

on true line between sections 2nd & 11
 var. 14° 10' East.

- 40.00 Set a 1/4 section corner post in a mound
 and pits as per instructions
 A Juniper, 12 in. diam. bears N. 31° W. 40 links dist.
 No other trees near.

- 80.00 The corner to sections
 2, 3, 10 & 11.

Land - rolling
 Soil - 1st oats.
 Scattered Juniper timber.

Township 14 North, Range 3 West
 Gila & Salt River Meridian
 No North.

on random line between sections 2nd & 3.
 Var. $14^{\circ} 10'$ East

40.00 Set a ^{temporary} 1st section corner post.

45.75 Road runs East & West.

70.00 Verde River, 100 links wide, runs E.

80.18 Intersect the North boundary line
 7 links west from the corner to sections
 2, 3, 34th & 35, from which corner, True -
 $S. 0^{\circ} 03' N.$

on true line between sections 2nd & 3.
 Var. $14^{\circ} 10'$ East

40.18 Set a 1st section corner post in a mound
 and pits as per instructions.

No trees near.

80.18 The corner to sections 2, 3, 10th & 11.
 Land - gently rolling. Soil - 1st class.
 Scattering Juniper trees.

Township 1st North, Range 3 West
T⁴ S. Salt River Meridian

	<u>North</u> , between sections 33 & 34 Var. 14° 10' East
40.00	Set a ¹ / ₄ section corner post in a mound, and pits, as per instructions. No trees near.
80.00	Set a post in a mound and pits as per instructions, for the corner to sections 27, 28, 33 & 34. No trees near. Land - rolling. Soil - 2 nd & 3 rd rate, good grass land. Scattering Juniper trees.

East, on random line between sections 27 & 34.
Var. 14° 10' East

40.00	Set a temporary ¹ / ₄ section corner post.
80.19	Subtract the N. & S. Line at the corner to sections 26, 27 34 & 35, from which corner I run -

West, on true line between sections 27 & 34.
Var. 14° 10' East

40.09	Set a ¹ / ₄ section corner post in mound & pits, as per instructions. No trees near.
80.19	The corner to sections 27, 28, 33 & 34 Land - rolling foot hills. - Soil 2 nd & 3 rd rate. Scattering Juniper trees.

Township 14 North. Range 3 West

Sec 24 Salt River Meridian

Sec 24 North.

between sections 27 & 28.

Sec. 124° 10' East

40.00 Set a 1st section corner post in a mound
and sets as per instructions

No trees near.

80.00 Set a post in a mound and sets
as per instructions for the corner
to sections 21, 22, 27, & 28. - from which
a Juniper, 15 in. diam. bears N. 38° W. 167 links distant.

" do 6 " " " S. 22½° W. 181 " "

No other trees near

Land - rolling foot hills.

Soil - 2nd rate grass land.

Scattered Juniper timber.

25

Township 17 North Range 3 West
 6th Salt River Meridian
 1/2 East.

on a random line between sections 22 & 27.
 Var. $14^{\circ} 10'$ East.

40.00 Set a temporary 1/4 section corner post.

80.15 Intersect the N. & S. Line 20 links
 south from the corner to sections 22
 23, 26 & 27 - form which corner Sum.
 $S. 89^{\circ} 51' N.$

on true line between sections 22 & 27.
 Var. $14^{\circ} 10'$ East.

40.07 Set a 1/4 section corner stone $14 \times 10 \times 8$
 inches as per instructions.

80.15 No trees near
 the corner to sections

21, 22, 27 & 28.

Land - broken foot hills
 Soil - 3rd rate grazing land.
 Some scattering Juniper trees.

Township 14 North, Range 3 West
 T14N R3W Salt River Meridian

North - between sections 21^{1/2} & 22.

Var. 14° 10' East

- 40.00 Set a ^{1/4} section corner post in a mound and pile as per instructions. No trees near.
- 80.00 Set a post in a mound and pile as per instructions for the corner to sections 15, 16, 21^{1/2} & 22. No trees near.
 Land - broken foothills. - Soil - 2nd rate for grass.
 a few scattering Juniper trees.

East on random line between sections 15^{1/2} & 22.

Var. 14° 10' East

- 40.00 Set a temporary ^{1/4} section corner post.
- 80.18 Submark the N. & S. Line, at the corner to sections 14, 15, 22^{1/2} & 23 from which corner runs -

West - on true line between sections 15^{1/2} & 22.

Var. 14° 10' East

- 40.09 Set a post in a mound and pile, as per instructions, for a section corner. No trees near.
- 80.18 The corner to sections 15, 16, 21^{1/2} & 22.
 Land - broken hills. - Soil - 2nd rate for grass.
 some scattering Juniper trees.

Township 17 North, Range 3 West
 Gila and Salt River Meridian

Chs North.

between sections 15 & 16.

Sec. 14° 10' East

- 35.00 Steep ascent of round peak.
- 40.00 Set a 1/4 section corner post in a mound and pits as per instructions
 No trees seen.
- 80.00 Set a post in a mound and pits as per instructions for the corner to sections 9, 10, 15 and 16.
 Post on the summit of round Knoll 200 feet high. No trees seen.

Land - rough hills,
 Soil - 3rd rate.

No timber.

Townships 1st North, Range 3 West
 Gila and Salt River Meridian

to East

on a random line between sections 10th & 15th,
 bearing $14^{\circ} 10'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.30 Intersect the N. & S. Line 12 links south
 from the corner to sections 10, 11, 14th & 15th,
 from which corner I run —
S. $89^{\circ} 55'$ W.

on true line between sections 10th & 15th.

bearing $14^{\circ} 10'$ East

40.15 Set a $\frac{1}{4}$ section corner post in mound
 and pits as per instructions.

No trees near.

80.30

At the corner to sections
 9, 10, 15th & 16.

Land - rough hills.

Soil - 3rd rate.

a few scattering Juniper trees.

Dated Nov 28th 1871

Township 1st North. Range 3 West

Gila and Salt River Meridian

Sh North.

between sections 9th 10

var. 124° 10' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions

No trees near.

80.00 Set a stow 16 x 10 x 6 inches in a mound a pits as per instructions for the corner to sections

S. 1/4. 9th 10 - from which

A Juniper, 10 in. diam. bears N. 10° E. 53 links distant

do 6 " " " S. 16° N. 72 " "

do 8 " " " S. 29° E. 62 " "

No other tree near

Land - rough north slope.

Soil - 2nd rate.

Juniper timber.

Township 14 North, Range 3 West

64th Salt River Meridian

As East

on random line between sections 3rd & 10.

Var. 14° 10' East

20.00 Prairie runs N.E.

27.00 Deep ravine runs N.E.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.00 Intersect the N. & S. Line at the corner
to sections 2, 3, 10 & 11. from which corner, South-
West.

on true line between sections 3rd & 10.

Var 14° 10' East

40.00 Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions

No trees near

80.00 The corner to sections

3, 4, 9 & 10.

Land - rolling.

Soil - 1st & 2nd rate for grass.

Scattering Juniper timber.

Township 14 North, Range 3 West.

Gila Salt River Meridian

No March.

on random line between sections 3⁹/₁₆ & 4
Var. 114° 10' East

40.00 Set a temporary 1/4 section corner post.

51.00 Road bears E. 7/8 N.

57.50 Dry creek, 30 links wide, runs N. E.

80.16 Intersect the North boundary 10
links west from the corner to
sections 3, 4, 33 & 34, from which
corner I run —

S. 0° 04' N.

on true line between sections 3⁹/₁₆ & 4.

Var. 114° 10' East

40.16 Set a 1/4 section corner post in a mound
and pits as per instructions. No trees near.

80.16 The corner to sections, 3, 4, 9 & 10.
Land - rolling, Soil - 1st rate for grass
a little scattering Juniper timber.

Township 104 North, Range 3 West.
 6th & Salt River Meridian

No North.

between sections 32nd & 33.

var $14^{\circ} 10'$ East

40.00 Set a $1/4$ section corner post in
 a mound and file as per in-
 structions.

No trees near.

80.00 Set a post in a mound and file
 as per instructions for the corner
 to sections 28, 29, 32nd & 33.

No trees near.

Land - rolling.

Soil 3rd rate.

a little scattering Juniper timber
 in clumps.

Township 17 North, Range 3 West.

Gda and Salt River Meridian

Section East.

run a random line between sections 28^{3/4} & 33.

Var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

80.10 Intersect the N. & S. line at the corner to sections 27, 28, 33 & 34, from which corner I run —

West.

on true line between sections 28^{3/4} & 33.

Var. 14° 10' East

40.05 Set a 1/4 section corner post in a mound and pits as per instructions. No trees near.

80.10 The corner to sections

28, 29, 32^{3/4} & 33

Land - rolling.

Soil - 2nd rate.

Scattering Juniper trees.

Township 17 North, Range 3 West
 Gila & Salt River Meridian
 Sec 28 North.

between sections 28 & 29.
 var. $114^{\circ} 10'$ East

40.00 Set a 44 section corner stone $1\frac{1}{2} \times 10$
 $\times 5$ inches as per instructions.

A Juniper, 10 in. diam. bears N. 42° W. 210 links dist.

No other trees near.

80.00 Set a stone $16 \times 12 \times 6$ inches and
 marked as per instructions for
 the corner to sections

20. 21. 28 & 29.

No trees near.

Land - rolling.

Soil - 2^d rate.

Some scattering Juniper trees.

Township 1st North. Range 3rd West.

7th and 8th Salt River Meridian

to East.

on random line between sections 21st & 28,
var. 14° 10' East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.1st Intersect the N. $\frac{1}{2}$ S. Line at the
corner to sections 21, 22, 27th
28, from which corner I run —
West.

on true line between sections 21st & 28,
var. 14° 10' East.

40.07 Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions

80.1st The trees near
the corner to sections
20, 21, 28th & 29.

Land calling.

Soil - 2nd rate.

Scattering Juniper trees.

Date Nov 29th 1871

Township 14 North. Range 3 West
 Gila Salt River Meridian
 Section North.

between sections 20th & 21,
 var. 14° 10' East

40.00 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the corner
 to sections 16. 17. 20th & 21
 No trees near.

Land-rolling.

Soil. Rate - for grass.

Scattering Juniper trees.

37

Township 1st North. Range 3 West
 G. S. & Salt River Meridian

East.

on random line between sections 16th & 21st
 var. 14° 10' East

40.00 Set a temporary ^{1/4} section corner post.
 80.19 Intersect the N. & S. Line 9 links
 north from the corner to sections
 15, 16, 21 & 22, from which corner draw
N. 89° 56' W.

on true line between sections 16th & 21st.
 var. 14° 10' East.

40.09 Set a ^{1/4} section corner post in a
 mound and pits as per instructions.
 A Juniper, 5 in. diam. bears S. 61° W. 178 links distant

80.19 The other tree near
 the corner to sections 16, 17, 20 & 21.
 Land - rolling.
 Soil - 2nd rate.
 Scattering Juniper trees.

Township 17th North Range 3rd West
 6th Sec Salt River Meridian

March.

between sections 16th & 17th.

Var. 14' 10" Each

40.00 Set a 17th section corner post in a mound and pits as per instructions. No trees near.

20.00 Set a stone 18 x 16 x 12 inches as per instructions for the corner to sections.

8. 9. 16 P.M.

No trees near

Land - rolling.

Soil 2nd rate

Scattering Juniper trees.

17
Township 17 North. Range 3 West
Gila ⁹/₁₆ Salt River Meridian

A
no East

on a random line between sections 9 ¹⁶/₁₆.

Var. 14° 10' East

40.00 Set a temporary 1/4 section corner post,
and begin ascent of round knoll,

80.23 Intersect the N ¹⁶/₁₆ S. Line 1/4 link
north from the corner to sections 9,
10, 15 & 16, from which corner True
N. 89° 54' N.

on true line between sections 9 ¹⁶/₁₆.

Var. 14° 10' East

40.11 Set a 1/4 section corner post in a
round and pits as per instruction

80.23 The trees near
the corner to sections

8, 9, 16, ¹⁷/₁₆.

Land - steep west slope.

Soil - 3rd rate.

Scattering Juniper ¹⁷/₁₆ Oak brush.

Township 14 North, Range 3 West
 T14N R3W Salt River Meridian

North

between sections 8th & 9.
 Var 14° 10' East

40.00 Set a ^{1/4}" section corner post in a mound and file as per instructions from which
 A Juniper, 16 in. diam. bears S. 47^{1/2}° E. 32 link's dist.
 do. 18 " " " S. 16^{1/2}° W. 38. " "

80.00 Set a stone 16x10x6 inches as per instructions for the corner to sections 14, 5, 8th & 9.
 No trees near.
 Land - nothing.
 Soil 2nd rate.
 Scattering Juniper timber.

Township 1st North Range 3 West.
 Tada^{me} Salt River Meridian
East.

on a random line between sections 4th & 9.
 Var. 124° 10' East

- 40.00 Set a 1st section corner post - temporary.
 50.00 Enter heavy Juniper timber - bears N. ^{1/2} S.
 60.50 Leave same - bears N. ^{1/2} S. and top of ridge bet N & S.
 80.06 Intersect the N. ^{1/2} S. Line at the corner
 to sections 3, 4, 9 & 10, from which corner, Leave -
West.

on true line between sections 4th & 9.
 Var. 124° 10' East

- 40.03 Set a 1st section corner stone 10 x 10 x 10
 inches in mound ^{1/2} pits, as per instructions
 No trees near.
 80.06 The corner to section
 4, 5, 8 & 9.
 Land - rolling.
 Soil - 2nd rate.
 Juniper timber.

Township 1st North Range 3 West
Tide & Salt River Meridian

North.

on random line between sections 4th & 5.

Var. 14° 10' East

- 35.00 Dry creek, 5 links wide, runs east.
39.00 Road runs east and west.
40.00 Set a temporary $\frac{1}{4}$ section corner post.
50.00 Intersect the North Boundary line
at the corner to sections 4, 5, 32nd
33 from which corner I run.

South.

on true line between sections 4th & 5.

Var. 14° 10' East.

- 40.00 Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions

No trees near.

- 80.00 ^N the corner to sections 4, 5, 8 & 9.
Land-rolling, Soil 1st rate.

No timber.

Township 14 North Range 3 West

6th Salt River Meridian

North

between sections 31st & 32^d

var. 1st 10' East

40.00 Set a ^{1/4} section corner stone 10
x 10 x 10 inches in a mound ^{9/16} ft. as
per instructions.

No trees near

80.00 Set a post in a mound and pit
as per instructions for the corner
to sections

29. 30. 31st & 32^d.

No trees near

Land rolling -

Soil 2nd rate.

Scattering Juniper trees.

Township 14 North. Range 3 West

Gila and Salt River Meridian

East.

on random line between sections 29 & 32.

Var. 14° 10' East

40.00 Set a temporary 1/4 section corner post.

80.00 Submit the N. & S. Line & line south
from the corner to sections 28, 29, 32 & 33.

from which corner line -

S. 89° 54' W.

on true line between sections 29 & 32.

Var. 14° 10' East

40.00 Set a 1/4 section corner post in a
mound and pit as per instructions.

No trees near.

80.00 the corner to sections

29, 30, 31 & 32.

Land rolling.

Soil - 3rd rate.

Scattering Juniper trees.

Date Nov. 30th 1871

45

Township 14 North, Range 3 West

Gila Salt River Meridian

West.

on random line between sections 30 & 31.

Var. $14^{\circ}10'$ East40.00 Set a temporary 4th section corner post.60.00 Enter half meadow land - bears $N. \frac{1}{2} S.$

68.50 House on line.

80.10 Intersect the West boundary line at the corner to sections 30, 31, 25 & 36, from which corner East.

on true line between sections 30 & 31

Var. $14^{\circ}10'$ East.40.10 Set a 4th section corner stone $16 \times 14 \times 10$ inches as per instructions.

No trees near.

80.10 The corner to sections

29, 30, 31 & 32.

Land - rolling and level.

Soil - 1st rate.

No timber.

Township 14 North Range 3 West

Sec 4 Salt River Mendocino

North.

between sections 29 & 30.

Sec. 14° 10' East

40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions

No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections 19, 20, 29 & 30.

No trees near.

Land - gently rolling on line.

Soil 1st rate.

No timber.

Township 14 North Range 3 West
Tada ^{no} Salt River Meridian

East.

on random line between sections 20 ^{no} & 29.

Var. 14° 10' East

40.00 Set a temporary ^{1/4} section corner post.

80.00 Intersect the N. ^{no} S. Line at the corner to sections 20, 21, 28 ^{no} & 29 from which corner I run -

West.

on true line between sections 20 ^{no} & 29.

Var. 14° 10' East

40.00 Set a ^{1/4} section corner post in a mound and pits as per instructions

No trees near.

80.00 the corner to sections

19, 20, 29 ^{no} & 30.

Land - rolling.

Soil - 1st rate grazing land.

Scattering Juniper trees on east end of line.

Township 14 North Range 3 West
 T14N R3W Salt River Meridian

N. West.

on random line between sections 19 & 30.
 Var. 124° 10' East

40.00 Set a temporary 1/4 section corner post.

41.00 Garden 2 chains wide.

42.00 Enter meadow land bears N. & S.

60.00 House 10 chains north of line.

76.00 Enter rolling land bears N. & S.

80.20 Intersect the West boundary line at
 the corner to sections 19, 20, 24 & 25.
 from which corner true —
East.

on true line between sections 19 & 30.
 Var. 124° 10' East

40.20 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.

80.20 the corner to sections 19, 20, 29 & 30.
 Land - rolling and level.
 Soil - 1st rate. No timber.

Township 1st North Range 3rd West
 Tila and Salt River Meridians
 S North.

between sections 19th & 20.
 Var. 124° 10' East

40.00 Set a $\frac{1}{4}$ section corner post at a
 mound and pits as per instructions
 No trees near.

80.00 Set a stone 18 x 14 x 8 inches at a
 mound and pits as per instructions
 for the corner to sections
 17, 18, 19th & 20.

No trees near.
 Land - gently rolling.
 Soil - 1st rate.
 No timber.

Township 17 North, Range 3 West
 Tada and Salt River Meridian

East.

on a random line between sections 17 & 20.
 Var. $14^{\circ}10'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner post.
 80.07 Intersack the N. & S. Line 17 leads north
 from the corner to sections 16, 17, 20
 & 21, from which corner draw —
N. $89^{\circ}53'$ W.

on true line between sections 17 & 20.
 Var. $14^{\circ}10'$ East

40.03 Set a $\frac{1}{4}$ section corner post in
 a mound and pits as per custom —
 timing. No trees near.

80.07 The corner to sections
 17, 18, 19 and 20.

Land-rolling.
 Soil 1^{st} rate.

Scattering Juniper trees, on east end
 of line.

51

Township 1st North, Range 3rd West.T¹ & Salt River Meridian1st West.on random line between sections 18th & 19th
Var. 124° 10' East

- 40.00 Set a temporary 1/4 section corner post.
 45.00 Enter meadow land, bears N. 7/8 S.
 55.00 A spring - affords about 20 inches of water.
 60.00 Bean's House, 50 links north of line
 and a house 145 links south of line.
 80.00 Intersect the west boundary at the
 corner to sections 18, 19, 13th & 24th,
 from which corner I run -
East.

on true line between sections 18th & 19th.
Var. 124° 10' East

- 40.00 Set a 1/4 section corner post in a mound.
 and file as per instructions. No trees near.
 80.00 The corner to sections 1st, 18, 19th & 20.
 Land - level meadow.
 Soil 1st rate. No timber.
 Date Dec. 1st 1871

Township 1st North. Range 3rd West

6th and 7th East River Meridian

Section
No. North.

between sections 7 & 18.

Var. 12° 10' East

40.00 Set a 1/2 section corner stone 18x18
x 4 inches as per instructions.

No trees near.

80.00 Set a stone 16x10x8 inches as per
instructions for the corner to
sections 7, 8, 17 and 18.

No trees near.

Land rolling
Soil ^{ph}urate.

No timber.

Township 14 North Range 3 West
 6th th Salt River Meridian
 1st East.

on a random line between sections 8th & 17th
 var. $14^{\circ}10'$ East.

40.00 Set a temporary $\frac{1}{4}$ section corner stone.

80.25 Intersect the N. & S. Line, 10 links
 south from the corner to sections
 8, 9, 16 & 17, from which corner Sum.
S. $89^{\circ}56'$ N.

on true line between sections 8th & 17th.
 var. $14^{\circ}10'$ East

40.12 Set a $\frac{1}{4}$ section corner stone 16x14x10
 inches, as per instructions.

No trees near
 80.25 The corner to sections
 7, 8, 17th & 18.

Land rolling. Soil $\frac{1}{2}$ ^{pt} $\frac{1}{2}$ ^{rate}
 Scattered Juniper trees.

Township 1st North, Range 3rd West
 Sec 4th Salt River Meadows

West.

on random line between sections 7th & 18th
 Var. 124° 10' East.

10.00 Enter meadow land - bears N. $\frac{1}{2}$ S.

30.00 Small lagoon 4 chains S. of line

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.84 Intersect the west boundary line
 at the corner to sections 7, 18, 12
 & 13, from which corner Run -
East.

entire line between sections 7th & 18th.

Var. 124° 10' East

39.84 Set a $\frac{1}{4}$ section corner post as a mound
 and pile as per instructions.

No trees near.

79.84 The corner to sections

7, 8, 1st $\frac{1}{2}$ 18.

Land - level meadow.

Soil 1st rate. No timber

Township 1st North Range 3rd West
 6th & Salt River Meridian
 1st North.

between sections 27 & 28.

Var. 124° 10' East

40.00 Set a 4th section corner post in
 a mound and pits as per in-
 structions. No trees near.

49.00 Enter cornfield, bears N. E. $\frac{3}{4}$ S. W.

70.00 Leave same at Creek 10 links wide
 runs N. E.

76.00 Road bears N. E. $\frac{3}{4}$ S. W.

80.00 Set a post in a mound and
 pits as per instructions for the
 corner to sections 5, 6, 7 & 8.

No trees near.

Land lead.

Soil 1st rate.

No timber.

Township 17 North, Range 3 West

Old Salt River Meridian

East.

on a random line between sections 5 & 8.

Var. $14^{\circ} 10'$ East

25.00 Road bears S. W. $\frac{3}{4}$ N. E.

40.00 Set a temporary $\frac{1}{4}$ section corner post

50.00 Creek - 10 links wide - runs N. E.

80.00 Subtract the N. $\frac{3}{4}$ S. Line at the corner to sections 4, 5, 8 & 9, from

West.

on true line between sections 5 & 8.

Var. $14^{\circ} 10'$ East

40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions

No trees near.

a house 8 chains S. of line

80.00 the corner to sections 5, 6, 7 & 8.

Land, gently rolling.

Soil 1st rate. No timber.

Township 17 North, Range 3 West
 T17N R3W Salt River Meridian
 S West.

on random line between sections 6 ²/₄ ²/₄
 var. 14° 10' East

- 18.00 Road bears N. E. ²/₄ S. ²/₄
 40.00 Set a temporary ¹/₄ section corner post
 50.10 Intersect the west boundary line
 at the corner to sections 6, 7, 1
²/₄ 12. from which corner I run—
East.

on true line between sections 6 ²/₄ ²/₄
 var. 14° 10' East

- 40.00 Set a ¹/₄ section corner post in
 a mound and fix as per in-
 structions. No trees near.
 80.10 The corner to sections
 5, 6, 7 ²/₄ 8.
 Land - level meadow.
 Soil - 1st rate
 No timber

Township 17 North, Range 3 West
 6th Salt River Meridian

North

on random line between sections 5th & 6.

Var. 124° 10' East

37.00 Road bears N.E. $\frac{1}{4}$ S. N.

40.00 Set a temporary 1/4 section corner post

80.21 Intersect the north Boundary line
 27 links east from the corner to
 sections 5. 6. 31st & 32. from which corner, True-
S. 0° 12' E.

on true line between sections 5th & 6.

Var. 124° 10' East

40.21 Set a 1/4 section corner post in a mound
 and pits as per instructions.

No trees near.

80.21 The corner to sections

5. 6. 7th & 8.

Lead-lead- Soil- 1st rate.

No timber

Dale Dec 2nd 1871

General Description

This Township embraces a portion of Williamson Valley on the West side of sections.

The lands are generally well adapted to grazing purposes and the land on the west side of sections is fine meadow land and is used for raising hay.

The hills have some scattering Juniper timber.

S. W. Foreman
Deputy Surveyor.

Surveyor General's Office

Tucson A.T. Feby 15 1872

The foregoing Field Notes of the
Survey of the subdivision line
of township 17 N. Range 3 W.
of the Gila & Salt River Meridian
in the Territory of Arizona
executed by J. W. Foreman
U.S. Deputy Surveyor under
his contract dated August
7th 1871, having been critically
examined, the necessary
corrections and explanations
made, the said Field Notes
and the surveys they des-
cribe are hereby approved.

John Mason
U.S. Surveyor General
A.T.