

No. 1055

BOOK 1055

(P. 1)

*Chino Valley*

BOOK 1055

# Field Notes

BOOK 1055

OF  
the *Subdivision* lines of

Township *17 N.* Range *2 W.*

*Gila Salt River* Meridian, *Arizona* California,

BY  
*S. W. Foreman* Deputy Surveyor,

under his Contract of *August 7<sup>th</sup>* 18*71*

Survey commenced *Nov. 15*


Survey completed *" 23*

Platted, *No. 1055*

Copied for Washington,

Transcript sent to Commissioner,  
*Feb 15 1872*

TOWNSHIP 17, N. RANGE 2 West 8, & R. MERIDIAN



Bancroft's Blank, Township Plot.

A. L. Bancroft & Company, 721 Market St., San Francisco.

*Meridian Line,*

*Base Line,*

*Standard Line,*

*Township Lines,*

*Section Line,*

*Meander Lines,*

*Office Work,*

*Ranch Lines Re-surveyed,*

BOOK 1055

1A

4-674.

Township *17 N., R. 22., S. 22. S. P. O. & M.*

## Index

BOOK 1055

6	<i>58</i>	5	<i>42</i>	4	<i>33</i>	3	<i>22</i>	2	<i>11</i>	1
<i>57</i>	<i>56</i>		<i>41</i>		<i>32</i>		<i>21</i>		<i>10</i>	
7	<i>55</i>	8	<i>40</i>	9	<i>31</i>	10	<i>20</i>	11	<i>9</i>	12
<i>54</i>	<i>53</i>		<i>39</i>		<i>30</i>		<i>19</i>		<i>8</i>	
18	<i>52</i>	17	<i>38</i>	16	<i>29</i>	15	<i>18</i>	14	<i>7</i>	13
<i>51</i>	<i>50</i>		<i>37</i>		<i>28</i>		<i>17</i>		<i>6</i>	
19	<i>49</i>	20	<i>36</i>	21	<i>27</i>	22	<i>16</i>	23	<i>5</i>	24
<i>48</i>	<i>47</i>		<i>35</i>		<i>26</i>		<i>15</i>		<i>4</i>	
30	<i>46</i>	29	<i>35</i>	28	<i>25</i>	27	<i>14</i>	26	<i>3</i>	25
<i>45</i>	<i>44</i>		<i>34</i>		<i>24</i>		<i>13</i>		<i>2</i>	
31	<i>43</i>	32	<i>34</i>	33	<i>23</i>	34	<i>12</i>	35	<i>1</i>	36

No. 1055

Field Notes

of the survey of the Subdivisions  
Lines of Townships 1 of North  
of Range 2 West. of the  
6th & Salt River Meridian  
Arizona Territory

By S. H. Foreman. Deputy Surveyor.

Under his contract of  
Survey commenced  
Survey completed.

10

Township 1 of North, Range 2 West.  
Gila & Salt River Meridian

No. 1 Begin on the South Boundary line  
of the Township at the corner to sections  
35 & 36. and run thence —  
North.

between sections 35 & 36.

Var  $14^{\circ} 08'$  East —

(as per East Boundary — )

39.00 Run line N. E.

40.00 Set a  $\frac{1}{4}$  section corner post in a  
mound and pits as per instructions  
No trees near.

45.00 Begin second line S & N.

80.00 Set a stone  $18 \times 10 \times 8$  inches and marked  
as per instructions for the corner  
to sections 25, 26, 35 & 36.

No trees near.

Land south slope of hill.

Soil poor.

No timber.

Township 17 North, Range 2 West

64<sup>and</sup> Salt River Meridian

To East.

on a random line between sections 25 & 36.  
 Var.  $14^{\circ}08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

64.00 West bank of Granite Creek Cañon - Bluff  
 rock bank 150 feet high bears N. & S.

67.00 Granite Creek, 20 links wide runs North.

70.00 Top of east bluff 175 feet high.

80.36 Intersect the east boundary line 19 links  
 south from the corner to sections 25,  
 36, 30 & 31, from which corner True -  
S.  $89^{\circ}52'$  W.

on true line between sections 25 & 36.  
 Var.  $14^{\circ}08'$  East

40.18 Set a  $\frac{1}{4}$  section corner stone,  $16 \times 10 \times 6$   
 mfg. as per instructions. No trees near.

80.36 The corner to sections  
 25, 26, 35 & 36.

Land - broken and stony.

Soil poor. No timber.

3  
 Township 17 North, Range 2 West  
 Gila & Salt River Meridian  
 S. North.

between sections 25<sup>th</sup> & 26.  
 Var.  $14^{\circ} 08'$  East

40.00 Set a 1<sup>st</sup> section corner stone 14  
 x 12 x 6 inches as per instructions  
 No trees near.

80.00 Set a stone 16 x 10 x 8 inches and  
 marked as per instructions for  
 the corner to sections  
 23, 24, 25<sup>th</sup> & 26.  
 No trees near.

Land rough hill land and  
 stony.

Soil - 3<sup>rd</sup> rate.

No timber.

Township 17 North, Range 2 West  
 Gila & Salt River Meridian  
 East.

on a random line between sections 24 & 25.  
 of ar. 14° 08' East.

- 31.00 West bluff bank of Granite Creek cañon 200 feet high  
 bears North and south.
- 32.00 Granite Creek, 50 links wide, runs north.
- 35.00 Top of east bluff bank of Cañon, 200 feet high, bears N 8 E.
- 40.00 Set a temporary 1/4 section corner post and ascend  
 west slope.
- 80.30 Intersect the east boundary 13 links north  
 from the corner to sections 24, 25, 19 & 20  
 from which corner I run -  
N. 89° 54' W.

on true line between sections 24 & 25.

of ar. 14° 08' East

- 40.15 Set a 1/4 section corner post in a mound  
 and pits as per instructions. No trees near.
- 80.30 They corner to sections 23, 24, 25 & 26.  
 Land rough and broken.  
 Soil worthless. No timber.



Township 1<sup>st</sup> North. Range 2 West  
 Side <sup>and</sup> Salt River Meridian

No North.

between sections 23 & 24.

Var. 14° 08' East

40.00 Set a 1/4 section corner stone 14 x 10 x 8  
 inches as per instructions

No trees near.

80.00 Set a stone 16 x 12 x 8 inches and  
 marked as per instructions for  
 the corner to sections

13, 14, 23 & 24.

No trees near.

Land hilly and stony.

Soil 3<sup>rd</sup> rate

No timber.

Township 17 North, Range 2 West

Sec<sup>4</sup> Salt River Meridian

Sec East.

on a random line between sections 13<sup>4</sup> & 24.

Var. 14° 08' East

10.00 West bank of Granite Creek cañon, 200 feet high, bears N. N. & S. E.

12.00 Granite Creek, 50 links wide, runs N. N.

14.50 Top of East bank of Cañon.

40.00 Set a temporary <sup>1</sup>/<sub>4</sub> section corner post.

80.24 Intersect the east boundary at the corner to sections 13. 24, 18<sup>4</sup> & 19. from which corner I run -

West.

on true line between sections 13<sup>4</sup> & 24

Var. 1st° 0.8' East

40.12 Set a <sup>1</sup>/<sub>4</sub> section corner stone 14x12x5 inches as per instructions. No trees near.

80.24 The corner to sections

13. 14. 23<sup>4</sup> & 24.

Land rough and stony.

Soil 3<sup>rd</sup> rate. No timber.

Township 1<sup>st</sup> North, Range 2 West  
 Gila & Salt River Meridian  
 S. North.

between sections 13 & 14.

Var. 14° 08' East

40.00 Set a 1/4 section corner stone 16 x 10  
 x 8 inches as per instructions

No trees near.

42.50 S. W. Bank of Cañon, bears N. N.  
 and S. E. 200 feet deep.

43.00 Granite, breast 50 links wide runs N. N.  
 in cañon.

46.00 Top of N. E. bank of cañon.

80.00 Set a stone 18 x 10 x 10 inches as per  
 instructions for the corner to  
 sections 11, 12, 13 & 14.

No trees near.

Land - broken and stony.

Soil - Prato.

No timber.

Township 17 North. Range 2 West  
 6th & Salt River Meridian

East.

on a random line between sections 12 & 13  
 Var.  $14^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.10 Enter the east boundary  $\frac{1}{4}$  mile  
 south from the corner to sections  
 12, 13, & 18, from which corner run -  
S.  $89^{\circ} 53'$  E.

on true line between sections 12 & 13

Var.  $14^{\circ} 08'$  East

40.05 Set a  $\frac{1}{4}$  section corner stone  $16 \times 10 \times 6$   
 inches as per instructions

No trees near.

80.10 The corner to sections

11, 12, 13 & 14.

Land - broken and stony.

Soil 3<sup>rd</sup> rate.

No timber.

Date Nov 15<sup>th</sup> 1871

Townships 17 North. Range 2 West.  
 Gila and Salt River Meridian  
 No North.

between sections 11<sup>th</sup> & 12.

Var.  $14^{\circ} 08'$  East

40.00 Set a  $\frac{1}{2}$  section corner stone  $16 \times 12$   
 $\times 5$  inches as per instructions.

No trees near.

50.00 South bank of Verde River Cañon, bears  
 East, about 500 feet deep. Set a flag  
 on line on the north bank  
 and run east 10 chains to a point  
 from which the flag on line bears  
 $N. 45^{\circ} W.$  therefore the distance across  
 the Cañon is 10 chains, making in  
 all, counting distance above run, 60  
 chains and at —

80.00 Set a stone  $18 \times 12 \times 10$  inches as per  
 instructions for the corner to sections  
 1, 2, 11, <sup>th</sup> & 12. No trees near.  
 Land broken and stony.  
 Soil poor. No timber.

Township 17 North. Range 2 West  
 6th<sup>th</sup> Salt River Meridian  
 1st East.

on a random line between sections 1<sup>st</sup> & 12.

Var. 1st° 08' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the East boundary line at the corner to sections 1, 12, 6<sup>th</sup> & 7<sup>th</sup>, from which corner I run.

West.

on true line between sections 1<sup>st</sup> & 12.

Var. 1st° 08' East

40.00 Set a 1/4 section corner stone 18 x 8  
 x 6 inches as per instructions.

No trees near.

80.00 The corner to sections

1, 2, 11<sup>th</sup> and 12.

Land rolling<sup>no</sup> & stony.

Soil. 3<sup>rd</sup> rate.

No timber.

Township 1<sup>st</sup> North Range 2 West  
 6<sup>th</sup> & Salt River Meridian

No North.

on a random line between sections 1<sup>st</sup> & 2.

Var. 14° 08' East

40.00 Set a temporary 1/4 section corner post.

56.50 Road to New Mexico bears N. E.

80.17 Intersect the north boundary at the  
 corner to sections 1, 2, 3 & 26, from  
 which corner I run —  
South.

on true line between sections 1<sup>st</sup> & 2.

Var: 14° 08' East

40.17 Set a 1/4 section corner stone 14 x 10  
 x 5 inches as per instructions

No trees near.

80.17 The corner to sections  
 1, 2, 11 & 12.

Land - rolling.

Soil, poor and stony.

No timber

Township 17 North, Range 2 West  
 Gila & Salt River Meridian  
 1<sup>st</sup> North.

between sections 34<sup>th</sup> & 35.  
 Var. 14° 08' East

- 40.00 Set a post in a mound and pits  
 as per instructions, for 74 section  
 corner. No trees near.  
 a large spring & chains east of corner.
- 46.25 Spring branch 5 links wide runs N. W.
- 73.00 Spring branch 5 links wide runs N. E.
- 80.00 Set a post in a mound and pits  
 as per instructions for the corner  
 to sections 26, 27, 34<sup>th</sup> & 35.  
 No trees near.

Land, rolling.

Soil 1<sup>st</sup> rate.

No timber.



Township 17 North, Range 2 West  
 Side of Salt River Meridian  
 to East

on random line between sections 26 & 35.

Var.  $14^{\circ} 08'$  East

- 9.00 Spring branch runs north.  
 40.00 Set a temporary  $\frac{1}{4}$  section corner post.  
 80.00 Intersect the 26. & S. Line at the  
 corner to sections 25, 26, 35 & 36.  
 from which corner draw—  
West.

on true line between sections 26 & 35.

Var  $14^{\circ} 08'$  East

- 40.00 Set a  $\frac{1}{4}$  section corner post in  
 a mound and pits as per instructions  
 No trees near.  
 80.00 The corner to sections  
 26, 27, 34 & 35.  
 Land rolling.  
 Soil 2<sup>o</sup> rate.  
 No timber

Township 17 North, Range 2 West  
 6th 4th Salt River Meridian  
 1st North.

between sections 26 & 27.  
 Jan. 14<sup>th</sup> 08' East

39.75 Ditch runs north west.  $\frac{3}{4}$  cut in field. N.W. & S.E.

40.00 Set a 1<sup>st</sup> section corner post in a mound  
 and pits as per instructions.

No trees near.

73.00 Leave field bears N.W.  $\frac{3}{4}$  S.E.

80.00 Set a stone 16 x 12 x 9 inches and  
 marked as per instructions for  
 the corner to sections 22, 23, 26  
 & 27.

No trees near.

House and Mill about 15 chains  
 N.W. of corner.

Sand level.

Soil 1<sup>st</sup> rate.

No timber.

Township 17 North. Range 2 West.

6th and 8th Range Meridian

East.

on a random line between sections 23<sup>rd</sup> & 26.

Var. 14° 08' East

40.00 Set a temporary 1<sup>st</sup> section corner post.

80.06 Intersect the N. & S. Line 11 links North  
from the corner to sections 23. 24. 25  
& 26. from which corner I run —  
N. 89° 55' N.

on true line between sections 23<sup>rd</sup> & 26.

Var. 14° 08' East

40.03 Set a post in a mound and pile  
as per instructions, for "H.C. cor."  
No trees near.

80.06 The corner to sections  
22. 23. 26<sup>th</sup> & 27.

Land - rolling.

Soil 1<sup>st</sup> & 2<sup>nd</sup> rate.

No timber.

Township 1 of North, Range 2 West  
 5th <sup>th</sup> Salt River Meridian  
 S. North.

between sections 22 & 23.

Sec. 1st <sup>th</sup> 08' East

20.00 Run 20 chains N. of line, and run  
 house 40 chains N. of line.

40.00 Set a <sup>1</sup>/<sub>4</sub> section corner stone 18x8x4  
 inches as per instructions

No trees near.

80.00 Set a post in a mound and file as  
 per instructions for the corner to sections  
 14, 15, 22 & 23.

No trees near.

Land gently rolling.

Soil 1<sup>st</sup> rate.

No timber.

Date Nov 16<sup>th</sup> 1871

17  
Townships 14 North. Range 2 West  
Gila & Salt River Meridian

East.

on a random line between sections 14<sup>th</sup> & 23<sup>rd</sup>  
Var. 14° 08' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line at the  
corner to sections 13, 14, 23 & 24  
from which corner I run  
West.

on true line between sections 14<sup>th</sup> & 23<sup>rd</sup>  
Var. 14° 08' East

40.00 Set a 1/4 section corner stone 12  
x 10 x 9 inches as per instructions  
in No trees near.

80.00 The corner to sections.  
14, 15, 22<sup>nd</sup> & 23<sup>rd</sup>.

Land rolling.  
Soil 1<sup>st</sup> & 3<sup>rd</sup> rate.  
No timber.

Township 1<sup>st</sup> North Range 2 West  
 Gila & Salt River Meridian  
 S. North.

between sections 14<sup>th</sup> & 15.

Var. 14° 08' East

18.00 Round hill 50 feet high <sup>on which are</sup> ~~and contains~~ the ruins of an adobe house (stone).

40.00 Set a <sup>1/4</sup> section corner stone 16x14x12 inches as per instructions. No trees near.

59.00 Verde river cañon 250 feet deep, runs west. walls perpendicular - I therefore set a flag on line on the north side of cañon and then run east 15.15 chains to a point from which my flag bears N. 45° W. the distance therefore across the cañon is 15.15 chains, making in all -

74.15 to flag on north side of cañon

80.00 Set a post in a mound and feet as per instruction for the corner to sections

10, 11, 14<sup>th</sup> & 15. No trees near.

Land rolling. Soil 3<sup>rd</sup> rate

No timber.

Township 17 North, Range 2 West  
 Gila & Salt River Meridian  
 to East.

on random line between sections 11 & 14  
 Var.  $14^{\circ} 08'$  East

- 40.00 Set a temporary  $\frac{1}{4}$  section corner post.  
 41.50 Verde river cañon runs N. E. - perpendicular  
 walls 800 feet deep. - I therefore  
 placed a flag on line on the east  
 bank and then ran north 15 chains  
 to a point from which my flag bears  
 S.  $45^{\circ}$  E., therefore the distance across  
 the cañon is 15 chains and at  
 56.50 The flag on east bank of cañon.  
 80.10 Intersect the N. & S. Line at the  
 corner to sections 11, 12, 13 & 14, from  
 which corner I run -  
West on true line between sections 11 & 14,  
 Var.  $14^{\circ} 08'$  East.  
 40.05 Set a section corner stone 16x10x8 inches, as per instructions. No trees near.  
 80.10 The corner to sections 10, 11, 14 & 15.  
 Land broken. Soil poor. No timber.

Township 17 North. Range 2 West

6th & 7th Salt River Meridian

No. North.

between sections 10 & 11.

Var.  $124^{\circ}08'$  Each

40.00 Set a '44 section corner post in a mound and pits as per instructions

No trees near.

49.50 Road to New Mexico bears N. E. & S. W.

80.00 Set a stone  $20 \times 16 \times 10$  inches as per instructions for the corner to sections

2, 3, 10 & 11.

No trees near.

Land rolling and stony.

Soil 2<sup>nd</sup> rate.

No timber.



Township 17 North. Range 2 West.  
Gila & Salt River Meridian

So East.

on a random line between sections 3 & 11.  
Var.  $124^{\circ} 08'$  Each

38.12 Road bears N. E. & S. W.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.00 Intersect the N. & S. Line at the corner to sections 1, 2, 11 & 12 from which corner I run —

West.

on true line between sections 2 & 11.  
Var.  $124^{\circ} 08'$  Each

40.00 Set a  $\frac{1}{4}$  section corner stone 16  
 $\times 12 \times 10$  inches as per instructions

80.00 No trees near.  
the corner to sections

2, 3, 10 & 11.

Land rolling,

Soil 2<sup>nd</sup> rate.

No timber.

Township 17 North. Range 2 West

6da<sup>9/16</sup> Salt River Meridian

Section 10 North.

on a random line between sections 2<sup>nd</sup> & 3.

Var.  $14^{\circ}08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.20 Intersect the north boundary line

12 links west from the corner to

sections 2, 3, 34<sup>th</sup> & 35. from which corner I run -

S.  $0^{\circ}05'$  W.

on true line between sections 2<sup>nd</sup> & 3.

Var.  $14^{\circ}08'$  East.

40.20 Set a  $\frac{1}{4}$  section corner stone  $14 \times 10$

$\times 10$  inches as per instructions.

No trees near.

80.20 The corner to sections 2, 3, 10<sup>th</sup> & 11.

Land - rolling and stony.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate. No timber.

Scattering Juniper Bush.

23

Township 17 North. Range 2 West  
 6th & Salt River Meridian

Sec 27 North.

between sections 33<sup>rd</sup> & 34<sup>th</sup>  
 var. 124° 08' East

40.00 Set a post in a mound and pits  
 as per instructions, for 1/4 section  
 corner. No trees near.

60.00 Road bears E. <sup>2</sup>/<sub>3</sub> N.

80.00 Set a stone 12 x 10 x 8 inches in a  
 mound and pits as per instruc-  
 tions for the corner to sections  
 27, 28, 33<sup>rd</sup> & 34<sup>th</sup>.

No trees near.

Land gently rolling.

Soil 1<sup>st</sup> rate.

No timber.

Township 17<sup>th</sup> North. Range 2 West  
 6<sup>th</sup> Sec<sup>y</sup> Salt River Meridian

No. East.

on random line between sections 27<sup>th</sup> & 34<sup>th</sup>  
 Var. 14° 08' East.

40.00 Set a temporary 1/4 section corner post.

62.00 Road from Prescott to New Mexico bears  
 North <sup>2</sup>/<sub>3</sub> South.

70.00 Corral 5 chains south of Line.

80.00 Intersect the N. <sup>2</sup>/<sub>3</sub> S. Line. 13 links  
 north of the corner to sections 26.

27. 34<sup>th</sup> & 35. from which corner run —  
N. 89° 54' W.

on true line between sections 27<sup>th</sup> & 34<sup>th</sup>  
 Var. 14° 08' East

40.00 Set a 1/4 section corner post in a  
 mound <sup>2</sup>/<sub>3</sub> feet as per instructions  
 No trees near.

80.00 the corner to sections 27. 28. 33 & 34.  
 Land. gently rolling.  
 Soil 1<sup>st</sup> rate.

No timber.

Township 17<sup>th</sup> North, Range 2 West.  
 6<sup>th</sup> Sec. & Salt River Meridian  
 S. North.

between sections 2 of <sup>nos</sup> 28.

Sec. 12<sup>th</sup> 08' East.

1. 25 Road leads N.E. to S.W.
- 40.00 Set a  $\frac{1}{4}$  section corner stone 16  
 $\times 10 \times 6$  inches as per instructions  
 No trees near.
- 80.00 Set a stone 18 $\times 10 \times 6$  inches and  
 marked as per instructions for  
 the corner to sections 21, 22,  
 2 of <sup>nos</sup> 28.  
 No trees near.  
 Land rolling.  
 Soil 1<sup>st</sup> & 2<sup>nd</sup> water.  
 No timber.

Done Nov 17<sup>th</sup> 1871

Township 14 North. Range 2 West

Sec 4<sup>th</sup> Salt River Meridian

No East

on a random line between sections 22<sup>nd</sup> & 27<sup>th</sup>.

Var. 114° 08' East.

- 21.75 Road runs north and south.  
 40.00 Set a temporary 1/4 section corner post.  
 40.06 Ditch runs North & enters field.  
 70.00 House & Mill about 6 chains N. of Line.  
 72.00 Leave field.  
 80.09 Intersect the N. & S. Line 6 links

south from the corner to sections  
 22, 23, 26 & 27, from which corner

I run —

S. 89° 57' W.

on true line between sections 22<sup>nd</sup> & 27<sup>th</sup>.

Var. 114° 08' East.

- 40.04 Set a 1/4 section corner stone 18 x 10 x 6  
 inches as per instructions. No trees near.  
 80.09 The corner to sections 21, 22, 27 & 28.  
 Sand level. Soil 1<sup>st</sup> rate. No timber.

Township 17 North, Range 2 West  
 6th & Salt River Meridian

No North.

between sections 21<sup>no</sup> & 22,  
 Var. 14° 08' East.

22.00 Road bears N. N. <sup>no</sup> S. E.

40.00 Set a 1st section corner post in  
 a mound and pile aspen in -  
 structions.

No trees near.

80.00 Set a post in a mound and pile  
 aspen in structions for the cor -  
 ner to sections 15, 16, 21<sup>no</sup> & 22.

No trees near.

Land level.

Soil 1<sup>st</sup> <sup>no</sup> 2<sup>nd</sup> rate.

No timber.

Township 17 North, Range 2 West  
 Gila <sup>Co</sup> Salt River Meridian  
 No East.

on a random line between sections 15 & 23.

Var.  $14^{\circ} 08'$  Each

- 37.00 Road to New Mexico bears N. & S.  
 40.00 Set a temporary  $\frac{1}{4}$  section corner post.  
 61.00 Spring branch, 3 rods wide, runs North  
 80.00 Intersect the N. & S. Line at the corner  
 to sections 14, 15, 22 & 23, from which  
 corner I run -

West.

on true line between sections 15 & 23.

Var.  $14^{\circ} 08'$  Each

- 40.00 Set a  $\frac{1}{4}$  section corner stone  $10 \times 10 \times 10$   
 inches as per instructions. No trees near.  
 80.00 The corner to sections  
 15, 16, 21 & 22.

Land - gently rolling.

Soil 1<sup>st</sup> & 2<sup>d</sup> rate

No timber.



Township 17 North Range 2 West  
 6th & Salt River Meridian

Section  
North.

between sections 15<sup>th</sup> & 16.  
 S. 14° 08' East

- 40.00 Set a corner stone 16  
 x 10 x 8 inches as per instructions  
 No trees near.
- 78.00 Fence main (dry bed) 100 links  
 wide, runs east.
- 80.00 Set a stone 20 x 16 x 6 inches and  
 marked as per instructions for  
 the corner to sections  
 9, 10, 15<sup>th</sup> & 16.  
 No trees near.
- Land level.  
 Soil 1<sup>st</sup> rate.  
 No timber.

Township 17 North Range 2 West  
Sixth Salt River Meridian

East

on random line between sections 10 & 15  
Var. 14° 08' East

40.00 Set a temporary 1/4 section corner post.

43.00 Road bears N. E. & S. W.

80.15 Intersect the N. & S. Line 18 links  
south from the corner to sections  
10, 11, 14 & 15. from which corner bears -  
S. 89° 52' W.

on true line between sections 10 & 15.  
Var. 14° 08' East.

40.07 Set a 1/4 section corner stone 16x10x8  
inches as per instructions.

No trees near.

80.15 The corner to sections  
9, 10, 15 & 16.

Land, rocky base of bluff  
Soil - poor - on line.  
No timber

Township 1<sup>st</sup> North, Range 2 West  
 5<sup>th</sup> Sec Salt River Meridian  
 1<sup>st</sup> North

Between sections 9<sup>th</sup> & 10.  
 Var. 14° 08' Each

40.00 Set a 1<sup>st</sup> section corner stone  
 16x10x5 inches and marked as  
 per instructions.

No trees near.

80.00 Set a stone 18x10x6 inches in  
 mound and pits as per in-  
 structions for the corner to  
 sections 3, 4, 9<sup>th</sup> & 10.

No trees near.

Land - gradually sloping south.  
 Soil - 1<sup>st</sup> & 2<sup>nd</sup> rate  
 No timber.

Township 17 North. Range 2 West  
 5th & Salt River Meridian

No East.  
 on random line between sections 3 & 10.  
 Var.  $14^{\circ} 08'$  East  
 40.00 Set a temporary  $\frac{1}{4}$  section corner post.  
 80.00 Subdivide the N. & S. Line 11 links south  
 from the corner to sections 2, 3, 10 & 11  
 from which corner I run —  
S.  $89^{\circ} 55'$  W.

on true line between sections 3 & 10.  
 Var.  $14^{\circ} 08'$  East  
 40.00 Set a  $\frac{1}{4}$  section corner stone 16x10  
 x 7 inches as per instructions  
 No trees near.  
 80.00 The corner to sections  
 3, 4, 9 & 10.

Land - nearly level.  
 Soil 1<sup>st</sup>  $\frac{1}{4}$  2<sup>nd</sup> rate  
 No timber

Township 14 North. Range 2 West.

Old & Salt River Meridian

North.

on random line between sections 3 & 4.  
Var.  $124^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post

80.16 Set back the North boundary line  
10 links west from the corner to  
sections 3, 4, 33 & 34, from which  
corner I run -  
S.  $0^{\circ} 04'$  W.

on true line between sections 3 & 4  
Var.  $140^{\circ} 08'$  East

40.16 Set a  $\frac{1}{4}$  section corner stone 14  
 $\times 12 \times 12$  inches in rounded & pits  
as per instructions.

80.16 The corner to sections  
3, 4, 9 & 10.

Land - level prairie.

Soil 1<sup>st</sup> rate. No timber.

Date Nov. 18<sup>th</sup> 1871

Township 17 North. Range 2 West  
G. & Salt River Meridian

North, between sections 32 & 33

Var. 14° 08' East

40.00 Set a 1/4 section corner stone 16x10x5 inches as per instructions. No trees near.

80.00 Set a stone 16x12x6 inches as per instructions for the corner to sections 28, 29, 32 & 33. No trees near.  
Land - rolling. Soil 2<sup>nd</sup> rate. No timber.

East, on a random line between sections 28 & 33

Var. 14° 08' East

40.00 Set a temporary 1/4 section corner post.

78.70 Road runs N. E. & S. W.

80.15 Subsect the N. & S. Line at the corner to sections 27, 28, 33 & 34, from which corner draw -

West, on true line between sections 28 & 33.

Var. 14° 08' East

40.17 Set a section cor. stone 16x10x6 inches, as per instructions. No trees near.

80.15 The corner to sections 28, 29, 32 & 33.

Land - rolling. Soil 2<sup>nd</sup> rate. No timber.

Township 17 North, Range 2 West -  
Gila & Salt River Meridian

North, between sections 28 & 29.

Var.  $14^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner stone  $14 \times 10 \times 10$  inches, as  
per instructions. No trees near.

80.00 Set a stone  $16 \times 10 \times 8$  inches in a stone mound and marked  
as per instructions for the corner to sections 20, 21, 28 & 29. No trees near.  
Sand, rolling. Soil 2<sup>nd</sup> rate. No timber.

East on random line between sections 21 & 28.

Var.  $14^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

56.00 Top of round knoll, 50 feet high.

80.00 Intersect the N & S line at the corner to sections 21, 22,  
27 & 28, from which corner run -

NE, on true line between sections 21 & 28.

Var.  $14^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner stone  $18 \times 12 \times 10$  inches, as per instructions. No trees near.

80.00 The corner to sections 20, 21, 28 & 29.

Sand, rolling & stony. Soil 2<sup>nd</sup> rate. No timber.

Township 17 North. Range 2 West  
 T14<sup>20</sup> Salt River Meridian

No North.

Between sections 20 & 21.

4 ac. 12' 00" Each

40.00 Set a 1/4 section corner stone 18 x 10 x 10  
 inches as per instructions.

No trees near.

and enter level land. bears N. N. <sup>3/4</sup> S. E.

62.00 Road bears N. N. <sup>3/4</sup> S. E.

80.00 Set a post in a mound and pile as per  
 instructions for the corner to sections

16, 17, 20 & 21.

No trees near.

Land - 1<sup>st</sup> part selling. - north  
 half - level.

Soil - 2<sup>nd</sup> & 1<sup>st</sup> rate.

Timber - None.



Township 17 North, Range 2 West.

Secs. <sup>no</sup> Salt River Meridian

Sec. East.

on a random line between sections 16<sup>no</sup> 21  
 Var. 14° 08' East.

40.00 Set a temporary <sup>1/4</sup> section corner post.

80.30 Subdivide the N<sup>no</sup> S. Line at the corner to sections 15, 16, 21<sup>no</sup> 22 from which corner I run —

West.

on true line between sections 16<sup>no</sup> 21.  
 Var. 14° 08' East

40.15 Set a <sup>1/4</sup> section corner post in a mound and pits as per instruments.  
 The trees near.

80.30 The corner to sections  
 16, 17, 20<sup>no</sup> 21.

Sand beach.

Soil <sup>ph</sup> rate.

No timber.

Township 1<sup>st</sup> North Range 2 West  
Gila <sup>and</sup> Salt River Meridian

Sec North.

between sections 16<sup>th</sup> & 17<sup>th</sup>.  
Var. 14° 08' East

40.00 Set a 4<sup>th</sup> section corner post in a mound and pits as per instructions  
No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections 8, 9, 16<sup>th</sup> & 17<sup>th</sup>.  
No trees near.

Land loc.

Soil 1<sup>st</sup> rate.

No timber.

Date Nov 20<sup>th</sup> 1871

Township 1<sup>st</sup> North, Range 2 West.

Gila <sup>and</sup> Salt River Meridian

No East.

on random line between sections 9<sup>th</sup> & 16.

Var. 124° 08' East

40.00 Set a temporary <sup>1/4</sup> section corner post.

78.50 Verde river (dry bed) 100 yards wide runs S.E.

80.00 Intersect the N. & S. Line at the corner  
to sections 9, 10, 15 & 16 from which  
corner I run -

West.

on true line between sections 9<sup>th</sup> & 16.

Var. 124° 08' East.

40.00 Set a <sup>1/4</sup> section corner stone 16 x 12 x 8  
inches, as per instructions.

No trees near.

80.00 The corner to sections

8, 9, 16 <sup>th</sup> & 17<sup>th</sup>.

Land level

Soil 1<sup>st</sup> rate.

No timber.

Township 14 North. Range 2 West  
 6th and Salt River Meridian

North.

between sections 8 & 9.

Var. 12' 08" Each

40.00 Set a 1/4 section corner post in a mound and pits as per instructions  
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections 4, 5, 8 & 9.  
 No trees near.

Land level.

Soil 1/4 rate.

No timber.

Township 14 North. Range 2 West  
 Gila & Salt River Meridian  
 to East.

on a random line between sections 4<sup>th</sup> & 9.

Var. 1st° 08' East

20.00 Verde River (dry bed) 100 links wide, runs south.

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the N. & S. Line 7 links south  
 from the corner to section 3, 4, 9 & 10  
 from which corner a run —  
S. 89° 57' W.

on true line between sections 4<sup>th</sup> & 9.

Var. 1st° 08' East

40.00 Set a 1/4 section corner post in a  
 mound and sets as per instructions

No trees near.

80.00 The corner to sections

4, 5, 8 & 9.

Land - lease. Sib 1<sup>st</sup> rate.

No timber.

Township 14 North. Range 2 West

Green Salt River Meridian

North

on a random line between sections 4 & 5.

Var. 1st<sup>o</sup> 08' East

14.50 Verde River (dry bed) 100 links wide, runs S.E.

40.00 Set a temporary 1/4 section corner post.

62.00 Run S.E.

80.10 Intersect the north boundary at the corner to sections 4, 5, 32 & 33, from which corner run —

South.

on true line between sections 4 & 5.

Var. 1st<sup>o</sup> 08' East

40.10 Set a 1/4 section corner post in a mound and pit as per instructions. No trees near.

80.10 The corner to sections

4, 5, 8 & 9.

Land level.

Soil 1<sup>st</sup> rate. No timber.

Township 14 North Range 2 West -  
 Side <sup>and</sup> Salt River Meridian  
 of North.

between sections 31 & 32.  
 var.  $14^{\circ} 08'$  East.

40.00 Set a 44 section corner stone  $16 \times 10 \times 8$   
 inches as per instructions.

No trees near.

80.00 Set a stone  $12 \times 10 \times 10$  inches as per  
 instructions for the corner  
 to sections, 29, 30, 31 & 32.

No trees near.

Land - west hill side -  
 stony and rough.

Soil - Prato.

Timber - none.

Townships 1<sup>st</sup> North. Range 3 West

Old <sup>no</sup> Salt River Meridian

to East.

on random line between sections 29<sup>th</sup> & 32.

var. 14° 08' East

20.00 Summit of stony ridge, 100 feet high, bears N. & S.

38.00 East base of same ridge.

40.00 Set a temporary 4<sup>th</sup> section corner post.

80.25 Intersect the N. & S. Line 13 links south  
from the corner to sections 28, 29, 32  
and 33, from which corner true —  
S. 89° 54' W.

on true line between sections 29<sup>th</sup> & 32.

var. 14° 08' East

40.12 Set a 4<sup>th</sup> section corner stone 16 x 10 x 6  
inches as per instructions.

No trees near

80.25 The corner to sections

29, 30, 31<sup>th</sup> & 32.

Land rolling. Soil 2<sup>nd</sup> rate —  
No timber. Good grass.



Township 1<sup>st</sup> North, Range 2 West.

Sida & Salt River Meridian

No West

on random line between sections 30 & 31.

Var.  $12^{\circ} 08'$  Each

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

80.10 Intersect the West boundary at the corner to sections 30, 31, 25 & 36.

from which corner I run -

East.

on true line between sections 30 & 31.

Var.  $12^{\circ} 08'$  Each

40.10 Set a  $\frac{1}{4}$  section corner stone 16x12  
x 4 inches as per instructions

By No trees near.

80.10 the corner to sections

29, 30, 31 & 32.

Land - broken & hilly.

Soil - poor.

No timber.

Townships 14 North. Range 2 West

Edw<sup>rd</sup> Salt River Meridian

No North.

between sections 29<sup>th</sup> & 30.

1/4<sup>th</sup> ac. 1st<sup>st</sup> 08' Each

40.00 Set a 1/4<sup>th</sup> section corner stone 18x12  
x 5 inches as per instructions  
No trees near.

80.00 Set a stone 18x10x10 inches  
as per instructions for the  
corner to sections 19, 20, 29<sup>th</sup> & 30.  
No trees near.

Land - rolling hills.

Soil - 3<sup>rd</sup> rate

No timber.

Date Nov 21<sup>st</sup> 1871

Township 1<sup>st</sup> North, Range 2 West-  
 6<sup>th</sup> Sec <sup>and</sup> Salt River Meridian

No. East.

on a random line between sections 20 & 29.  
 Var 14° 08' East

- 10.00 Enter good rolling land. bears N. <sup>and</sup> S.  
 40.00 Set a temporary 1/4 section corner post.  
 80.17/ Intercept the N. <sup>and</sup> S. Line 15 links south  
 from the corner to sections 20, 21,  
 28 & 29, from which corner run -  
S. 80° 54' W.

on true line between sections 20 & 29  
 Var. 14° 08' East

- 40.08 Set a 1/4 section corner post in a mound  
 and sets as per instructions.

- 80.17/ No trees near.  
 the corner to sections  
 19, 20, 29 & 30.

Land - rolling  
 Soil 2<sup>nd</sup> rate.  
 No timber. Good grazing.

Township 14 North, Range 2 West

6th & Salt River Meridian

Sec West.

on random line between sections 19 & 30.

Var.  $14^{\circ} 08'$  East.

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

50.00 Summit of hill, 300 feet high, bears N. & S.

80.20 Intersect the west boundary 20 links south from the corner to sections 19, 20, 24 & 25, from which corner I run S.  $89^{\circ} 51'$  East.

on true line between sections 19 & 30

Var.  $14^{\circ} 08'$  East

40.20 Set a  $\frac{1}{4}$  section corner stake 16x10 x 6 inches as per instructions

No trees near,

80.20 the corner to section

19, 20, 29 & 30.

Land hilly rough & stony.

Soil poor. No timber.

Township 14 North. Range 2 West.

Sec 4 Salt River Meridian

Sec 4 North.

between sections 19<sup>th</sup> & 20.

Var. 12<sup>th</sup> 08' East

12.00 Entire rolling land, less N.E.

40.00 Set a 4<sup>th</sup> section corner post in  
a mound and file as per in-  
structions.

No trees near.

80.00 Set a stone 14x10x10 inches  
as per instructions for the  
corner to sections

14, 18, 19<sup>th</sup> & 20.

No trees near.

Land rolling.

Soil - 2<sup>nd</sup> rate.

No timber.

Township 14 North, Range 2 West  
 6th & Salt River Meridian

East

on a random line between sections 17 & 20  
 bearing  $124^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

55.00 Road runs N. W.  $\frac{1}{4}$  S. E.

80.00 Intersect the N.  $\frac{1}{4}$  S. Line at the  
 corner to sections 16, 17, 20 & 21  
 from which corner drive -  
West.

on true line between sections 17 & 20.

bearing  $124^{\circ} 08'$  East

40.00 Set a  $\frac{1}{4}$  section corner stone  $12 \times 12 \times 12$   
 inches as per instructions

80.00 No trees near  
 the corner to sections

17, 18, 19 & 20.

Land - gently rolling.

Soil - 3<sup>rd</sup> rate.

No timber.

Township 14 North. Range 3 West  
T4d 4th Salt River Meridian

Section

an random line between sections 18<sup>th</sup> & 19<sup>th</sup>  
Var. 14° 08' East

40.00 Set a temporary 1/4 section corner post.

80.18 Intersect the west boundary 9 rods  
south from the corner to sections  
18, 19, 13 & 24 - from which  
corner - True -

S. 89° 56' E.

on true line between sections 18<sup>th</sup> & 19<sup>th</sup>.

Var. 14° 08' East.

40.18 Set a 1/4 section corner stone 16x12x7  
inches as per instructions

By

No trees near

80.18 the corner to sections

14, 18, 19<sup>th</sup> & 24.

Land rolling & hilly.  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Some scattering trees.

Township 17 North. Range 2 West

Ida<sup>no</sup> Salt River Meridian

Sec 14 North.

between sections 17<sup>th</sup> & 18<sup>th</sup>

var. 14° 08' East

31.00 Road bears S. N. <sup>7/8</sup> N. E.

40.00 Set a <sup>1/2</sup> section corner post as  
a mound <sup>4</sup>/<sub>5</sub> feet as per instructions  
No trees near

80.00 Set a post as a mound and feet  
as per instructions for the  
corner to sections

N. 8, 17<sup>th</sup> & 18<sup>th</sup>.

No trees near

Land-rolling.

Soil 1<sup>st</sup> rate.

Some scattering Juniper trees.

Date Nov 22<sup>nd</sup> 1871



Township 1<sup>st</sup> North. Range 2 West.

Edw. Salt River Meridian

Ch. East

on a random line between sections 8 & 17.  
 Var. 124° 08' East

40.00 Set a temporary 1/4 section corner post

80.20 Intersect the N. & S. Line 7 links  
 north from the corner to sections  
 8, 9, 16 & 17, from which corner draw  
N. 89° 54' W.

on true line between sections 8 & 17.  
 Var. 124° 08' East

40.10 Set a 1/4 section corner post in a  
 mound 400 feet as per instructions

80.20 N the trees near  
 the corner to sections

N. 8. 17 & 18.

Land gently rolling.

Soil 1<sup>st</sup> rate

No timber

Township 1<sup>st</sup> of North Range 2 West

Sec 1<sup>st</sup> Salt River Meridian

West.

on random line between sections 7 & 18.  
var. 1<sup>st</sup> 08' East

20.00 Enter Juniper timber bears N. <sup>1/2</sup> S.

32.00 Road bears N. <sup>1/2</sup> S.

40.00 Set temporary 1/4 section corner post.

63.00 Leave timber, bears N. <sup>1/2</sup> S. N.

80.00 Intersect the west boundary at the corner  
to sections 7, 18, 12 & 13, from which corner, I run  
East.

on true line between sections 7 & 18.

var. 1<sup>st</sup> 08' East

40.00 Set a 1/4 section corner post in a mound and  
pit as per instructions.

A Juniper 10 in. diam. bears West. 60 links distant

do. 6 " " " S. 71° E. 15 " "

80.00 the corner to sections 7, 8, 1<sup>st</sup> of 18.

Land rolling. Soil 1<sup>st</sup> water.  
Juniper timber.

Township 1<sup>st</sup> North, Range 2 West -  
 5<sup>th</sup> & 6<sup>th</sup> East River Meridian  
 Ch. North.

between sections 7<sup>th</sup> & 8.  
 var. 14' 08" East

40.00 Set a 4<sup>th</sup> section corner post in  
 a mound and pits as per in-  
 structions.

No trees near.

80.00 Set a post in a mound and  
 pits as per instructions for the  
 corner to sections

5, 6, 7<sup>th</sup> & 8.

No trees near.

Land rolling.

Soil 1<sup>st</sup> rate.

Scattering clumps of Juniper trees.

Township 14 North Range 2 West

6th Salt River Meridian

No East.

on random line between sections 5 & 8.

Var.  $14^{\circ} 18'$  East.

40.00 Set a temporary 1/4 section corner post.

80.00 Introduce the N. & S. Line at the corner  
to sections 4, 5, 8 & 9. from which corner

I run —

West.

on true line between sections 5 & 8.

Var.  $14^{\circ} 08'$  East.

40.00 Set a 1/4 section corner post in  
a mound and pile as per instructions.

No trees near

80.00 By the corner to sections

5, 6, 7, & 8.

Land, gently rolling.

Soil 1<sup>st</sup> rate.

No timber.

Township 1<sup>st</sup> of North Range 2 West  
 T14<sup>th</sup> & Salt River Meridian  
 The West.

on random line between sections 6<sup>th</sup> & 7<sup>th</sup>.  
 Var: 14° 08' East

40.00 Set a temporary 1/4 section corner post.

55.00 Road runs N. & S.

80.00 Subvert the West boundary line  
 at the corner to sections 6. 7. 1<sup>st</sup> & 12<sup>th</sup>  
 from which corner I run -  
East.

on a true line between sections 6<sup>th</sup> & 7<sup>th</sup>.  
 Var: 14° 08' East

40.00 Set a 1/4 section corner post in  
 a mound and pile as per in -  
 structions No trees near.

80.00 The corner to sections  
 5, 6, 7 & 8.

Land - greatly rolling.

Soil. 1<sup>st</sup> date.

No timber

Township 14 North, Range 2 West  
 6th & Salt River Meridian

North.

on random line between sections 5 & 6.

Var.  $14^{\circ} 08'$  East

40.00 Set a temporary  $\frac{1}{4}$  section corner post.

58.00 Herds River, 100 links wide, runs S. E.

80.15 Intersect the N. Boundary line 22 links  
 west from the corner to sections 5, 6,  
 31 & 32, from which corner I run  
S.  $0^{\circ} 09'$  W.

on true line between sections 5 & 6.

Var.  $14^{\circ} 08'$  East

40.15 Set a  $\frac{1}{4}$  section corner post in mound  
 and pits as per instructions

80.15 No trees near  
 they corner to sections 5, 6, 7 & 8.

Land level.

Soil 1<sup>st</sup> rate. No timber

Date Nov 23<sup>rd</sup> 1871

## General Description

This Township embraces the settlement designated "the Bohine Valley", and contains some of the best lands in this section of the country.

The outside lands, bordering on the good, are well adapted to grazing purposes.

On section 55 there is a fine large spring of most excellent water, affording a volume of about 150 inches.

There is a grist mill on the S. E.  $\frac{1}{4}$  of section 22.

S. H. Foreman  
Deputy Surveyor

Surveyor General's Office

Tucson A.T., Febry 15<sup>th</sup> 1872.

The foregoing field notes of the survey of the subdivision lines of Township 17 N. Range 2 E. of the Gila and Salt River base and Meridian line, in the Territory of Arizona, executed by S. W. Foreman U.S. Deputy Surveyor, under his contract dated August 7<sup>th</sup> 1870, having been critically examined the necessary corrections and explanations made, the said Field Notes and the survey they describe are hereby approved.

John Mason

U.S. Surveyor General  
A.T.