

BOOK 1058

No. 1058

1058

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF- BOOK 1058

Township 19 N. Range 4 W.

Gila and Salt River Base and Meridian

ARIZONA. No. 1058

By L. Burton Foster, D. S.

under contract dated Oct. 11, 1876.

Survey commenced April 3, 1877.

Survey completed April 9, 1877.

1A

BOOK 1058

PRELIMINARY OATHS OF ASSISTANTS.—

WE, *Almerin S. Skinkle*
 and *Richard Shrope*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Almerin S. Skinkle
Richard Shrope

Almerin S. Skinkle read and subscribed before me, this
 day of

March, 1877

William O. Foster
 Notary Public



#E. I Paul Brutschke

I do solemnly swear that ~~we~~ I will well and truly perform the duties of Axeman

according to instructions given ~~us~~ ^{me}, and to the best of ~~our~~ ^{my} skill and ability.

Paul Brutschke

Sworn to and subscribed before me this 17th day of March 1877

William O. Foster
Notary Public

William O. Foster



16

77
77

(13)
 c
 b. a)

Field Notes

of the No. 1058

Subdivision Lines
 of
 Township 19 North
 Range 4 West

Given Salt River Meridian
 Territory of Arizona

Surveyed by
 Chas. Factor
 US Dep. Surveyor

Under his Contract of October 11 1846

Survey Commenced April 3^d 1847
 " Completed " 9th 1847

(10)

BOOK 1058

Township 19 N R. 4 W

Gila and Salt River Meridian.

6	54	5	42	4	32	3	21	2	11	1
53		53		41		31		20		10
7	52	8	40	9	30	10	19	11	9	12
51		50		39		29		19		8
18	50	17	38	16	28	15	18	14	7	13
44		48		37		27		17		6
19	47	20	36	21	26	22	16	23	5	24
46		46		36		25		15		4
30	45	29	35	28	24	27	14	26	3	25
44		43		34		23		13		2
31	43	32	33	33	22	34	12	35	1	36

Res. J. Eng. S. W. L. S. 1880

Handwritten notes and scribbles at the bottom left of the page.

Township 19 North Range 4. West
 Gila and Salt River Meridian
 chs.

Begin at the established cor. to
 Secs. 1, 2, 35 and 36 on W. boundary of
 Twp. the cor. a line steel 10x10x6
 ins. properly notched and set in a
 mound of earth with pits
 from which Cor. Run
 North between Secs. 35 and 36
 Var. $14^{\circ} 38'$ East

As per Burt's improved solar compass.

40.00

Set a post marked $\frac{1}{4}$ S. 4 ft. long
 flattened 3 ins. wide 1 ft. in the ground
 drive chanced stake 12 ins. down and
 build mound of earth 2 ft. high
 with pits 2x1x1. ft. for $\frac{1}{4}$ Sec. Cor.
 No trees near.

80.00

Set a post marked and notched, 4
 ft. long 3 ins. square, 1 ft. in the
 ground. Drive chanced stake 12 ins.
 down and ~~on the side~~ build mound
 of earth 2 ft. high with pits 2x1x1

Township 19. North Range 4 West
 Gila and Salt River Meridian
 chs.

Sp. for Cor. to Secs. 25, 26, 35 and 36.

No trees near.

Land gently rolling and level.

Soil 1 and 2. rate.

Timber, cedar in Secs. 35.

Each on random line
 between Secs. 25 and 36

Var. $14^{\circ} 38'$ East

40.00 Wh a stake for temporary $1/4$ Sec. Cor.

68.10 Road cross N. W. and S. E.

80.20 Intersch E. boundary of Sp. 16

1/4 S. of Cor. to Secs. 25 and 36.

from which Cor. I run

S. $89^{\circ} 53'$ W. on true line

between Secs. 25 and 36.

Var. $14^{\circ} 38'$ East.

40.10 Wh a post marked $1/4$ S. 4 ft.

long flattened 3 ins. wide 1 ft. in
 the ground, driven hand-stake

Township 19. North Range 4 West
Gila and Salt River Meridian
chs.

80.20

12 ins. down and build mound of earth 2 ft. high with pits 2x1x1 ft. for 1/4 Sec. Cor. to trees near the Cor. to Secs. 25, 26, 35 and 36. Land level. Soil 1 rate. No timber or undergrowth.

North between Secs. 25 and 26
Var. 14° 38' East.

40.00

Set a post marked 1/4 S. 4 ft. long flattened 3 ins. wide 1 ft. in the ground, drive chanced stake 12 ins. down and build mound of earth 2 ft. high with pits 2x1x1 ft. for 1/4 Sec. Cor. No trees near.

63.70
80.00

Road bears N.W. and S.E.
Set a post marked and notched 4 ft. long 3 ins. squared 1 ft. in the ground. Drive chanced stake 12 ins. down and ~~on the side~~ build mound

Township 19. North Range 4. West
 Gila and Salt River Meridian
 chs.

of earth 2 ft. high with pits
 24x1 for Cor. to Secs. 23, 24, 25 & 26.
 No trees near.

Level valley. Soil 1 rate
 No timber or undergrowth.

Each on random line
 between Secs. 24 and 25.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $\frac{1}{4}$ Sec. Cor.

80.00 Intersect E. boundary of Sp. 12 lks.
 S. of Cor. to Secs. 24 and 25

from which Cor. Run
 S. $89^{\circ} 55'$ N. on true line.

between Secs. 24 and 25.

Var. $14^{\circ} 38'$ East

40.00 Set a post marked $\frac{1}{4}$ v. 4 ft.
 long, flattened 3 ins. wide, 1 ft in
 the ground. Drive hard stake 12
 ins down and build mound of

5.
Township 19. North Range 4 West
Gila and Salt River Meridian

earth 2 ft. high with pits 2x1x1 ft.
for 1/4 Sec. Cor. No trees near.

00 The Cor. to Secs. 23, 24, 25 and 26
Land level. Soil 1 and 2. rate.
Grass abundant
No timber or undergrowth.

North between Secs. 23 and 24.

Var. 14° 38' East

5.00 Set a post marked 1/4 S. 4 ft. long
flattened 3 ins. wide 1 ft. in the
ground. Drive chased stake 12 ins.
down and build mound of earth 2.
ft. high with pits 2x1x1 ft. for
1/4 Sec. Cor. No trees near.

10 Wash 40 ft. wide. Flow. S. W.

00 Remote from stone or timber
Drive chased stake 12 ins. down
and build mound of earth 2 ft.
high with pits 2x1x1 ft. and in

Township 19, North Range 4 West

1/4 Sec. 1 and Salt River Meridian
chs.

centre of pit S. E. from Cor. drive
stake marked and notched 2 ft. long
2 ins. squared 1 ft. in the ground
for cor. to Secs. 13, 14, 23, and 24.
No trees near.

Land level. Soil 1 and 2. water
No timber or undergrowth.

East on random line
between Secs. 13 and 24.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary 1/4 Sec. Cor.

49.80 Intersect E. boundary of Twp. 28

1/4 S. of Cor. to Secs. 13 and 24.

from which Cor. Drive

S. $89^{\circ} 48'$ N. on true line

between Secs. 13 and 24.

Var. $14^{\circ} 38'$ East.

39.90 Remote from stone or timber
Drive chanced stake 2 ins. down

Township 19 North Range 4 West
 Gila and Salt River Meridian
 Chs.

and build mound of earth 2 ft. high
 with pits 2x1x1 ft. for $\frac{1}{4}$ Sec. Cor.
 No trees near.

49.80 The Cor. to Secs. 13, 14, 23, and 24
 Land gently rolling mesa
 Soil 2 rate, grass abundant
 No timber or undergrowth.

North between Secs. 13, and 14.
 Var. $14^{\circ} 38'$ East

40.00 Remote from timber
 Drive chanced stake 12 ins. down
 and build mound of earth 2 ft. high with
 pits 2x1x1 ft. for $\frac{1}{4}$ Sec. Cor.
 No trees near.

80.00 Remote from timber
 Drive chanced stake 12 ins. down
 and build mound of earth 2 ft. high
 with pits 2x1x1 ft. and in center
 of pit N. E. from Cor. drive stake

Township 19. North Range 4 West
chs. Gila and Salt River Meridian

marked and marked 2 ft. long
2 ins. square 1 ft. in the ground
for Cor. to Secs. 11, 12, 13, and 14.
No trees near.

Land gently slopes S.W.
Soil 2. rate. Grass abundant
No timber or undergrowth.

Each on random line
between Secs. 12. and 13.

Var. $14^{\circ} 38'$ East.

40.00 Set a stake for temporary 1/4 Sec. Cor.
49.90 Intersect E. boundary of Tp. 24. N. S.
W. of Cor. to Secs. 12 and 13. from which,
Cor. I run

S. $89^{\circ} 50'$ Ch. on true line
between Secs. 12. and 13.

Var. $14^{\circ} 38'$ East

39.95 Remote from stone or timber
Drive chared stake 12. ins. down

Township 19. North Range H. Wash.

chs. Gila and Salt River Meridian

and build mound of earth 2 ft. high
with pits 2x1x1 ft. for $\frac{1}{4}$ Sec. Cor.
No trees near.

79.90 The Cor. to Secs. 11, 12, 13, and 14.
Land mostly level. Soil 2. rate.
No timber or undergrowth.

North Return Secs. 11 and 12.

Var. $14^{\circ}38'$ East

40.00 Remote from stem or timber.
Drive chanced stake 12 ins. down
and build mound of earth 2 ft. high
with pits 2x1x1 ft. for $\frac{1}{4}$ Sec. Cor.
No trees near.

80.00 Remote from stem or timber
Drive chanced stake 12 ins. down and
build mound of earth 2 ft. high
with pits 2x1x1 ft. and in center
of pits S.E. from Cor. drive stake
marked and watched 2 ft. long 2 ins.

Township 19. North Range 4 West

Gila and Salt River Meridian
chs.

squared 1 ft. in the ground for
Cor. to Secs. 1, 2, 11, and 12. No trees near.
Land mostly level. Soil 2 rate.
Grass abundant.
No timber or undergrowth.

Each on random line,
between Secs. 1 and 12.

Var. $14^{\circ} 38'$ East.

40.00 Set a stake for temporary $\frac{1}{4}$ Sec. Cor.

79.80 Intersect E. boundary of Twp. 10 Sks.

S. of Cor. to Secs. 1 and 12.

from which Cor. from
S. $89^{\circ} 56'$ W. on true line

between Secs. 1 and 12.

Var. $14^{\circ} 38'$ East

39.90 Remote from stone or timber.

Drive chanced stake 12 ins. down
and build mound of earth 2 ft. high
with spits 2x1x1 ft. for $\frac{1}{4}$ Sec. Cor.

Township 19 North Range 4 West
 Gila and Salt River Meridian
 chs.

No trees near
 79.80 The Cor. to Secs. 1, 2, 11, and 12.
 Land gently rolling mesa.
 Soil 2. rate.
 No timber or undergrowth.

North or random line
 between Secs. 1, and 2.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $1/4$ Sec. Cor.
 44.20 Guleh 24 lks. wide flow. S. W.
 80.25 Intussek N. boundary of $1/4$ Sec. 12 lks. E.
 of Cor. to Secs. 1 and 2.
 from which Cor. I run
 $S. 0^{\circ} 5' E.$ in true line
 between Secs. 1 and 2.

Var. $14^{\circ} 38'$ East

40.25 Remote from stow or timber. Drive
 charred stake 12 ins. down and build
 mound of earth 2 ft. high with pits

Township 19. North Range 4. West
 Gila and Salt River Meridian
 chs.

2x1x1. ft. for 1/4 Sec. Cor. to trees near.
 80.25 The Cor. to Secs. 1, 2, 11, and 12.

Land pretty rolling mesa sloping S.W.
 Soil 2. and 3. rate.

No timber or undergrowth.

April 3 1877

North between Secs. 34 and 35
 Var. $14^{\circ} 38'$ East

40.00 Set a post marked 1/4. S. 4 ft. long
 flattened 3 ins. wide 1 ft. in the
 ground. Drive charred stake and build
 mound of earth 2 ft. high with
 pits 2x1x1 ft. for 1/4. Sec. Cor.
 No trees near.

80.00 Set a post marked and setched
 4 ft. long 3 ins. square, 1 ft. in
 the ground. Drive charred stake and
~~in~~ ~~the~~ ~~side~~ build mound of
 earth 2 ft. high with pits 2x1x1.
 ft. for Cor. to Secs. 26, 27, 34 and 35.

Township 19 North Range 4 West
 Gila and Salt River Meridian

No trees near
 Land gently rolling. Soil 2 rate
 Timber, Cedar S. end of line

Each on random lines
 between Secs. 26 and 35.

Var. $14^{\circ} 38'$ Each

40.00 Set a stake for temporary $\frac{1}{4}$ Sec. Cor.

80.00 Intersect N. and S. line by S.E.S. of
 Cor. to Secs. 25, 26, 35 and 36

from which Cor. I run
 S. $89^{\circ} 57'$ N. on true line
 between Secs. 26 and 35.

Var. $14^{\circ} 38'$ Each

40.00 Set a post marked $\frac{1}{4}$ S. 4. ft. long
 flattened 3 ins. wide 1 ft. in the ground.
 Drive chanced stake and build mound of
 earth 2 ft. high with pits 2x1x1.
 ft. for $\frac{1}{4}$ Sec. Cor. No trees near.

80.00 The Cor. to Secs. 26, 27, 34 and 35.

Township 19. North Range 4 West
 Gila and Salt River Meridian
 chs.

Land mostly level. Soil 1 rate
 Grasses abundant
 No timber or undergrowth

North between Secs. 26^{and} 27.
 Var. $14^{\circ} 38'$ East

40.00 Set a post marked $1/4$ Sec. 4 ft. long
 flattened 3 ins. wide, 1 ft. in the ground.
 Drive chanced stake and build mound
 of earth 2 ft. high with pits $2 \times 1 \times 1$
 ft. for $1/4$ Sec. Cor. No trees near.

80.00 Set a post marked and notched
 4 ft. long, 3 ins. squared 1 ft. in the
 ground. Drive chanced stake and
~~on the side~~ build mound of earth 2
 ft. high with pits $2 \times 1 \times 1$ ft. for Cor.
 to Secs. 22, 23, 26, ^{and} 27. No trees near.
 Land level. Soil 1 rate
 No timber or undergrowth.

Township 19. North Range 4 West

Gila and Salt River Meridian

chs.
Each on random line
between Secs. 23 and 26.

Var. $14^{\circ} 38'$ East.

40.00 Set a stake for temporary $1/4$ Sec. Cor.

57.40 Road base N. W. and S. E.

80.10 Intersect N. and S. line 16 kts. S. of
Cor. to Secs. 23, 24, 25 and 26.

From which Cor. Run

S. $89^{\circ} 53'$ N. on true line

between Secs. 23 and 26

Var. $14^{\circ} 38'$ East

40.00 Set a post marked $1/4$ S. 4 ft. long
flattened 3 ins. wide, 1 ft. in the
ground. Drive chanced stake and build
mound of earth 2 ft. high with pits
 $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor. No trees near.

80.10 The Cor. to Secs. 22, 23, 26 and 27.

Land level. Soil 1 rate

No timber or undergrowth.

Township 19. North Range 4 West

Gila and Salt River Meridian
Chs.

North between Secs. 22 and 23.

Var. $14^{\circ} 38'$ East

40.00 Remote from stave or timber.
Drive chanced stake 12 ins. down
and build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor.
No trees near.

71.90 Road cross N. W. and S. E.

80.00 Remote from stave or timber.
Drive chanced stake 12 ins. down
and build mound of earth 2 ft.
high with pits $2 \times 1 \times 1$ ft. and in
centre of pit S. E. from cor. drive
stake marked and notched 2 ft. long
2 ins. squared. 1 ft. in the ground for
Cor. to Secs. 14, 15, 22, and 23. No trees near
Land level. Soil 1 rate.
No timber or undergrowth.

Each on random line

Township 19. North Range 4 West
Gila and Salt River Meridian
chs.

between Secs. 14 and 23.

Var. $14^{\circ} 38'$ East

- 1.80 Wash 25 lks. wide flows S. E.
40.00 Set a stake for temporary $\frac{1}{4}$ Sec. Cor.
57.40 Wash 50. lks. wide. flows S. E.
80.00 Intersect N. and S. line 10 lks. N. of Cor.

to Secs. 13, 14, 23, and 24.

from which Cor. I run

N. $89^{\circ} 56'$ N. on true line

between Secs. 14 and 23

Var. $14^{\circ} 38'$ East

- 40.00 Run to from stone or timber.
Drive chared stake 12 ins. down and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ Sec. Cor.
No trees near.

- 79.00 The Cor. to Secs. 14, 15, 22, and 23.
Land level. Soil 1-rate
No timber or undergrowth.

Township 19. North Range 4 West

Gila and Salt River Meridian

chs. North between Secs. 14 and 15.

Var. $14^{\circ} 38'$ East

5.20 Wash 20 lks. wide flows. S. E.

40.00 Remote from stone or timber.

Drive charred stake 12 ins. down and
build mound of earth 2 ft. high with
pits $2 \times 1 \times 1$ ft. for $1/4$ sec. cor.

No trees near.

55.60 Wash 40 lks. wide flows. S. E.

80.00 Remote from stone or timber

Drive charred stake 12 ins. down and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. and in centre
of pit S. E. from cor. drive stake
marked and notched 2 ft. long 2 ins.

squared, 1 ft. in the ground for cor
to Secs. 10, 11, 14, and 15. No trees near
land level. Soil 1 rate.

No timber or undergrowth.

Township 19. North Range 4 West
 Gila and Salt River Meridian

Each on random line
 between Secs. 11 and 14.

Var. $14^{\circ} 38'$ East

40.00 Each stake for temporary $1/4$ Sec. Cor.

80.10 Between N. and S. line 15 lks. S. of
 Cor. to Secs. 11, 12, 13, and 14.

from which Cor. I run
 $S. 89^{\circ} 52' W.$ on true line

between Secs. 11 and 14.

Var. $14^{\circ} 38'$ East.

40.05 Remote from stone or timber. Drive
 chared stake 12 ins. down and build
 mound of earth 2 ft. high with pits
 $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor. No trees near.

80.10 The Cor. to Secs. 10, 11, 14, and 15.

Land level. Soil 1 rate
 No timber or undergrowth

North between Secs. 10 and 11.

Var. $14^{\circ} 38'$ East

BOOK 1058

Township 19, North Range 4, West

Cjida ^{and} Salt River Meridian

chs.

40.00 Runets from stone or timber
 Drive chanced stake 12 ins. down ^{and}
 build mound of earth 2 ft. high
 with pits 2x1x1 ft. for 1/4 Sec. Cor.
 No trees near.

80.00 Runets from stone or timber. Drive
 chanced stake 12 ins. down ^{and} build
 mound of earth 2 ft. high with pits
 2x1x1 ft. and in center of pit S.E.
 from Cor. drive stake marked and
 notched 2 ft. long 2 ins. square, 1 ft.
 in the ground for Cor. to Secs. 2, 3, 10, ^{and} 11.
 No trees near.

Land level. Soil 1 rate.
 No timber or undergrowth.

Each on random line
 between Secs. 2, ^{and} 11.

Var. 14° 38' East

40.00 Set a stake for temporary 1/4 Sec. Cor.

Township 19. North Range 4 West

Gila and Salt River Meridian
chs.

80.00 Intersect N. and S. line 14 lks. S. of
Cor. to Secs. 1, 2, 11, and 12.

from which Cor. I run
S. $89^{\circ} 54' N.$ on true line
between Secs. 2, and 11.

Var. $14^{\circ} 38'$ East

40.00 Runets from stem or timber.
Drive chanced stake 12. ins. down
and build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor.
No trees near.

80.00 The Cor. to Secs. 2, 3, 10, and 11.
Land level. Soil 1 and 2. rate.
No timber or undergrowth

North on random line
between Secs. 2, and 3.

Var. $14^{\circ} 38'$ East

40.00 Stake for temporary $1/4$ Sec. Cor.

80.20 Intersect N. boundary of Twp. 20 lks. E. of

Township 19. North Range 4 West
 Gila and Salt River Meridian
 chs.

Cor. to Secs. 2. and 3.
 from which Cor. Iron
 S. $0^{\circ} 9'$ E. on true line
 between Secs. 2. and 3.

Var. $14^{\circ} 38'$ East.

40.20 Remts from stone and timber. Drive
 changed stake 12 ins. down and build
 mound of earth 2 ft. high with pits
 $2 \times 1 \times 1$ ft. for $1/4$ sec. Cor. No trees near.

80.20 The Cor. to Secs. 2. 3. 10. and 11.
 Land slopes gently S. W.
 Soil 2 rates. Grass abundant
 No timber or undergrowth.
 April 4th 1877

North between Secs. 33. and 34.

Var. $14^{\circ} 38'$ East.

40.00 Set a post marked $1/4$ S. 4 ft. long
 flattened 3 ins. wide, 1 ft. in the
 ground. Drive changed stake and build
 mound of earth 2 ft. high with

Township 19. North Range 4 West
 Gila and Salt River Meridian
 Chs.

pits 2x1x1. ft. for $\frac{1}{4}$ Sec. Cor.

No trees near.

80.00 with a post marked and notched 4 ft.
 long. 3 ins. square, 1 ft. in the ground.
 Iron chanced stake and ~~on the side~~ build
 mound of earth 2 ft high with pits
 2x1x1. ft. for Cor. to Secs. 27, 28, 33, & 34, from which
 a Cedar 14. ins. dia. bears S. 4° E. 102. l. Ks. dish

" Pinon 8 " " " S. 43° W. 104 " "

No other trees near

Land gently rolling. Soil 2 rate.
 Timber, Cedar and Pinon.

East on random line

between Secs. 27 and 34.

Var. 14° 38' East.

40.00 Iron stake for temporary $\frac{1}{4}$ Sec. Cor.

79.90 Intersect N. and S. line at Cor. to Secs.

26, 27, 34 and 35.

from which Cor. I run

Township 19. North Range 4 West

chs. Gila and Salt River Meridian

Wish on true line
between Secs. 27. and 34.
Var. $14^{\circ} 38'$ East

39.95 See a post marked $1/4$ S. 4 ft. long
flattened 3 ins. wide 1 ft. in the ground.
Dirt charred stake and build mound
of earth 2 ft. high in the pits $2 \times 1 \times 1$ ft.
for $1/4$ Sec. Cor. No trees near.

49.90 The Cor. to Secs. 27, 28, 33, and 34.
Land level. Soil 1 rate
Timber, Cedar and Pines etc. of line

North between Secs. 27 and 28.
Var. $14^{\circ} 38'$ East.

5.00 Leave Cedars and enter open level plain

40.00 See a post marked $1/4$ S. 4 ft. long, flattened
3 ins. wide 1 ft. in the ground. Dirt charred
stake and build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor.
No trees near.

Township 19. North Range 4 West.

chs. Gila and Salt River Meridian

80.00 Set a post marked and setched 4 ft. long.
3 ins. squared. 1 ft. in the ground. Drive
chance stake and build mound of earth
2 ft. high with pits 2x1x1 ft. for Cor.
to Secs. 21. 22. 27. and 28.

No trees near
Land mostly level. Soil 1 rate.
Timber Cedar on S. end of line

Each on random line
between Secs. 22. and 27.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $1/4$ Sec. Cor.

79.60 Intersect N. and S. line 18 lks. S. of Cor.
to Secs. 22. 23. 26. and 27.

from which Cor. I run
S. $89^{\circ} 52'$ N. on true line
between Secs. 22. and 27.

Var. $14^{\circ} 38'$ East.

39.80 Set a post marked $1/4$ S. 4 ft. long

Township 19. North Range 4 West
Gila and Salt River Meridian
chs.

flattened 3 ins. wide 1 ft. in the ground
Drive charred stake and build mound
of earth 2 ft. high with pits 2x1x1.
ft. for 1/4 Sec. Cor. No trees near.
79.60 The Cor. to Secs. 21, 22, 27, and 28.
Land level, soil 1 rate
No timber or undergrowth.

North between Secs. 21. and 22.
Var. $14^{\circ} 38'$ East

40.00 Set a post marked 1/4 S. 4 ft. long
flattened 3 ins. wide 1 ft. in the ground
Drive charred stake and build mound
of earth 2 ft. high with pits 2x1x1.
ft. for 1/4 Sec. Cor. No trees near.

80.00 Set a post marked and notched
4 ft. long 3 ins. squared. 1 ft. in the
ground. Drive charred stake and ~~cut~~
~~side~~ build mound of earth 2 ft. high
with pits 2x1x1. ft. for Cor. to Secs.

Township 19. North Range 4 West

ch. Gila and Salt River Meridian

15. 16. 21. and 22. No trees near.
Land level. Soil 1 rate.
No timber or undergrowth.

Each in random line
between Secs. 15 and 22.

Var. $14^{\circ} 38'$ East.

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor
flattened 3 ins. wide. 1 ft. in the ground.
Dug around stake and build mound of
earth 2 ft. high with pits $2 \times 1 \times 1$ ft.
for $\frac{1}{4}$ Sec. Cor. No trees near.

Dwelling house and Corral of C. T. Rogers
bears N. $\frac{1}{2}$ mile distant from this Cor.

42.40 Road bears N. W. and S. E.

80.00 Intersect N. and S. line 10 kts. N. of
Cor. to Secs. 14. 15. 22. and 23.

from which Cor. I run
N. $89^{\circ} 56'$ W. on true line
between Secs. 15 and 22.

Township 19. North Range 4. West

Cedar and Salt River Meridian
chs.

Var. $14^{\circ} 38'$ East

40.00 With a fresh marked $1/4$ Sec. 4 ft. long
flattened 3 ins. wide 1 ft. in the
ground. Drive chanced stake and build
mound of earth 2 ft. high with pits
 $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor. No trees near.

80.00 The Cor. to Secs. 15. 16. 22. and 23.
Land level. Soil 1 rate
No timber or undergrowth.

North between Secs. 15 and 16.

Var. $14^{\circ} 38'$ East

39.10 Need road across E. and W.

40.00 Runets from stem or timber.
Drive chanced stake 12 ins. down and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor.
No trees near.

80.00 Runets from stem or timber.
Drive chanced stake 12 ins. down

Township 19. North Range 4 West
Gila and Salt River Meridian
chs.

and build mound of earth 2 ft. high in the
pits 2x1x1 ft. and in centre of pit.
S. E. from Cor. drive stake marked and
watched 2 ft. long 2 ins. squared, 1 ft.
in the ground for Cor. to Secs. 9, 10, 15.
Aug 16. No trees near.

Land level. Soil 1 and 2 rate.
No timber or undergrowth.

Each on random line
between Secs. 10 and 15.
Var. $14^{\circ} 38'$ East.

- 27.20 Road bears N. W. and S. E.
40.00 Set a stake for temporary 1/4 Sec. Cor.
54.20 Wash 65 lks. wide, flows S. E.
80.20 Intersect N. and S. line 25 lks. N. of
Cor. to Secs. 10, 11, 14, and 15.
from which Cor. down
N. $89^{\circ} 49'$ N. on true line
between Secs. 10. and 15.

Township 19. North Range 4 West

Chs. Gila and Salt River Meridian

Var. $14^{\circ} 38'$ East.

40.10 Remote from stem or timber.
Drive chased stake 12. ins. down and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $1/4$ sec. cor.
No trees near.

80.20 The cor. to Secs. 9. 10. 15 and 16.
Land level. Soil 1 rate
No timber or underground.

North between Secs. 9. and 10.

Var. $14^{\circ} 38'$ East

22.90 Road bears N. W. and S. E.

40.00 Remote from stem or timber.
Drive chased stake 12. ins. down and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $1/4$ sec. cor.
No trees near

68.30 Wash 40 ft. wide, flows S. E.

72.20 Trail bears N. W. and S. E.

Township 19. North Range 4 West

Gila and Salt River Meridian

chs.

80.00 Remote from town or timber.
Drive charred stake 12 ins. down and
build mound of earth 2 ft. high with
pits 2 x 1 x 1 ft. and in center of pit S. & E.
from Cor. drive stake marked and notched
2 ft. long and 2 ins. square, 1 ft. in the
ground for Cor. to Secs. 3, 4, 9, and 10.
No trees near.

Land level. Soil 1 rate
No timber or undergrowth

Each on random line
between Secs. 3, and 10.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $1/4$ Sec. Cor.

80.10 Intersect N. and S. line $1/2$ M. S. of
Cor. to Secs. 2, 3, 10, and 11.

From which Cor. Run
 $S. 89^{\circ} 55' W.$ on true line
between Secs. 3, and 10.

Township 19. North Range 4 West

Chs. Gila and Salt River Meridian

Var. $14^{\circ} 38'$ East

40.05 Runets from stave on timber drive
 chanced stake 12 ins. down and build
 mound of earth 2 ft. high with pits
 $2 \times 1 \times 1$. for $\frac{1}{4}$ Sec. Cor. No trees near.

80.10 The Cor. to Secs. 3, 4, 9, and 10.
 Land level. Soil 1 rate
 No timber or undergrowth

North on random line
 between Secs. 3 and 4.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for timberway $\frac{1}{4}$ Sec. Cor.

80.12 Intersect N. boundary of $\frac{1}{4}$ Sec. at
 Cor. to Secs. 3 and 4.

from which Cor. I run
 South on true line

between Secs. 3 and 4.

Var. $14^{\circ} 38'$ East

40.12 Runets from stave on timber drive

Township 19. North Range 4 West
 Gila and Salt River Meridian
 chs.

chained stake 12. ins. drive and build
 mound of earth 2 ft. high with pits
 2x1x1. for 1/4 Sec. Cor. No trees near.
 80.12. The Cor. to Secs. 3, 4, 9, and 10.
 Land mostly level. Soil 1. rate
 No timber or undergrowth.
 April 5th 1877

North between Secs. 32. and 33.

Var. $14^{\circ} 38'$ East

40.00 Set a post marked 1/4 S. 4 ft. long.
 flattened 3 ins. wide, 1 ft. in the ground
 drive chained stake and build mound of earth
 2 ft. high with pits 2x1x1 ft. for 1/4 Sec. Cor.
 No trees near.

80.00 Set a post marked and watched 4 ft. long
 3 ins. squared 1 ft. in the ground. Drive
 chained stake and build mound of earth
 2 ft. high with pits 2x1x1 ft. for Cor.
 to Secs. 28, 29, 32, and 33. No trees near
 Land gently rolling. Soil 2. rate

Township 19. North Range 4 West
 chs. Gila and Salt River Meridian

Timber, scattering Cedar and Pinon

East on random line
 between Secs. 28 and 33.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $\frac{1}{4}$ Sec. Cor.
 80.30 Intersect N. and S. line 20 kts. S. of Cor. to
 Secs. 29, 28, 33, and 34

from which Cor. I run
 S. $89^{\circ} 51'$ N. on true line
 between Secs. 28 and 33.

Var. $14^{\circ} 38'$ East

40.15 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long
 flattened 3 ins. wide 1 ft. in the ground.
 5 ins. in diameter stake and build mound of
 earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for
 $\frac{1}{4}$ Sec. Cor. from which a cedar 10 ins.
 in diameter bears S. 5° E. 34 kts. dist.
 No other tree near.

80.30 The Cor. to Secs. 28, 29, 32, and 33.

Township 19. North Range 4. West

hs. Gila and Salt River Meridian

Land gently rolling. Soil 2. rate
Timber, Cedar and Pine.

North between Secs. 28 and 29.

Var. $14^{\circ} 38'$ East

0.00 Set a post marked $\frac{1}{4}$ $\frac{1}{4}$ ft. long
flattened 3 ins. wide 1 ft. in the ground.
dism. chanced stake and build mound of
earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for
 $\frac{1}{4}$ Sec. Cor. No trees near.

0.00 Set a post marked and watched 4 ft. long
3 ins. square. 1 ft. in the ground
dism. chanced stake and build mound of
earth 2 ft. high ~~on N. side~~, with
pits $2 \times 1 \times 1$ ft. for Cor. to Secs. 20. 21.
28 and 29. No trees near

Land mostly level. Soil 1 and 2. rate
Grass abundant and
Timber, mostly $\frac{1}{2}$ of line - Cedar.

Township 19. North Range 4 West
chs. Gila and Salt River Meridian

Each on random line
between Secs. 21 and 28.
Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $1/4$ Sec. Cor.

80.10 Intersect N. and S. line 1/4 blk. S. of
Cor. to Secs. 21, 22, 27 and 28.
from which Cor. I run
S. $89^{\circ} 54'$ W. on true line
between Secs. 21 and 28
Var. $14^{\circ} 38'$ East

40.05 Set a post marked $1/4$ S. 4 ft. long flattened
3 in. wide 1 ft. in the ground drive
chained stake and build mound of earth
2 ft. high with pits $2 \times 1 \times 1$ ft. per $1/4$ Sec.
Cor. No trees near.

80.10 The Cor. to Secs. 20, 21, 28 and 29.
Land level. Soil 1 rate
No timber or undergrowth.

North between Secs. 20 and 21.

Township 19. North Range 4 West

hs. Gila and Salt River Meridian

Var. $14^{\circ} 38'$ East

40.00 Set a fresh marked $1/4$ Sec. 4 ft. long
flattened 3 ins. wide 1 ft. in the ground
drive charred stake and build mound of
earth 2 ft. high with pits $2 \times 1 \times 1$ ft.
for $1/4$ Sec. Cor. No trees near.

80.00 Set a fresh marked and mchd 4 ft.
long 3 ins. squared 1 ft. in the ground
drive charred stake and build mound of
earth 2 ft. high with pits $2 \times 1 \times 1$ ft.
for Cor. to Secs. 16, 17, 20 and 21. from which
a cedar 12 ins. dia. bears $N. 56^{\circ} W. 30$ lks. dist.
No other tree near.

Land gently sloping E. Soil 2-rate.
Timber scattering Cedars.

East on random line
between Secs. 16 and 21.

Var. $14^{\circ} 38'$ East.

40.00 Set a stake for temporary $1/4$ Sec. Cor.

Township 19, North Range 4 West.

Gila and Salt River Meridian

chs.

80.00 Intersection of N. and S. line at Cor. to
Secs. 15, 16, 21, and 22.

from which Cor. I run
Westerly true line

between Secs. 16, and 21.

Var. $14^{\circ} 38'$ East.

40.00 See a post marked $1/4$ S. 4 ft. long,
flattened 3 ins. wide 1 ft. in the ground,
driven around stake and built around
of earth 2 ft. high with pits 2x1x1
ft. for $1/4$ Sec. Cor. No trees near.

80.00 At the Cor. to Secs. 16, 17, 20, and 21,
Land sloping E. Soil 1 and 2. oak
Timber Cedars on E. end of line

North between Secs. 16 and 17.

Var. $14^{\circ} 38'$ East.

40.00 See a post marked $1/4$ S. 4 ft. long,
flattened 3 ins. wide 1 ft. in the ground,
driven around stake and built around of

Township 19. North Range 4 West

chs. Gila and Salt River Meridian

earth 2 ft. high with pits 2x1x1 ft.
for 1/4 Sec. Cor. No trees near.

80.00 Set a post marked and mottled 4 ft. long
3 ins. squared 1 ft. in the ground, drive
chance stake and build mound of earth 2 ft.
high with pits 2x1x1 ft. for Cor. to
Secs. 8, 9, 16, and 17. from which

A Cedar 12 ins. diameter S. 84° E. 320 lks. dist

" " 20 " " " N. 87° E. 330 " "

No other tree near.

Land slopes N. E. soil 2. rate

Timber scattering cedars.

East on random line
between Secs. 9 and 16.

Var. 14° 38' East

40.00 Set a stake for temporary 1/4 Sec. Cor.

80.16 Intersect N. and S. line 10 lks. S. of Cor.
to Secs. 9, 10, 15, and 16.

from which Cor. I run

Township 19. North Range 4 West

chs. *Opila* and Salt River Meridian

S. $89^{\circ} 56'$ W. on true line
between Secs. 9 and 16.

Var. $14^{\circ} 38'$ East

40.08 See a post marked $1/4$ S. 4 ft. long
flattened 3 ins. wide 1 ft. in the ground
drive chanced stake and build mound of
earth 2 ft. high with pits $2 \times 1 \times 1$ ft.
for $1/4$ Sec. Cor. No trees near.

80.16 The Cor. to Secs. 8, 9, 16 and 17.
Land mostly level, Soil 1 and 2, rather
timber, scattering Cedars on W. end of line

North between Secs. 8 and 9.

Var. $14^{\circ} 38'$ East

40.00 See a post marked $1/4$ S. 4 ft. long flattened
3 ins. wide 1 ft. in the ground, drive
chanced stake and build mound of earth 2 ft.
high with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor
No trees near

80.00 See a post marked and marked 4 ft. long 3 ins.

Township 19. North Range 4 West.

Chs. Gila and Salt River Meridian

squared 1 ft. in the ground. Drive chanced stake and
 build mound of earth 2 ft. high with pits 2 x 1 x 1
 ft. for Cor. to Secs. 4, 5, 8, and 9. No trees near
 Land level. Soil 1 rate
 No timber or undergrowth

Each on random line
 between Secs. 4 and 9.

Var. $14^{\circ} 38'$ East

- 28.70 Road bears N. W. and S. E.
 05.05 Wash 50 lks wide, flows S. E.
 40.00 Set a stake for temporary $1/4$ Sec. Cor.
 74.50 Nail bears N. W. and S. E.
 80.00 Enter sec. N. and S. line 14 lks. S. of Cor. to
 Secs. 3, 4, 9, and 10. from which Cor. I run
 $S. 89^{\circ} 54'$ N. on true line
 between Secs. 4 and 9.

Var. $14^{\circ} 38'$ East

- 40.00 Set a post marked $1/4 \times 1/4$ ft. long, flattened
 3 ins. wide, 1 ft. in the ground. Drive chanced

Township 19 North Range 4 West

chs. Gila and Salt River Meridian

80.00 stake and build mound of earth 2 ft. high
with pits 2x1x1 ft. for $\frac{1}{4}$ Sec. Cor. to true near.
The Cor. to Secs. 4, 5, 8, and 9.
Land level. Soil 1 rate
No timber or undergrowth.

North or random line

between Secs. 4 and 5.

Var. $14^{\circ}38'$ East.

40.00 Scha stake for temporary $\frac{1}{4}$ Sec. Cor.
53.00 Road bears N. W. and S. E.
67.50 Wash 40 lks. wide flows S. E.
80.18 Intersect N. boundary of Tp. 22. lks. E. of Cor.
to Secs. 4 and 5. from which Cor. I run
S. $0^{\circ}9'$ E. on true line
between Secs. 4 and 5.

Var. $14^{\circ}38'$ East

40.18 Scha peg marked $\frac{1}{4}$ Sec. 4 ft. long flattened
3 ins. wide, 1 ft. in the ground. Saw chamd stake
and build mound of earth 2 ft. high with pits

Township 19. North Range 4 West

Gila and Salt River Meridian

18 2x1x1 ft. for 1/4 Sec. Cor. No trees near.
 W. Sec. Cor. to Secs. 4, 5, 8, and 9.

Land level. Soil 1 rate

No timber or undergrowth

April 6th 1877

North between Secs. 31 and 32.

Var. $14^{\circ} 38'$ East

2.00 A sharpish marked 1/4 x 1/4 ft. long. flattened
 3 ins. wide. 1 ft. in the ground. Drive charred
 stake and build mound of earth 2 ft. high with pits
 2x1x1 ft. for 1/4 Sec. Cor. No trees near.

2.00 A sharpish marked and notched. 4 ft. long 3 ins. square
 1 ft. in the ground. Drive charred stake and ~~build~~
 build mound of earth 2 ft. high with pits 2x1x1 ft.
 for Cor. to Secs. 29, 30, 31, and 32. No trees near.

Land rolling and sloping N.E. Soil 2 rate
 Timber, scattering Cedars.

Each on random line
 between Secs. 29 and 32.

Township 19. North Range 4 West
 T. 19. N. and Salt River Meridian
 chs.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $1/4$ Sec. Cor.

80.10 Intersect N. and S. line of T. 19. N. of Cor. to Secs.
 28, 29, 32, and 33. from which Cor. is run
 N. $89^{\circ} 57'$ W. on true line
 between Secs. 29 and 32

Var. $14^{\circ} 38'$ East

40.05 Set a peach marked $1/4$ S. 4 ft. long, flattened 3/4 ins. with
 1/4 in. in the ground. Drive chanced stake and build mound
 of earth 2 ft. high with pits 2x1x1 ft. for $1/4$ Sec. Cor. No trees near

80.10 The Cor. to Secs. 29, 30, 31 and 32.

Land level and gently rolling. Soil 1 and 2 rate.
 Timber, scattering Cedars.

West on random line

between Secs. 30 and 31.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $1/4$ Sec. Cor.

78.20 Intersect W. boundary of T. 19. N. of Cor. to Secs.
 30 and 31. from which Cor. is run

Township 19. North Range 4 West
 Gila and Salt River Meridian

- hs.
 N. $89^{\circ} 55'$ E. on true line
 between Secs. 30^{and} 31. $\text{Var. } 14^{\circ} 38' \text{ E.}$
08. 20 See a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide
 1 ft. in the ground. Drive chanced stake and build mound of
 earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor. No trees near
18. 20 The Cor. to Secs. 29, 30, 31, and 32
 Land gently rolling. Soil 2 rate
 Timber, scattering Cedar

North between Secs. 29^{and} 30.
 Var. $14^{\circ} 38'$ East

40. 00 See a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide
 1 ft. in the ground. Drive chanced stake and build mound of earth
 2 ft. high with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor. No trees near.
0. 00 See a post marked and notched 4 ft. long 3 ins. square. 1 ft. in
 the ground. Drive chanced stake and build mound of
^{2 ft. high with pits $2 \times 1 \times 1$ ft.} earth for Cor. to Secs. 19, 20, 29^{and} 30. No trees near.
 Land level. Soil 1^{and} 2. rate
 Timber, scattering Cedars.

Township 19. North Range 4 West
 Gila and Salt River Meridian
 chs.

Eastern random line

Between Secs. 20 and 29.

Var. $14^{\circ} 38'$ East

40.00

Set a stake for temporary $1/4$ Sec. Cor.

80.00

Set a stake for S. line 20 lks. N. of Cor. to Secs. 20.

21, 28, and 29, from which Cor. Iron

N. $89^{\circ} 51'$ W. on true line

between Secs. 20 and 29.

Var. $14^{\circ} 38'$ East

40.00

Set a post marked $1/4$ S. $1/4$ Sec. being flattened 3 ins. wide

1 ft. in the ground. Drive charred stake and build mound of earth

2 ft. high with pits 2 x 1 ft. for $1/4$ Sec. Cor. from which

Alida 20 ins. dia. bears S. 11° E. 120 lks. dist.

No other trees near

80.00

Take Cor. to Secs. 19, 20, 29, and 30

Land level. Soil 1 and 2 oak

Timber, an occasional cedar.

West on random line

between Secs. 19, and 30.

Township 19. North Range 4 West

hs. Gila and Salt River Meridian

Var. $14^{\circ} 38'$ East

0.00 Set a stake for temporary $1/4$ Sec. Cor.
 18.50 Intersect N. boundary of T₁₄ R₄ S₁ of Cor. to Secs.
 19^{and} 30. from which Cor. I run
 N. $89^{\circ} 54'$ E. on true line
 between Secs. 19^{and} 30.

Var. $14^{\circ} 38'$ East

8.50 Set a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide 1 ft.
 in the ground. Drive chand stake and build mound of earth 2 ft.
 high with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor. No trees near.

8.50 The Cor. to Secs. 19, 20, 29^{and} 30
 Land gently rolling. Soil 2 rate
 timber, a few Cedars.

North between Secs. 19^{and} 20.

Var. $14^{\circ} 38'$ East

0.00 Set a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide 1 ft.
 in the ground. Drive chand stake and build mound of earth
 2 ft. high with pits $2 \times 1 \times 1$ ft. for $1/4$ Sec. Cor. No trees near.

4.00 Begin ascent of N. slope of hill

Township 19, North Range 4 West

Gila and Salt River Meridian

chs.

77.00 Summit of hill bears E. and slopes W.
 80.00 See a lime stem 16x10x6 ins. properly notched - set 2/3 in the
 ground on N. side - build mound of stems 2 ft. high for
 Cor. to Secs. 17, 18, 19, and 20. from which
 a cedar 14 ins. dia. bears S. 29° W. 106 lbs. dia.
 No other trees near
 Land rolling. Soil 2. and 3. rate
 Timber, Cedar

Cashew random line
 between Secs. 17, and 20
 Var. 14° 38' East

24.00 Begin descent of hill
 40.00 See a stake for temporary 1/4 Sec. Cor.
 56.00 Foot of hill
 79.90 Intersect N. and S. line 16 lbs. dia. of Cor. to Secs. 16,
 17, 20 and 21. from which Cor. S. run
 S. 89° 53' W. on true line
 between Secs. 17 and 20
 Var. 14° 38' East

Township 19. North Range 4 West

63. Gila and Salt River Meridian

9.95 Saw a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide
1 ft. in the ground. Saw a chain & stake and build mound of
earth 2 ft. high with pits 2x1x1 ft. for $1/4$ Sec. Cor. No trees near.

9.90 The Cor. to Secs. 17, 18, 19, and 20.
Land hilly. Soil 3-rate
Timber. Saw Cedars

West on random line

between Secs. 18 and 19.

Var. $14^{\circ} 38'$ East

0.00 Begin descent from hill

0.00 Foot, and enter gently rolling mesa.

0.00 Saw a stake for temporary $1/4$ Sec. Cor.

7.75 Intersect N. boundary of T₂₁ 1/4 S. of Cor. to Secs.
18 and 19. from which Cor. I run

S. $89^{\circ} 51'$ E. on true line

between Secs. 18 and 19.

Var. $14^{\circ} 38'$ East

7.75 Saw a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide 1 ft.
in the ground. Saw a chain & stake and build mound of earth

Township 19, North Range 4 West

Chs. Gila and Salt River Meridian

77.75 2 ft. high with pits 2x1x1 ft. for 1/4 Sec. Cor. No trees near
 The Cor. to Secs. 17, 18, 19, and 20.
 Land rolling. Soil 2 and 3. rate
 Timber Cedar on E. end of line

North between Secs. 17, and 18.
 Var. $14^{\circ} 38'$ East

7.20 Begin descent of hill
 20.00 Foot, and enter gently rolling land bears N. E. and S. W.
 40.00 Set a post marked 1/4 Sec. 4 ft. long flattened 3 ins. wide 1 ft. in the
 ground. Drive charred stake and build mound of earth 2 ft. high
 with pits 2x1x1 ft. for 1/4 Sec. Cor. No trees near.
 80.00 Set a post marked and notched 4 ft. long 3 ins. square 1 ft.
 in the ground. Drive charred stake ~~and~~ build mound
 of earth 2 ft. high with pits 2x1x1 ft. for Cor. to Secs. 7, 8, 17, and 18. No trees near.
 Land gently rolling. Soil 2. rate
 Timber Cedar on S. end of line

East on random line
 between Secs. 8 and 17.

Township 19. North Range 4 West

Chs. Gila and Salt River Meridian

Var. $14^{\circ} 38'$ East.

40.00 Set a stake for temporary $1/4$ Sec. Cor.

0.00 Intersect N. ^{and} S. line at Cor. to Secs. 8, 9, 16, ^{and}
17. From which Cor. I run
West on true line
between Secs. 8 ^{and} 17.

Var. $14^{\circ} 38'$ East

0.00 Set a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide 1 ft. in
the ground. Drive chisel stake of kind made of earth 2 ft.
high with spits 2 x 1 x 1 ft. for $1/4$ Sec. Cor. No trees near.

0.00 Set Cor. to Secs. 7, 8, 17, ^{and} 18

Level level. Soil 2 rates. Grass abundant.
No timber or undergrowth.

West on random line

between Secs. 7 ^{and} 18.

Var. $14^{\circ} 38'$ East

40.00 Set a stake for temporary $1/4$ Sec. Cor.

17.10 Intersect N. boundary of Twp. 12 N. S. of Cor. to Secs.
7 ^{and} 18. From which Cor. I run

Township 19. North Range 4 West

chs. Gila and Salt River Meridian

S. $89^{\circ} 55'$ E. on true line
between Secs. 7 and 18

Var. $14^{\circ} 38'$ East

37.10 A shaft marked $1/4$ s. 4 ft. long flattened 3 ins.
wide 1 ft. in the ground. Down chanced stake $1/4$ of build mound
of earth 2 ft. high with pits 2 x 1 x 1 ft. for $1/4$ Sec. Cor. No trees near

7/7.10

The Cor. to Secs. 7, 8, 17, and 18.

Land gently rolling. Soil 2 rate

No timber or undergrowth.

April 7th 1877

North between Secs. 7 and 8.

Var. $14^{\circ} 38'$ East

40.00 A shaft marked $1/4$ s. 4 ft. long flattened 3 ins. wide 1 ft. in
the ground. Down chanced stake $1/4$ of build mound of earth 2 ft. high
with pits 2 x 1 x 1 ft. for $1/4$ Sec. Cor. No trees near.

80.00

A shaft marked and notched 4 ft. long 3 ins. square 1 ft. in
the ground. Down chanced stake $1/4$ of ~~with~~ build mound of earth 2
ft. high with pits 2 x 1 x 1 ft. for Cor. to Secs. 5, 6, 7, and 8. No trees near.

Land gently rolling. Soil 2 rate

No timber or undergrowth.

Township 19. North Range 4 West
 Gila and Salt River Meridian
 Chs.

East on random line

between Secs. 5 and 8.

Var. $14^{\circ}38'$ East.

40.00

Set a stake for temporary $1/4$ Sec. Cor.

80.10

Intersect N. and S. line 16 N. S. of Cor. to Secs.

4. 5. 8. and 9. from which Cor. I run

S. $89^{\circ}53'$ W. on true line

between Secs. 5 and 8.

Var. $14^{\circ}38'$ East

40.05

Set a post marked $1/4$ S. 4 ft. long flattened 3 ins. wide 1 ft. in

the ground. Drive a red stake and build mound of earth 2 ft.

high with pits 2 x 1 x 1 ft. for $1/4$ Sec. Cor. No trees near.

80.10

The Cor. to Secs. 5. 6. 7. and 8.

Land gently slopes E. Soil 2 rate

No timber or undergrowth

West on random line

between Secs. 6 and 7.

Var. $14^{\circ}38'$ East

Township 19. North Range 4 West

Gila and Salt River Meridian

- chs.
- 40.00 Set a stake for temporary $\frac{1}{4}$ Sec. Cor.
- 76.85 Intersect N. boundary of T₁₉. 24 lks. S. of
Cor. to Secs. 6 and 7. from which Cor. I run
S. $89^{\circ} 50'$ E. on true line
between Secs. 6 and 7.
Var. $14^{\circ} 38'$ East
- 36.85 Set a limestone $10 \times 10 \times 10$ ins. marked $\frac{1}{4}$ sec. $\frac{2}{3}$ in the
ground and build mound of earth 2 ft. high in the pits $2 \times 1 \times$
1 ft. for $\frac{1}{4}$ Sec. Cor. to three near.
- 76.85 Set Cor. to Secs. 5, 6, 7, and 8.
Land greatly rolling. Soil 2. water.
No timber or undergrowth.

North on random line
between Secs. 5 and 6.

Var. $14^{\circ} 38'$ East

- 40.00 Set a stake for temporary $\frac{1}{4}$ Sec. Cor.
- 80.20 Intersect N. boundary of T₁₉. 25 lks. N. of
Cor. to Secs. 5 and 6. from which Cor. I run
S. $0^{\circ} 11'$ W. on true line

Township 19. North Range 4 West
Gila and Salt River Meridian
chs.

between Secs. 5 and 6.

Var. $14^{\circ} 38'$ Each.

40.20 Run to from stow or timber. Drive chanced
stake 12 ins. down and build mound of earth 2
ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ Sec. Cor. to trees near

80.20 The Cor. to Secs. 5, 6, 7, and 8.

Land gently slopes N. E.

Soil 2. rut. Grass abundant.

No timber or undergrowth.

April 9th 1877

General Description

This Sp. is situated in the Big Chino Valley and is mostly a level plain containing considerable good soil, but of such a dry character that it will require artificial irrigation to produce crops. Wild grasses common to the country grow abundantly throughout the Sp.

Township 19. North Range 4 West.
 Gila and Salt River Meridian

There are no springs or running water in the T_p.

The Timber contained in the T_p. consists of Scrub Cedars with some pines in the Southern and Central Western portion.

Stock ranch of Rogers Co is centrally located in T_p

Chas. Foster

U. S. Deputy Surveyor

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision lines
of Township 19 North Range 4 West
Gila & Salt River Meridian
Arizona Territory

Showing the respective capacities in which they
acted.

Almeria S. Shuckler Chainman.

Richard Shrope Chainman,

Paul Rentschke Axeman.

..... Flagman.



Final Oath of Assistants.

We hereby certify that, we assisted C. Benton
Foster U. S. Deputy Surveyor, in
 surveying the Subdivision lines of
 Township 19 North Range 4 West
 Gila and Salt River Meridian
 Arizona Territory

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Richard Shuff Chairman.
Amos S. Shuff Chainman,
Paul Brutsch Axeman.

William C. Foster

Flagman.

Sworn to and subscribed before me, this 31st
 day of May, 1877.

William C. Foster
 Notary Public

Final Oath of Deputy Surveyor.

I, *Burton Foster*

U. S. Deputy Surveyor, do solemnly swear that
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the *11th* day of *October*

187*6*. I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of *the*

subdivision lines of Township 19 North
Range 4 West
Gila Salt River Meridian
Arizona Territory

..... as are repre-
 sented in the foregoing Field Notes as having
 been surveyed under my directions; and I do
 further solemnly swear that all the corners of
 said surveys have been established and perpet-
 uated in strict accordance with the Surveying
 Manual and printed instructions, and also in ac-
 cordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. Boston Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 31st
day of May, 1877

William C Foster
Notary Public



BOOK 1058

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

December 2^d 1876.*The foregoing Field Notes of the Survey of the*

*Subdivision Lines of
Township 19 North,
Range 4 West.*

*Of the Gila and Salt River Base and Meridian, Arizona, execu-**ted by C. Burton Lester,**Deputy Surveyor, under his contract of the*11th/₁₁*day of October, 1876, having been**critically examined and the necessary corrections and explana-**tions made, the said Field Notes and the surveys they describe**are hereby approved.*

John Mason.
Surveyor General.