

Plat <sup>ted</sup>

Book No 23

(p1)

Leop  
Index

1A

No. 1068

# Field Notes

BOOK 1068

OF THE SURVEY OF THE

*Subdivision*

-OF- BOOK 1068

Township *21 N.* Range *8 W.*

Gila and Salt River Base and Meridian

ARIZONA.

No. 1068

By *J. J. Smith* D.S.

Under contract dated *July 24* 187*8*

Survey commenced *Nov. 24* 187*8*

Survey completed *Nov. 27* 18*8*

1068

16  
4-

Shipp 21 North Range 3 West M.  
 U.S.R. W. Arizona Territory.

70	5	56	4	43	3	29	2	12	1
74	73	55		42		28			13
72	8	54	9	40	10	26	11	12	12
71	69	53		39		25			11
68	17	51	16	38	15	24	14	10	13
67	66	50		27		23			8
65	20	49	21	36	22	21	23	6	24
64	63	48		34		20			5
61	29	47	28	33	27	18	26	4	25
60	59	45		32		17			3
57	32	44	33	30	34	16	35	1	36

T. J. R. R. 3rd Street

1B

For preliminary notes and description  
of instruments used see book No 1

Survey commenced Nov 27<sup>th</sup> 1883

Survey completed Nov 27<sup>th</sup> 1883

T. 21 N. R. 37. G<sup>nd</sup> S. R. M

Clunies

From the Standard Cor to Secs 35 & 36  
on the S. By of the  $\frac{1}{2}$  recently  
established by me I run  
North bet Secs 35<sup>44</sup> & 36  
Tan  $14^{\circ} 05' E$

14.00

Enter valley bet N.  $\frac{1}{2}$  & S. E

34.00

Leave valley & enter dense Cedar

40.00

Set a limestone 18 x 10 x 7 ins 12 ins  
in the ground for "4" Sect. Cor.

marked "4" on N. face and raised  
a mound of stone along side

from which

A Cedar 8 ins diam No. E. 47 lbs dist  
marked "4" S. B. 5

No other trees within limits

80.00

Set a post 4 ft. long 4 ins sq with  
marked stone 12 ins in the ground  
for the Cor to Secs. 25-26-35 & 36  
marked

J. 21 N. R. 3 <sup>W</sup> E S. R. M

Plains

J. 21 N. S 25 on N. E

R. 37 N. S 36 on S. E

S. 35 on S. N <sup>and</sup>

S. 26 on N. N faces with 1 notch on  
S. <sup>and</sup> E. edges, dug pits 18x18x12 ins  
in each Sec. 5 1/2 ft. dist <sup>and</sup> raised a  
mound of earth 2 ft. high 4 1/2 ft.  
base around part from which

A Cedar 10 ins diam Drs. N. 10° W. 76 lbs. dist  
marked J. 21 N. R. 37 N. S 26 B. J

A Cedar 18 ins. diam Drs. S. 60° W. 108 lbs. dist  
marked J. 21 N. R. 37 N. S 35 B. J

A Cedar 18 ins diam Drs. S. 70° E. 308 lbs. dist  
marked J. 21 N. R. 37 N. S. 36 B. J.

No other trees within limits

Surface rolling

Soil 3<sup>rd</sup> rate

Grass good

Dense Cedar brush

T. 21 N. R. 34. G<sup>40</sup> S. R. M

Chains

East on a random line bet Secs 25+36  
 Tar  $N^{\circ} 05' E$

40.00

Set temporary  $1/4$  Sec. Cor.

80.10

Intersect the E. By of the Trip.  
 1/4 Sec. S. of the Cor. to Secs 25-30-31+36  
 recently established by me from  
 which Cor. I run S.  $89^{\circ} 58'$  Now  
 a true true line bet. Sec 25+36  
 with same van

40.05

Set a quartz rock  $12 \times 10 \times 4$  ins 8 ins  
 in the ground for  $1/4$  Sec. Cor.  
 marked  $1/4$  on N. face, dug pits  
 $18 \times 18 \times 12$  ins E. and W. of stone  $5 \frac{1}{2}$  ft.  
 dist and raised a mound of earth  
 $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base all wayside  
 from which a Cedar 7 ins diam  
 was N.  $47^{\circ} E$ . 1/4 Sec dist marked W.S.P.S.  
 No other trees within limits

80.10

The Cor. to Secs 25-26-35<sup>40</sup> 36

T. 21 N. R. 37. Gms S. R. M

C. Lewis

Surface salting  
 Sailed 2nd rate  
 Grass good  
 Dense Cedar brush

North lot Secs 25<sup>4</sup> & 26

Var. N° 05' E

60.00 Set a malpais rock 14x11x7 ins 9 ins  
 in the ground for 'U Sec. Per. marked  
 'North face' and raised a mound of  
 stone along side from which  
 a Cedar 5 ins diam. Trs. S. 80° W. 68 lbs  
 dist marked 'U.S.B.F.

A Cedar 11 ins diam. Trs. E. 48 lbs. dist  
 marked 'U.S.B.F.

80.00 Set a malpais rock 16x16x7 ins 11 ins  
 in the ground for the Per. to Secs  
 23-24-25<sup>4</sup> & 26 marked with

T. 21 N. R. 37 E. G<sup>44</sup> S. R. M

Chains

2 matches on S. and 1 match on E  
 edges and raised a mound of  
 stone along grade from which  
 P. Cedar 75 vis. diam. No. N. 68° E  
 150 lbs. dist marked T. 21 N. R. 37 E. S. 24 B. S.  
 No other trees within limits  
 Surface ralling  
 Soil 3<sup>rd</sup> rate  
 Grass good  
 dense cedar brush

East on W random line bet Secs 24 & 25  
 Var. 14° 05' E

40.00  
 80.07

Set temporary 1/4 Sec. Cor.  
 Intersect the P. By of the T<sub>20</sub> & the  
 N. of the Cor. to Secs 19-24-25<sup>44</sup> 30  
 recently established by me  
 from which Cor. I run N. 89° 57' W



T. 21 N. R. 37. 9<sup>th</sup> S. R. 7M

Chassis

on a true line bet Secs 24<sup>th</sup> & 25 with  
same var40.03 Set a malpais rock 16x8x5 size 11 ins  
in the ground for 1/2 Sec. Cor. marked  
1/4 on N. face<sup>ed</sup> raised a mound  
of stone along site, pits impracticable80.07 The Cor. to Secs 23-24-25<sup>th</sup> & 26

Surface salting

Soil 2<sup>nd</sup> rate

Scattering cedar brush

Grass food

North bet Secs 23<sup>th</sup> & 24

Var. 14° 08' E

4.00 Enter scattering cedars

29.00 Descend down rocky cañon through  
dense cedar brush

40.00 Set a malpais rock 16x8x5 size 11 ins

T. 21 N. R. 37. G<sup>nd</sup> S. R. M

Chains

in the ground for 4 Sec. Cor.  
marked '4 on N. face from which  
A Cedar cross diam 7.5. 87° 6' 9 lbs  
dist marked '4 S. B. J

A Cedar 11 in diam 7.5. 7. 85° 7. 9 lbs  
dist marked '4 S. B. J

57.00

Cross Partridge Creek 80 lbs wide  
Co. S. 68° N.

Parrell 4 Chs. dist. East

53.00

Ascend gradually to North

61.00

Over Balling Land

80.00

Set a post 4 ft. long 4 in sq  
with marked stone 12 in in  
the ground for the Cor. to Secs  
13-14-23 24 marked

T. 21 N. S. 13 on N. E

R. 37 N. S. 24 on S. E

S. 23 on S. 77<sup>nd</sup>

S. 14 on N. N. faces with 3 notches

T. 21 N. R. 37. G<sup>ms</sup> S. R. 711

Chairs

on S and 1 notch on E. edges dug  
 pits 18x18x12 ins in each Sec 5<sup>1/2</sup> ft.  
 dist and raised a mound of earth  
 2 ft. high 4<sup>1/2</sup> ft. base along side from which  
 A Cedar 8 ins diam. Trs. N. 40° N. 38 lbs dist.  
 marked T. 21 N. R. 37. S. 14 B. J.

A Cedar 10 ins diam. Trs. N. 79° N. 138 lbs dist.  
 marked T. 21 N. R. 37. S. 14 B. J.

A Cedar 16 ins diam. Trs. S. 45° N. 125 lbs  
 dist marked T. 21 N. R. 37. S. 23. B. J.

No other trees within limits

Surface rolling

Sail 3<sup>rd</sup> rate

Dense<sup>2</sup> scattering Cedar brush

Grass good

East on a random line bet Secs 13 & 24

Var. 14° 05' E

T. 21 N. R. 3 <sup>W.</sup> & 9 and S. R. 711

Chains

- 6.00 Liana dense Cedar <sup>4th</sup> inter-planting
- 40.00 Set temporary 1/4 Sec. Cr.
- 57.00 Grass Portridge Creek 80 lbs  
with Course S. N.
- 80.08 Set out the E. Pis of the 5p  
12 lbs S of the Cr. to Secs 13-18-19 + 21  
recently established by me  
from which Cr. True S 89° 55' N  
on a true line but Secs 13 <sup>4th</sup> 21  
with same var.
- 40.00 Set as malpais rock 11x8x7 ins  
give in the ground for 1/4 Sec. Cr.  
marked "L on N. face <sup>4th</sup> raised  
a mound of Law along side  
Pipe <sup>2nd</sup> erectible
- 80.08 The Cr. to Secs 13-14-23 + 21  
Surface ruffling  
Set 2<sup>nd</sup> rate  
Grass good  
Scattering cedar brush

T. 21 N. R. 26. G<sup>ms</sup> S. R. M<sup>w.</sup>

Cluins

North lot Secs 13 14

Lat. 14° 05' E

40.00

Deposited a marked stone 12 ins in the ground for '4 Sec Cor. dug pits 18 x 18 x 12 ins N<sup>ms</sup> S. of stone 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N. pit drove stake 2 ft. long 2 ins agr. 12 ins in the ground marked '4 S. on N. face

80.00

Deposited a marked stone 12 ins in the ground for the Cor. to Secs 11-12-13<sup>ms</sup> 14, dug pits 18 x 18 x 12 ins in each Sect 5 1/2 ft. dist<sup>ms</sup> and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove stake 2 ft. long 2 ins agr 12 ins in the ground marked  
T. 21 N. S. 12 on N. E

J. 21 N. R. 37 E <sup>4th</sup> S. R. 7M

Chairs

R. 3 N. S. 130w S. E

S. 10 on S. 7A <sup>4th</sup>

S. 11 on N. 7. 7. faces with 4 matches  
on S. <sup>4th</sup> 1 match on E edges

Surface rolling

Soil 2<sup>nd</sup> rate

Grass good

Scattering Junipers

East on a random line hit Secs 12 & 13

Var.  $10^{\circ} 05' E$

40.00

Set temporary 'N Sec. Cor.

79.82

Intersect the E. by of the  $7^{\circ} 12' E$  lss.

S. of the Cor. to Secs 7-12-13 178

recently established by me  
from which Cor. I run S.  $89^{\circ} 55' N$   
on a true line hit Secs 12 <sup>2d</sup> / 13  
with same var.

T. 21 N. R. 37. G. 4 S. R. M

Shurim

39.91 Set w malpais rock 13x6x6 ins 8 ins  
in the ground for 'U Sec. Cor. marked  
'4 on N. face. dug pits 15x15x12 ins  
E. & W. of stone 5 1/2 ft. dist <sup>and</sup> raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft.  
face alongside

74.82 The Cor. to Secs 11-12-13 17K  
Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass good  
Scattering Cedars

North bet Secs 11<sup>and</sup> 12

Var. 16" 05' E

40.00 Set w malpais rock 15x13x6 ins  
10 ins in the ground for 'U Sec. Cor.  
marked '4 on N. face <sup>and</sup> raised a  
mound of stone alongside  
Pits impracticable

T. 21 N. R. 37 E. G<sup>4</sup> S. R. M

Chains

80.00

Set a malpais rock 12 x 11 x 9 ins diam  
in the ground for the Cor to Secs  
1-2-11 and 12 marked with 5  
notches on S. and 1 notch on E  
edges and raised a mound of  
stone along side. Pile is impracticable.

Surface rolling

Soil 2nd rate

Grass good

Scattering Cedars

East on a random line bet Secs 1 & 12  
Cor.  $14^{\circ} 05' 6''$

40.00

at temporary  $\frac{1}{4}$  Sec Cor.

55.00

Cross A.P. R.R. tracks W. 7. 11 15 E

79.94

Intersect the E. By of the  $\frac{1}{4}$  Sec 30 W. 30  
S. of the Cor to Secs 1-6 of  $\frac{1}{4}$  12  
Boundary established by me



T. 21 N. R. 3 E. G<sup>nd</sup> S. R. 7 M

Census

From which Cr. Irons  $S. 89^{\circ} 47' W$   
 on a true line but Secs 1 and 12 with  
 same var.

39.97 Set a malpais rock  $18 \times 10 \times 4$  ins  
 $12$  ins in the ground for  $\frac{1}{4}$  Sec. Cr.  
 marked  $\frac{1}{4}$  on N. face  $\frac{1}{4}$  raised a  
 mound of stone along side

79.94 The Cr. Secs 1-2-11 and 12

Surface rolling

Salt 2<sup>nd</sup> rate

Grass good

North on a random line but Secs 10 & 2

For.  $14^{\circ} 05' E$

12.80 Cross A. & P. R. R. track Drs  $N. 80^{\circ} W$  to  $S. 80^{\circ} E$

23.00 Cross Ash Fork  $\frac{1}{4}$  Chino Valley road  
 Drs. E.  $\frac{1}{4}$  N.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cr.

J. 21 N. R. 3 T. 9<sup>th</sup> S. R. 7<sup>th</sup>

Observations

80.10

Intersect the N. By of the T<sup>h</sup> 6 lks. E. of the Cor to Secs 1-2-35 & 36 recently established by me from which Cor. I run S. 8° 3' E low true line but Secs 1<sup>st</sup> & 2 with same var

40.10

Set a wal pair rods 16 x 8 x 6 ins 9 ins in the ground for 4 Sec. Cor. marked 4 on N. face deep pits 18 x 18 x 12 ins N. <sup>W.</sup> of stone 5 1/2 ft dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base along side

80.10

The Cor. to Secs 1-2-11<sup>th</sup> & 12

Surface rolling

Soil 2<sup>nd</sup> rate

Grass good

I carefully examined the adjustments of my Solar Instrument today particularly the latitude & reversing apparatus & found them correct

S. 21 N. R. 37. G<sup>ms</sup> S. R. 7M

Chains

From the Standard Cor. to Sec 31<sup>94</sup> 35  
on the S. By of 1/2<sup>94</sup> recently established  
by me I found

North to Sec 31<sup>94</sup> 35  
700. 1° 12' E

40.00 Set a monument 18x8x7 ins 12 ins on the  
ground for "4 Sec. Cor. marked Row 7.  
Face from which  
A Cedar 7 ins diam 2rs. S. 82° W. 73 lles  
dist marked "4 S. B. F.  
A Cedar 5 ins diam 2rs. N. 61° E. 57 lles.  
dist marked "4 S. B. F.

80.00 Set a monument 14x10x7 ins 9 ins in  
the ground for the Cor. to Secs 26-27-  
30<sup>94</sup> 35 marked with 1 match on  
S. and 2 matches on E. edges <sup>and</sup>  
raised a mound of stones  
along side from which  
A Cedar 8 ins diam 2rs. N. 45° E. 43 lles

T. 21 N. R. 37. G. S. R. M.

Chains

dirt marked T. 21 N. R. 37. S. 26 B. J.

A Pinon 6 ins diam Trs. West of the dirt  
marked T. 21 N. R. 37.

A Pinon 7 ins diam Trs. S. 22° E 13 lbs.

dirt marked T. 21 N. R. 37. S. 35 B. J.

no other trees within limits,  
Surface valleySoil 3<sup>rd</sup> rate

Grass good

Dense Cedar brush

x East on a random line bet Secs 26 & 35  
Cor. 14° 08' E

36.00 Enter valley Trs N. 55.

38.00 Leave valley

40.00 Set temporary 1/4 Sec Cor.

80.08 Intersect N. and S. line 1 1/2 hrs S. of  
Cor to Secs 25-26-35 & 36 from  
which Cor. Draw S. 89° 54' W on

T. 21 N. R. 37 E. S. R. M

Chains

a true line bet Secs 26 & 35  
with same van.

40.04 Set a limestone 10x10x6 ins 7 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  
"Low" A line <sup>and</sup> raised a mound  
of stone alongside from which  
a cedar 6 ins. diam. brs.  $5.12^{\circ} E. 55$  lbs  
dit marked  $\frac{1}{4} S. B. J.$

80.08 The Cor. to Secs 26-27-34 & 35  
Surface railing  
Soil 2<sup>nd</sup> rate  
Grass good  
Dances Cedar brush

---

North bet Secs 26<sup>th</sup> & 27

Var.  $14^{\circ} 05 E$

40.00 Set a limestone 12x10x6 ins 8 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor.

T. 21 N. R. 37 G and S. R. 7M

Clunias

marked 'N on N. face dry pits  
18x18x12 ins N. and S. of stone 5 1/2 ft  
dist and raised a mound of  
sawdust 1 1/2 ft high 3 1/2 ft base  
along side from which  
A Cedar 8 ins diam No. 7. 49 lbs  
dit marked 'U.S.B.V.

A Cedar 6 ins diam No. 7. 49 E. 78 lbs  
dit marked 'U.S.B.V.

68.10 Cross dry wash 10 lbs with P. N. T.

80.00 Dit a malpais rock 20x10x6 ins  
15 ins in the ground for the Cer. to  
Secs 22-23-26 and 27 marked with  
2 matches on S. and E. edges and raised  
a mound of stone along side  
from which

A Cedar 8 ins diam No. 7. 71 E 43 lbs  
dit marked T. 21 N. R. 37 S. 23. B.V.

A Cedar 10 ins diam No. 7. 45 N. 53 lbs

T. 21 N. R. 3 E. G<sup>nd</sup> S. R. 71.

Clunies

dist near to T. 21 N. R. 3 E. S. 22 B. 5

A Cedar 11 ins diam. 7rs. S. 46° N. 86 lbs

dist mark of T. 21 N. R. 3 E. S. 27 B. 5

no other trees within limits

Surface railing

Soil 2<sup>nd</sup> rate

Grass fair

dense cedar brush

Increase in var. due to local attraction on last 1/4 mile

East on a random line but Secs 23 & 26

7rs. 14° 05' E

40.00 Set temporary 1/4 Sec Cor.

52.00 Enter scattering Cedar

80.00 Intersect N<sup>th</sup> & S line 20 lbs N. of the  
 Cor to Secs 23-24-25<sup>th</sup> & 26 from  
 which Pr. I run N. 89° 51' E on  
 a true line but Secs 23 & 26

J. 21 N. R. 3 T. 6 S. 2. M

Chemis

with same var

40.00 Set a limestone 16x10x9 ins 11 ins  
in the ground for 'U Sec. Cor  
marked 'U on N. face and raised a

80.00 removed all stone along side pits in process  
the layer of Secs 22, 23, 24 & 27  
on face of walling

Soil 2nd rate

Grass good

Cedar Fresh

North lot Secs 22 and 23

For 16005' E

19.76 Grass dry wash 15 lbs with  
Co. N. T.

40.00 Set a limestone 18x10x5 ins 12 ins  
in the ground for 'U Sec. Cor.  
marked 'U on N. face from which  
A Cedar 6 ins diam 3 to 5. 4 to 6 1/2 lbs



T. 21 N. R. 37. G<sup>and</sup> S. R. 71

Chairs

dist near Sec 14 S. B. S.

A Cedar 12 ins diam Trs. S. 78° N. 48 lbs  
dist marked '4 S. B. S.

42.60 Cross Postridge Creek 80 lbs wide  
C. H.

50.00 Set a limestone 16 x 10 x 7 ins 11 ins  
in the ground for Per. to Secs  
N-15-22<sup>and</sup> 23 marked with  
3 notches on S. and 2 notches  
on E. edges from which

A Cedar 6 ins diam Trs. N. 75° E 95 lbs  
dist marked T. 21 N. R. 37. S. 14 B. S.

A Cedar 7 ins diam Trs. N. 35° N. 94 lbs  
dist marked T. 21 N. R. 37. S. 15 B. S.

A Cedar 10 ins diam Trs. S. 41° N. 104 lbs  
dist marked T. 21 N. R. 37. S. 22 B. S.

A Cedar 6 ins diam Trs. S. 70° E. 108 lbs  
dist marked T. 21 N. R. 37. S. 23 B. S.

Surface railing

T. 21 N. R. 37. G. and S. R. M.

Blaines

Soil 3<sup>rd</sup> rate  
Grass fair  
Dense Cedar brush

---

East on a random line bet Secs 14 & 23  
Twp. 14° 05' E

- 12.00 <sup>mins.</sup> Rained B. N. T.
- 40.00 Set temporary 1/4 Sec. Cor.
- 80.00 Intersect N. 20° 5' line 8 lbs. S. of Cor.  
to Secs 13-14-23 <sup>2/3</sup> 24 from which  
Cor. I run S. 89° 57' T. on at true  
line bet Secs 14 & 23 with same cor.
- 40.00 Set a malpais stake 14 x 11 x 7 ins  
firm in the ground for 1/4 Sec. Cor.  
marked 1/4 Sec. N. face, from which  
A Cedar 8 ins diam 2rs S. 12° T. 48 lbs  
dist marked 1/4 S. B. T.
- A Cedar 7 ins diam 2rs. N. 10° E 35 lbs

T. 21 N. R. 37. G<sup>nd</sup> S. R. 71

Blum

dist marked "N.S. B. 5"

80.00 The Cor to Secs 14-15-22 & 23

Surface rolling

Set 3<sup>rd</sup> rate

Grass fair

Some Cedar brush

North lot Secs 14 and 15

Cor. 14° 05' 6"

40.00 Set a limestone 12x10x9 ins 8 ins in  
the ground for "N Sec. Cor. marked  
"Low N. face dug pits 18x18x12 ins  
N and S. of stone 5 $\frac{1}{2}$  ft. dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high  
3 $\frac{1}{2}$  ft. high at any side

80.00 Set a malpais rock 16x10x6 ins  
11 ins in the ground for Cor to Secs  
10-11-14 and 15 marked with 4 needles

J. 21 N. R. 37. G<sup>ms</sup> S. R. 71

Chinus

in S. and 2 notches on E. edge  
and raised a mound of Stone  
along side from which  
A Cutor 10 ins diam Tr. 71. 70° E 14 lbs  
dist marked J. 21 N. R. 37. S. 11 B. 5.

A Cutor 8 ins diam Tr. S. 30° W. 86 lbs  
dist marked J. 21 N. R. 37. S. 15 B. 5.

A Cutor 12 ins diam Tr. 71. 45° W. 53 lbs  
dist marked J. 21 N. R. 37. S. 10 B. 5

No other trees within limits

Surface rolling

Soil 2<sup>nd</sup> rate

Grass good

East on a random line cut Dec 11/14

Tr. 14° 05' E

40.00 Set temporary "L" Sec. Cor.

74.96 Intersect 71<sup>ms</sup> S. line 15 lbs Sof

T. 21 N. R. 3 N. G. 4 W. S. R. 7 M

Chum

Cor to Secs 11-12-13<sup>4th</sup> 14 from which  
 Cor I run S. 89° 54' W. on a true  
 line but Secs 11<sup>4th</sup> 14 with  
 same var.

39.48

Set a post 3 ft. Aug 3 ins diam  
 with marked stakes in  
 the ground for 1/4 Sec. Cor. worked  
 N. S. on W. face, dug pits 18x18x12  
 ins E. and W. of post 5 1/2 ft. dist and  
 raised a mound of earth 1 1/2 ft  
 high 3 1/2 ft. base around post

79.96

The Cor to Secs 10-11-14<sup>4th</sup> 15

See face rolling

Sail 2<sup>nd</sup> rate

Grass good

Scattering Adars

---

North but Secs 10<sup>4th</sup> 11

T. 21 N. R. 37 E. G<sup>4</sup> S. R. 7 M

Claims

Cor. 14° 15' E

40.00

Set a metal pair rods 17x8x4 ins  
11 ins in the ground for 'U Sec  
marked 'N on N. face dug pits 18x18x  
12 ins N. and S. of stone 5<sup>1</sup>/<sub>2</sub> ft. dist and  
raised a mound of earth 1<sup>1</sup>/<sub>2</sub> ft.  
high 3<sup>1</sup>/<sub>2</sub> ft. high along side

80.00

Deposit a marked stone 12 ins  
in the ground for the Cor to Secs  
2-3-10<sup>2</sup> 11 dug pits 18x18x12 ins  
in each sec 5<sup>1</sup>/<sub>2</sub> ft. dist and  
raised a mound of earth 2 ft.  
high 4<sup>1</sup>/<sub>2</sub> ft. high over it  
In S. E. pit drove stake 2 ft.  
long 2 ins ovr. 12 ins in the  
ground Marked  
T. 21 N. S. 2 on N. E  
R. 37 E. S. 11 on S. E  
S. 10 on S. 7 and

T. 21 N. R. 37. Gms S. R. M

C. Linnæus

S. 3 on N. W. face with 5 notches  
on S. <sup>4th</sup> and 2 notches on E. edge.

Surface, rolling

Soil 2nd rate

Grass good

East on a random line bet Secs 2071

70r.  $14^{\circ} 05' E$

40.00 Set temporary 'U Sec. Cor.

79.91 Intersect N. <sup>4th</sup> and S. line 16 lbs S. of the  
Cor to Secs 1-2-11 <sup>4th</sup> and 12 from which  
Cor. I run S.  $89^{\circ} 53' N$ . on a true line  
bet Secs 2071 with same run.

39.97 Defaced a marked stone 12 ins  
in the ground for 'U Sec. Cor. dug  
pits 18 x 18 x 12 ins. E <sup>4th</sup> and N. of stone  
 $5\frac{1}{2}$  ft. dist and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base

S. 21 N. R. 3 N. G<sup>4</sup> W. S. R. M

Claims

over it in N. Pit drops stake  
2 ft. long 2 in. dia. 12 in. in the  
ground marked '15. on N. face  
79.94 The Cor to Secs 2-3-10<sup>4</sup> W 11  
Two feet railing  
Sail 2nd rate  
Grass gone

---

North on a random line but Secs 2 & 3  
Cor.  $14^{\circ} 05' E$

15.00 Cross road No. 6<sup>4</sup> W  
20.00 Cross A. & P. R. R. tracks No 6<sup>4</sup> W  
40.00 Set temporary "4 Sec. Cor.  
80.14 Intersect the N. By of Sp. 18  
lbs E of the Cor to Secs 2-3-10<sup>4</sup> W  
recently established by me  
from which Cor I run  $5.0^{\circ} 08' E$



J. 21 N. R. 37. G. S. R. M

*E. linnis*

on a true line but Secs 2 & 3  
with same cor.

40.14 Set a malpais rock 10x10x8 ins 7 ins  
in the ground for 'U Sec' or marked  
'U' on N. face and raised a mound  
of stone along side. Pto. in practicable

80.14 The Cor to Secs 2-3-10 and 11

Surface rolling  
Ball 2<sup>nd</sup> rate  
Grass good

+

From the Standard Cor to Secs 33 & 34  
on the S. Bay of Top roughly es-  
tablished by the Iron  
North but Secs 33 & 34  
Cor.  $11^{\circ} 05' E$

40.00 Set a post 3 ft. long 3 ins by 4  
ins in the ground for 'U Sec' Cor

J. 21 N. R. 37. 9<sup>th</sup> S. R. 71

Clams

marked 'U.S. on N. face from which  
 A Cedar 12 inis diam brs N. 50° E. 152 lbs  
 dist marked 'U.S. B. J.

A Cedar 12 inis diam brs N. 88° N. 102 lbs  
 dist marked 'U.S. B. J.

80.00

Set a malpais rock 12x8x6 inis  
 8 inis in the ground for the Cert  
 Secs 27-28-33 & 34 marked with  
 1 notch on S. end 3 notches on E  
 edges from which

A Cedar 6 inis diam brs N. 45° E 145 lbs  
 dist marked J. 21 N. R. 37. S. 27 B. J.

A Cedar 20 inis diam brs S. 2° E 31 lbs  
 dist marked J. 21 N. R. 37. S. 31 B. J.

A Cedar 8 inis diam brs S. 5° N. 158 lbs  
 dist marked J. 21 N. R. 37. 33 B. J.

A Cedar 16 inis diam brs N. 46° N. 244 lbs  
 dist marked J. 21 N. R. 37. S. 28 B. J.

Surface gritty sand in

T. 21 N. R. 37. G<sup>nd</sup> S. R. M

Phanis

Soil 2<sup>nd</sup> rate  
Grass fair  
Dense Cedar

East on a random line bet Secs 27 & 34  
Tr. 14° 05' E

40.00

Set temporary "U.S.C. Cor

79.90

Intersect N<sup>th</sup> & S. line 18 lbs N. of  
Cor to Secs 26-27-34<sup>th</sup> & 35 from  
which Cor. I run N. 89° 52' W. on  
a true line bet Secs 27<sup>th</sup> & 34  
with same var

39.95

Rebur malpais rock 14 x 8 x 6 in  
quartz in the ground for "U.S.C.  
Cor marked Low N. face dug  
pts. 18 x 18 x 12 in E. & N. of stone  
5 1/2 ft. dist<sup>th</sup> raised a mound  
of earth 1 1/2 ft. high 5 1/2 ft. base

T. 21 N. R. 37. G<sup>W</sup> S. R. 7M

Chains

79.90 Alongside  
 This Cor to Secs 27-28-33 134  
 Surface railing  
 Set 2<sup>nd</sup> rate  
 Grass food

---

North lot Secs 27<sup>and</sup> 28  
 Cor. 14° 05' E

40.00 Set a malpais rock 2 x 7 x 6 ins  
 8 ins in the ground for 1/4 Sec  
 Cor. marked 4 on N. face and  
 raised a mound of stone  
 alongside Pto. impracticable.

70.00 Descend into Partridge Creek  
 Cañon Co. N.

72.00 Cross Partridge Creek 80 lbs  
 wide Co. N. Tanks of water in Creek

80.00 Set a malpais rock 18 x 16 x 10 ins

S. 21 N. R. 37. G. S. R. M

Bluffs

12 ins in the ground for the Cor.  
to Secs. 21-22-27<sup>and</sup> 28 marked  
with 2 notches on S. <sup>and</sup> 3 notches  
on E. edges <sup>and</sup> raised a mound  
of stone along side. It's impracticable.  
Surface ralling  
Fall 2nd rate  
Grass good  
Scattering colors.

---

East on a random line bet Secs  
22<sup>and</sup> 27  
700. 14° 05' E

Descend along Portridge's Creek (arrow)

11.50 Cross Portridge's Creek do this with  
B. S. T. <sup>and</sup> ascend

16.00 Level across B. S. T.

40.00 Set temporary 1/4 Sec Cor

T. 21 N. R. 37. 9<sup>th</sup> S. R. 7<sup>th</sup>

Claims

79.89

Intersect 7<sup>th</sup> and S. line 20 lks  
N. of Cor to Secs 22-23-26 & 27  
from which Cor. I run 71.89° 51' 7".  
on a true line hit Secs 22 & 27  
with same rod

34.94

Set a malpais rock 16x10x5 in  
11 ins in the ground for 1/4 Sec  
Cor. marked 1/4 on N. face dry  
pits 18x18x12 ins E. 1/4 N. of stone  
5 1/2 ft dist and raised a mound  
of earth 1/2 ft high 3 1/2 ft base  
along side

79.89

The Cor to Secs 21-22-27 & 28  
Surface falling  
Soil 2<sup>nd</sup> rate  
Grass good  
Deer hunting colors

T. 21 N. R. 37. G. and S. R. M

Plum

North lot Secs. 21 & 22

Cor.  $N 05^{\circ} E$

- 40.00 Deposited a marked stone 12 ins in the ground for "U Sec. Cor. dug pits 18 x 18 x 12 ins N. and S. of stone  $5\frac{1}{2}$  ft. dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins sq. 12 ins in the ground marked "U.S. on N. face
- 80.00 Set W. sulphur rock 20 x 10 x 5 ins 15 ins in the ground for the Cor to Secs 15-16-21 and 22 marked with 3 notches on S & E. edges and raised a mound of stone along side  
 Surface level <sup>pipe impracticable</sup>  
 Full 2nd rate  
 Grass good

T. 21 N. R. 37. E. 2<sup>nd</sup> S. R. 7M

Claims

East on a rancher line bet Secs 15 & 22  
 Tr.  $14^{\circ} 05' E$

32.00 Cross wash 40 lbs wide P. S.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect  $N^{\text{th}}$  &  $S.$  line 16 lbs  
 S. of the Cor to Secs 14-15-22 & 23  
 from which Cor I run S.  $89^{\circ} 53' N.$   
 on a true line bet Secs 15 & 22  
 with same cor.

40.00 Set a limestone  $12 \times 10 \times 6$  ins 8 ins in  
 the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on N. face dug pits  $18 \times 18 \times 12$   
 ins E.  $9^{\text{th}}$  N. of stone  $5\frac{1}{2}$  ft. dist  
 $9^{\text{th}}$  raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. broad along side  
 from which

A cedar 7 ins diam  $75 S. 18^{\circ} N. 92$  lbs  
 dist marked  $\frac{1}{4}$  S. B. S.

80.00 The Cor to Secs 15-16-21  $9^{\text{th}}$  & 22



T. 21 N. R. 37. 5<sup>th</sup> S. R. 701

Claims

Surface ralling  
 Sail 2<sup>nd</sup> rate  
 Grass good  
 Diverse Cedar timber

North bat Sics 15<sup>and</sup> 16  
 70<sup>or</sup> 14° 15' E

- 40.00 Set a post 3 ft. long 3 ins sq. with marked stake 12 ins in the ground for "4 Sec. Cor. marked "4 S. on N. face deep pits 18x18x12 ins N. 48 S. of post 5 1/2 ft. dia. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base at my side
- 67.20 Cross dry wash 164 lbs wide C. S. E
- 70.22 Cross dry wash 70 lbs wide C. S. N.
- 75.30 Cross dry wash 60 lbs wide C. S. E
- 80.00 Set a malpais rock 12x10x8 ins

T. 21 N. R. 37 E. G<sup>nd</sup> S. R. 7M

Claims

8 ins in the ground for the Cor.  
to Secs 9-10-15 & 16 marked  
with 4 notches on S. and 3  
notches on E. edge of deep pits  
18x18x12 ins in each Sec 5 1/2 ft  
dist <sup>nd</sup> raised mound of earth  
2 ft high 4 1/2 ft base  
along side  
Surface rathery  
Said 2<sup>nd</sup> rate  
Grass good

East on a railroad line bet Secs 10 & 15  
Cor. 11° 5' E

40.00 Set temporary 1/4 Sec. Cor.

79.94 Intersect N. <sup>nd</sup> S. line 31 N. <sup>th</sup>

S. of Cor to Secs 9-10-14 <sup>th</sup> 13 from  
which Cor. I run S. 89° 47' from

T. 21 N. R. 37. G<sup>nd</sup> S. R. 7M

Plumix

a true line but Secs 10<sup>and</sup> 15  
with same cor.

39.97 Set a mulpoars rack 12x12x8 ins  
8 ins in the ground for "U" Secs. Cor.  
marked "U" on N. face! dug pits  
18x18x12 ins E. and N. of stone 5<sup>1</sup>/<sub>2</sub> ft.  
dist<sup>and</sup> raised a mound of earth  
1<sup>1</sup>/<sub>2</sub> ft. high 3<sup>1</sup>/<sub>2</sub> ft. broad along side

79.94 Two Cor. to Secs 9-10-15 &amp; 16

Surface level

Soil 2<sup>nd</sup> rate

Grass good

No timber

North but Secs 9<sup>and</sup> 10

Cor. 14° 05' E

40.00 Set a post 3 ft. long 3 ins diam.  
with marked stone 12 ins

T. 21 N. R. 37. E. and S. R. 71

Chains

in the ground for 4 Sec. Cor.  
marked 1/4 S. on N. face, dug  
pits 18x18x12 ins N. and S. of post  
5 1/2 ft. dist and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft. base,  
around post

80.00

Set a mulpais rack 24x14x8 ins  
8 ins in the ground for Cor. to  
Secs. 3-4-9 and 10 marked with  
5 notches on S. and 3 notches  
on E. sides and raised a mound  
of stone along side from which  
a cedar 14 ins diam. brs. 5.40° E. 12x lbs  
dist marked T. 21 N. R. 37 E. S. 10 B. S.  
No other trees within limits  
Surface rolling  
Soil 3<sup>rd</sup> rate  
Grass good  
Scattering cedar brush

S. 21 N. R. 37. G<sup>nd</sup> S. R. 711

Chains

East on a random line bet. Secs 3<sup>rd</sup> & 10<sup>th</sup>  
 Cor.  $N^{\circ} 05' E$

40.00

Set temporary  $1/4$  Sec. Cor.

80.10

Intersect N.  $45^{\circ} S$  line 12 lks. S. of  
 Cor to Secs 2-3-10 <sup>9<sup>th</sup></sup> 11 from which  
 Cor. I run  $S. 89^{\circ} 55'$  toward true  
 line bet Secs 3<sup>rd</sup> & 10 with  
 same Cor.

40.05

Deposit marked stone 12 ins  
 in the ground for  $1/4$  Sec. Cor.  
 dug pits 18x18x12 ins E. <sup>9<sup>th</sup></sup> 7. of  
 line  $5\frac{1}{2}$  ft. dist <sup>9<sup>th</sup></sup> raised mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 over it. In E. pit drove stake  
 2 ft. long 2 ins sq. 12 ins in the  
 ground marked  $1/4$  S. on N. face

80.10

Then Cor to Secs. 3-4-9 <sup>9<sup>th</sup></sup> 10

Surface rathery

Soil 2<sup>nd</sup> rate, Good Grass

T. 21 N. R. 37. G<sup>m</sup> S. R. 7M

Chimes

North on a random line bet Secs 3 & 4  
Torr.  $14^{\circ} 05' E$ 81.00 Cross road frs E. <sup>m</sup> 7.38.00 Cross road frs N. E. <sup>m</sup> S. 7.40.00 Set temporary  $\frac{1}{4}$  Sec Cor.80.08 Intersect the N. By of the Sp. 18<sup>th</sup>  
E. of the Cor to Secs 3 & 4 - 33<sup>rd</sup> at  
a century established by me  
from which Cor. I run  $5.0^{\circ} 8' E$ .  
on a true line bet Secs 3 <sup>m</sup> 4  
with same var.40.06 Set a walrus rock  $12 \times 11 \times 6$  ins  
Pins in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  on N. face. deep pits  
 $18 \times 18 \times 12$  ins N. <sup>m</sup> S. of stone  $5\frac{1}{2}$  ft.  
dist <sup>m</sup> raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side80.08 True Cor. to Secs 3 & 4 - 9 <sup>m</sup> 10  
Surface level

T. 21 N. R. 37. G. and S. R. 70

Chinix

Soil 2<sup>nd</sup> rate  
Grass good

---

From the Standard Cor. Secs 32 & 33  
on S. Ry of Sp. recently set by  
me. I run

North bet Secs 32<sup>nd</sup> & 33

Cor. 14° 05' E

18.00

Ascend S. E. slope of Smittes butte

40.00

Set a limestone 16x15x15 ins 11 ins

in the ground for 1/4 Sec Cor.

marked 1/4 on N. face and raised  
a mound of stone alongside

43.00

Descend along the N. E. slope of  
Smittes butte which is about  
250 ft. high

50.00

Set a limestone 18x10x8 ins 12 ins  
in the ground for Cor. Secs

T. 21 N. R. 37. E and S. R. M

Clumps

28-29-32 and 33 marked with  
natch on S. and natchess on E  
edges from which

A Cedar 7 ins diam Trs N. 48° E. 44 lks  
dist marked T. 21 N. R. 37. S. 28 B. J.

A Cedar 8 ins diam Trs S. 45° E. 66 lks  
dist marked T. 21 N. R. 37. S. 33 B. J.

A Cedar 12 ins diam Trs S. 40° N. 72 lks  
dist marked T. 21 N. R. 37. S. 32 B. J.

A Cedar 6 ins diam Trs N. 28° N. 56 lks  
dist marked T. 21 N. R. 37. S. 29 B. J.

Surface monotonous

Soil 3<sup>rd</sup> rate

Grass good

Dense Cedar brush

---

East on a random line bet Seco 28 & 33  
Trs N. 45° E



T. 2, N. R. 3, T. 9 and S. R. 11

Chain

- 2.00 Cross dry wash P. N. W.
- 8.81 Cross dry wash P. S. W.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 80.08 Intersect T<sup>9</sup> and S. line at Cor  
to Secs 27-28-33 and 34 from  
which Cor. I ran N. on same  
line with same cor.
- 40.0  $\checkmark$  Set a malpais rock 16x10x4 ins  
11 ins in the ground for  $\frac{1}{4}$  Sec  
Cor. marked "4" on N. face from which  
A Cedar 20 ins diam W. S. 40° E 17 lbs  
dist marked  $\frac{1}{4}$  S. B. T.
- A Cedar 8 ins diam W. N. 10° N. 50 lbs  
dist marked  $\frac{1}{4}$  S. B. T.
- 80.08 The Cor. to Secs 28-29-32 and 33  
Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass fair  
Dried Cedar wood

T. 21 N. R. 3 W. G<sup>m</sup> S. R. 7 M

Blunies

North lot Secs 28<sup>and</sup> 29  
T<sup>r</sup>. 14° 05' E

8.00 Crass wash 20 lbs wide C. N. W.

40.00 Set a malpais rock 11x8x6 ins  
7 ins in the ground for  $\frac{1}{4}$  sec  
Cor. marked  $\frac{1}{4}$  on W face dug  
pits 18x18x12 ins N.<sup>and</sup> S. of stone  
5 $\frac{1}{2}$  ft dist<sup>and</sup> raised a mound  
of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base  
along side

4.00 Crass Portridge Creek 80 lbs with  
C. S. W.

80.00 Set a malpais rock 18x10x6 ins  
12 ins in the ground for the Cor.  
to Secs 20-21-28<sup>and</sup> 29 marked  
with 2 notches on S.<sup>and</sup> 4 notches  
on E. edges<sup>and</sup> raised a mound  
of stone along side  
Dug face falling

T. 21 N. R. 37. G. 4 S. R. 7 W

O. Lewis

Soil 2<sup>nd</sup> rate

Grass good

Scattering scrubby Cedars

East on a random line bet Secs 21 & 28  
 For  $N^{\circ} 05' E$

40.00

Set temporary  $1/4$  Sec. Cor.

80.30

Intersect  $7^{\text{th}}$  &  $5^{\text{th}}$  line  $2 1/2$  blocks S. of  
 Cor to Secs 21-22-27 & 28 from  
 which Cor. I run  $S. 89^{\circ} 59' 71.00$   
 a true line bet Secs 21 & 28  
 with same run.

40.15

Set a post 3 ft. long 3 ins. diam. with  
 marked stone 12 ins. in the ground  
 for  $1/4$  Sec Cor marked  $1/4$  on N. face  
 dug pits  $18 \times 18 \times 12$  ins. E. end of  
 post  $5 \frac{1}{2}$  ft. dist & raised around  
 of with  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base

T. 21 N. R. 37. G and S. R. 7M

Clums

aroped past

80.30

The Cor to Secs 20-21-28 and 29

Surface marked

Soil 2nd rate

Grass good

Scattering cedar

North lot Secs 20 and 21

Cor.  $14^{\circ} 05' E$

40.00

Set a malpais rock  $17 \times 10 \times 6$  ins  
11 ins in the ground for  $1/4$  Sec  
Cor. marked  $1/4$  on N. face and  
raised a mound of stone  
along side. Pile impracticable

80.00

Set a malpais rock  $10 \times 9 \times 9$  ins  
9 ins in the ground for the Cor  
to Secs 16-17-20 and 21 marked  
with 3 notches on S and <sup>4</sup> E <sub>1</sub> E 45 W

T. 21 N. R. 37. G<sup>and</sup> S. R. M

Chumix

Had raised a mound of stone  
alongside Pt's impracticable.  
Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass good  
Weathering color.

East on a random line but Secs 16 & 21  
Cor.  $N 0^{\circ} 05' E$

40.00

Set temporary  $\frac{1}{4}$  Sec Cor.

80.00

Intersect N<sup>and</sup> S. line N<sup>th</sup> Sec S.  
of Cor. to Secs 15-16-21<sup>and</sup> 22 from  
which Cor. I run S.  $89^{\circ} 54'$  then  
a true line but Secs 16<sup>and</sup> 21  
with found cor

40.00

Set a malpais 10<sup>ft</sup> x 9<sup>ft</sup> in 7<sup>ft</sup> in  
in the ground for  $\frac{1}{4}$  Sec Cor marked  
N<sup>on</sup> N. face<sup>and</sup> raised a mound

T. 21 N. R. 37. E and S. R. M

Chains

80.00 a stone alongside *Peto* impracticable  
 New Cor to Secs 16-17-20<sup>and</sup> 21  
 Surface railing  
 Soil 3<sup>rd</sup> rate  
 Grass good  
 Scattering scrubby cedar.

---

North bet Secs 16<sup>and</sup> 17  
 Cor. 14° 05' E

60.00 Set a post 3 ft. long 3 ins diam  
 with marked stone 12 ins in  
 the ground for 4 Sec. Cor. marked  
 45° N. face dug pits 18 x 18 x 12  
 ins 7. <sup>and</sup> 5. of post 5 1/2 ft. dia  
<sup>and</sup> raised a mound of earth  
 1 1/2 ft. high 3 1/2 ft. high around  
 post

80.00 Set a post 4 ft. long 4 ins diam

T. 21 N. R. 37. 6<sup>th</sup> S. R. M

Bluffs

with marked stones 12 ins in  
the ground for Cor to Secs 89-16817  
marked

T. 21 N. S. 9 on N. E

R. 37 N. S. 16 on S. E

S. 17 on S. N. 9<sup>th</sup>

S. 8 on N. N. faces with 4 notches  
on S. and E. edges by pits 18 x  
18 x 12 ins in each Sec 5 1/2 ft dish  
and raised a mound of earth  
2 ft high 4 1/2 ft wide around  
past.

Soil full rolling

Soil 3<sup>rd</sup> rate

Grass good

Scattering Cedars

T. 21 N. R. 3 W. G. and S. R. M

Phurix

East on a railroad line bet Secs 9 and 16  
 Cor.  $116^{\circ}05' E$

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect N.  $\frac{1}{4}$  S. line 12 rods S. of  
 Cor. to Secs. 9-10-15 and 16 from which  
 Cor. Draw  $5.89^{\circ}55' N$  on a true  
 line bet Secs 9 and 16 with  
 same cor.

40.00 Set a post 3 ft long 3 ins dia.  
 with marked stone 12 ins in  
 the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. on N. face dug pits 18x18x12  
 ins E. and N. of post  $5\frac{1}{2}$  ft. dist and  
 raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base along side

80.00 The Cor to Secs 8-9-16 and 17  
 Surface rolling  
 Soil 3<sup>rd</sup> rate  
 Grass good



J. 21 N. R. 37. G. 4 S. R. 7 M

Chinas

Scattering colors

---

North Sub Sec 8 and 9

Tr. 110° 05' E

26.70 Cross Ash Fork and Chino valley  
road Tr. N. 6° 45' S.

40.00

Set a malpais rock 11x8x5 ins  
pins in the ground for 4 Sec. Cor.  
marked 4 on N. face dug pits  
18x18x12 ins N. E. S. of stake 5 1/2 ft.  
dirt was raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. long along side

80.00

Set a malpais rock 10x10x7 ins  
pins in the ground for the Cor  
to Secs 4-5-8 and 9 marked with  
5 notches on S. and 1 notch on  
E. edges and raised a mound  
of stone along side  
Pits impracticable

T. 21 N. R. 37. G. S. R. M

Column

Surface railing  
Sail 3<sup>rd</sup> rate  
Grass good  
Scattering cedar

East on a random line bet Secs 4 & 9  
Nor.  $14^{\circ} 05' E$

40.00  
60.00  
20.15

Set temporary  $1/4$  Sec. Cor.  
Gross ash fork rd course S. E.  
Intersect N. T. S. line of Sec 3 of Cor  
to Secs 3-4-9 & 10 from which  
Cor I ran S.  $89^{\circ} 56' N$ . on a true  
line bet Secs 4 & 9 with same  
var.

40.08

Set a small pine rock  $10 \times 8 \times 9$  ins  
high in the ground for  $1/4$  Sec. Cor.  
marked  $1/4$  on N. face & raised a  
row of stones along side  
Pike map fracture  
W of to Secs 4-5-8 & 9

80.15

T. 21 N. R. 37. G<sup>m</sup> S. R. 7M

Claims

Surface railing  
 Tail 3<sup>rd</sup> rate  
 Grass good  
 Scattering Adv.

North on a random line bet Secs 4 & 3  
 For  $14^{\circ} 05' E$

40.00

Set temporary  $1/4$  Sec. Cor.

50.08

Intersect the N. Ry of the S<sup>th</sup>  
 12 lks E of the Cor. to Secs 45-32-533  
 recently established by me  
 from which Cor. I run  $S. 0^{\circ} 05' E$   
 on a true line bet Secs 4 and 5  
 with same For.

40.08

Set a malpais rock  $14 \times 13 \times 10$  ins  
 high in the ground for  $1/4$  Sec Cor  
 marked 4 on N. face & raised a  
 mound of stone along side  
 Pile inoperative

T. 21 N. R. 37. E. 4th S. R. 7M

Claims

80.08

The Cor to Secs 4-5 = 8<sup>qu</sup> 9  
Surface railing  
Sail 2<sup>nd</sup> rate  
Grass good  
Scattering cedars.

From the Standard Cor to Secs 31 & 32  
on S. By of 5<sup>th</sup> recently established  
by me Iron  
North bet Secs 31<sup>qu</sup> & 32  
Cor. N 0° 05' E

50.00

Set as malpais rods 16x11x9 ins  
11 ins in the ground for 1/4 Sec Cor.  
marked 4 on N. face<sup>qu</sup> raised a  
mound of stone along side  
from which  
A Cor 8 ins diam w/ 73 lbs  
dist marked 4 S. B. J

T. 21 N. R. 37. G. S. R. M

C. Linné

80.00

No other trees within limits  
 Set a nail pair rods 16x14x8 ins  
 11 ins in the ground for the cor to  
 Secs. 29-30-31 and 32 marked  
 with 1 notch on S. and 5 notches  
 on E. edges from which

A Cedar 6 ins diam. N. 46° E. 33 the  
 dist marked T. 21 N. R. 37. S. 29 B. J.

A Cedar 6 ins diam. N. 58° E. 35 the  
 dist marked T. 21 N. R. 37. S. 32 B. J.

A Cedar 6 ins diam. N. 87° W. 15 the  
 dist marked T. 21 N. R. 37. S. 31 B. J.

A Cedar 7 ins diam. N. 45° W. 59  
 the dist marked T. 21 N. R. 37. S. 30 B. J.

Surf well rolling

Soil 3<sup>rd</sup> rate

Grass fair

Most Cedar trees

T. 21 N. R. 37. G<sup>45</sup> S. R. 71

Chinix

East on a random line bet. Secs 29 & 32  
 Cor.  $14^{\circ} 05' E$

12.00 Descend into Partridge creek

21.00 Partridge Creek 100 lbs wide Co. S.  
 Banks of water along creek

22.00 Ascend

31.00 Top of hill

40.00 Set temporary  $1/4$  Sec Cor.

55.00 Smiths Butte 10.00 chs S. of line

79.97 Intersect N<sup>45</sup> S. line 12 lbs N of  
 the Cor. to Secs 28-29-32 <sup>45</sup> 33 from  
 which Cor. I run  $N. 89^{\circ} 55' W.$  over  
 true line bet Secs 29 <sup>45</sup> 32 with  
 same var

29.98 Set a limestone  $20 \times 14 \times 3$  ins 15 ins  
 in the ground for  $1/4$  Sec. Cor.

marked  $1/4$  on N. face and raised  
 a mound of <sup>stap</sup> along side

79.97 The Cor to Secs 29-30-31 <sup>45</sup> 32  
<sup>is</sup> <sup>impracticable</sup>

S. 21 N. R. 37. E and S. R. 71

Cluses

Surfaces very broken along Partridge  
Creek Cañon which is about  
200 ft. deep.

Soil 3<sup>rd</sup> rate

Grass good

Dense cedar tracts

Tract on a random line bet Secs 30 & 31  
Twp. 16° 05' E

40.00 Set temporary 1/4 Sec. Cor

47.00 Document gradual slope

79.98 Intersect the N. By of the S. p. 16 lks  
N. of the Cor to Secs 25-30-31 & 36

recently established by me  
from which Cor. I run N. 89° 54' E  
on a true line bet Secs 30 and 31  
with same cor.

39.98 Set a malpais rock 17x8x7 ins

T. 21 N. R. 37. G and S. R. M

C. Lewis

11 ins in the ground for 4 Sec  
 Cor marked 'C on N. face from which  
 A Cedar 8 ins diam W. S. 16° N. 36 lbs  
 dist marked 'U.S.B.T.

A Cedar 5 ins diam W. N. 28° E. 68 lbs  
 dist marked 'U.S.B.T.

79.98 The Cor to Secs 29-30-31 and 32

Surface railing

Soil 3<sup>rd</sup> rate

Grass good

Dense Cedar brush

North lot Secs 29 and 30

Cor. 16° 05' E

40.00 Set a post 8 ft. long 3 ins dia  
 with marked stake 12 ins  
 in the ground for 4 Sec Cor  
 marked 'U.S. on N. face, dug



T. 21 N. R. 37. E 4th S. R. 7M

Clunies

pits 18x18x12 size N. and S. of line  
5 1/2 ft. dist. and raised a mound  
of matter 1 1/2 ft. high 3 1/2 ft.  
thus around past

80.00

Set a malpais rock 15x10x7 size  
is in the ground for the C. to  
Secs 19-20-29 and 30 marked with  
2 markers on S. and 5 markers on E  
edges and raised a mound of stone  
along side from which

A Cedar is in diam. 7.10 ft. 21 lbs  
dist. marked T. 21 N. R. 37. S. 19 B. 5  
No other trees within limits  
Surface rolling  
Sed 2nd rate  
Grass good  
Scattering cedar

T. 21 N. R. 37. G and S. R. M

Chains

East on a random line hit Secs. 20 & 29  
Cor.  $110^{\circ} 05' E$ 

40.00 Set temporary 'N Sec. Cor.

75.50 Dug over bluff of rock 12 ft.  
high79.86 Intersect the N. <sup>and</sup> S. line 12 lbs  
N of Cor to Secs 20-21-28 <sup>and</sup> 29  
from which Cr. Iron  $71.89^{\circ} 55' N.$   
on a true line hit Secs. 20 <sup>and</sup> 29  
with saw cor.39.93 Set a malpais rock 15x8x8 in  
in the ground for 'N Sec.  
Cor. marked 'N on N. face <sup>and</sup> raised a  
row of stones alongside  
~~by impracticable~~79.86 The Cr. to Secs 19-20-29 <sup>and</sup> 30

Surface rolling

Dirt 2<sup>nd</sup> rate

Grass good

Scattering Cedars

T. 21 N. R. 37. G<sup>nd</sup> S. R. 7M

Chains

Next new random line but Secs 19 + 30  
 Cor.  $14^{\circ} 05' E$

40.00 Set temporary 'N Sec Cor.

41.65 Cross Ash Furber<sup>nd</sup> Chind Talley  
 road W. 71. E<sup>nd</sup> S. 71.

79.80 Intersect N. By of Sp 12 lbs  
 N of the Cor to Secs 19-24-25<sup>nd</sup> 30  
 recently established by me  
 from which Cor. I run  $71.89^{\circ} 55' E$   
 on a true line but. Secs 19<sup>nd</sup> 30  
 with same var.

39.80 Set a post 3 ft. long 3 ins. sq.  
 with marked stone 12 ins. in  
 the ground for 'N Sec Cor marked  
 'N on N. face dug pits 18 x 18 x 12 ins.  
 E. <sup>nd</sup> 7. of post  $5\frac{1}{2}$  ft. dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. high around post

79.80 The Cor. to Secs 19-20-29<sup>nd</sup> 30

T. 21 N. R. 37. G and S. R. M

Claim

Two foot railing  
Soil 2nd rate  
Grass land  
Scrubby cedars

X

North lot Secs 19 and 20  
Twp. 14° 05' E

40.00 Set a malpais rock 12x10x5 ins  
quins in the ground for 1/4 Sec  
Co. marked 1/4 NW 1/4 face from which  
A Cedar 12 ins diam No. 7. 35° N. 70 E  
dist marked 1/4 S. B. T.

A Juniper 15 ins diam No. 7. 20° N  
70 E dist marked 1/4 S. B. T.

80.00 Set a malpais rock 12x10x8  
ins diam in the ground for Cor to  
Secs 17-18-19 and 20 marked  
with 3 stakes on S. and

T. 21 N. R. 37. G<sup>4</sup> S. R. M

Clouds

5 notches on E. edge and raised  
a mound of stone along side  
from which

A Cedar *Ericidium* Trs. N. 80° N. 45 the  
dist marked T. 21 N. R. 37. S. 18 B. T.

No other trees within limits

Surface rolling

Soil 3<sup>rd</sup> rate

Grass good

Dense Cedar brush

East on a random line but Secs 17 & 20  
Trs. 11° 05' E

40.00

Set temporary 1/4 Sec. Cr.

79.90

Intersect N. 44 S. line 5 the 1/4 of  
Cr to Secs 16-17-20 and 21 from  
which Cr. Iron N. 89.58' W on  
a true line but Secs 17 and 20

T. 21 N. R. 3 N. Gauss, R. 7 N

Chinix

with same vor

39.95

Set a malpais rock 12x8x8 ins  
8 ins in the ground for '4 Sec Cor.  
marked '4 on N. face from which  
A. Cedar 20 ins. diam. No. S. 45° E. 65 lbs  
dist marked '4 S. B. J.

A. Cedar 10 ins diam No. S. 10° E. 35 lbs  
dist marked '4 S. B. J.

79.90

The Cor to Secs 17-18-19 and 20  
Surface rolling  
Dial, 3rd rate  
Grass food  
Scattering Cedars

---

That was random line bet Secs 18 & 19  
Vor. 14° 05' E

31.00

Grass ash Fork and Chinix valley  
rand No N. E and S. N

T. 21 N. R. 37. G and S. R. 74

Blunns

40.00

Set temporary  $1/4$  Sec Cor.

79.84

Intersect the N. By of Sp. 12 the  
N. of the Cor. to Secs 13 18-19 and 24  
from which Cr. I run  $N. 84^{\circ} 55' E.$  on  
a true line hit Secs 18 and 19 with  
same Tor

39.84

Set a malpais rock  $10 \times 10 \times 6$  ins  
high in the ground for  $1/4$  Sec Cor.  
marked  $1/4$  on N. face and raised  
a mound of stone along side  
dip <sup>propagated</sup> ~~propagated~~ <sup>able</sup>

79.84

Run Cr. to Secs 17-18-19 and 20

Surface railings

Sail 2nd rate

Grass good

Scrubby cedar

North hit Secs 17 and 18

Tor.  $N. 05' E$

T. 21 N. R. 37. Gaud S. R. 74

Chiniss

cross

35.00

Ash Fork and Ohio Valley road  
Tos. N. E. and S. W.

40.00

Set a limestone  $17\frac{1}{2} \times 5$  ins  
11 ins in the ground for 11 Sec  
Cor. marked with face and

raised a mound of stone along side  
Pit's impracticable

80.00

Set a malpais rock  $12 \times 12 \times 9$  ins

8 ins in the ground for the Cor  
to Secs. 7-8-17-18 marked  
with 4 notches on S. and 5 notches

on E. edges and raised a mound

of stone along side Pit's impracticable

Sur face setting

Soil 3<sup>rd</sup> rate

Grass good

Scattering cedar

East on a random line but Secs



T. 21 N. R. 37. G<sup>nd</sup> S. R. 71

Chinus

8<sup>th</sup> and 17

Cor. 14° 05' E

40.00 Set temporary 1/4 Sec. Cor.

65.00 Cross Ash Fork<sup>nd</sup> Chinus Valley road  
Tws 7. 6<sup>th</sup> and 5. 7.79.80 Intersect 7<sup>th</sup> and 5. line 26 lbs S  
of the Cor to Secs 8-9-16<sup>th</sup> and 17 from  
which Cor. I run S. 89° 49' W. on  
a true line hit Secs 8<sup>th</sup> and 17 with  
same var39.90 Set a malpais rock 12x11x10 ins  
diss in the corner 7<sup>th</sup> 1/4 Sec Cor  
marked 1/4 on N. face and raised a  
mound of stone alongside79.80 <sup>Per. exp. negligible</sup>  
Twp cor to Secs 7-8-17<sup>th</sup> and 18

Surface rolling

Soil 2<sup>nd</sup> rate

Good grass

Scattering Cedars

T. 21 N. R. 37. E 4<sup>th</sup> and S. R. 7<sup>th</sup> M

G. C. Lines

Next on a random line hit Secs 7<sup>th</sup> & 18  
For.  $14^{\circ} 05' E$ .

40.00 Set temporary 4<sup>th</sup> Sec Cor.

79.60 Intersect the N. by of  $\frac{1}{2}$  14<sup>th</sup> Sec  
N. of the Cor to Secs. 7<sup>th</sup> - 13 & 18  
Recently established by me  
from which Cor. I run  $78^{\circ} 56' E$   
on a true line hit Secs 7<sup>th</sup> & 18  
with same cor.

89.60 Set a malpais rock  $13 \times 12 \times 8$  ins  
8 ins in the ground for 4<sup>th</sup> Sec Cor.  
marked 4<sup>th</sup> Sec N. face and raised a  
row of stone along pile

79.60 The Cor. to Secs 7-8-17<sup>th</sup> & 18<sup>th</sup>  
*hits impracticable*

Surface railings  
Soil 2<sup>nd</sup> rate  
Grass land  
Scattered cedars

---

T. 21 N. R. 37. E and S. R. 7M

Clunes

North lot Secs 7<sup>ms</sup> 8

Tr.  $14^{\circ} 05' E$

40.00 Set a malpais rock  $12 \times 11 \times 10$  ins  
8 ins in the ground for 'U Sec' Cr.  
marked '4' on N. face and raised  
a mound of stone along side.

80.00 Set a malpais rock  $20 \times 12 \times 5$  ins  
15 ins in the ground for the Cr to  
Secs 5-6-7<sup>ms</sup> 8. Marked with  
5 notches on S. and E. edges and  
raised a mound of stone  
along side. Pits impracticable.  
Surface all silt  
Soil 2<sup>nd</sup> rate  
Grass good

T. 21 N., R. 37. E. 4th S. R. 74

Bluffs

East on a random line bet Secs 5 & 8  
Cor.  $N^{\circ} 05^{\circ} E$ 

40.00 Set temporary '1/4 Sec' Cor.

79.96 Intersect 7<sup>th</sup> 4<sup>th</sup> S. line 1/4 Sec S. of  
Pinto Secs 4-5-8<sup>th</sup> & 9 from which  
Cor. I run S.  $89^{\circ} 58' N.$  on a  
true line bet Secs 5<sup>th</sup> & 8 with  
Same Cor.39.98 Set a malpais rock 10x10x10 ins  
high in the ground for '1/4 Sec' Cor.  
marked 'Low N. face' and raised a  
mound of stone along side79.96 The ~~North~~ <sup>7<sup>th</sup> 4<sup>th</sup> S.</sup> Secs 5-6-7<sup>th</sup> & 8  
Surface rolling  
Soil 2<sup>nd</sup> rate  
Good Grass  
Scattering cedar

J. 21 N. R. 37. E <sup>and</sup> S. R. 71

Chains

Next on around on line bet Secs 6 <sup>and</sup> 7  
 Cor.  $14^{\circ} 05' E$

40.00 Set temporary 'N Sec Cor.

79.66 Intersect the N. By of Sp 42 lbs  
 N. of the Cor. to Secs 1-6 <sup>and</sup> 12  
 recently established by me  
 from which Cor. I run  $71.89^{\circ} 42' E$   
 on a true line bet Secs 6 <sup>and</sup> 7  
 with same run

39.66 Set a malpais rock  $10 \times 10 \times 9$  ins  
 pins in the ground for 'N Sec Cor.  
 marked 'N on N. face <sup>and</sup> raised a  
 mound of stone along side

79.66 The Cor. to Secs 5-6-7 <sup>and</sup> 8

Surface fallow  
 Soil 2<sup>nd</sup> rate  
 Grass good

J. 21 N. R. 37. G<sup>ms</sup> S. R. 7M

Claims

North on a random line bet Secs 5<sup>th</sup> & 6<sup>th</sup>  
 Cor.  $N^{\circ} 05' E$

- 40.00 Set temporary 'N Sec. Cor.
- 80.03 Intersect the N. By of the 1/4  
 & lks N. of the Cor. to Secs 5<sup>th</sup> & 6<sup>th</sup> 31 & 32  
 recently established by me  
 from which cor I run  $S. 0^{\circ} 3' N.$   
 on a true line bet Secs 5<sup>th</sup> & 6<sup>th</sup>  
 with same cor.
- 40.03 Set a malpais rock 15x12x6 ins  
 10 ins. in the ground for 'N Sec. Cor.  
 marked 'N on N. face <sup>and</sup> raised  
 a mound of stone along side
- 80.03 The Cor. to Secs 5-6-7<sup>th</sup> & 8<sup>th</sup>  
 Surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass land  
 I carefully examined the  
 adjustments of my solar

J. 21 N. R. 37. G and S. R. M

Climate

instrument today particularly  
the latitude and reversing  
apparatus and found them correct

for for

# General Description

This township consists mostly of rolling prairie covered with a growth of fine grass.

There is water in tanks along Partridge creek which runs through the S. part.

There is a scattering growth of cedar in most parts but is dense in others.

The White's valley wagon road runs the N. part and the Atlantic and Pacific R.R. through the N.E. part.



The soil is set and  
and set.


For final notes see  
Agola No. 28th-

5" 51

# INDEX DIAGRAM.

Township 21 N

Range 9 E



Gila and Salt River, Arizona.

**ARIZONA.**

## U. S. Surveyor General's Office,

Tucson, Arizona, July 13, 1884

The foregoing Field Notes of the Survey of the

Subdivisions Lines of  
 Township 31 North  
 Range 3 West

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
 ted by J. B. Smith

Deputy Surveyor, under his contract of the 24<sup>th</sup>  
 day of July, 1883 having been

critically examined and the necessary corrections and explana-  
 tions made, the said Field Notes and the surveys they describe  
 are hereby approved.

Royal C. Johnson  
 Surveyor General.