

No. 1072

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF- No. 1072

Township 20 N. Range 4 W.*Gila and Salt River Base and Meridian***ARIZONA.** No. 1072By C. Burton Foster, D. S.under contract dated Oct. 11, 1876.Survey commenced April 9, 1877.Survey completed April 11, 1877.

1072

PRELIMINARY OATHS OF ASSISTANTS.

WE, Almerin S. Skinkle
and Richard Shrape
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Almerin S. Skinkle
Richard Shrape



Sworn to and subscribed before me, this 17
day of March, 1877

William O. Foster
Notary Public

H.E. I Paul Brutschke

do solemnly swear that ^I~~we~~ will well and truly perform the duties of Citizen

according to instructions given ^{me}~~us~~, and to the best of ^{my}~~our~~ skill and ability.

Paul Brutschke

Sworn to and subscribed before me this 17th day of March 1877

William C. Foster
Notary Public

William C. Foster

Field Notes
of the No. 1072

Township 20 North Range 4 West.

Gila and Salt River Meridian.

6	23	5		4		3		2		1
22		21								
7	20	8	11	9		10		11		12
20		19								
18	18	17	10	16		15		14		13
17		17		7						
19	16	20	8	21	5	22		23		24
16		14		8		4				
30	14	29	7	28	4	27		26		25
13		12		6		3				
31	11	32	6	33	2	34	1	35		36

Admission Lines
of
Tactical Township 20 North
Range 4 West
Gila and Salt River Meridian
Territory of Arizona
Surveyed by
U.S. Genl. 26
U.S. Dep't. Surveyors
Under his Contract
October 11 1891

Commenced April 4
Completed " " 11

Field Notes
of the No. 1072

Subdivision Lines
of
Fractional Township 20. North
Range 4 West.

Gila and Salt River Meridian
Territory of Arizona

Surveyed by
Edw. Dunton Foster
U.S. Deputy Surveyor

Under his Contract of
October 11th 1896.

Survey Commenced April 9th 1897.
" Completed " 11th 1897.

1/2
 Fractional Twp. 20. N. Range 4. W.
 Gila and Salt River Meridian

cks

The S.W. portion of this Township containing all the land fit for any use - the balance of the Township coming under the head of waste and useless land - therefore

I begin at the established Cor. to Secs 34, 35, 26, and 27, on the S. boundary of the Twp. and run

North between Secs 34 and 35

va 140 42' East

as per Barto's Improved Solar Compass.

40.00

Set a limestone 18x14x14 ins marked 74, set 2 1/2 ft in the ground, and build mound of earth 2 ft high, with pits 2x1x1 ft. for 1/4 sec Cor. No trees near

80.00

Set a post marked 2nd notched, 4 ft long, 3 ins square 1 ft in the ground, deposit stone marked +, and build mound of earth 2 ft high, with pits 2x1x1 ft. for Cor to Secs 26, 27, 34, and 35. No trees near

Land slopes S. Soil 1st and 2d rate
 Timber, a few Cedars in vicinity of Cor.

North between Secs 26 and 27

va 140 42' East

Fractional T. 20. N. Range 4 W.
Gila and Salt River Meridian

Chs

40.00 Set a post marked $\frac{1}{4}$ sec. 4 ft long flattened 3 ins
wid 1 ft in the ground, deposit stone marked $\frac{1}{4}$ and
build mound of earth 2 ft high with pits 2x1x1
ft. for $\frac{1}{4}$ sec Cor. No trees near

80.00 Set a post marked $\frac{1}{4}$ sec notched 4 ft long 3 ins square
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high with pits 2x1x1 ft. for
Cor. sec. 22. 23. 26. and 27. No trees near
Land rolling and sloping SW. Soil 3d rate
Timber Scattering Cedars.

The land N. of this Cor. being worthless. I
extend this line no further North

North between Secs 33 and 34
wa 14042' East

40.00 Remove from stone or timber, drive charred stake
1 ft in down, and build mound of earth 2 ft high with
pits 2x1x1 ft. for $\frac{1}{4}$ sec Cor. No trees near

43.10 Trail bears SSW. and NE.

Practical T. 20. N. Range H. W.
Gila and Salt River Meridian

80.00 Remove from stone or timber, drive charred stake
2 ins down, build mound of earth 2 ft high with pits
2x1x1 ft. $\frac{3}{4}$ in center of pit N.E. of Cor, drive stake
marked and notched, 2 ft long, 2 ins square, 1 ft in the
ground. for Cor to Secs 27, 28, 33 and 34. No trees near.
Land level. Soil 1st rate
No timber or undergrowth

Cast on random line, between Secs 27 and 34.
Wa 14042' East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.00 Intersect N. and S. line, 10.00 N. of Cor to Secs. 26,
27, 34, and 35. From which Cor Iron
N. 89° 56' W. on true line between Secs 27 and 34
Wa 14042' East.

40.00 Set a limestone 16x10x5 ins, marked $\frac{1}{4}$ ft, set $\frac{7}{8}$ in
the ground, and build mound of earth 2 ft high
with pits 2x1x1 ft. for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 The Cor to Secs 27, 28, 33, and 34,
Land gently rolling and sloping SW. Soil 2nd rate

Fractional T. 20. N. Range 4 W
Tiland Salt River Meridian

As

No timber or undergrowth

North between Secs 27nd and 28th
W 1/4 of 42' East

40.00 Set a limestone 16x14x6 ins. marked 1/4th set 1/3 in the
ground. nd build mound of earth 2 ft high with pits
2x1x1/4 ft. for 1/4 sec cot. No trees near.

80.00 Set a limestone 10x8x8 ins. properly notched. set 1/3 in
the ground and on N side build mound of earth 2 ft
high with pits 2x1x1/4 ft. for cot to Secs 21, 22, 27, and 28.
No trees near.

Land gently slopes S. Soil 1st and 2^d rate
No timber or undergrowth

Cacton random line between Secs 22nd and 29th
W 1/4 of 42' East

40.00 Set a cation for temporary 1/4 sec cot

79.90 Intersect N. and S. line 2400 S. of cot to Secs
22, 23, 26, and 29. From which cot I ran
S. 89° 50' W. on true line between Secs 22nd and 29th

Fractional T. 20. N. Range 4. W.
Gila and Salt River Meridian.

chs

va 140 42' East

39.95 Set a limestone, 12x10x8 ins marked 74, set 90 in
the ground and build mound of stone 5 ft high
for 1/4 sec Cor No trees near.

79.90 The Cor to Secs 21, 22, 27, and 28.
Land rolling and sloping SW. Soil 2^d rate.
Timber, an occasional Cedar, on E. end of line.

North between Secs 21. and 22.

va 140 42' East

40.00 Set a post marked 74, 8, 4 ft long, flattened 3 ins wide
1 ft in the ground, deposit stone marked 7, and build
mound of earth 2 ft high with pits, 2x1x1 ft, for
1/4 sec Cor No trees near

80.00 Set a post marked and notched 4 ft long, 3 ins square
1 ft in the ground, deposit stone marked 7 and build mound
of earth 2 ft high with pits 2x1x1 ft. for Cor to Secs
15, 16, 21, and 22. No trees near.
Land rolling and sloping SW. Soil 2^d rate
Timber scattering Cedars.

Fractional P. 20. N. Range 14 W.
Gila and Salt River Meridian

Chs

On account of the worthless nature of the
land N. of this Cor, extend this line no further
North.

April 9th / 1877

North between secs 32nd and 33.

W 140 42' East

32.70

Trail bears N W. ^{1/2} S E.

40.00

Remote from stone or timber. drive charred stake
12 ins down. ^{3/4} build mound of earth 2 ft high with
pits 2 x 1 ft. for ^{1/4} sec cor. No trees near

80.00

Remote from stone or timber. drive charred stake 12 ins
down. build mound of earth 2 ft high with pits 2 x 1 ft
^{3/4} in center of pit S E. of Cor drive stake marked and
notched. 2 ft long 2 ins squared. 1 ft in the ground for
Cor to secs. 28, 29, 32nd & 33. No trees near
Land level. Soil 1st rate.
No timber or undergrowth

East on random line between Secs 28th and 33.

W 140 42' East

Fractional T₂O₁N Range H. W.
Gila Salt River Meridian

Ch₀

40.00 Set a stake for temporary 1/4 sec Cor
80.00 Intersect N. ¹/₂ S. line at Cor to Secs 27, 28, 33,
and 34. From which Cor Iron
West on true line between Secs 28^{and} 33
Va 14042' East.

40.00 Remote from stone or timber, drive charred stake
Pins down and build mound of earth 2 ft high
with pits 2x1x1 ft. for 1/4 sec Cor. No trees near
80.00 The Cor to Secs 28, 29, 32, and 33.
Land level, Soil 1st oak
No timber or undergrowth

North between Secs 28^{and} 29.

Va 14042' East.

40.00 Remote from stone or timber, drive charred stake
Pins down, and build mound of earth 2 ft high
with pits 2x1x1 ft. for 1/4 sec Cor. No trees near.

80.00 Remote from stone or timber, drive charred stake
Pins down, build mound of earth 2 ft high, with pits 2x1x1
ft. in center of pits S. of Cor, drive stake marked

Fractional T.P. 20. N. Range 14 W.
Tidal and Salt River Meridian

cks

⁴/₄ notch 2 ft long 2 ins square 1 ft in the ground. For
Cot. Secs 20, 21, 28, and 29. No trees near
Land level. Soil 1st rate.
No timber or undergrowth

Caston random line between Secs 21st and 28.
Va 14° 42' East.

40.00 Sit a stake for temporary 1/4 sec Cot.
80.12 Intersect n. and s. line 7 lks n. of Cot. to Secs.
21, 22, 27, and 28. From which Cot. I run,
N. 89° 57' W. on true line between Secs 21st and 28
Va 14° 42' East.

40.06 Remote from stone or timber, drive charrud stake
12 ins down, and build mound of earth 2 ft high with
bits 2 x 1 x 1/4. For 1/4 sec Cot. No trees near

80.12 The Cot. to Secs 20, 21, 28, and 29.
Land gently rolling. Soil 1st and 2^d rate.
No timber or undergrowth

North between Secs 20 and 21

9
 Fractional Twp. 20. N. Range 4. W.
 Tila and Salt River Meridian

Chs

Va 14042' East.

40.00

Remote from stone or timber, drive charrred stake
 1 1/2 ins down, and build mound of earth 2 ft high with
 pits 2 x 1 x 1 ft for 4/4 tree Cor. No trees near.

56.00

Gulch 30 lks wide flows S.W.

80.00

Set a post marked and notched 1 1/2 ft long, 3 ins square
 1 ft in the ground, deposit stone marked + and build
 mound of earth 2 ft high, with pits 2 x 1 x 1 ft, for
 Cor. to Secs 16, 17, 20, and 21. No trees near
 Land gently rolling Soil 1st and 2d rank
 Timber a few Cedars on N. End of line.

East on random line, between Secs. 16. and 21.

17.82

Gulch 30 lks wide flows S.W.
 Va 14042' East

40.00

Set a post for temporary 1/4 tree Cor

79.94

Intersect N. and S. line 16 lks S. of Cor to
 Secs 15, 16, 21, and 22. From which Cor. Down
 S. 89° 53' W. on true line, between Secs. 16. and 21.

Va 14042' East

39.97

Set a post marked 1/4 tree, 1 1/2 ft long, flattened 3 ins

Fractional T. 20. N. Range 4. W.
Gila and Salt River Meridian

Chs

wide 1 ft in the ground, deposit stone marked +
and build ground of earth 2 ft high, with pits
2X1X1 ft. for 1/4 sec Cor. No trees near

79, 94

The Cor. to Secs 16, 17, 20 and 21.

Land rolling and sloping SW. Soil 2 grade.
Timber a few cedars on E. end of line

North between Secs 16 and 17

via 110 to 112' East

4000

Set a post marked 7/4's. 4 ft long, flattened 2 ins
wide 1 ft in the ground, deposit stone marked +
and build ground of earth 2 ft high with
pits 2X1X1 ft. for 1/4 sec Cor. No trees near

8000

Set a post marked and notched 4 ft long, 2 ins.
squared, 1 ft in the ground, deposit stone marked +
and build ground of earth 2 ft high with pits 2X1
X1 ft for Cor. to Secs 8, 9, 16, and 17. No trees near
Land rolling and sloping SW. Soil 2 grade
Timber. Scattering Cedars

Fractional T.P. 20. N. Range H. W.
Giland Salt River Meridian

Ch

North between Secs 8^{and} 9
0° 14' 42" East.

4000 Set a post marked $\frac{1}{4}$ in. 4 ft long, flattened 3 ins.
wide. 1 ft in the ground, deposit stone marked +
Build mound of earth 2 ft high, with pits
2x1x1 ft for $\frac{1}{4}$ sec Cor. No trees near

8000 Set a limestone 14x8x8 ins, properly notched, set
 $\frac{1}{2}$ in the ground, and on N side build mound of
stone 2 ft high for Cor to Secs 4, 5, 8, and 9.

No trees near.

Land rolling and sloping W. Soil good 3rd rate
Timber, a few Cedars.

On account of the worthless nature
of the land North of this Cor. Extend
this line no further North.

North between Secs 31^{and} 32.
0° 14' 42" East

4000 Set a limestone 10x10x10 ins marked $\frac{1}{4}$, set $\frac{1}{2}$ in the
ground, and build mound of earth 2 ft high
with pits 2x1x1 ft for $\frac{1}{4}$ sec Cor. No trees near

Tractional Sp. 20.7. Range 4. W.
Tila and Salt River Meridian

- 8000 Remote from stone or timber. Drive charred stake
12 ins down, build mound of earth 2 ft high with
Sits 2 x 1 x 1 ft. and in center of pit S.E. of cor drive
stake marked and notched 2 ft long 2 ins square
1 ft in the ground. For Cor to Secs 29, 30, 31, and
32. No trees near
Land slopes gently N.E. Soil 1st and 2d rate
No timber or undergrowth
- East on random line between Secs 29 and 32
to 14042' East.
- 20.00 Road bears S 18. and forks N. bearing W. and NW.
respectively.
- 40.00 Set a stake for temporary 1/4 sec Cor
- 42.75 Wash 75 lks wide flows SW.
- 49.50 Trail bears NW and S.E.
- 80.00 Intersect N. and S. line 10 lks S. of Cor to Secs
28, 29, 31, and 33. From which Cor. Dran
S. 89° 56' W. on true line between Secs 29 and 32
to 14042' East

Fractional T₂₀N. Range H W.
T₁₄S and Salt River Meridian

40.00	<p>Remote from stone or timber, drive charred stake 4 ins down, and build mound of earth 2 ft high with piles 2X1X1 ft. for 1/4 sec Cot. No trees near The Corlo does 29, 30, 31, and 32.</p>
80.00	<p>Land level, Soil 1st rate No timber or undergrowth</p>
<p>West on random line, between Secs 30 and 31 N 44° 42' East.</p>	
40.00	<p>Set a stone for temporary 1/4 sec Cot</p>
76.90	<p>Intersect W. boundary of 1/4 Sec 27 of Cot to Secs 30 and 31. From which Cot Iron N 89° 52' E. on true line, between Secs 30 and 31, N 44° 42' East.</p>
36.90	<p>Set a limestone 16X10X10 ins marked 1/4 sec 27 in the ground and build mound of stone 2 ft high for 1/4 sec Cot No trees near</p>
76.90	<p>The Corlo does 29, 30, 31, and 32. Land slopes gently E. Soil 1st and 2^d rate No timber or undergrowth</p>

Fractional T. 20. N. Range H. W.
Gila and Salt River Meridian

chs

North between Secs 29^{and} 30
or 140° 42' East.

- 23.30 Road bears N.W. and S.E.
- 26.50 Wash 80 lks wide flows E.
- 40.00 Remote from stone or timber. drive charred stake 12 ins down, and build mound of earth 2 ft high with pits 2x1x1 ft for traps. No trees near.
- 80.00 Remote from stone or timber. drive charred stake 12 ins down. build mound of earth 2 ft high with pits 2x1x1 ft. and in center of pit S.E. of cor. drive stake marked and notched. 2 ft long 2 ins square. 1 ft in the ground. for Cor. Secs 19, 20, 29, and 30. No trees near
Land level Soil 1 strata
No timber or undergrowth

East on random line between Secs 20^{and} 29
or 140° 42' East.

- 18.90 Trail bears N.W. and S.E.
- 37.10 Cabin and Stock Corral bears S of this point about 25 chs distant.

10
 Fractional T. 20. N. Range. 4. W.
 Gila and Salt River Meridian

Chs

- 40.00 Set a stake for temporary 1/4 Sec Cor
 47.00 Wash 20 lks wide flows S.
 80.10 Intersect N and S line 12 lks N of Cor to Secs
 20, 21, 28, and 29. From which Cor Iron
 N. 89° 55' W. on true line between Secs 20 and 29
 No 140 42' East.
- 40.05 Remove from stone or timber, drive charred stake
 12 ins down and build mound of earth 2 ft high
 with pits 2 x 1 ft. for 1/4 Sec Cor No trees near
- 80.10 The Cor to Secs 19, 20, 29, and 30.
 Land mostly level soil 1st rate
 No timber or undergrowth
 April 10th 1877
-
- West on random line, between Secs. 19, and 30.
 No 140 42' East
- 8.00 Wash 70 lks wide flows S.
 40.00 Set a stake for temporary 1/4 Sec Cor.
 49.65 Road bears N.W. and S.E.
 77.00 Intersect W. boundary of T. 12 lks S.
 of Cor to Secs 19 and 30. From which Cor Iron

Fractional T₂₀. N. Range 4 W.
 5th and Salt River Meridian

Chs

S 89° 55' E. on true line between secs 19th and 20th
 Va 140° 42' East.

- 37.00 Remote from stone or timber, drive charred stake
 12 ins down and build mound of earth 2 ft
 high with pits 2 x 1 x 1 ft. for 1/4 sec cor. No trees near
- 77.00 The cor to Secs. 19, 20, 29th and 30.
 Land mostly level. Soil 1st rate.
 No timber or undergrowth

North between Secs 19th and 20th
 Va 140° 42' East.

- 40.00 Remote from stone or timber, drive charred stake
 12 ins down and build mound of earth 2 ft high
 with pits 2 x 1 x 1 ft. for 1/4 sec cor. No trees near
- 59.00 Arroyo 30 lks wide flows SW.
- 80.00 Schalimestone 14 x 8 x 6 ins properly notched
 set 7/3 in the ground, and on N side build mound
 of earth 2 ft high with pits 2 x 1 x 1 ft. for cor to
 Secs. 17, 18, 19, and 20. No trees near
 Land mostly level. Soil 1st and 2^d rate

Tractional T. 20. N. Range H. W.
 Gila Salt River Meridian

chs

No timber or undergrowth

East on random line, between Secs 17th and 20.
 Va 140° 42' East

18.00 Arroyo 30 ft wide flows S.W.

40.00 Set a stake for temporary 1/4 sec Cor

80.00 Intersect N. and S. line at Cor to Secs 16,
 17, 20, and 21. From which Cor. Down
 West on true line between Secs 17th and 20
 Va 140° 42' East

40.00 Set a limestone 12x12x12 ino marked 1/4 sec 1/3
 in the ground. and build mound of earth 2 ft high
 with pits 2x1x1 ft. Cor 1/4 sec Cor. No trees near

80.00 The Cor to Secs 17, 18, 19, and 20.
 Land gently rolling Soil 2d rate
 No timber or undergrowth

West on random line between Secs 18th and 19.
 Va 140° 42' East.

40.00 Set a stake for temporary 1/4 sec Cor

Fractional T. 20. N. Range 41 W.
Tila and Salt River Meridian.

- Chs
- 41.00 Wash 50 lks wide flow S.
- 76.85 Intersect w. boundary of Tp 14 N S. of Cor
- to Secs 18th and 19. from which Cor Iron
S. 89° 54' E. on true line between Secs 18th and 19
Va 140° 42' East
- 36.85 Remote from stone or timber drive charred stake
12 ins down, and build mound of earth 2 ft high
with pits 2x1x1 ft. for 1/4 sec Cor No trees near
- 76.85 The Cor to Secs 17, 18, 19, and 20.
Land level. Soil 1st rate.
No timber or undergrowth

North between Secs 17 and 18.
Va 140° 42' East.

- 40.00 Set a limestone 20x14x12 ins marked 1/4 in off in
the ground, and build mound of earth 2 ft high with
pits 2x1x1 ft for 1/4 sec Cor No trees near
- 80.00 Remote from stone or timber drive charred stake
12 ins down, build mound of earth 2 ft high with
pits 2x1x1 ft. and in center of pit S.E. of Cor. drive

Fractional T. 20. N. Range 4 W.
Gila and Salt River Meridian.

Chs

stake marked ² and notched, 2 ft long. 2 in. square. 1
ft in the ground. for Cor to Secs 7, 8, 17, and 18.
No trees near.

Land gently rolling Soil 1st and 2^d rate
No timber or undergrowth.

East on random line between Secs 8th and 17
va 140 42' East.

40.00 Set a post for temporary $\frac{1}{4}$ sec Cor.

79.90 Intersect N. and S. line 15 lbs S. of Cor to
Secs 8, 9, 16th and 19. From which Cor Iron
S. 89° 54' W. on true line between Secs 8th and 17.
va 140 42' East

39.95 Set a post marked $\frac{1}{4}$ S. 4 ft long. flattened 2 in
wide 1 ft in the ground. deposit stone marked ⁴ and
build mound of earth 2 ft high with pits 2 x 1
x 1 ft for $\frac{1}{4}$ sec Cor. No trees near

79.90 The Cor to Secs 7, 8, 17, and 18.
Land slopes W. Soil 2^d rate
Timber a few cedars

Fractional T.P. 20. N. Range 4 W.
Gila and Salt River Meridian

Chs

West on random line between Secs 7 and 18
Va 140 42' East

6.70 Wash 40 lks wide flows S.W.

40.00 Set a stone for temporary 1/4 sec cor

50.10 Road bears N.E. and S.W.

76.70 Intersect W boundary of Sp. 14 lks S
of cor to Secs 7 and 18. From which Cor Iron
S. 89° 50' E. on true line between Secs 7 and 18.
Va 140 42' East

36.70 Set a limestone 18x10x5 ins. marked 74. set 4 ft in the
ground, and build mound of stone 2 ft high
for 1/4 sec cor No trees near

76.70 The cor to Secs 7, 8, 17 and 18.
Land gently rolling. Soil 1st and 2d rate
No timber or undergrowth

North between Secs 7 and 8.
Va 140 42' East.

5.00 Wash 35 lks wide, flows S.W.

40.00 Remote from stone or timber, drive charred stake

Fractional T₂₀ N. Range H.W.
Gila and Salt River Meridian

Ch

- 12 ins down ^{and} build mound of earth 2 ft high with
pits 2' x 1' x 1' ft. for 1/4 sec Cor No trees near.
- 78.00 Road bears N.E. and S.W.
- 80.00 Remote from stone or timber. Drive charred stake
12 ins down, build mound of earth 2 ft high with
pits 2' x 1' x 1' ft. ^{and} in center of pit S.E. of cor drive
stake marked ^{and} notched. 2 ft long 2 ins square
1/4 in the ground. For Cor to Secs 5, 6, 7, and 8.
No trees near.
Land slopes S. Soil 1st and 2nd grade
No timber or undergrowth

(Each on random line between Secs 5 and 8)

W 140° 42' East.

- 1.00 Road bears N.E. and S.W.
- 40.00 Set a stone for temporary 1/4 sec Cor
- 49.70 Wash or gulch, with steep banks 50 kds
wide. Flows S.W.
- 79.80 Intersect N.W. of line 19 kds S of Cor to
Secs 4, 5, 8, and 9. From which Cor Run

Fractional T. 20. N. Range 4 W.
Gila and Salt River Meridian

- 39.90 S. 89° 52' W. on true line between Secs 6th & 8th
T. 20 N. R. 4 W. East
- 79.80 Set a limestone 12. X 6 X 6 in. marked 74 sec 7/3
in the ground, and build mound of stone 2
ft high. for 1/4 sec cor. No trees near.
- 79.80 The cor. to Secs 5, 6, 7, and 8.
Land rolling and sloping N. E.
Soil 2d and 3d rate
No timber or undergrowth
- 40.00 West on random line, between Secs 6th and 7.
T. 20 N. R. 4 W. East
- 76.67 Set a stake for temporary 1/4 sec cor
Intersect w boundary of Sp 7. 1/4 Sec of
C. to Secs 6th & 7. From which Cor. Run
S. 89° 57' E. on true line between Secs 6th & 7.
T. 20 N. R. 4 W. East.
- 36.67 Remote from stone or timber, deposit stone
marked + and build mound of earth 2 ft high
with pits 2 X 1 ft. for 1/4 sec cor. No trees near.

Fractional Twp 20. N. Range 4 W.
Gila and Salt River Meridian.

76.62 The Cor. to Secs 5, 6, 7, and 8.
Land sloping S. Soil 2d rate
No timber or undergrowth.

North between Secs 5 and 6.

$70^{\circ}14'42''$ East

40.00 Remote from stone, or timber, deposit stone marked
+ and build mound of earth 2 ft high with
pits 2x1x1 ft. for 1/4 sec Cor. No trees near.

82.00 Intersect 5th Standard North, at a point
S. 15 chs E. of standard Cor. to Secs 31
and 32. Being remote from stone or
timber, I deposit stone marked + and
build mound of earth 2 ft high with pits
2x1x1 ft. and in center of pit E. of Cor
drive stake marked and notched 2 ft long
2 in square, 1 ft in the ground, for closing
Cor. to Secs 5 and 6. No trees near
Land gently rolling. Soil 2d and 3d rate
No timber or undergrowth.
April 11th 1877

General Description

The Southwest or surveyed portion of this fractional Tp. contains some good arable and grazing lands.

The Township contains no living Springs or running water.

The Township contains a limited amount of timber, consisting of stunted cedars.

The unsurveyed portion of the Township is covered by hills and Mesa lands unfit for any use.

C. Guston Foster
U.S. Depy. Surveyor.

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the subdivision lines
of Fractional Township 20 N. 6th
Range 4 West
Gila and Salt River Meridians
Arizona Territory

Showing the respective capacities in which they
acted.

Almerin S. Keukle Chainman.

Richard Shope Chainman,

Paul Ruteschke Axeman.

Flagman.



Final Oath of Assistants.

We hereby certify that we assisted *A. Burton*

Foster

U. S. Deputy Surveyor, in

surveying *the subdivision lines of*

Prochard Township 20 South Range

4 West

Gila and Salt River Meridian

Arizona Territory

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Richard Shryff Chairman.

Amos S. Skinkle Chainman,

Paul Brutschke Axeman.

..... Flagman.


William C Foster

Sworn to and subscribed before me, this *31st*

day of *May*, 1877

William C Foster

Notary Public



Final Oath of Deputy Surveyor.

I, *Churston Foster*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *11th* day of *October*

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of *the*

Subdivision lines of Tract No. 1

Township 20 North Range 4 West

Gila and Salt River Meridians

Arizona Territory

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

LeBuster Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 31st day of *October*, 1877.

William Carter
Notary Public



William Carter
Notary Public

U. S. Surveyor General's Office,

TUCSON, ARIZONA, December 27, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Townships 20 North,
Range 4 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by L. Burton Foster.

Deputy Surveyor, under his contract of the 11th
day of October, 1876, having been
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Mason,
Surveyor General.