No. 1080

BOOK 1080

Platted

Book Orig

Indexed

Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

No. 1080 OF

Township 23 N. Range 1 W.

Gila and Salt River Base and Meridian

ARIZONA.

By C. T. Smith D. S.

under contract dated July 24, 1872.

Survey commenced Nov. 1st, 1872.

Survey completed Nov. 7th, 1873.

No. 1080

1080

1A Township 23 N. Range 1 W. M.
G. & S. R. Base & Meridian.

6	104	5	77	4	57	3	36	2	17	1	
102		101		75		55		35		16	
7	99	8	73	9	53	10	34	11	14	12	
98		96		72		51		32		13	
18	94	17	70	16	49	15	30	14	11	13	
93		91		68		47		29		9	
19	89	20	66	21	45	22	27	23	7	24	
88		86		64		44		26		6	
30	84	29	62	28	42	27	23	26	4	25	
82		81		61		41		22		2	
31	79	32	59	33	39	34	20	35	1	36	

Survey begun Nov. 1, 1883
" completed " 7, 1883

For Preliminary notes
see first book (No 1)
of survey, also description
of instrument

No. 16

1B

BOOK 1080

INDEX DIAGRAM.

Township 23 North

Range 1 West



Gila and Salt River, Arizona.

ARIZONA.

No. 1080

T. 23. N. R. 1. W.

chains

From the cor. to secs.
1, 2, 35 & 36, on S. bdy of
Sh. previously established
by me, I run
N. bet. secs. 35 & 36
Var. 14° 05' E,
Through dense cedar
40.00 Set a malhais stone
12 x 10 x 8 ins, 8 ins. in
the ground for 1/4 sec. cor,
marked 1/4 on W. face,
& raised a mound of
stone alongside, from
which a cedar 12 ins. dia. brs.
N. 10° E 72 lks. marked 1/4 S, B. T.
A cedar 6 ins. dia. brs. N. 40° W
27 lks. marked 1/4 S. B. T.,
80.00 Set a malhais stone
10 x 10 x 9 ins; 6 ins. in

T. 23 N. R. 1 W.

Chains.

The ground for cor. to
secs, 25, 26, 35, & 36,
marked with 1 notch
on S. & E. edges & raised
a mound of stone
alongside. Pits im-
practicable.
Surface rolling
Soil 3rd rate
Grass & wood
Mesa Cedar brush

E. on random line
bet. secs, 25 & 36,
Var. 14° 05' E.,

40.00 Set temporary 1/4 sec. cor.,
80.10 Intersect Principal
Meridian 18 lks. S. of
cor. to secs, 25, 30, 31, & 36

T. 23 N. R. 1. W.

chains

previously described by me.
Thence I run
S. 89° 59' W. on true line
bet. secs, 25, & 36,
Var, 14° 05' E,
40.05 Set a mahogany stone
8x8x8 ins, 12 ins. in the
ground for 1/4 sec. cor.
marked 1/4 on N. face,
& raised a mound
of stone alongside
from which
Cedar 14 ins. dia. brs, N.
57° E, 6 lks. marked 1/4 S, B.T.
Cedar 6 ins. dia. brs. S, 18°
W, 12 lks, marked 1/4 S, B.T.
80.10 Cor. to secs, 25, 26, 35 & 36,
Surface rolling

T. 23 N. R. 1. W.

chains,

Soil 3rd rate
Grass Good
Dense scrubby cedar

N. bet. secs. 25 & 26
Var 14° 05' E
through dense cedar
40.00 Set a malpais stone
12 x 8 x 8 ins, 8 ins. in the
ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on W. face,
& raised a mound of
stone alongside,
from which a cedar 12 ins. dia
brs. S. 90° E. 59 lks, marked $\frac{1}{4}$ S. B.T.
A cedar 9 ins. dia brs. N. 60° E.
75 lks, marked $\frac{1}{4}$ S. B.T.
68.00 Dry wash 20 lks wide
course W.
80.00 Set a malpais stone

T. 23. N. R. 1. W.

hains.

12 x 10 x 8 ins, 8 ins. in the ground for cor. to secs. 23, 24, 25 & 26, marked with 2 notches on S. & 1 notch on E. edges, from which a cedar 12 ins. dia, brs. N. 60° E. 24 lks, marked T. 23, N, R, 1. W, S, 24. B. T, A cedar 12 ins. dia. brs. S. 50° E. 49 lks. marked T. 23, N. R. 1. W. S. 25, B. T, A cedar 10 ins, dia. brs. S 50° W, 11 lks, marked T. 23, N. R. 1. W, S, 26. B. T, A cedar 12 ins. dia. brs. N. 70° W. 32 lks. marked T. 23, N. R. 1. W. S. 23 B. T. Surface rolling Soil 3rd rate

T. 23 N. R. 1. W.

chains.

Grass good
Dense cedar

E, on random line,
brt. recs, 24 x 25,
var. 14° 05' E,
Through scrubby cedar
H 0.00 set temporary 1/4 sec. cor,
T 9.84 Indirect - Principal
Meridian 18 lk. D. of cor.
to secs, 19, 24, 25 & 30,
previously described
by me,
thence S run
S. 89° 52' W, on true line
brt. recs, 24 x 25,
var, 14° 05' E,
9.92 set a mahogany stone
18 x 8 x 5 ins, 12 ins. in

T. 23. N. R. 1. W.

chains.

the ground for 1/4 sec
cor. marked 1/4 on N. face,
& raised a mound of
stone alongside, from
which a cedar 18 ins dia, brs N.
15° E 84 lks, marked 1/4 S. B. T.
a cedar 14 ins, dia, brs. S. 18° E,
16 lks. marked 1/4 S, B, T,
19,84 cor. to secs, 23, 24, 25 & 26.
Surface rolling
Soil 3rd rate
Grass Good
Timber scrubby cedar

N. bet, secs, 23 & 24
Var. 14° 05' E,
Through dense cedar
40,00 set a sandstone 10 x 8 x
5 ins, 6 ins, in the ground

T. 23 N. R. 1 W.

chains.

for 1/4 sec. cor. marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 10 ins. dia. brs. N. 25° W. 44 lks. marked 1/4 S. B. T. a cedar 8 ins. dia. brs. S. 45° W. 11 lks. marked 1/4 S. B. T.

80.00 Set a sandstone 12 x 9 x 9 ins. 8 ins. in the ground for cor. to secs. 13, 14, 23 & 24. Marked with 3 notches on S. x 1 notch on E. edges, & raised a mound of stone alongside from which a cedar 6 ins. dia. brs. N. 65° E. 34 lks. marked

T. 23 N. R. 1. W.

chains.

T. 23, N, R, 1. W. S, 13, B, T,
Cedar 10 ins. dia, brs S. 5° E,
66 lks, marked
T. 23, N, R, 1. W. S, 24, B. T.
Cedar 8 ins. dia, brs. S,
45° W, 37 lks, marked
T, 23, N, R, 1. W, S, 23, B, T.
Cedar 9 ins. dia, brs, N,
30° W, 28 lks, marked
T, 23, N, R, 1. W, S, 14, B, T,
Surface rolling
Soil 3rd rate
Grass good
Dense cedar

E. on random line
Ort, recs, 13. & 24.
Var, 14° 0 5' E.
through dense cedar

10

BOOK 1080

T. 23. N. R. 1. W.

Chains.	
40.00	Set temporary 1/4 sec. cor.
79.88	Internal - Principal Meridian 16 lks. S. of cor. to secs. 13, 18, 19, & 24, previously described by me,
	Thence I run S. 89° 53' W. on true line bet. secs. 13. & 24,
	bar. 14° 05' E.
39.94	Set a sandstone 22 x 12 x 10 ins., 15 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face & raised a mound of stone alongside, from which a cedar, 10 ins. dia. brs. N. 10° E. 12 lks. marked 1/4 S. B. T.

T. 23. N. R. 1. W.

Chains.	
	A cedar 10 ins. dia. brs. S. 45° E. 56 lks. marked 1/4 S. B. T.
79.88	Cor. to secs. 13, 14, 23, & 24.
	Surface broken
	Soil 3rd rate
	No Grass
	Dense cedar
	N. bet. secs. 13 & 14
	Var. 14° 05' E.
	Through dense cedar
23.40	Dry wash, course W.
40.00	Set a sandstone 22 x 15 x 10 ins., 16 ins. in the ground for 1/4 sec. cor. Marked 1/4 on W. face, & raised a mound of stone alongside, from which a cedar

12

T. 23. N. R. 1. W.

Chains.

6 ins. dia. brs. S. 50° E.
marked 1/4 S, B. T.
A cedar 9 ins. dia. brs. N.
5° W. 76 lks. marked 1/4 S, B. T.
8,000 Set a sandstone 16 x
10 x 8 ins. 11 ins. in the
ground for cor. to secs.
11, 12, 13, & 14. marked
with 4 notches on S.
& 1 notch on E. edges &
raised a mound of
stone alongside. from
which a cedar, 18 ins. dia. brs.
N. 10° E. 44 lks. marked
T. 23. N. R. 1. W. S. 12, B. T.
A cedar 10 ins. dia. brs. S. 80°
W. 87 lks. marked
T. 23. N. R. 1. W. S. 14, B. T.
No other trees within limits

T. 23. N., R. 1, W.

chains.

Surface rolling
Soil 3rd rate
Grass good
Dense underbrush

E. on random line
bet. secs. 12 & 13,
Var. 14° 05' E.
Through dense underbrush
4000 Set temporary ¼ sec. cor.
1938 Salvisa-Principal Meridian 32 lk. D. of cor.
to secs. 7, 12, 13, & 18, previously described by me.
Thence I run
S. 89° 46' W. on true line
bet. secs. 12 & 13,
Var. 14° 05' E.

T. 23. N. R. 1. W.

chains.	
39,69	Set a sandstone 10×10×6 ins, 6 ins, in the ground for ¼ sec. cor. marked ¼ on N. face, & raised a mound of stone alongside, from which A cedar 9 ins, dia, brs S. 57° E, 28 lks, marked ¼ S, B, T, A cedar 8 ins, dia, brs. N, 68° W, 46 lks, marked ¼ S, B, T,
79,38	Cor. to secs, 11, 12, 13 & 14. Surface rolling Soil 3rd rate Grass good Dense Underbrush
	N, bet. secs, 11, & 12, Var. 14° 05' E,
40,00	Set a sandstone 16×10×6 ins, 11 ins, in the

T. 23. N. R. 1. W.

chains.

Found for 1/4 sec. cor. marked 1/4 on W. face, & raised a mound of stone alongside. Pits impracticable.

$8.00 Set a sandstone 20 x 10 x 5 ins., 15 ins. in the ground for cor. to secs. 1, 2, 11, & 12, marked with 5 notches on S. & 1 notch on E. edges, & raised a mound of stone alongside, from which a cedar 6 ins. dia. brs. N. 65° E. 22 lks. marked T. 23. N. R. 1. W. S. 1, B. T. A cedar 6 ins. dia. brs. S. 15° W. 40 lks. marked T. 23. N. R. 1. W. S. 11, B. T.

T. 23. N. R. 1. W.

chains,

No other trees within limits.
Surface rolling
Soil 3rd rate
Grass wood
Scrubby cedar.

E. on random line
bet. secs. 1, 6, 12.
Var. 14° 05' E.

4000 Set temporary 1/4 sec. cor.
79.64 between Principal Meridian & Wolks, N. of cor. to secs. 1, 6, 7 & 12, previously described by me,
Thence I run
N. 89° 30' W. on true line
bet. secs. 1 & 12,
Var. 14° 05' E.

T. 23, N. R. 1, W.

Chains.

39.82 Set a sandstone 15 x 12 x 5 ins., 10 ins. in the ground for 1/4 sec. cor., marked 1/4 on N. face, & raised a mound of stone alongside, from which,
A cedar 10 ins. dia. bears S. 46° W. 19 lks. marked 1/4 S. B. T.
A cedar 6 ins. dia. bears N. 15° E. 65 lks. marked 1/4 S. B. T.

79.64 Cor. to secs. 1, 2, 11, & 12,
Surface rolling
Soil 3rd rate
Grass Good

N. on random line bet. secs. 1 & 2,
Var. 14° 05' E.

T. 23. N. R. 1. W.

Chains.	
40.00	Set temporary 1/4 sec. cor.,
67,80	Hny wash. 40 lks, wide course S. W.
80,12	Intersect N. bdy of Tp. 66 lks, E. of cor. to secs. 1, 2, 35 & 36. previously established by me. Thence I run S. 0° 28' E. on true line bet. secs, 1 & 2, Var. 14° 05' E,
40,12	Set a sandstone 10x10x8 ins, 6 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a mound of stone alongside from which Cedar 7 ins. dia bears N. 40° E, marked 1/4 S. B. T.

T. 23. N. R. 1. W.

Chains.	
	A cedar 10 ins. dia. brs. S. 65°
	W. 63 lks. marked 1/4 S. 3. 9.
80.12	cor. to secs. 1, 2, 11, & 12.
	Surface rolling
	Soil 3rd rate
	Grass Good

Examined instrument & solar apparatus today & carefully tested same, & found them correct.

T. 23 N., R. 1 W.

Chains.

Then returning to Cor. to secs. 2, 3, 34, & 35, on S. bdy of Th. previously established by me, I. run N., bet. secs. 34 & 35, Var. 14° 05' E.

Through scrubby cedar

40.00 set a malpais stone 16 x 12 x 6 ins., 11 ins. in the ground for 1/4 sec. cor., marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 15 ins. dia., bears N. 5° W. 60 links marked 1/4 S, B, T. A cedar 10 ins. dia., bears S. 20° E. 87 lks. marked 1/4 S, B, T.

80.00 set a malpais stone

T. 23. N., R. 1. W.

chains.

20 x 10 x 6 ins., 15 ins. in the ground for cor. to secs. 26, 27, 34, & 35, marked with 1 notch on S. & 2 notches on E. edges, & raised a mound of stone alongside, from which a cedar 5 ins. dia. brs. N. 80° E., 53 lks. marked T. 23 N., R. 1 W., S. 26, B. T. A cedar 7 ins. dia. brs. S. 45° E., 46 lks. marked T. 23 N., R. 1 W., S. 35, B. T., A cedar 8 ins. dia. brs. S. 60° W., 20 lks. marked T. 23 N., R. 1 W., S. 34, B. T. A cedar 6 ins. dia. brs. N. 2° W. 30 lks. marked

T. 23. N. R. 1. W.

Chains.

T. 23. N. R. 1. W. S. 27. B. C.
Surface rolling
Soil 3rd rate
Grass good
Cedar timber

E. on random line
bet. secs. 26 & 35,
Var. 14° 05' E.
through dense cedars
38.00 Dry wash, course N.W.
40.00 Set temporary ¼ sec. cor.
79.66 Intersect N. & S. line
20 lks. S. of cor. to secs.
25, 26, 35, & 36,
Thence I run
S. 89° 51' W. on true line
bet. secs. 26 & 35,
Var. 14° 05' E.

T. 23. N. R. 1. W.

chains.	
39.83	Set a malhais stone 20 x 12 x 4 ins, 15 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face & raised a mound of stone alongside, from which a cedar 12 ins. dia. brs. N. 15° W. 56 lks. marked 1/4 S. B. T. A cedar 25 ins. dia. brs. S. 65° W. 50 links. marked 1/4 S. B. T.
79.66	Cor. to secs. 26, 27, 34, & 35, Surface rolling Soil 3rd rate Grass Good Dense cedar brush

N. bet. secs. 26 & 27

T. 23. N., R. 1. W.

Chains,

Var. 14° 05' E.

Through dense cedar

40.00 Set a malhair stone 14 x 12 x 8 ins., 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, & raised a mound of stone alongside, from which a cedar 5 ins. dia. brs. N. 75° E. 20 links, marked 1/4 S., B., T., A cedar 9 ins. dia., brs. S. 5° E. 51 lks. marked 1/4 S. B. T.

80.00 Set a malhair stone 20 x 12 x 4 ins. 15 ins. in the ground for cor. to secs. 22, 23, 26, & 27, marked with 2 notches

T. 23, N., R. 1, W.

Mains.

on S. & E. edges & raised a mound of stone alongside, from which A cedar 8 ins. dia. brs N. 80° E. 30 lks. marked T. 23 N. R. 1. W. S. 23, B. T. A cedar 12 ins. dia. brs. S. 5° E. 100 lks. marked. T. 23. N. R. 1. W. S. 26, B. T. A cedar 7 ins. dia. brs. S. 45° W. 118 lks. marked T. 23 N. R. 1. W. S. 27, B. T. A cedar 6 ins. dia. brs. N. 45° W. 64 lks. marked T. 23, N. R. 1. W S. 22, B. T.

Surface level
Soil 3rd rate
Grass good
Some cedar.

T. 23 N. R. 1. W.

Chains.	
	E. on random line
	bet. secs. 23 & 26.
	Var. 14° 05' E.
	Through dense cedar
18.14	Dry wash 12 lks. wide
	course N. W.
40.00	Set temporary ¼ sec. cor.
80.16	Intersect N. & S. line
	60 lks. N. of cor. to secs.
	23, 24, 25 & 26.
	Thence I run
	N. 89° 34' W. on true line
	bet. secs. 23 & 26.
	Var. 14° 05' E.
40.08	Set a malpais stone
	12 x 9 x 8 ins. 8 ins. in the
	ground for ¼ sec. cor.
	marked ¼ on N. face
	& raised a mound of

T. 23. N. R. 1. W.

Chains.

Stone alongside, from which a cedar. 12 ins. dia brs. N. 5° E. 262 lks. marked 1/4 S, B T,
A cedar 16 ins. dia, brs. N, 10° E, 300 lks, marked 1/4 S. B. T,
80.16 cor. to Secs. 22, 23, 26, & 27.
Surface rolling
Soil 3rd rate
Grass Good
Dense cedar

N, bet. Secs. 22 & 23,
Var. 14° 05' E.
16.12 Dry wash 18 lks. wide course N. W,
40.00 Set a mahogany stone 10 x 10 x 16 ins. 6 ins. in the ground for 1/4 Sec. cor.

T. 23. N. R. 1. W.

Chains.

Marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 6 ins. dia. brs. S. 70° W. 7. links Marked 1/4 S, B, T, A cedar 12 ins. dia. brs N. 80° E. 35 lks. marked 1/4 S, B. T.

80.00 Set a Mahogany stone 18 x 14 x 6 ins, 12 ins. in the ground for cor. to Secs. 14, 15, 22, & 23, Marked with 3 notches on S, & 2 notches on E. edges & raised a mound of stone alongside, Pits impracticable, Surface broken Soil 3rd rate

T. 23. N. R. 1. W.

chains.	
	Grass good Dense cedar brush
	E. on random line brt. secs. 14 & 23, Var. 14° 05' E.
	Through dense cedar
40.00	Set temporary 1/4 sec. cor.
79.38	Intersect N. & S. line
	64 lks. S. of cor. to secs.
	13, 14, 23, & 24,
	thence S run
	S. 89° 33' W. on true line
	brt. secs. 14 & 23,
	Var. 14° 05' E.
39.69	Set a cedar post 3. ft. long
	3 ins. sq. 24 ins. in the
	ground for 1/4 sec. cor.
	marked 1/4 S on N. face,

T. 23. N. R. 1. W.

chains.	
	from which
	A cedar 13 ins. dia. brs.
	N. 30° E. 16 lks. marked 1/4 S, B, T.
	A cedar 10 ins. dia. brs. S. 45°
	E. 20 lks. marked 1/4 S, B, T.
79,38	Cor. to secs. 14, 15, 22, & 23.
	Surface rolling
	Soil 3rd rate
	No grass
	Some cedar
	N. Bet. secs. 14 & 15;
	Var. 14° 05' E.
	through scrubby cedar
34,20	Dry wash 12 lks. wide
	course W.
40,06	Set a mahogany stone
	30 x 12 x 6 ins. 15 ins. in
	the ground for 1/4 sec. cor.

T. 23, N., R. 1. W.

chains.

marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 12 ins. dia. brs. N. 40° E. 8 lks. marked 1/4 S. B. T. a cedar 6 ins. dia. brs S. 64° W. 27 lks. marked 1/4 S. B. T.

80,00 Set a marked stone 10 x 10 x 8 ins. 6 ins. in the ground for cor. to secs. 10, 11, 14 & 15, marked with 4 notches on S. & 2 notches on E. edges & raised a mound of stone alongside, from which a cedar 7 ins. dia. brs. N. 40° E. 10 lks. marked T. 23 N. R. 1. W. S 11, B. T.

T. 23, N., R. 1, W.

Chains.

Cedar 10 ins. dia., brs.
S. 68° E., 22 lks. marked
T, 23 N, R, 1, W, S. 14, B. T.
No other trees within limits.
Surface rolling
Soil 3rd rate
Grass good
Heavy underbrush

E. on random line
Brk. Recs. 11 & 14
Var. 14° 05' E.
Heavy underbrush

40.00 Set temporary ¼ Sec. Cor.
79.64 Intersect N. & S. line
82 lks. S. of Cor. to Secs.
11, 12, 13, & 14,
Thence S. on
S. 89° 46' W. on true line

T. 23. N. R. 1. W.

chains.

Fd. cors. 11 x 14,
Var. 14° 05' E.

39.82 Set a malhais stone 18 x 12 x 5 ins. 12 ins. in the ground for 1/4 sec. Cor. marked 1/4 on N. face, & raised a mound of stone alongside, from which a cedar 7 ins. dia. brs. N. 17° W. 74 lks. marked 1/4 S. B. T.
a cedar 9 ins. dia. brs. S. 40° E. 68 lks. marked 1/4. S. B. T.

79.64 Cor. to secs. 10, 11, 14 & 15,
Surface rolling
Soil 3rd rate
Grass Good
Heavy Cedar

T. 23 N. R. 1, W.

Chains.	
	N. bet. secs. 10 & 11
	Var. 14° 05' E.
40.00	Set a malhair stone 14x14x6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a mound of stone alongside. Pits impracticable.
80.00	Set a malhair stone 12x10x6 ins. 8 ins. in the ground for cor. to secs. 2, 3, 10 & 11, marked with 5 notches on S. & 2 notches on E. edges, & raised a mound of stone alongside. Pits impracticable.
	Surface rolling

T. 23. N. R. 1. W.

chains.

Soil 3rd rate.
Grass Wood
Dense underbrush

E. on random line
brt. recs. 2 × 11,
Var 14° 05' E.
Through dense underbrush
40.00 Set temporary 1/4 sec. cor.
79.88 Intersect N. & S. line
24 lks. S. of cor. to secs.
1, 2, 11, & 12,
Thence S run
S. 89° 50' W. on true line
brt. recs. 2 × 11,
Var. 14° 05' E.
39.94 Set a mahogany stone
13 × 10 × 10 ins. 6 ins. in
the ground for 1/4 sec. cor.

T. 23. N., R. 1. W.

Chains.

marked 1/4 on N. face, & raised a mound of stone alongside, from which a cedar, 10 ins. dia., brs. N. 24° E. 60 lks. marked 1/4 S, B, T, A cedar 12 ins. dia. brs. S. 45° E. 70 links, marked 1/4 S, B, T.

79.88 Cor. to Secs 2, 3, 10, & 11
Surface rolling
Soil 3rd rate
Grass Good
Brush scrubby cedar

N. on random line
bet. Secs. 2, & 3,
Var. 14° 15' E.

28.30 Dry wash 30 lks. wide

T. 23. N. R. 1. W.

chains.	
	Course W.
40.00	Set temporary ¼ sec. cor.
79.84	Intersect N. bdy of Tp.
	32 lks. W. of cor. to secs.
	2, 3, 34, & 35, previously
	established by me.
	Thence I run
	S. 0° 14' W. on true line
	bet. secs. 2, & 3,
	Var. 14° 05' E.
39.84	Set a sandstone 16 x 10 x
	5 ins. 10 ins. in the ground
	for ¼ sec. cor. marked
	¼ on W. face & raise
	a mound of stone
	alongside, from which
	Cedar 18 ins. dia. brs. N. 35° E.
	37 lks. marked ¼ S. B. T.
	Cedar 22 ins. dia. brs. S. 45° E.

T. 23. N. R. 1. W.

chains.	
	84 lks. marked 1/4 S. B.T.
79.84	Cor. to Secs. 2, 3, 10 & 11
	Surface rolling
	Soil 3rd rate
	Grass Good
	Dense Cedar

T. 23 N. R. 1. W.

chains.

Thence returning to
cor. to secs. 3, 4, 33 & 34
on S. Bdy of Ph. previously
established by me,
I run N. brt. secs. 33 & 34
Var. 14° 05' E,
through dense cedar,
4.00 Set a mahais stone
14 x 12 x 10 ins. 9 ins. in
the ground for 1/4 sec. cor.
marked 1/4 on W. face, &
raised a mound of
stone alongside. Pits
impracticable.
8.00 Set a mahais stone
18 x 12 x 8 ins. 12 ins. in
the ground for cor. to
secs, 27, 28, 33 & 34,
marked with 1 notch

T. 23 N., R. 1. W.

chains.

on S. & 3 notches on E.
edges & raised a
mound of stone alongside.
from which a cedar
6 ins. dia. brs. N. 70° E.
22 links, marked
T. 23, N., R. 1. W. S. 27, B. T.
A Pine 7 ins. dia brs.
S. 65° E. 24 lks. marked
T. 23 N. R. 1. W. S. 34, B. T.
A cedar 10 ins. dia. brs.
S. 55° W. 35 lks. marked
T. 23 N. R. 1. W. S. 33. B. T.
A cedar 8 ins. dia. brs.
N. 45° W. 74 lks. marked
T. 23 N. R. 1. W. S. 28, B. T.
Surface rolling
Soil 3rd rate
Grass Good
Dense Cedar timber

T. 23 N. R. 1. W.

chains.	
	E. on random line bet. secs. 27 & 34 var. 14° 05' E. through dense cedar
40.00	set temporary ¼ sec. cor.
79.64	subsisted - N. & S. line 14 lks S. of cor. to secs. 26, 27, 34, & 35,
	thence S. run S. 89° 54' W. on true line bet. secs. 27 & 34, var. 14° 05' E
39.82	set a mahogany stone 17 x 10 x 8 ins, 11 ins. in the ground for ¼ sec. cor. marked ¼ on N. face & raised a mound of stone alongside. Pits impracticable.

T. 23. N., R. 1. W.

Chains.	
79.64	Cor. to secs. 27, 28, 33, & 34 Surface rolling Descending to the N. Soil 3rd rate Grass Good Timber Cedar
	W. bet. secs. 27 & 28 Var. 14° 05' E.
40.00	Set a walnut stone 12x10x6 ins., 8 ins. in the ground for 1/4 sec. Cor. Marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 8 ins. dia. brs. East 20 lks. Marked 1/4 S. B. T. A cedar 6 ins. dia. brs. S. 38° W.

T. 23. N. R. 1. W.

chains.

80.00 68 lks. marked 1/4 S, B, T.
At a malpais stone
20 x 8 x 8 ins. 15 ins. in the
ground for cor. to Secs.
21, 22, 27 & 28, marked
with 2 notches on S. &
3 notches on E. edges, &
raised a mound of
stone alongside, from
which a cedar 10 ins. dia.
brs. N, 20° E, 72 lks. marked
T. 23, N, R, 1, W S. 22, B T
A cedar 5 ins. dia. brs S, 5° E,
7 lks. marked
T. 23, N, R, 1, W, S, 27, B, T,
A cedar 6 ins. dia. brs S,
5° W, 56 lks. marked
T. 23, N, R, 1, W, S, 28, B, T,
A cedar 11 ins. dia. brs. N,

T. 23. N. R. 1. W.

Chains.	
	45° W, 54 lks. marked T, 23, N, R, 1, W, S, 21, B. T. Surface rolling Soil 3rd rate Grass Good Mixed Cedar
	E. on random line brt. recs, 22 & 27, Var, 14° 05' E.
40,00	Set temporary 1/4 sec. cor,
79,36	Intersect N. & S. line 8 lks. S. of cor. to secs, 22, 23, 26 & 27, Thence I run S. 89° 52' W. on true line brt. recs, 22. & 27, Var, 14° 05' E.
39,68	Set a marked stone

T. 23 N., R. 1 W.

chains.

14 x 8 x 6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face, & raised a mound of stone alongside, from which a cedar 12 ins. dia. brs. S. 30° W. 20 lks, marked 1/4 S. B. T. Cedar 9 ins. dia, brs. N. 80° W. 27 lks. marked 1/4 S. B. T.

79.36 Cor. to secs. 21, 22, 27, & 28.

Surface rolling
Soil 3rd rate
Grass Good
Trees Cedar

N. bet. secs. 21 & 22
Var. 14° 05' E.
Trees oak brush.

T. 23 N. R. 1. W.

Chains.	
40.00	Set a mahogany stone 14x10x8 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a mound of stone alongside. Pits impracticable
80.00	Set a mahogany stone 16x8x7 ins. 11 ins. in the ground for cor. to secs. 15, 16, 21, & 22, marked with 3 notches on S. & 3 notches on E. edges, & raised a mound of stone alongside, from which a cedar 12 ins. dia. bears N. 20° E. 51 lks. marked T. 23 N. R. 1 W. S. 15, B. T.

T. 23. N. R. 1. W.

chains.

A cedar 6 ins. dia. brs.
S. 45° E. 8 lks. marked
T. 23. N. R. 1. W. S. 22. B. T.
A cedar 6 ins. dia. brs. S. 40°
W. 12 lks. marked
T. 23. N. R. 1. W. S. 21. B. T.
A cedar 8 ins. dia. brs.
N. 45° W. 11 lks. marked
T. 23. N. R. 1. W. S. 16. B. T.
Surface rolling
Soil 3rd rate
Grass Good
Dense cedar

E. on random line
bet. secs. 15 & 22.
Var 14° 05' E.
Through dense cedar
40.00 at temporary 1/4 sec. cor.

T. 23. N., R. 1. W.

Chains.	
52.00	Dry wash 50 lks. wide course N. 20° W.
79.84	Intersect - N. & S. line 12 lks. S. of cor. to secs. 14, 15, 22, & 23. Thence I run S. 89° 54' W. on true line bet secs. 15 & 22, Var. 14° 05' E.
39.92	Set a mahogany stone 12 x 8 x 4 ins., 8 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face & raised a mound of stone alongside, from which, A cedar 7 ins. dia. brs N. 30° W. 42 lks. marked 1/4 S. B. T. A cedar 12 ins. dia. brs N. 28

T. 23. N. R. 1. W.

Chains.

W. 50 lks. marked 1/4 S, B.T.
79,84 Cor. to secs 15, 16, 21, & 22,
Surface rolling
Soil 3rd rate
Grass good
Dense cedar brush

N, bet. secs, 15 & 16,
Var. 14° 05' E.
40,00 Set a mahogany stone
12 x 12 x 12 ins, 8 ins. in
the ground for 1/4 sec. cor,
marked 1/4 on W. face &
raised a mound of
stone alongside,
from which a cedar
9 ins, dia, brs N. 30° E.
49 lks, marked 1/4 S, B.T.
A cedar 6 ins, dia, brs S 65°

T. 23. N. R. 1. W.

rains.	W. 6 lks. marked 1/4 S, B. T.,
6820	Dry wash, 60 lks. wide
	course N. W.
80.00	Set a Mahais stone
	18 x 13 x 10 ins. 12 ins. in
	the ground for cor. to
	secs. 9, 10, 15, & 16, marked
	with 4 notches on S. &
	3 notches on E. edges, &
	raised a mound of
	stone alongside,
	from which a cedar
	8 ins. dia. brs. N. 25° E.,
	19 lks. marked
	T. 23. N. R. 1. W. S. 10. B. T.
	Cedar 20 ins. dia. brs.
	S. 70° E. 47 lks. marked
	T. 23. N. R. 1. W. S. 15. B. T.
	Cedar 8 ins. dia. brs.

T. 23. N., R. 1. W.

ains.

S. 85° W. 35 lks. marked
T. 23. N., R. 1. W., S. 16. B. T.
Cedar 6 ins. dia., brs.
N. 20° W. 18 lks. marked
T. 23. N. R. 1. W., S. 9. B. T.
Surface rolling
Soil 3rd rate
Grass good
Dense Cedar

E. on random line
bet. secs. 10 & 15.
Var. 14° 05' E.
through dense cedar
40.00 Set temporary ¼ sec. cor.
80.24 Intersect N. B. S. line
60 lks N. of cor. to secs.
10, 11, 14 & 15.
thence E run

T. 23. N. R. 1. W.

chains.

S. 89° 34' W. on true line
bet. secs. 10 & 15,
Var. 14° 05' E.

40.12 Set a malpais stone
12 x 10 x 8 ins. 8 ins. in
the ground for 1/4 sec. cor.
marked 1/4 on N. face,
& raised a mound
of stone alongside,
from which a cedar
12 ins. dia. brs. N. 60° E.
19 lks. marked 1/4 S. B. T.
A cedar 9 ins. dia. brs. S. 40°
W. 32 lks. marked 1/4 S. B. T.

80.24 Cor. to secs. 9, 10, 15, & 16.

Surface rolling
Soil 3rd rate
Grass good
Dense underbrush

T. 23 N., R. 1. W.

Chains.

N. bet. secs. 9, 8, 10.
Var. 14° 05' E.

40,00 Set a sandstone 15 x 10 x 6 ins., 10 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, & raised a mound of stone alongside, from which a cedar 10 ins. dia. brs. N. 5° E. 40 lks. marked 1/4 S. B. T. A cedar 6 ins. dia. brs. S. 55° W. 54 lks. marked 1/4 S. B. T.

80,00 Set a malpais stone 12 x 10 x 5 ins., 8 ins. in the ground for cor. to secs. 3, 4, 9, & 10, marked with 5 notches on S. & 3 notches on E. edges

T. 23. N. R. 1. W.

Chains,

& raised a mound of
stone alongside
from which a cedar 6 ins.
dia, brs. N. 85° E. 18 lks. marked
T. 23. N. R. 1. W. S. 3. B. T.
A cedar 11 ins. dia. brs. S. 60°
E. 37 lks. marked
T. 23 N. R. 1. W. S. 10. B. T.
A cedar 9 ins. dia. brs. S.
25° W. 31 lks. marked
T. 23. N. R. 1. W. S. 9. B. T.
A cedar 5 ins. dia. brs N.
40° W. 11 lks. marked
T. 23. N. R. 1. W. S. 4. B. T.
Surface rolling
Soil 3rd rate
Grass good
Dense cedar

T. 23. N. R. 1. W.

chains	
	E. on random line
	bet. secs. 3 & 10,
	Var. 14° 08' E.
36.00	Leave dense cedar
40.00	Set temporary $\frac{1}{4}$ sec. cor.
51.00	Enter dense cedar
79.92	Intersect N. & S. line
	14 lks. S. of cor. to secs.
	2, 3, 10 & 11.
	Thence I run
	S. 89° 54' W. on true line
	bet. secs. 3 & 10,
	Var. 14° 08' E.
39.96	Set a sandstone 16x10
	x 5 ins. 11 ins. in the
	ground for $\frac{1}{4}$ sec. cor.
	marked $\frac{1}{4}$ on N. face,
	dug pits 18x18x12 ins
	E. & W. of stone $5\frac{1}{2}$ ft. dist-

T. 23 N., R. 1. W.

Chains.	
	& raised a mound of earth 1½ ft. high, 2½ ft. base alongside.
79.92	Cor. to secs. 3. 4. 9 & 10
	Surface rolling
	Soil 2nd rate
	Dense cedar, 67 chains & small open parks.
	Grass good
	N. on random line bet. secs. 3 & 4.
	Var. 14° 08' E.
16.00	Enter valley
40.00	Set temporary ¼ sec. cor
47.00	Dry wash 18 lks. wide course N.W.
79.95	Intersect N. bdy of Twp. 11 lks. W. of cor. to secs.

No. 1080

T. 23. N. R. 1. W.

chains.

3, 4, 33, & 34,
thence I run
S. 0° 05' W. on true line
bet. secs. 3, & 4,
Var. 14° 08' E,

39.95 Set a post 3 ft. long
3 ins. square, with
marked stone 12 ins.
in the ground for 1/4
sec. cor. marked 1/4 S on
W. face, dug pits
18 x 18 x 12 ins. N. & S.
of post 6 1/2 ft. dist.
& raised a mound
of earth 1 1/2 ft. high
3 1/2 ft. base around
post.

19.95 Cor. to secs. 3, 4, 9, & 10
Surface level.

58

T. 23, N. R. 1 W.

chains,

Sail 1st rate
Good brass

Examined & carefully tested instrument & solar apparatus today & found them correct—

T. 23. N. R. 1. W.

Chains

Then returning to cor. to secs 4. 5, 32 & 33. on S. by of Th. previously established by me, I run,

N. bet. secs, 32 & 33 Var. 14° 08' E,

40.00 set a maple's alone 12 x 10 x 8 ins. 8 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, & raised a mound of stones alongside, from which a cedar 12 ins. dia. brs. N. 35° E, 85 lks. marked 1/4 S. B. T. a cedar 10 ins. dia. brs, S. 15° W. 76 links, marked 1/4 S. B. T.

T. 23 N. R. 1. W

chains.
50.00 Set a malpais stone 20 x 8 x 8 ins., 15 ins. in the ground for cor. to secs. 28, 29, 32 & 33, marked with 1 notch on S. & 4 notches on E. edges, & raised a mound of stone alongside, from which a cedar 10 ins. dia. brs. N. 10° E. 25 lks. marked T. 23 N. R. 1. W. S. 28, B. T. A cedar 14 ins. dia. brs. S. 35° E. 87 lks. marked T. 23 N. R. 1. W. S. 33, B. T. A cedar 6 ins. dia. brs. S. 40° W. 90 lks. marked T. 23 N. R. 1. W. S. 32, B. T. A cedar 8 ins. dia. brs.

T. 23. N. R. 1. W.

Chains.

N. 60° W. 15 lks. marked
T. 23 N. R. 1. W. S. 29. 13. T.
Surface rolling
Soil 3rd rate
Grass good
Trees Cedar

E. on random line
bet. secs. 28 & 33,
Var. 14° 08' E.,
through dense timber
40.00 Set temporary ¼ sec. cor.,
79.84 intersect N. & S. line
38 lks. S. of cor. to secs.
27, 28, 32, & 33.
Thence down
S. 89° 44' W. on true line
bet. secs. 28, & 33,
Var. 14° 08' E.

T. 23 N. R. 1 W.

Chains.	
39.92	Set a mahogany stone 12 x 8 x 7 ins. 8 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face, & raised a mound of stone alongside, from which a cedar 14 ins. dia., brs. N. 40° W. 27 lks. marked 1/4 S, B T. A cedar 20 ins. dia., brs. S. 85° W. 65 lks. marked 1/4 S, B T.
79.84	Cor. to secs. 28, 29, 32 & 33. Surface rolling Soil 3rd rate Grass Good Timber Cedar

N. bet. secs. 28 & 29

T. 23. N. R. 1. W.

Chains.

Var. 14° 08' E.

Through dense cedar

40.00 Set a malhais stone 17 x 15 x 9 ins., 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 24 ins. dia. brs. N. 65° E. 40 lks. marked 1/4 S. B. T. A cedar 13 ins. dia. brs. N. 40° W. marked 1/4 S. B. T.

80.00 Set a malhais stone 25 x 10 x 6 ins., 18 ins. in the ground for cor. to secs. 20, 21, 28 & 29, marked with 2 notches on S. & 4 notches on E.

T. 23 N., R. 1 W.

Chains,

edges & raised a mound
of stone alongside,
from which a cedar
18 ins. dia. brs. N. 45° E.
26 lks. marked.
T. 23 N., R. 1 W. S. 21, B. T.
A cedar 6 ins. dia. brs.
S. 25° E. 18 lks. marked
T. 23 N., R. 1 W. S. 28, B. T.
No other trees within limits
Surface broken
Soil 3rd rate
Grass good
Brush & scrubby cedar

E. on random line
bet. secs. 21 & 28,
Var. 14° 0' E.

40.00 Set temporary ¼ sec. cor.

T. 23. N. R. 1. W.

chains	
79.64	Intersect - N. & S. line 32 lks. S. of Cor. to secs 21, 22, 27, & 28, thence I run S. 89° 47' W. on true line bet secs. 21 & 28, Var. 14° 08' E.
39.82	Set a Mahais stone 18x10x6 ins, 12 ins. in the ground for 1/4 sec. cor, marked 1/4 on N. face, & raised a mound of stone alongside, from which a cedar 12 ins. dia. brs. N. 40° W. 33 lks. marked 1/4 S. B. T. A cedar 6 ins. dia. brs. S. 10° E 74 links. marked 1/4 S. B. T.

66

T. 23, N. R. 1. W.

Chains.	
79.64	Cor. to secs. 20, 21, 28 & 29. Surface broken Pair 3rd rate Grass good Dense Cedar
	N. bet. secs. 20 & 21 Var. 14° 05' E. Through dense cedar
40.00	Set a Mahais stone 20 x 8 x 8 ins, 15 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 9 ins. dia. brs. N. 70° W. 66 lks. marked 1/4 S, B, T, A cedar 8 ins. dia. brs.

T. 23 N. R. 1 W.

chains

S. 35° E. 39 links.
marked 1/4 S, B, T.
80,00 Set a mal pais stone
18 x 8 x 7 ins, 12 ins. in
the ground for Cor. to Secs.
16, 17, 20 & 21, marked
with 3 notches on S.
& 4 notches on E. edges,
& raised a mound
of stone alongside,
from which a cedar
7 ins. dia. brs. N. 60° E.
74 lks, marked
T. 23 N. R. 1 W. S. 16, B. T.
a cedar 12 ins. dia. brs.
S. 30° E. 96 lks. marked
T. 23 N. R. 1 W. S. 21, B. T.
A cedar 20 ins, dia. brs.
S. 80° W. 12 lks, marked

T. 23. N. R. 1. W.

Chains.

T. 23. N. R. 1. W. S. 20. B. P.
A cedar 9 ins. dia., brs.
N. 10° W. 87 lks. marked
T. 23. N. R. 1. W. S. 17. B. P.
Surface rolling
Soil 3rd rate
Grass good
Dense cedar

E. on random line
bet. secs. 16 & 21,
Var. 14° 08' E.
Through dense cedar
40.00 Set temporary 1/4 sec. Cor.
79.38 Quartzite - N. & S. line
60 lks. S. of Cor. to secs.
15, 16, 21, & 22.
Thence I run
S. 89° 34' W. on true line.

T. 23 N. R. 1 W.

Chains.	
	Brt. recs. 16 & 21,
	Var. 14° 0' E.
39.69	Set a marble stone
	17 x 10 x 4 ins, 11 ins. in
	the ground for 1/4 sec. cor.
	marked 1/4 on N. face &
	raised a mound of
	stone alongside, from
	which a cedar 10 ins.
	dia, brs. N. 24° E. 70 lks,
	marked 1/4 S, B, T,
	A cedar 6 ins. dia, brs.
	S. 30° W. 24 links,
	marked 1/4 S, B. T.
79.38	Cor. to secs, 16, 17, 20 & 21
	Surface rolling
	Soil 3rd rate
	Brass good
	Mixed Cedar.

T. 23. N., R. 1. W.

Chains.	
	N. bet. secs. 16 & 17
	Var. 14° 08' E.
	Through dense cedar
40.00	Set a malhais stone
	18 x 12 x 10 ins., 12 ins. in
	the ground, for 1/4 sec. cor.
	marked 1/4 on W. face, &
	raised a mound of
	stone alongside, from
	which a Pinon 8 ins. dia.,
	bears N. 48° E. 37 links
	marked 1/4 S., B., P.,
	A cedar 12 ins. dia., bears
	S. 13° W. 12 links
	marked 1/4 S., B., P.,
80.00	Set a malhais stone
	12 x 12 x 10 ins., 8 ins. in
	the ground for cor to
	secs. 8, 9, 16 & 17, marked

T. 23. N. R. 1. W.

Chains.

with 4 notches on S & E edges, & raised a mound of stone alongside. from which a cedar 10 ins. dia. brs. N. 60° E. 44 lks. marked T. 23. N. R. 1. W. S. 9, B. T. A cedar 9 ins. dia. brs. S. 13° E. 20 lks. marked T. 23. N. R. 1. W. S. 16, B. T. A cedar 12 ins. dia. brs. S. 45° W. 98 lks. marked T. 23. N. R. 1. W. S. 17, B. T. A cedar 12 ins. dia. brs. N. 80° W. 118 links, marked T. 23 N. R. 1. W. S. 8, B. T. Surface rolling - Soil 3rd rate

Grass good
Never Cedar

12

T. 23. N. R. 1. W.

Chains.	
	E. on random line brt trees. 9 & 16, Var. 14° 05' E, through dense cedar
44.00	Set temporary 1/4 sec. cor.
71.14	Dry wash 40 lks. wide course N.
79.64	Intersect N. & S. line 18 lks. S. of cor. to sec. 9, 10, 15 & 16,
	thence I run S. 89° 52' W. on true line brt. trees, 9, & 16, Var. 14° 05' E,
39.82	Set a mahogany stone 12 x 7 x 7 ins., 8 ins. in the ground for 1/4 sec. cor, marked 1/4 on N. face & raised a mound

T. 23, N. R. 1, W.

chains.

of Town alongside
from which
a cedar 14 ins. dia. brs. N. 40°
E. 65 lks. marked + S. B. C.
a cedar 9 in. dia. brs. S. 70°
W. 12 lks. marked + S. B. C.
79.64 Cor. to secs 8. 9. 16 & 17.
Surface rolling
Soil 3rd rate
Grass good
Mixed Cedar

N. bet. secs. 8 & 9.
Var. 14° 05' E.
38.12 Dry wash 10 lks. wide
course N. W.
40.00 Set a maltair stone
17x16x5 ins. 11 ins. in
the ground for 1/4 sec. cor.

T. 23. N. R. 1. W.

Chains,

marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 10 ins. dia. brs. N. 65° W. marked 1/4 S. B. T.
A cedar 6 ins. dia. brs. S. 10° W. 45 lks. marked 1/4 S. B. T.

80.00 Set a Malhais stone 15 x 10 x 5 ins. 10 ins. in the ground for cor. to secs. 4, 5, 8 & 9, marked with 5 notches on S. & 4 notches on E. edges, & raised a mound of stone alongside, from which
A cedar 15 ins. dia. brs.

T. 23 N. R. 1 W.

Chains.

N. 10° E. 18 lks. marked
T. 23. N. R. 1. W. S. 4. B. T.
A cedar 5 ins. dia. brs. S.
45° E. 20 lks. marked
T. 23. N. R. 1. W. S. 9. B. T.
A cedar 14 ins. dia. brs. S.
15° W. 87 lks. marked
T. 23. N. R. 1. W. S. 8. B. T.
A cedar 8 ins. dia. brs. N.
85° W. 12 lks. marked
T. 23. N. R. 1. W. S. 5. B. T.

Surface rolling
Soil 3rd rate
Grass good
Some Cedar

E. on random line
bet. secs. 4 & 9,
Var. 14° 05' E.

T. 23. N. R. 1. W.

Chains.	
40.00	Set temporary 1/4 sec. cor,
51.20	Dry wash 40 lks. wide course N.
79.82	Intersect N. & S. line 46 lks. S. of cor. to secs. 3, 4, 9. & 10, thence I run S. 89° 40' W. on true line bet. secs. 4 & 9, Var. 14° 05' E.
39.91	Set a mahogany stone 18 x 12 x 5 ins., 12 ins. in the ground for 1/4 sec. cor, marked 1/4 on N. face, & raised a mound of stone alongside from which a cedar 6 ins. dia. brs. N. 45° E. 35 lks. marked

T. 23 N. R. 1 W.

chains,

1/4 S. B. T.
Cedar 7 ins. dia. brs.
S. 10° W. 85 links.
marked 1/4 S. B. T.

79.82 cor. to secs. 4. 5. 8. & 9.
Surface rolling
Soil 3rd rate
Grass Good
Trees Cedar

N. on random line
bet. secs. 4 & 5,
Var. 14° 05' E.

40.00 Set temporary 1/4 sec. cor.
80.16 Intersect N. bdy of Tp.
44 lks. E. of cor. to secs.
4. 5. 32. & 33. previously
established by me,
thence N. run

T. 23 N. R. 1. W.

Chains.

S. 0° 19' E. on true line
bet. secs. 4, & 5;
Var. 14° 05' E.

40,16 Set a sandstone 12 x 12
x 6 ins, 8 ins. in the ground
for 1/4 sec. cor. marked 1/4 on
W. face, & raised a mound
of stone alongside, from
which a cedar 9 ins. dia.
brs. N. 30° E. 12 lks. marked
1/4 S. B. T.
A cedar 10 ins. dia. brs. S. 65° W.
36 lks. marked 1/4 S. B. T.

80,16 Cor. to secs. 4, 5, 8, & 9.
Surface rolling
Rock 3rd rate
Grass good

T. 23 N. R. 1. W.

chains.

Then returning to cor.
to secs. 5, 6, 31 & 32, on
S. bdy of Tp. previously
established by me,
From N. bet. secs. 31 & 32,
Var. 14° 05' E.

40.00 Set a malpais stone,
15 x 8 x 8 ins. 10 ins. in the
ground for 1/4 sec. cor.
marked 1/4 on W. face
& raised a mound
of stone alongside.
from which a cedar
18 ins. dia. brs. N. 10° E.
19 lks. marked 1/4 S. B. T.
A cedar 8 ins. dia. brs. S.
27° E. 39 lks. marked 1/4 S. B. T.

71.10 Dry wash 20 lks. wide
Course W.

T. 23. N. R. 1. W.

Chains

80,00 Set a malhain stone 14 x 10 x 9 ins. 9 ins. in the ground for cor. to secs. 29, 30, 31 & 32, marked with one notch on S. & 5 notches on E. edges & raised a mound of stone alongside, from which a cedar 10 ins. dia. brs. N. 18° E. 64 lks. marked T. 23. N. R. 1. W. S. 29. B. T. A cedar 9 ins. dia. brs. S. 15° E. 40 links, marked T. 23 N. R. 1. W. S. 32. B. T. A cedar 9 ins. dia. brs. S. 80° W. 48 lks. marked T. 23 N. R. 1 W. S. 31 B. T. A cedar 14 ins. dia. brs.

T. 23. N. R. 1. W.

Chains

N. 20° W, 12 lks. marked
T, 23, N, R, 1, W, S, 30, B, 9,
Surface mountainous
Soil 3rd rate
Grass good
Trees Cedar

E. on random line
bet. secs. 29. & 32,
Var. 14° 05' E.
through trees Cedar
40.00 Set temporary 1/4 sec. cor,
79.38 Witness-N, W & S, line
36 lks. S. of cor. to secs.
28, 29, 32, & 33,
Thence N run
S 89° 45 W. on true line
bet. secs. 29 & 32,
Var. 14° 05' E.

T. 23, N., R. 1, W.

Chains	
39,69	Set a malpais stone 12x12x10 ins, 8 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face & raised a mound of stone alongside, from which a cedar 12 ins. dia., brs. S., 15° W. 25 lks., marked T4S, B.T. A cedar 10 ins. dia., brs. N., 27° W. 37 lks., marked 1/4 S, B.T.
79,38	Cor. to secs. 29, 30, 31 & 32 Surface rolling Soil 3rd rate Grass good Some cedar

W. on random line bet. secs. 30 & 31

T. 23, N., R. 1, W.

chains.

Var. 14° 05' E
through dense cedar brush
4,000 Set temporary 1/4 sec. cor.
19.34 between W. by of Th. 24
lks, N. of cor. to secs.
25, 30, 31 & 36, previously
established by me.
Thence I run
N. 89° 50' E. on true line
bet. secs. 30 & 31.
Var. 14° 05' E.
39.34 Set a walnut stone
10 x 10 x 6 ins. 6 ins. in the
ground for 1/4 sec. cor.
marked 1/4 on N. face
& raised a mound
of stone alongside,
from which a cedar
12 ins. dia. brs. N. 10° E.,

T. 23 N. R. 1 W.

chains.

35 lks. marked 1/4 S. B. T.
Cedar 6 ins. dia. brs. S. 50° W.
75 lks. marked 1/4 S. B. T.
79.34 Cor. to secs. 29, 30, 31 & 32,
Surface rolling
Soil 3rd rate
Grass good
Open Cedar

N. bet. secs. 29 & 30
Var. 14° 05' E.
40.00 Set a mahogany stone
18 x 10 x 10 ins., 12 ins. in
the ground for 1/4 sec. cor.
marked 1/4 on W. face
& raised a mound
of stone alongside,
from which a cedar
6 ins. dia. brs. N. 18° E.

T. 23 N. R. 1 W.

chains,

84 lks, marked 1/4 S, B.T.,
A cedar 14 ins, dia, brs, S, 15° E,
16 lks, marked 1/4, S, B.T.,
Set a malhais stone
15 x 12 x 6 ins, 10 ins, in
the ground for cor. to
secs, 19, 20, 29, & 30, marked
with 2 notches on S. &
5 notches on E. edges, &
raised a mound
of stone alongside
from which a cedar
18 ins, dia, brs, N, 10° E,
47 links, marked
T. 23, N, R, 1, W, S, 20 B.T.,
A cedar, 12 ins, dia, brs,
S, 58° E, 82 lks, marked
T. 23 N, R, 1 W, S, 29, B.T.
A cedar 16 ins, dia, brs,

80.00

T. 23 N., R. 1, W.

chains

S. 10° W., 117 lks. marked
T. 23 N., R. 1, W., S. 30, B. C.
A cedar 18 ins. dia. bears N.
58° W., 88 lks. marked
T. 23 N., R. 1, W., S. 19, B. C.,
Surface rolling
Soil 3rd rate
Heavy cedar

E. on random line
bet. secs. 20 & 29
Var. 14° 05' E.
through dense underbrush
40.00 Set temporary 1/4 sec. cor.
79.48 Intersect N. & S. line
18 lks. S. of cor. to secs.
20, 21, 28 & 29,
thence S run
S. 89° 52' W. on true line

T. 23 N. R. 1 W.

Chains.

brl. recs 20 x 29,
var. 14° 05' E.

39.74 Set a malpais stone 17 x 10 x 6 ins., 11 ins. in the ground for 1/4 sec. cor., marked 1/4 on N. face & raised a mound of stone alongside from which a cedar 9 ins. dia. brs. N. 20° W. 18 lks. marked 1/4 S. B. T. A cedar 18 ins. dia. brs. S. 5° E. 48 lks. marked 1/4 S. B. T.

79.48 Cor. to secs. 19, 20, 29, & 30
Surface rolling
Soil 3rd rate
Grass Good
Boundary Cedar.

T. 23. N., R. 1. W.

chains.	
	W, on random line brt. recs. 19 & 30, Var. 14° 05' E, through dense oak brush
40.00	Set temporary 1/4 sec. cor.
79.28	Intersect - W. by of Th. 60 lks. N. of Cor, to recs. 19, 24, 25 & 30, previously established by me, Thence I run N. 89° 34' E, on true line brt. recs. 19 & 30, Var. 14° 05' E,
39.28	Set a sandstone 14x10 x6 ins, 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face, & raised a mound of stone alongside, from which

T. 23 N., R. 1 W.

chains.

cedar 9 ins. dia., brs. N. 10° E.
96 lks. marked 1/4 S, B, C,
A cedar 12 ins. dia., brs.
S. 56° E. 47 lks. marked 1/4. S. B. T.
79.28 cor. to secs. 19, 20, 29, & 30.
Surface rolling
Soil 3rd rate
Grass good
~~Deciduous and Oak~~
N. bet. secs. 19 & 20,
Var. 14° 05' E.
Through dense cedar
28.17 Dry wash 18 lks. wide
course S. W.
40.00 Set a sandstone 18x
16x 5 ins., 12 ins. in the
ground for 1/4 sec. cor.
marked 1/4 on W. face &
raised a mound of

T. 23 N. R. 1. W.

Chains.

stone alongside, from which a cedar 19 ins. dia., brs. N. 90° W. 19 lks. marked 1/4, S, B. T. A cedar 12 ins. dia., brs. S. 15° E. 60 lks. marked 1/4, S, B. T.

80.00 Set a sandstone 17 x 16 x 8 ins, 11 ins. in the ground for cor. to secs. 17, 18, 19 & 20, marked with 3 notches on S. & 5 notches on E. edges & raised a mound of stone alongside from which a cedar 10 ins. dia., brs. N. 15° E. 32 lks. marked T. 23. N. R. 1. W. S. 17. B. T. A cedar 9 ins. dia., brs. S. 60 E. 29 lks. marked T. 23. N. R. 1. W. S. 20. B. T.

T. 23 N. R. 1. W.

Chain.

Cedar 6 ins. dia. brs. S. 55° W. 64 lks. marked T. 23. N. R. 1. W. S. 19. B. T.

Cedar 7 ins. dia. brs. N. 75° W. 11 lks. marked T. 23. N. R. 1. W. S. 18. B. T.

Surface rolling
Soil 3rd rate
Grass good
Newer Cedar

E. on random line bet. secs. 17 & 20, Var. 14° 05' E. Through dense Cedar

40.00 Set temporary 1/4 sec. cor.

79.92 Intersect - N. & S. line 28 lks. S. of cor. to secs. 16, 17, 20 & 21.

92

BOOK 1080

T. 23 N. R. 1. W.

Chains.	
	Thence I run
	S. 89° 48' W. on true line
	brt. res, 17 & 20
	bar. 14° 05' E.
39.96	Set a sandstone 16x10
	x7 ins, 11 ins. in the
	ground for 1/4 sec. cor.
	marked 1/4 on N. face &
	raised a mound of
	stone alongside, from
	which a cedar 12 ins.
	dia. brs. N. 42° E. 78 links
	marked 1/4 S, B, T,
	A cedar 8 ins. dia. S. 83° W.
	68 lks. marked 1/4 S, B, T,
79.92	Cor. to secs. 17, 18, 19 & 20
	Surface mountainous
	Soil 3rd rate
	Mesa cedar - grass fair

T. 23 N. R. 1. W.

chains.

W. on random line
bet. secs. 18. & 19.
var. 14° 05' E.
40.00 set temporary ¼ sec. cor.
79.16 Intersect W. bdy of T. 18
lks. S. of cor. to secs. 13. 18
19 & 24. previously esta-
blished by me.
Thence I run
S. 89° 52' E. on true line
bet. secs. 18 & 19.
var. 14° 05' E.
39.16 Set a sandstone 14 x 11
x 7 ins. 9 ins. in the
ground for ¼ sec. cor.
marked ¼ on N. face &
raised a mound of
stone alongside, from
which a cedar 7 ins. dia.

T. 23 N. R. 1. W.

Chains.	
	frs. S. 68° E. 74 links marked 1/4. S, B. T, a cedar 11 ins. dia. frs. S, 84° W. 62 lks. marked 1/4 S, B. T,
79.16	cor. to secs. 17, 18, 19 & 20 Surface Mountainous Soil 3rd rate Dense Cedar Flood Grass
	N. bet. secs. 17 & 18, Var. 14° 05' E,
38.60	Dry wash 12 lks. wide Course S, W,
40.00	Set a sandstone 14 x 10 x 8 ins, 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a mound of

T. 23 N., R. 1 W.

chains.

Stone alongside, from which a cedar 11 ins. dia. brs. E. 110 links, marked 1/4 S, 13 T.
A cedar 14 ins. dia. brs. S. 89° W. 60 lks. marked 1/4 S, 13 T.
80.00 Set a sandstone 17 x 11 x 8 ins., 11 ins. in the ground for cor. to secs. 7, 8, 17 & 18, marked with 4 notches on S. & 5 notches on E. edges, & raised a mound of stone alongside, from which a cedar 6 ins. dia. brs. N. 38° E. 47 lks. marked T. 23 N., R. 1 W. S. 8, B. T.
A cedar 7 ins. dia. brs. S. 61° E. 84 lks. marked T. 23 N., R. 1 W. S. 17, B. T.

96 BOOK 1080

T. 23 N. R. 1. W.

Chains.

A cedar 14 ins. dia. brs.
S. 42° W. 85 lks. marked
T. 23 N. R. 1. W. S. 18. B. T.
A cedar 10 ins. dia. brs
N. 38° W. 62 lks. marked
T. 23 N. R. 1. W. S. 7. B. T.
Surface rolling
Soil 3rd rate
Mixed Cedar
Grass fair

E. on random line
bet. secs. 8 & 17,
Var. 14° 05' E.

40.00 Set temporary ¼ sec. cor.
79.94 Intersect N. & S. line
32 lks. S. of cor. to secs.
8. 9. 16 & 17
Thence N run

T. 23 N., R. 1. W.,

Chains.

S. 89° 46' W. on true line
Brt. trees, 8, & 17,
Var. 14° 05' E.

39.97 Set a sandstone 17x10x5
ins, 11 ins. in the ground
for 1/4 sec. cor, marked
1/4 on N. face, & raised
a mound of stone
alongside, from which
a cedar 8 ins. dia. brs N. 28°
W. 68 lks, marked 1/4 S, B.T.
No other trees within limits

79.94 cor. to secs. 7, 8, 17, & 18,
Surface rolling
Soil 3rd rate
Mixed Cedar
Grass land

W. on random line

T. 23. N. R. 1. W.

Chains.

Frt. secs. 7, & 18,
Var. 14° 05' E

40.00 Set Temporary ¼ sec. cor.
79.08 Intersect W. bdy of Pk. 18. lks. S. of cor. to secs 7, 12, 13, & 18, previously established by me, thence I run S. 89° 52' E. on true line frt. secs. 7, & 18,
Var. 14° 05' E.

39.08 Set a sandstone 12x8x 7 ins, 8 ins. in the ground for ¼ sec. cor, marked ¼ on N. face, & raised a mound of stone alongside, from which a cedar 4 ins. dia. brs. S. 63° E.

T. 23, N., R. 1, W.

Chains.

68 lks. marked 1/4 S, B. T,
A cedar 12 ins. dia. bs N. 84°
W. 108 lks. marked 1/4 S, B. T,
79.08 Cor. to Secs. 7, 8, 17 & 18,
Surface rolling
Soil 3rd rate
Mixed cedar
Good grass,

N. bet. Secs. 7, & 8,
Var. 14° 05' E.
40.00 Set a sandstone 12 x
10 x 8 ins., 8 ins. in the
ground for 1/4 Sec. Cor.
Marked 1/4 on W. face
& raised a mound of
stones alongside, from
which a cedar 8 ins. dia., bs N.
54 lks, marked 1/4 S, B. T,

J 60 BOOK 1080.

T. 23 N. R. 1. W.

Chains.

No other trees within limits

$0.00 Set a sandstone 18 x 10 x 5 ins. 12 ins. in the ground for cor. to secs. 5, 6, 7 & 8, marked with 5 notches on S. & E. edges & raised a mound of stone alongside, from which

A cedar 5 ins. dia. brs. N. 41° E. 83 lks. marked T. 23. N. R. 1. W. S. 5. B. T.

A cedar 12 ins. brs. S. 61° E. 41 links, marked T. 23. N. R. 1. W. S. 8. B. T.

A cedar 8 ins. dia. brs. S. 14° W. 68 lks. marked T. 23 N. R. 1 W. S. 7. B. T.

No other trees within limits.

Surface rolling

S. 23, N. R. 1. W.

Chains

Soil 2nd rate
Dense Cedar
Grass fair

E. on random line
bet. secs. 5, 8, 8,
Var. 14° 05' E.
40.00 Set temporary ¼ sec. cor.
80.04 Intersect N. & S. line
21 lks. S. of cor. to secs.
4, 5, 8, & 9,
thence I run
S. 89° 51' W. on true line
bet. secs. 5 & 8,
Var. 14° 05' E.
40.02 Set a sandstone 17 x 10
x 4 ins. 11 ins. in the
ground for ¼ sec. cor.
marked ¼ on N. face.

T. 23. N., R. 1, W.

Chains.	
	* raised a mound of stone alongside, from which a cedar 14 ins. dia., brs. N. 68° E. 74 lks. marked 1/4 S. B. T.
"	Cedar 8 ins. dia., brs. S. 16° W.
"	67 lks. marked 1/4, S. B. T.
80.04	Cor. to secs. 5, 6, 7 & 8, Surface rolling Soil 3rd rate Some Cedar Grass fair
	W. on random line bet. secs. 6 & 7, Var. 14° 03' E.
40.00	Set temporary 1/4 sec. cor.
79.12	Intersect W. bdy. of Sh. 18 lks. S. of cor. to secs

T. 23, N., R. 1, W.

thence

1, 6, 7, & 12, previously
established by me,
thence I run
S. 89° 52' E. on true line
bet. secs. 6, & 7,
Dist. 14° 05' E.,
39.12 set a sandstone 12 x 11 x
4 ins, 8 ins, in the ground
for 1/4 sec. cor, marked
1/4 on N. face, & raised
a mound of stone along-
side, from which
a cedar 8 ins. dia, brs. S, 14° E.,
8 lks, marked 1/4 S, B, T,
a cedar 5 ins. dia, brs. N, 11° W.,
104 lks, marked 1/4 S, B, T,
79.12 cor, to secs. 5, 6, 7, & 8,
Surface rolling
Soil 3rd rate

T. 2-3. N., R. 1. W.

Chains.	
	House Cedar Grass fair
	N., on random line bet. secs. 5, & 6. Var. 14° 05' E.,
38.00	Dry wash, course N.W.,
40.00	Set temporary ¼ sec. cor
80.08	Intersect - N. bdy of Sh.
	17 lks. W. of cor. to secs.
	5, 6, 31 & 32, previously
	established by me,
	thence I run
	S. 0° 07' W. on true line
	bet. secs. 5, & 6.
	Var. 14° 05' E.,
40.08	Set a sandstone 14 x
	11 x 5 ins., 9 ins. in the
	ground for ¼ sec. cor.,

T. 23. N. R. 1. W.

Chains.

Marked 1/4 on W. face & raised a mound of stone alongside, from which a cedar 10 ins. dia. brs. S. 78° E. 67 lks. marked 1/4 S. B. T.

A cedar 8 ins. dia. brs. S. 81° W. 84 lks. marked 1/4 S. B. T.

80.08 Cor. to secs. 5, 6, 7 & 8.

Surface rolling

Soil 3rd rate

Timber Cedar

Grass fair

Examined & carefully tested instrument & solar apparatus today & found them correct.

T. 23, N., R. 1, W.

General Description

The surface of this township is rolling, in a few places mountainous, & broken, with numerous dry washes. The soil is mostly 3rd rate. It is densely timbered with cedar, & there is much underbrush of the same character. The grass is good on all parts of the township.

For final oaths see
last book (No 28)
of survey. —

108

BOOK 1080

U. S. Surveyor General's Office,

Tucson, Arizona, July 13. 1884

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 20 North
Range 1 West

Of the Gila and Salt River Base and Meridian, Arizona, executed by J. J. Smith Deputy Surveyor, under his contract of the 24th day of July, 1883, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Royal A Johnson
Surveyor General.