

9.

10x

1081

BOOK 1081

No. 1081

4-671

BOOK 1081

FIELD NOTES
GENERAL LAND OFFICE.

Subdivisions

of

T20N R 9W

Township 20 N R. 9 W

7

6	81	5	4	3	2	1
79		77				
7	76	8	9	10	11	12
75		74				
18	73	17	16	15	14	13
72		71				
19	69	20	21	22	23	24
68		67				
30	66	29	28	27	26	25
31		32	33	34	35	36

Subdivisions

Chains N. $0^{\circ}3'W$. lat sec 29^{and} 30

Or $14^{\circ}53'E$

160.0 descent into Cañon bro S. W

30.00 bottom and ascent course S. W.

40.00 Set a Granite stone $15 \times 12 \times 10$ ins 10 ins
in the ground for $\frac{1}{4}$ sec. or marked $\frac{1}{4}$
on W face and raised a mound of stone
 $\frac{1}{2}$ ft high 2 ft base along side. Pits
unpracticable.

64.45 top

80.00 Set a Volcanic stone $12 \times 12 \times 8$ ins 8 ins in
the ground for cor to sec 19-20-29^{and} 30
marked with 2 notches on S, ^{and}
5 notches on E. edges and raised a
mound of stone $\frac{1}{2}$ ft high 2 ft
base along side. Pits unpracticable.
Land Broken ^{3/4} mountainous 48.45 sec.
Soil + the rate

Up 20 N. & 9 West.

Change Timber scattering cedar
 Mountainous land 48.45 chs

N 89° 43' E on a random line bet pces 20^{and 29}
 Va 14° 52' E.

40.00 Set temporary 1/4 sec cor.

79.98 Intersect N^{and S} line 18 lks N of
 cor to pces 20-21-28^{and 29} as herein
 before described.

Thence I run

S 89° 51' W on a true line bet pces 20^{and 29}

Va 14° 52' E

Sevend.
 Bottom of canon bro S. W. and ascent

39.99 set a post 3 ft long 3 ins square
 with marked stone 2 ins in the
 ground for 1/4 sec. cor marked 1/4 S
 on N face, 5 in pits 18 x 18 x 12 ins
 E. and W of post 5 1/2 ft. 5 in. ^{and} raised
 a mound of earth 1/2 ft high 3 1/2
 ft base around post.

48.00 Top

79.98 The cor. to pces 19-20-29^{and 30}

Subdivisions

Chain Land Rolling ^{to} mountainous 31.00 chs

Soil 3rd rate

Timber scattering cedar

Mountainous land 31.00 chs

June 18, 1893

N 89° 57' W on a true line ht sees 19 ^{and} 30

Va 14° 54' E.

40.00 Set temporary 1/4 sec. cr.

78.50 Intersect W boundary of township
at cor to sec. 19-24-25 ^{and} 30 as here-
in before described.

Thence run

S 89° 57' E on a true line ht sees 19 ^{and} 30.

Va 14° 54' E

Through ^{brush} dense undergrowth

15.98 Wire Fence. W. 30° N

38.50 Set a Granite stone 15 x 10 x 5 ins in
in the ground for 1/4 sec. cr. marked 1/4
on N face ^{and} raised a mound of stone
1/2 ft high 2 ft base along side.

Sp 30 N. E. 9 West

chains Pits impracticable

78.50 the cor. to secs. 19-20-29^{and} 30

Land Rolling

Soil 3rd^{and} 4th rate

78.00 the dense Juniper brush
undergrowth

N. 0° 3' W. by secs. 19^{and} 20

Ca. 14° 56' E.

38.50 ascend ridge

40.00 Set a Volcanic stone 18 x 12 x 7 ins
in the ground for 1/4 sec. cor. marked
on W. face and raised a mound of stone
1/2 ft high 2 ft base alongside. Pits
impracticable

46.00 top by N.E. ^{brush} and Euler dense undergrowth

55.66 Juniper tree 13 in diam on line

80.00 Set a post 4 ft long 4 ins square
with marked stone 13 ins in the
ground for cor. to secs 17-18-19^{and} 20

Subdivisions

Chains marked

T. 20 N., S. 17, on N.E.

R. 9 W. S. 20 on S.E.

S. 19 on S.W., and

S. 18 on N.W. faces with 3 notches on
S and 5 notches on E. edges, from which
A. Cedar 6 ins diam br. N. 35° E. 7 lks. S. 17
marked T. 20 N. R. 9 W. S. 17 B.T.

A. Cedar 30 ins diam br. N. 30 W. 5 lks
S. 18 marked T. 20 N. R. 9 W. S. 18 B.T.

No other trees within limits.

Land mountainous

Soil 3rd and 4th rate

Timber 34 ch. ^{dense} Juniper ^{and} Cedar ^{undergrowth}
mountainous land - dense under-
growth 4150 chs

N. 89° 51' E. on a random line to trees 17 ^{and 20}

Va 14° 54' E.

40.00 Set temporary 1/4 sec. cr

79.98 Intersect N. and S. line 8 lks N. of cor to

Apr 30 R. L. West.

Chains, secs. 16-17-20 ^{and 31} as herein before de-
scribed.

Thence I run

S 89° 54' W on a true line to sec 17 ^{and 30}

Va. 14° 54' E

Through ~~dense~~ ^{Timber} ~~under~~ growth

55.30 descend into gulch or Ky.

30.00 bottom ^{and} ascent

34.00 top

39.98 Set a Volcanic stone 18x18x6 ins in ^{the} ground for ⁴ sec or marked ^{1/4} on N face
^{and} raised, a mound of stone 1 1/2 ft high
2 ft base alongside. Pits unpracti-
cable.

79.98 The cor to secs 17-18-19 ^{and 20}

Land Broken 8.70 chs

Soil 3rd ^{and} 4th rate

79.98 chs ^{dense} juniper ^{and} Cedar ^{Bush} ~~under~~
growth

Subdivisions

Chains N 89° 57' W on a random line to p. 15 ^{and 19}
 Va 14° 52' E

40.00 Set temporary 1/4 sec. cor.

78.30 Intersect W. boundary of same line
 ✓ 5 lks N of cor to p. 13-15-19 ^{and 24} as
 herein before described

Thence S. and

S 89° 59' E on a true line to p. 15 ^{and 19}
 Va 14° 52' E

^{timber}
 dense undergrowth

38.30 Set a Volcanic stone 12 x 10 x 8 in on
 the ground for 1/4 sec. cor. marked 1/4 in
 N face, dug pits 18 x 18 x 15 in E ^{and} W of
 stone 5 1/2 ft S. ^{and} raised a mound
 of earth 1 1/2 ft high 3/4 ft base along line

78.30 The cor. to p. 17-18-19 ^{and 20}

Land Rolling

Soil 2nd ^{and 3rd} rate

78.30 chs ^{timber} dense undergrowth

June 19, 1893

P. 20 N. S. 9 West.

chains N. 0° 3' W lat pccs 17^{and 18}.

Va. 14° 54' E.

through dense ^{brush} undergrowth

30.15 Road from Prescott to Backsburg No. 6 and W

have set a Post 2 ft long 3 ins square with
marked stone 12 ins in the ground for

pt. sec. or marked for line W face ^{and dug}

pile 18 x 18 x 12 ins N^{and S} of stone ^{Post} 5 1/2 ft

dist. ^{and raised} a mound of earth 1/2 ft
high 3 1/2 ft base along side from which

R. Cedar 36 ins diam bears N. 88° E 24 lks

dist. marked 1/4 S. B. T. No other tree within limits.

80.00 Set a post 4 ft long 4 ins square with

marked stone 12 ins in the ground

for cor to pccs 7-8-17^{and 18} marked.

T 30 N. S. 8 on N. E.

R. 9 W. S. 17 on N. E.

S. 18 on S. W. and

S. 7 on N. W. faces, with 4 notches on S

Subdivisions

Chains and 5 notches on E edges, long pile
 18x18x12 ins in each sec. 5 ft. high,
 and raised a mound of earth 2 ft high
 4 ft. base around foot.

Land Rolling

Soil 2nd and 3rd rate

~~Scase~~ Rocky juniper and Cedar ^{timber} under-
 growth

N 89° 54' E on a random line bet sec 8^{and} 17

Na 14° 55' E.

40.00 Set temporary 1/4 sec cr.

80.03 In tract N^{and} line 4 lks N of cor.
 to sec. 8-9-16^{and} 17 as herein before
 described

Thence S 90°

S 89° 56' W on a true line bet sec 8^{and} 17

Na 14° 55' E.

Through timber

35.00 Wash 1 ch N 1/2 E to N 1/2

P. 30 R. 9 West

#0.01 Set a limestone 18x12x8 ins 12 ins in the ground for a sec. cor marked $\frac{1}{4}$ on W face and raised a mound of stone $\frac{1}{2}$ ft high at base along side. Pits, in-
practicable.

#0.02 The cor to sec. 7-8-17 ^{and 18}

Lat Rolling

Soil 2nd and 3rd rate

#0.03 ch ^{since} juniper ^{and Cedar} ^{Brush} ~~under~~
growth

$789^{\circ}59'W$ on a random line bet sec. 18 ^{and}

$14^{\circ}53'E$

#0.00 Set temporary $\frac{1}{4}$ sec. cor.

#0.16 Intersect W boundary of township 10

bet of cor to sec. 7-12-13 ^{and 18} as herein be-

fore described

Thence S run

$789^{\circ}57'E$ on a true line bet sec. 7 ^{and 18}

$14^{\circ}53'E$.

Subdivisions

Chains Through ~~dense~~ ^{brush} undergrowth

38.16 Set a lime stone 12x10x6 ins in the ground for 1/4 sec. cor. marked to on N face and dug pits 18x18x12 ins N and W of stone 5 1/2 ft dia, and raised a mound of earth 1/2 ft high 3 1/2 ft base along side.

38.16 The cor to sec. - 8-17 ^{cut}

Land Rolling

Soil 2nd and 3rd rate

38.16 also dense Juniper ^{brush} undergrowth.

N. 0° 3' W 1/2 sec. 7 ^{cut} 8.

N. 4° 5' E

Through scattering timber

40.00 Set a lime stone 12x12x8 ins in the ground for 1/4 sec. cor. marked 1/4 on W face and dug pits 18x18x12 ins N and S of stone 5 1/2 ft dia, and raised a mound of earth 1/2 ft high 3 1/2 ft base along -

Q. 20 N. R. 7 West.

Chain site.

80.00 Set a Granite stone 18x12x7 ins 13 ins on
the ground for cor to sec 5-6-7^{and} 8.
marked with 5 notches on S. and E.
edges. and raised a mound of stone 6
ft high 2 ft base along side. Pits
impracticable.

Land Rolling

Soil 2nd and 3rd rate

so also scattering Juniper.

June 20, 1893

N 89° 56' E on a random line bet sec 5^{and} 8

N 14° 53' E.

40.00 Set a temporary 1/4 sec cr.

80.00 Intersect N^{and} S line 3 lks S of cor
to sec. 4-5-8^{and} 9 as herein before de-
scribed

Thence S. 1/4 sec.

S 89° 55' W on a true line bet sec 5^{and} 8

Subdivisions

Chains Va. $14^{\circ} 53' E$ from mesa through brush
descend through dense undergrowth

28.00 bottom

30.00 ascent ridge

37.00 top br. Ky

38.00 descent

40.00 Set a sandstone, $20 \times 20 \times 5$ in. in the
ground for a corner marked 4 on K face ^{and}
raised a mound of stones of height 2 ft base
along edge. Pile impracticable.

41.00 bottom

42.00 ascent ridge

50.00 top br. Ky

53.00 descent

60.00 bottom ^{and} ascent ridge

75.00 top ^{and} descent br. Ky

80.00 The cor. to near 5-6-7 ^{and} 8.

Land mountainous rocks

Soil 4 thru rate.

Apr 30 N. L. West.

Chains 80 chs. ~~dense undergrowth~~
 Mountainous land - dense
 undergrowth 80 chs

S 89° 57' W on a random line bet secs 6^{and 7}
 Va. 14° 54' E.

40.00 Set temporary 1/4 sec cr

78.09 Intersect N boundary of township
 6 lks N of cor. to secs 1-6-7^{and 12} as here
 in before described.

Hence I run:

N 89° 55' E on a true line bet secs. 6^{and 7}
 Va. 14° 54' E.

recent sitge ^{timber growth} dense under

30.0 top br N.E.

32.00 descent

38.09 Set a Lime stone 18 x 10 x 5 ins. 12 ins into
 ground for 1/4 sec cr. marked 1/4 on face
^{and} raised a mound of stone 1/2 ft high 2 ft
 face along side a pile impracticable.

40.00 bottom

Subdivisions

- 75.00 ascent very gradually.
- 78.09 The cor. to sec. 5-6-7^{and} 8
 Last mountainous 43.09 chs
 Soil 3.15^{and} 4th rate
 78.09 ch Dense undergrowth
 Mountainous land w dense under-
 growth 78.09 chs
-
- N. 0° 3' W. 1/2 sec. 5^{and} 6
 N. 14° 52' E.
 ascent through dense ^{brush} undergrowth
- 9.00 top of ridge br. N.E. ^{and} descent
- 20.00 bottom ^{and} ascent ridge
- 31.00 top ^{and} descent br. N.E.
- 40.00 Set a Volcanic stone 12 x 8 x 4 in or 8 in
 in the ground for 1/4 sec. marked
 on N face ^{and} raised a mound of about 1/2
 ft high 2 ft base along N.E. side, in-
 practicable.
- 54.00 bottom
- 58.00 along spur of Cor. 7th.

Up 30 N. 9 West.

74.00 Intersect the 5th standard parallel
north at a point 31.90 chs. $78^{\circ} 16' E$.
of the standard cor to sec 31^{and} 32. T 31
N. R. 9 W. at which point I set a limestone
12x12x10 ins ^{ground} in the ~~hole~~ marked
C. C. on S and 5 notches on E. ^{and} notch
on W face. ^{and} raised a mound of
stone 6 1/2 ft high 2 ft base along site.
Pite impracticable.

Land mountainous 70 chs

Soil 4th rate

74 chs Dense Juniper ^{brush} undergrowth
Mountainous land - dense
undergrowth 74 chs June 21. 1893.

~~24 chs and 30 Ws
33 miles₁ of the subdividing
lines run over mountain
land or dense under-
growth.~~

General Description

The N. W portion of this township is covered with low hills, and a spur of Cross Mt. The remainder of this township is mostly composed of level and table lands. Several canons head in this township. There is considerable timber and brush undergrowth. No settlers had up to the date of survey settled in any portion.

Philip Contzer

U. S. Dep. Surveyor.

No. 1081

BOOK 1081

84

U. S. Surveyor-General's Office,

TUCSON, A. T., August 9, 1895-

The foregoing Field Notes of the Surveys of
the Subdivision lines
of Township No 20
North Range 9 West
of the Gila and Salt River Meridian
in Arizona executed by
Philip Contzen,
U. S. Deputy Surveyor, under his contract dated
February 10th 1893
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

Geo. W. Manning

U. S. Surveyor-General
for the Territory of Arizona.