

6.

BOOK 1082

1082

No. 1082

BOOK 1082

4-671

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

Tp 20 N. R 10 W.

Field Notes
of the survey of
Subdivisions

Township No. 20 North, Range, No. 12 West

of the
Gila and Salt River Basins and Indian

in the
Territory of Arizona

Philip Cortzen

U. S. Deputy Surveyor

Under contract No. 27

Dated July 11, 1893

Survey commenced May 21, 1893

Survey completed May 31, 1893

Index for { BOOK 1082
BOOK 1083

(4-674)

Township 20 N R. 10 W

6	69	5	66	4	48	3	34	2	19	1
68		67		62		47		32		18
7		8		61		46		31		12
				59		44		30		15
18		17		58		42		29		14
				56		41		27		12
19		20		55		40		26		24
				54		38		25		9
30		29		53		37		23		26
				51		36		22		7
31		32		50		35		20		35
				33		34		20		6
				33		34		20		36

No. 1082

At the cor to pccs. 1 & 35^{and} 36 of pp
19^{and} 20 N. R. 10 West observe them
at its eastern elongation at
3.26 A.M. and find its magnetic
bearing to be N. 13° 19' W

North end of needle 13° 19' E.

The Azimuth of the table
in Manual is 1° 35'

The sum is the Variation 14° 51' E.

Play off the azimuth to the W. and
mark the true Meridian, so deter-
mined by driving a picket 3 chs
N of the corner.

At 7.15 A.M. May 31st. I find the mag-
netic bearing of the line established
last night to be N 14° 54' E^{and} By the
Table on Page 55 of the Manual the mean
declination is 14° 51' E.

Subdivisions

- Chains North $0^{\circ}1'W$ between 35^{and} 36.
 Va. $14^{\circ}54'E$
- 27.25 descend abruptly into Cañon
 33.00 bottom and ascend course West
 40.00 top and set a Volcanic stone
 $24 \times 24 \times 8$ ins, 16 ins in the ground
 for sec. cr. marked for W.
 face and raised a mound of stone
 $1\frac{1}{2}$ ft high, 2 ft. base along side
 Pits impracticable.
- 70.00 Enter Timber dense undergrowth
 80.00 Set a Volcanic stone $16 \times 2 \times 8$ ins
 12 ins in the ground for cor to
 sec. 25-26-35^{and} 36 marked
 with notch on S, and E. edges
 and raised a mound of stone
 $1\frac{1}{2}$ ft high 2 ft. base along
 side. Pits impracticable,
 from which

Ch. 20. N. R. 10 West.

Chain A Juniper 16 ins. Saw bears 40' E
100 lks dist. marked P. 20 N. R. 10 W.
S 36 B. T.

other trees not within limits.

Land Broken mountainous 12.75 chs

Soil 2ndnd and 3rdrd rate

10 chs Juniper Timber ^{and} dense ^{undergrowth}

Mountainous land and dense undergrowth
22.75 chs

East on a random line bet. sec. 25 ^{and 26}

Pa. 14° 54' E.

1158

40.00 Set temporary 1/4 sec cr.

80.04 Intersect E. boundary of township
7 lks. N. of cr. to sec. 25-30-31 ^{and 36}. ac
herein before described.

Thence thru

N. 89° 05' W. on a true line bet. sec. 25 ^{and 26}

Pa. 14° 54' E.

Thru Juniper Timber
dense undergrowth

40.02 Set a sand stone 36 x 24 x 5 in 2 pins

Subdivisions

Chains in the ground for $\frac{1}{4}$ sec. or marked with $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12 in. ^{East and W} of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base along side.

8004 The cor. to sec. 35-26-35 and 36.

Land Level

Soil 3 in. grade

8004 ^{Juniper timber} dense undergrowth

N. 0° 1' W. Sec. 25 and 26

Var. 14° 53' E.

7.00 ascend ridge and ^{dense} undergrowth

20.00 top br. West

45.00 Set a volcanic stone 18 x 15 x 6 in

12 in. in the ground for $\frac{1}{4}$ ^{Sec.} or marked $\frac{1}{4}$ on N. face and raised a mound of stone $1\frac{1}{2}$

Sp 20. N. R. 10 West.

chain 1/2 ft. high 2 ft. base along side. Pits impracticable.

50.00 descend into Cañon

51.00 bottom and ascend by West

52.00 top and ascend ridge

65.00 top of ridge by E. and W.

80.00 Set a Volcanic Stone 24 x 18 x 6.

ins. 16 ins in the ground for cor

sec's. to 23 24 25 and 26 marked

with 2 notches on S. and notch

on E. edges, and raised pyramond

of stone 1/2 ft. high 2 ft. base a-

longside. Pits impracticable.

Land Mountainous 73 chs

Soil, 3. ins. and 3. ins. rate.

73 chs oak brush and ^{stump} undergrowth.

Mountainous land and degree underground

73 chs. May 21. 1893

Sp 89° 57' E. an random line respect 24 and 55

Na. 14° 57' E.

Subdivisions

40.00 Set tem porary $\frac{1}{4}$ sec cr.

79.90 Intersect E. boundary of township
7-lks No of cor to secs 19-24-25 ^{and 30}
as herein before, described
thence 1 mi

N. 89° 54' W on a true line to secs 24-25
Thence 14° 54' E

39.95 Set a Volcanic stone 20 x 12 x 6 ins ¹⁴
in the ground for $\frac{1}{4}$ sec cr.
marked $\frac{1}{4}$ on N. face and raised
a mound of stone $\frac{1}{2}$ ft. high &
ft. base, alongside. Pits imprac-
ticable.

79.90 The cor to secs. 23-24-25 ^{and 26}
Land level
Soil 2nd rate
No Timber

N. 0° 1' W to sec 23 ^{and 24}

Sp. 20. N.R. 10 West

- Chains Wa 14° 54' E.
- descend into Gulch.
- 11.00 bottom, ^{course 74} and enter ^{timber} dense undergrowth
- 14.00 ascend
- 20.00 top
- 23.00 descend into Gulch
- 35.00 bottom and ascend brs North
- 47.50 topnd descend
- 40.00 Set a Volcanic stone 15 x 14 x 12 ins 10 ins in the ground for spec. mark ed on N face and raised a mound of stone 1 1/2 ft. high 2 ft. base along side. Pit impracticable.
- 60.00 Bottom
- 50.00 Set a Granite stone 24 x 14 x 8 ins 16 ins in the ground for cor to sec 13-14-33-24 marked with 3 notches on S and notch on E faces and raised a mound of stone 1 1/2 ft. high 2 ft. base along side.

Subdivisions

Chains Lits, impracticable
 Land Mountainous rocks
 Soil 2nd ^{3d} 3d strata
 Juniper Timber
 69 chs. dense undergrowth
 Mountainous land and dense
 undergrowth rocks

S. 89° 54' E. on a random line bet. sec. 13 ^{and 34}
 Va. 14° 53' E.

40.00 Set temporary pt. sec. 13.

79.55 Intersect E. Boundary of township
 at cor to sec. 13-18-19 and 34 as
 herein before described

Thence True

N. 89° 54' W. on a true line bet. sec. 13 ^{and 34}
 Va. 14° 53' E.

15.00

39.93

Through ^{timber} dense undergrowth
 Bottom

Set a sand stone 18 x 12 x 8 ins. 12 ins.
 in the ground for pt. sec. 13, mark-
 ed from N. face and raised a
 mound of stone 4 ft. high

Co. 20. N. R. 10 West.

hans of 1 hour along side. It is imprac-
ticable.

65.85 Enter Valley and leave ^{timber} ~~under~~ ^{dense} ~~ascend~~ ^{growth} ~~bs. Ny~~
74.85 leave Valley, Enter ^{undergrowth} ~~dense~~ ^{timber} ~~ascend~~ [?]
75.85 top of ridge bs. Ny.

77.85 descend

78.00 ~~bottom~~

79.85 the cor. to sec 13 14 ^{and 23} and 24.

Land level ^{of} mountainous

Soil 2nd and 3rd rate.

^{Juniper and cedar timber}

"Wab" Dense undergrowth

Mountainous & dense under-
growth 79.85 chs

70° W between 13 ^{and 14}

Var. 14° 52' E.

In Valley

8.00 leave Valley and ascend small ridge
through ^{timber} dense undergrowth

13.00 top bs. Ny

39.00 descend

40.00 Set a Granite stone 16 x 12 x 8 in 13

Subdivisions

Chains run in the ground for 4 paces
marked $\frac{1}{4}$ in W face and raised a
mound of stone $1\frac{1}{2}$ ft. high 2 ft.
base alongside. Pits impracticable
cable.

52.00 descend into hill side

52.50 bottom by Ey

53.00 back hillside and ascend in all
ridges

56.00 top by E and W and descend

58.75 Wash 12 lks wide by Ey

69.50 Wash 15 lks wide by Ey

80.00 Set a lime stone $18 \times 10 \times 12$ in
12 in in the ground for cor. to
secs. 11-12-13 and 14 marked
with 4 notches on S. and 1
notch on E. edges and raised
a mound of stone $1\frac{1}{2}$ ft.
high 2 ft. base alongside

Sp 20 N. R. 10 West.

Chain. It's impracticable
 Land Mountainous $\frac{3}{4}$ level
 Soil. 2nd, and 3rd rate
 45 chs Juniper and cedar
 Dense undergrowth
 Mountainous land and dense
 undergrowth 72 chs May 22, 1893

189054 E. on a random line to spec. 13^{and 13}
 Va. 14° 54' E.

40.00 Set temporary $\frac{1}{4}$ sec cor.

80.00 Intersect E. boundary of township
~~1/4~~ Sec. N. of cor to sec. 7-12-13^{and 18}
 40 as
 begin before described
 Chain. Iron

189052 W. on a true line to spec. 12^{and 13}
 Va. 14° 54' E.

Lumber & Oak Brush
 through Dense undergrowth

9.35 Juniper 26 ins diam on line
 17.60 Wash 10 lks wide by Ry. marked with 2
notches on
E side

39.15 Road from Prescott to Backbone
 for Ry and Ry

40.00 Set a Lime stone 18x12x8 in

Subdivisions

Chains 12 ins in the ground for 4 paces
marked $\frac{1}{4}$ on it face and raised a
mound of stone $\frac{1}{2}$ ft. high $\frac{1}{2}$ ft.
base along side. Pit imprac-
ticable.

50.00 descend

60.00 bottom

62.00 ascend ridge

65.00 top and descend by $\frac{1}{2}$ ft.

70.00 bottom.

77.00 ascend

80.00 The cor to pces. 11-12-13 and 14.

Land? Mountainous rocks

Soil 2nd and 3rd strata

80 chie ^{Juniper and Cedar Timber} dense undergrowth

~~Mountainous land & dense undergrowth 80 chie~~

No 1 W. bet. pces. 11 and 12

No. 14 55' 6"

3.00 descend through dense undergrowth

Apr 20 N. R. 10 West

- 4.25 bottom ^{and ascend} ridge as 7y. marked with
2 notches
- 9.00 top ^{and} juniper 13 ins diam. or line NW 1/4
S. 1/2
- 22.75 Wash 15 lbs wide br. Cy.
- 28.90 Road Prescott to Hackberry Lu. N. W. ^{and} S. E
- 40.00 Set a sandstone 18 x 12 x 6 ins 13 ins in
the ground for $\frac{1}{4}$ sec. cr. marked $\frac{1}{4}$ cor.
on W face. ^{and} raised a mound of stone
 $\frac{1}{2}$ ft. high 2 ft. base alongside. Pits
impracticable
- 70.00 ascend.
- 80.00 Set a sandstone 12 x 12 x 8 ins 8 ins
in the ground for cor. to sec. 1-211-12
marked with 5 notches on S. ^{and}
1 notch on E. edge. ^{and} raised a
mound of stone $\frac{1}{2}$ ft. high 2 ft. base
alongside. Pits impracticable.
Land $\frac{1}{2}$ mountainous $\frac{1}{2}$ level
Soil 2nd and 3rd rate.
77 chs. ^{Juniper} ^{Timber} dense undergrowth

Subdivisions

Chains S. 89° 52' E, on a random line between 1^{and} 2nd
 Va. 14° 54' E.

40.00 Set temporary 1/4 sec cr.

80.06. Intersect E. boundary at cor. to
 sec. 1-6-7^{and} 12, as shown before de-
 scribed.

Phence Line

N. 89° 52' W on a true line between 1^{and} 12th
 Va. 14° 54' E.

Through dense undergrowth

35.00 ascend ridge

39.50 top^{and} descend to N. 1/4.

40.03. Set a Lime stone 20 x 18 x 12 plus 14
 ins in the ground for 1/4 sec cr.
 marked 1/4 on N. face and raised
 a mound of stone 1/2 ft. high 2-
 ft base, alongside. Pits in-
 practicable.

48.00 bottom^{and} Enter Valley by Cr.

P. 20 N. R. 10 West.

72.50 Wash. 30 lks wide bro. Ny

74.75 ascend ridge

80.06 Tucor to secs. 1-2-11 and 12.

Land Rolling

Soil and 1st and 3rd rate
Juniper and Cedar timber.

80.06 Dense undergrowth

70' W. on a true line bet secs. 1 and 2.

Var. $14^{\circ} 51' E$ descending

4.00 ~~through~~ ^{within} dense undergrowth
ascend ridge

6.00 top of bro Ny ^{3rd} descend

14.00 bottom

44.00 Set a sandstone 15 x 10 x 6, just
in in the ground for $\frac{1}{4}$ ac. cr.
marked $\frac{1}{4}$ on W face and raised
a mound of stone $1\frac{1}{2}$ ft. high 2 ft.
base alongside. Pitt, impractical.

74.52 Intersect the 5th Standard paral
lel north at a point 3465 ch.

Subdivisions

Chains $89^{\circ} 28'$ E. of the standard cor. to secs. 35^{and} 36. of T. 21 N. R. 10 W. at which point I set a lime stone $16 \times 14 \times 10$ ins 13 ins in the ground for closing cr. to secs. 1-3-35^{and} 36 marked C.C. with 1 notch on E. and 5 notches on W. faces. Sug pits $24 \times 18 \times 12$ ins S., E. and W. of stone 6 ft. dia. and raised a mound of earth $2\frac{1}{2}$ ft high 5 ft base, alongside.

Land Broken ^{8'} & mountainous 70.52 chs

Soil 3rd ^{and 4th} rate

74.52 ch ^{Juniper Juniper} dense under growth
~~mountainous land and dense under~~
 growth 74.52 chs May 23, 1893

Thence:

Owing to an impassable cañon on line from cor. to secs. 2-3 ^{and} 34^{and} 35 as herein before described. I run

J. 20 N. R. 10 West.

thence West 10.00 chs on an Offset
line. Thence North 13.47 chs.
Thence E. 10 chs and here, a-
gain striking the line at op-
posite bank of cañon, Run
N^o 11^W. bet sec. 34^{and} 35
Va. 14° 52' E.

~~Enter dense undergrowth~~
40.00 Set a sand stone 16 x 12 x 8 ins. 12 ins
in the ground for cor. marks
1/4 on W face and raised a mound of
~~stone~~ 4 ft. high 2 ft. base along
side. Pits impracticable

80.00 Set a Granite stone 18 x 10 x 6 ins 12
ins in the ground for cor. to sec. 36
27-34^{and} 35 marked with 1
notch on S and 2 notches on E edge
from which

a Juniper *Pinus* beam bears S 4° 30' E.
496ks dist, marked T. 20 N. R. 10 W S.

Subdivisions

Chains 35 B.T.

A Juniper 24 ins diam bears $N 71^{\circ} E$
86 lks dist, marked T 20 N. R. 10 W.
S. 26 B.T.

A Juniper 36 ins diam bears $N 52^{\circ} W$
140 lks dist, marked T 20 N. R. 10 W.
S. 27 B.T.

A Juniper 36 ins diam bears $S 34^{\circ} W$
117 lks dist, marked T 20 N. R. 10 W.
S. 34 B.T.

$\frac{1}{2}$ broken and level
Land Mountainous 40chs,
~~Balance level~~
Soil Worthless and 2nd rate

Timber scattering juniper
Dense undergrowth 40chs
~~mountainous land and dense undergrowth~~

East on a random line bet secs 26 ^{and 35}
Va $14^{\circ} 53' E$.

40.00 Sub temporary $\frac{1}{4}$ sec cr.

80.10 Intersect Rand's line, 4 lks N of cr to
secs. 25-26-35 ^{and 46}, as herein before

Sp 20 N. R. 10 West.

hans described

Thence Iron

N. 89° 58' W on a true line bet. pccs. 26 ^{and} 35

Pa. 14° 53' E.

4005 Set a Volcanic stone 20x16x14 ins. 14 ins

in the ground for 1/4 sec. cor. marked

1/4 on N face ^{and} raised a mound of
stone 1/2 ft. ^{high} 2 ft. base alongside. Pts

impracticable. from which

A Juniper 24 ins diam to N. 40° E.

walks dist. marked 1/4 S. B. T.

~~no other tree within limits~~

80.10 the cor. to pccs. 26-27-34 ^{and} 35.

Land level

14 Soil 2nd ^{and} 3rd rate

Timber scattering Juniper
and Cedar

N. 0° 1' W. bet pccs. 26 ^{and} 27

Pa. 14° 55' E. Timber

through dense undergrowth

Subdivisions

- 13.40 Juniper ^(R) 18 ins. diam on line ^{marked with 2 notches on N & S sides}
- 40.00 Set a Volcanic stone 2.4 x 18 x 12 ins
16 ins in the ground for $\frac{1}{4}$ sec or
marked $\frac{1}{4}$ on N face and raised
a mound of stone $\frac{1}{2}$ ft high
2 ft. base alongside Pits. Im-
practicable.
- 50.00 ascend ridge
- 53.50 top ^{and} Bluffs 30 ft. high below
- 69.30 descend over Bluffs 15 ft. high
- 70.00 bottom
- 80.00 Set a Granite stone 15 x 10 x 6 ins
10 ins in the ground for air to see
22-23-26 ^{and} 27 marked with
2 notches on S. and E. edges, ^{and}
raised a mound of earth $\frac{1}{3}$ ft.
high. 2 ft. base, alongside Pits
impracticable.
- Land Mountainous
- Soil 2nd and 3rd rate

Pl 20 N. C. 10 West.

chains 80 chs ^{Jumper Timber} dense undergrowth
mountainous + dense under-
growth 80 chs

N. 89° 58' E on a true line between ^{33 and 36}
Va. 14° 51' E.

40.00 Set temporary 1/4 sec. cr.

79.50 Intersect N. and S. line 5 chs. N. of corner
sec. 33-24-35 and 36. as herein be-
fore described.

Chance. Iron

N. 89° 56' W on a true line between ^{33 and 36}
Va 14° 51' E

^{Timber}
through dense undergrowth

57.00 descend from mesa

39.90 Set a Granite stone 34 x 15 x 10, just 1/4 in
in the ground for 1/4 sec. cr. marked
1/4 on N. face and raised a mound of
stone 1 1/2 ft. high, 2 ft. base, a bearing
pit impracticable

50.00 bottom and ascend

Subdivisions

- 57.00 top timber
- 67.00 descend^{and} leave dense undergrowth
- 70.00 Bluff 15 ft. high
- 79.80 The cor. to see 22-23-26^{and} 27
- Land Mountainous
- Soil 2nd and 3rd rate
 67th dense undergrowth
 Mountainous land 2nd dense under-
 growth 79.80 cor.
-
- N. 0° W. Sec's 22^{and} 23
- Pa. 14° 51' E
- ? descend through dense undergrowth
- 6.00 bottom^{and} enter Valley to E and W
- 20.00 ascend^{and} leave Valley
- 23.00 top^{and} descend
- 25.00 bottom^{and} enter Valley to E and W
- 22.75 Wash 16 lks wide to S.W.
- 34.00 ascend^{and} leave Valley
- 34.70 Wire Fence E & W
- 39.00 top

Sp 20 N. R. 10 West

40.00 Set a Volcanic stone 15x12x8 ins
10 ins in the ground for $\frac{1}{4}$ sec or.
marked 14 on W. face ^{and} raised a mound
of stone $\frac{1}{2}$ ft. high 2 ft. base along side.
As impracticable

80.00 Set a Volcanic stone 15x15x8 ins 10 ins in
the ground for cor. to pccs. 14-15-22 ^{and} 23
marked with 3 notches on E. ^{and} 2 on
E. edges ^{and} raised a mound of stone $\frac{1}{2}$ ft.
high 2 ft. base along side. As imprac-
ticable.

Land Mountainous

Soil 3rd grade

Soils dense ^{Juniper Juniper} undergrowth
Mountainous land but dense
undergrowth sochs May 24, 1893

S 90° 56' E on a random line bet pccs 14 ^{and} 23
Va 14° 53' E

40.00 Set temp or any $\frac{1}{4}$ sec or.

80.00 Intersect N ^{and} S line. at cor. to pccs. 13 14-23

Subdivisions

- Chains ^{and 24} as herein before described
 Thence down
 N 89° 56' W on a true line to pice 13 ^{and 23}
 N 14° 53' E
 35.00 Enter Valley by N E ^{and S W}
 40.04 Set a Volcanic stone 14 x 10 x 8 ins 10
 in in the ground for 1/4 sec cor, marked
 1/4 on N. face ^{and} raised a mound of
 stone 1 1/2 ft. high 2 ft. base along
 side. Pits impracticable.
 47.00 Enter small Gulch by S
 50.00 leave Gulch
 72.00 descend
 73.00 bottom ^{and} ascend
 74.00 top of ridge by N ^{and} descend
 80.08 The cor to pice 14-15-32 ^{and} 23
 Land Broken
 Soil 2nd ^{and} 3rd pate
 Timber none

Op 20 N. R. 30 West.

- chains N. 0° 1' W. Let sec. 14 ^{and} 15
 Va. 14° 54' E. Tinder
- 10.00 ascend through dense undergrowth
- 14.00 top of ridge ^{and} descend by E. Tinder
- 21.00 Enter Valley by E. ^{and} W.
- 34.00 foot of Bluffs 30 ft high. leave Valley
- 37.00 top of Bluffs.
- 40.00 Set a Volcanic stone 14 x 10 x 6 ins 10 ins
 in the ground for spec. marked 1400
 W face ^{and} raised a mound of stone 1/2 ft.
 high 2 ft. base alongside Pit in
 practicable.
- 45.00 ascend
- 50.00 top of ridge by N.
- 80.00 Set a Volcanic stone 18 x 12 x 6 ins 12 ins in the
 ground for cor. sec. 10 11 14 ^{and} 15, marked with
 4 notches on E. ^{and} 2 notches on E. edges ^{and}
 raised a mound of stone 1/2 ft high 2 ft base
 alongside Pit in practicable.

Subdivisions

- Chains Land Broken
 Soil 2nd and 3^d plate
 rocks ^{Juniper, Lumber} Dense undergrowth
-
- 89°56' E. meridian line bet sec 11 and 14
 Va. 14°53' E.
- 40.00 Set temporary 1/4 sec cr.
- 80.04 Intersect N. and S. line at sec. corners
 112-13^{and} 14 as herein before described.
 Hence June
- 89°56' Meridian line bet sec 11 and 14
 Va. 14°53' E. ^{timber}
 ascend through dense undergrowth
- 1.00 top of ridge and descend br. Ry.
- 3.00 bottom
- 32.00 ascend ridge
- 38.00 top br. Ry.
- 40.02 Set a volcanic stone 18 x 14 x 10 ins 12 ins in
 the ground for 1/4 sec cr. marked 1/4 on N.

Op 20 N. R. 10 West.

chain face ^{and} raised a mound of stone 1 1/2 ft. high, 2 ft. base, alongside Pit, ^{impracticable}

76.00 descend

74.00 ~~bottom~~

80.04 the cor. to sec. 10-11-14 ^{and} 15.

Land Broken

Soil 2nd ^{and} 3rd rate

50.04 ^{timber} Dense undergrowth

N. 0° W, bet sec. 10 ^{and} 11

Va. 14° 5 3/4'

Through ^{timber} dense ^{undergrowth} ascend ridge

28.00 top ^{and} descend

36.00 bottom

40.00 Set a Quartz stone 18 x 15 x 8 ins 12 ins in the ground for 1/4 sec. marked 1/4 on the face ^{and} raised a mound of stone 1 1/2 ft. high, 2 ft. base alongside. Pit ^{impracticable}.

Subdivisions

52.00 Enter Valley by N.E. and S.W.
 65.00 leave Valley
 80.00 Set a Granite stone 20 x 12 x 6 ins 14 ins in
 the ground for cor. to sec. 2-3-10 ^{and 11} mark
 ed with 5 notches on S. ^{and 2} notches
 on E. edge. Set pits 18 x 18 x 12 ins in each
 sec. 5 1/2 ft. dia. ^{and} raised a mound of
 earth 2 ft. high 4 1/2 ft. long side
 Land Broken
 Soil sand ^{and 3/4} praty
 rock ^{Imperv} dense undergrowth
 May 25, 1893

8936' Enter a random line to sec. 2 ^{and 11}
 Va 14° 54' E

40.00 Set temporary 1/4 sec. cr.

80.02 Intersect N. ^{and 11} line 3 lks N. of cor. to
 sec. 1-2-11 ^{and 12} as herein before described.
 Phouse Inn

N. 89° 35' W on a true line to sec. 2 ^{and 11}

Apr 20 N. L. 10 West.

- Chains Va. 14° 54' E.
- 2 ascend through dense ^{timber} undergrowth
- 34.00 top of ridge brs. N. E.
- 35.50 descend
- 40.01 Sch. a volcanic stone 20x12x5, just 1/4 in
in the ground for 1/4 sec, marked off
on N. face and raised a mound of stones 1/2
ft. high 2 ft. base along side. Pit, im-
practicable.
- 41.50 bottom and ascend
- 48.00 top of ridge brs. N. E.
- 49.00 descend
- 56.27 Juniper *cinerea* on line.
- 57.00 bottom and enter Valley brs. E. and W.
- 59.15 Road brs. N.
- 80.02 The cor. to sec. 2-3-10 and 11
- Land Rolling
- Soil 2nd and 3rd rate
- 8000s Juniper Timber
- Dense undergrowth

Subdivisions

- Chains N. 0° 1' W on a true line to pieces 2^{and} 3.
 Va. 14° 55' E.
- 8.00 descend through timber ^{and} ^{dense} undergrowth
 20.00 bottom ^{and} ascend
 31.00 top of ridge by N. Ey
 40.00 Set a volcanic stone 18 x 12 x 9 ins 12 ins in
 the ground for piece marked 4 on N. face
 and raise a mound of stone 1/2 ft. high 2 ft.
 base alongside. Pl. impracticable.
- 43.00 descend ^{and} ^{thru} ^{thick} ^{and} ^{dense} ^{undergrowth}
 69.90 Road Prescott to Hackberry and bottom to top
 74.70 Intersect the 5th Standard parallel N.
 at a point 35.47 chs. N 89° 56' E.
 of the Standard cor to pieces 34^{and} 35 of
 T. 21 N. R. 10 W at which point set
 a sandstone 14 x 14 x 5 ins 10 ins in the ground
 for closing cor. to pieces 2-3-34^{and} 35
 marked C.C. with 2 notches on E. ^{and} 2
 notches on N. faces ^{and} dig pits 24 x 18 x 12

Apr 20 N. Rio West.

Chains run crosswise on each line S., E., and W. of
stone, 6 ft. dist. ^{and} raised a mound of
earth $2\frac{1}{2}$ ft. high 5 ft. base along guide
Land. Mountainous ^{and} Broken
Soil 3rd ^{and} 4th rate
34 chs ^{Timber and} dense undergrowth
Mountainous land and dense
undergrowth at 90 chs

N. 0° 2' W. bet sec 33 ^{and} 34

Va 14° 55' E.

through ^{Timber} dense undergrowth

40.00 Set a volcanic stone 12 x 12 x 8 ins in the
ground for base, or, marked for on W. face
and raised a mound of stone $1\frac{1}{2}$ ft. ^{high} base
along guide. Pit impracticable

60.55 ^{Timber} dense ^{undergrowth} descend over Bluff 5 ft.

70.00 bottom

80.00 Set a volcanic stone 16 x 12 x 7 ins 12 ins in the
ground for cor to sec 27-28-33 ^{and} 34, mark
ed with notches on S. and 3 notches on E.

Subdivisions

Chains edge ^{and} raised ^{remains} of stone 1/2 ft.
high 2 ft. base alongside alongside
City impracticable.

here Land Mostly level

Soil 3rd ^{and} 4th rate
60.55 ch ^{Juniper Juniper} Dense under growth

East on a random line bet pccs 27 ^{and} 34
Va $14^{\circ} 53' E$.

30.00 Set temporary ^{like} witness cr.

49.90 Intersect N. and S line 37 ^{like} feet to pccs 26
27-34 ^{and} 35 as herein before described

Thence June

$78^{\circ} 59' W$ on a true line bet pccs 27 ^{and} 34

Va $14^{\circ} 53' E$.

Through ^{Juniper} under growth

36.00 descend into Cañon.

43.00 bottom ^{and} ascend by S

49.95 Owing to Bluffs at or point I set

Apr 20 N.R. 10 West.

chain a Volcanic stone 15 x 14 x 10 ins 10 ins in
the ground for $\frac{1}{4}$ sec. W. ex. marked
 $\frac{1}{4}$ W.C. on N. face and raised a pyramid
of stone $\frac{1}{2}$ ft. high $\frac{1}{2}$ ft. base along side
Pits impracticable.

50.50 top of opposite bank.

79.90 the cor to sec. 27 28-33 and 34

Land Broken

Soil 3rd and 4th rate

79.90 ch. ^{Juniper} Dense undergrowth

N. 0° S. W. bet sec 27 and 28

W. 14° 52' E.

Juniper

2.00 through dense undergrowth

27.00 descend into Cañon

31.00 bottom Course East

36.00 ascend

40.00 Set a Volcanic stone 18 x 14 x 6 ins 12 ins in
the ground for $\frac{1}{4}$ sec. ex. marked $\frac{1}{4}$ W. W.

Subdivisions

- Charns face ^{and} raised a mound of stone $\frac{1}{2}$ ft. high $\frac{1}{2}$ ft. base along side. Pits impracticable.
- 40.15 top of bank
- 51.00 descend
- 54.75 Gulch bet E. ^{and} ascend
- 56.00 top ^{and} descend
- 58.00 Gulch bet E. ^{and} ascend
- 80.00 Set a granite stone $24 \times 13 \times 8$ ins / 6 ins in the ground for conts. sec. 21-22-27 ^{and 28} marked with 2 notches on S. ^{and} 3 notches on E. face ^{and} raised a mound of stone $\frac{1}{2}$ ft. high $\frac{1}{2}$ ft. base along side. Pits impracticable.
- Land Broken
- Soil Worthless
- 70 chs ^{Summer Timber} Dense undergrowth
- May 26, 1898.

89959 E. on a sandstone ledge sec. 22 ^{and 27}

Apr 30 N. R. 10 West.

hams Va 14° 54' E.

0.00 Set temporary $\frac{1}{4}$ sec. cr.

80.05 Intersect N^{and} S line 33 lks N of cr to
secs 22-23-26^{and} 27 as herein before described
Pence Inn

N. 89° 49' W. on a true line bet secs. 22^{and} 27
Va. 14° 54' E.

40.02 Set a Granite stone 14 x 12 x 6 just 10 in in
the ground for pt. sec. cr. marked $\frac{1}{4}$ on N
face^{and} raised a mound of stone $1\frac{1}{2}$
ft. high 3 ft. base alongside Pitts
impracticable.

41.35 Wire Fence bet N^{and} S.

43.97 Fence of enclosure bet N^{and} S.

45.25 " " " bet N. 1 cl. E 800

50.50 Wash 15 lks wide bet N. S.

52.00 Fort Rock creek, flows S.

55.50 ascend Bluff^{and} leave creek

60.00 top of ridge bet N. S^{and} descend

Subdivisions

80.00 The cor. to sec. 21-22-27^{and 28}
 Land Mountainous and Broken 24.55chs
 Soil 2nd-3rd^{and 4th} rate
 Timber scattering cedar
 Mountainous Land 24.55chs

N. 0° 2' W. bet. sec. 21^{and 22}

Va. 14° 55' E timber & oak Bush
 ascend through dense undergrowth

2.00 top of ridge bet N. E. and descend

8.00 bottom

14.00 ascend

18.00 top and descend bet Easterly

24.00 bottom and ascend

40.00 Set a Granite stone 16x8x6 ins 12 in in
 the ground for true cor. marked 1/4 on N. W.
 face and raised a mound of stone 1/2 ft high
 2 ft base alongside. Pits impracticable.

50.00 top bet N. E. and descend

58.00 bottom and ascend

R
p 20 N. R. 30 West.

72.00 top by Ey
 80.00 Set a Granite stone 12x12x9 ins. in
 the ground for cor to sec. 15-16-21^{and} 22
 marked with 3 notches on ^{land} edges
 and raised a mound of stone 1 1/2 ft. high
 2 ft. base along side. It is impracticable.
 Land Mountainous ^{and} Broken
 Soil 4th rate
 80chs. ^{Juniper and oak brush} Dense undergrowth
 Mountainous land and dense under-
 growth 80chs

89°49'E. on a random line bet sec. 15^{and} 22
 Va. 14°53'E.

40.00 Set temporary 1/4 sec. cr.

86.00 Intersect N. ^{and} S. line 17 lks N. of cor to
 sec. 14-15-22^{and} 23 as herein before described.
 Hence June

89°56' W. on a true line bet sec. 15^{and} 22
 Va. 14°53'E. timber
 descend through dense under-
 growth

Subdivisions

- 29.00 bottom ^{and} ascend
- 32.00 top ^{and} descend br. N
- 38.00 bottom ^{and} ascend
- 40.00 Set a Granite stone 14 x 10 x 8 ins. 10 ins in
the ground for $\frac{1}{4}$ sec. cr. marked from N
face and raised a mound of stone 1 ft.
high 2 ft base alongside. Pit is
practicable
- 45.24 top br. N and S. ^{and} descend
- 49.00 Enter Fort Rock creek flows S. of
55.00 leave :
- 57.00 ascend
- 70.00 Top.
- 86.00 The cor. to sec. 15-16-21 ^{and} 22.

Land Mountainous ^{and} Broken
Soil Worthless
Jumper Timber
Soils dense undergrowth
Mountainous land and dense
undergrowth soils.

N. 0° 3' W bet. sec. 15 ^{and} 16
Va 14° 53' E.

Apr. 20 H. R. West.

- chains through, scattering Juniper
 10.00 descend
 15.00 bottom ^{and} ascend
 22.00 top ^{and} descend hrs $E \frac{2}{3} W$
 35.00 Wash 25 lks wide hrs E ^{and} ascend
 38.00 The cr. point being in creek, here
 I set a volcanic stone 12x10x5 ins E in
 the ground for sec. cr. marked for
 W.C. on W. face ^{and} raised a mound of stone
 4 ft. high 2 ft. base along side. Pits
 impracticable.
 38.10 Enter creek flows N. E. y
 44.00 leave creek ^{and} ascend
 60.00 top of ridge ^{and} descend
 70.00 Gulch hrs. S. y. ^{and} ascend
 80.00 Set a volcanic stone 36x24x13 ins
 27 ins in the ground for cor. to pica
 9-10-15 ^{and} 16 marked with 4 notches
 on S. ^{and} 3 notches on E. edges ^{and}

Subdivisions

Champraise, a mound of stone 1/2 ft
high 2 ft base along side. Site
impracticable from which
A. Juniper 12, in Siam. hrs S. 45° W.

80 fks dist, marked ' T 20 N. R. 10 W
S. 16 B. T. and from which ex.

W. Bacon's Ranch hrs N. 33° W.

Barn base N. 29° W and Wind Mill
hrs N. 34° 30' W about 20 fks dist.

Land Mountainous and Broken Soches

Soil 3rd and 4th rate

rich scattering Juniper 3/4 Cedar
Mountainous Land soches

89° 56' E on a random line to pines 10 and 15
Va. 14° 53' E

40.00 Set temporary 1/4 sec cr.

49.95 Intersect 7/4 and 1/2 line at cor to
sec 10-11-14 and 15, as herein before
described.

P
 p 20 H. R. West

Chains	Pence Run
	N 89° 56' W. on a true line bet sec. 10 ^{and} 15
	Va 14. ° 55' E.
	descend through dense ^{Timber} under growth
3.00	bottom and ascend ridge
26.00	top and descend by N.Y.
28.00	bottom, small cañon by S.W.
39.97	See a volcanic stone 18x12x6 ins 12 ins in the ground for 1/4 sec or marked 1/4 on N. face and raised a mound of stone 1/4 ft high 2 ft base alongside Pittsine practicable
45.00	ascend
50.00	top and descend
57.00	bottom and ascend
76.00	top of ridge and descend by N.Y.
79.95	The cor to sec. 9-10-15 ^{and} 16
	Land Mountainous
	Soil 4 the rate

Subdivisions

Chains 79.95 chs Junker Timber
 dense undergrowth
 Mountainous land ²/₃ dense
 undergrowth 79.95 chs

N. $0^{\circ} 2' W$ bet sec. 9 ^{and} 10

Pa. $14^{\circ} 51' E$

140.00 Set a volcanic stone $16 \times 9 \times 8$ ins 12 ins
 in the ground for $\frac{1}{4}$ sec cr. marked
 $\frac{1}{4}$ on W face ^{and} raised mound of stone
 $1\frac{1}{2}$ ft high 2 ft base along side. Pits
 impracticable.

43.00 ~~small~~ gulch 100 lks wide. brs W

70.00 Gulch 125 lks wide. brs W

80.00 Set a volcanic stone $24 \times 8 \times 6$ ins 16 ins
 in the ground for cor to sec. 3-4-9 ^{and} 10
 marked with 5 notches on D ^{and} 3
 notches on E edges ^{and} raised a
 mound of stone $1\frac{1}{2}$ ft high 2 ft base
 along side. Pits impracticable.
 from which

Foot Rock Ranch. brs N. $30^{\circ} 45' W$

Sp 20 N. R. 10 West.

Chain Enclosure ^{300 ch} N. $15^{\circ}15'$ W and another
enclosure bears ^{34 ch} N. $27^{\circ}30'$ W. \wedge
Land Gently Rolling
Soil 2 indiate
Timber scattering cedar & Juniper
May 27, 1893.

Sp 9th 6' E. on random line bet. sec. 3rd and 10
Va $14^{\circ}54'$ E.

40.00 Set temporary $\frac{1}{4}$ sec. cr.
80.06 Intersect N. ^{E. and S. line} 4 lbs. S. of cor.
to sec. 3-3-10^{and} 11 as herein before de-
scribed.

Phence line

N. $89^{\circ}58'$ W on a true line bet. sec. 3rd and 10
Va $14^{\circ}54'$ E.

through ^{Juniper and} dense undergrowth

39.75 Wash 15 lbs wide for S.W.

40.03 Set a Volcanic, tone 14 x 12 x 6 ins 10 ins
in the ground for $\frac{1}{4}$ sec. cr. marked

Subdivisions

Chains 1/4 on N face and raised on end of
stone 1/2 ft. high 2 ft. base along side.

Pits impracticable.

44.00 Wash 12 lbs wide by N. and S.

58.00 descend into deep Gulch.

67.00 bottom by S.E. and ascend

73.00 top and descend

80.06 the cor. to sec. 3-4-9 and 10

Land Mountainous

Soil 3rd and 4th rate.

0.6 lbs ^{Juniper and} Dense undergrowth.

N. 0° 2' W. bet sec. 3 and 4.

Na. 14° 54' E.

descend along W. slope of Mts.

10.00 Gulch by W. and ascend

15.00 top

18.00 descend

32.00 bottom

Apr 20 N. R. 10 West

- 39.60 Bluff 8 ft. high and ascend
 40.00 Set a volcanic stone 10x10x8 ins. 7 ins
 in the ground for p. sec. cr. marked p. sec.
 W face and raised a mound of stones 1
 ft. high 2 ft. base alongside. Pits
 impracticable.
 54.80 Bluffs 10 ft. high.
 59.25 top of Mesa.
 65.00 leave Mesa and ascend ridge
 68.00 top and descend hrs E. and W.
 71.00 bottom
 72.00 Road to Hackberry hrs E + W
 73.60 ascend
 74.58 Intersect the 5th standard parallel
 north at a point 37.90' S. 89° 38' E.
 of the standard cor. to sections
 33 and 34, T. 21 N. R. 10 W. at which
 point set a volcanic stone 16x10x8 in
 12 ins in the ground for closing cr
 to sec. 3+4 marked C. C.

Subdivisions

Chains with 3 notches on E^{and} W faces.
 and raised a mound of stone $\frac{1}{2}$ ft high
 2 ft. base alongside. Pits impracticable
 Land mountainous 74.58 chs
 Soil 3rd and 4th rate
 Timber scattering Juniper
 Mountainous Land 74.58 chs

N. $0^{\circ} 2' W$ let sec 32^{and} 33

Pa. $14^{\circ} 55' E$

ascend

8.00 top of ridge^{and} descend by N. W. Y.
 22.00 Canon edge descend
 23.00 bottom by E^{and} W^{and} ascend
 27.00 top
 28.00 ascend
 40.00 Set a granite stone $24 \times 22 \times 16$
 in in the ground for 4 sec. marked
 '4 on W. face^{and} raise a mound of stone
 $\frac{1}{2}$ ft high 2 ft. base alongside. Pits

Sp 20 N. R. 10 West.

Chains impracticable

50.00 top of ridge and descend

75.00 bottom and ascend

80.00 Set a Granite stone 18x12x6 in 12 in in
the ground for cor to sec. 28-29-32^{and} 33

marked with 1 notch on S and W sides
on E edge, and raised a mound
of stone 1/2 ft. high 2 ft. base along side.

It is impracticable

Land mountainous rocks.

Soil worthless.

Timber scattering Juniper
Mountainous land rocks

East on a random line bet sec 28^{and} 33

Ca 14° 54' E.

40.00 Set temporary 1/4 sec. cr.

80.04 Intersect N^{and} S line 20 lbs S. of cr to
sec 27-28-33^{and} 34 as herein before
described.

Subdivisions

- Chains Phoebe ~~Jones~~
- S. 89° 51' W. on a true line between 38^{and} 33^{and}
- Va 14° 54' E.
- ascend'
- 10.00 top of small ridge, ^{ascend} to top and descend'
- 14.00 bottom
- 16.00 ascend'
- 26.00 top of top
- 27.00 descend through ^{scattering} timber
- 40.02 Sika Granite stone 16x10x8 ins. 17 ins
in the ground for pipe or marked $\frac{1}{2}$
on N face and raised a mound of
stone $\frac{1}{3}$ ft. high 2 ft. base along
side. Pits impracticable.
- 42.00 bottom
- 60.00 Enter Valley ^{ascend} and leave ^{scattering} timber to top
- 80.04 The cor to nos 38-39-35 ^{and} 33^{and}
- Land mostly mountainous, ^{42.00}
- Soil 2nd ^{and} 3rd rate.

Sp 20 R. R. 10 West.

- chains ^{scattered} 33 chs. Timber Timber
~~Mountain land 4 chs~~ May 28. 1893
- N. 0° 2' W. to sec. 28^{and 29}
 Va. 14° 54' E.
- ascend
- 19.50 top bis N. W. by
- 30.00 descend gradually
- 40.00 ascend bridge bis E. and W. and set a
 Granite stone 16 x 14 x 4 ins. 11 ins in the
 ground for pier or marked 1/4 on W
 face, and raised a mound of stone 1/2
 ft high. 2 ft base alongside. Pits
 impracticable.
- 45.00 top and descend
- 53.00 bottom and enter small Gulch bis E
- 70.00 descend
- 76.00 bottom and ascend
- 80.00 Set a Granite stone 24 x 15 x 7 ins 16 ins in
 the ground for cor to sec. 20-21-28^{and 29}

Subdivisions

Chains marked with 2 notches on S., ^{and}
 4 notches on E. edges, ^{and} raised a
 mound of stone 1 1/2 ft. high 2 ft.
 base alongside. Pits impracticable.
 Land mountainous rocks
 Soil worthless.

Timber scattering Juniper
 Mountainous land rocks

N. 89° 51' E. on random line between 21 ^{and} 28
 Va. 14° 55' E.

40.00 Set temporary 1/4 sec. cr.

80.00 Intersect N. ^{and} S. lines 21 like N. of cor.
 to sec. 21-22-27 ^{and} 28 as herein be-
 fore described.

Thence Run

West on a true line between 21 ^{and} 28
 Va. 14° 55' E.

timber growth
 along wash through dense under-
 leaves " and around "

5.00

BOOK 1082
 20 N. R. 10 West.

- 0.00 top of ridge *br. Ny*
- 22.00 descend
- 30.00 bottom *and* Wash 15 lbs wide *br. South*
- 40.00 Set a Volcanic stone 18x14x13 ins, 12 ins in the ground for 1/4 sec. cu. marked 1/4 on N face and raised a mound of stone 1/2 ft high 2 ft base alongside Pits impracticable.
- 46.00 ascend
- 48.00 top of ridge *and* descend *br. Ny.*
- 80.00 the cor. to sec. 20-21-38 *and* 29-
 Land Mountainous
- 100.00 Soil with rate
 rocks ^{Temper timber} Dense undergrowth
-
- N. 0° 2' W. between 20 ^{and} 21.
- N. 14° 53' E.
- 10.00 descend
- 32.00 bottom *and* ascend
- 40.00 Set a Gravity stone 16x8x8 ins 12 ins in the

Subdivisions

Chains ground for $\frac{1}{4}$ sec. cr. marked $\frac{1}{4}$ on surface
and raised a mound of stone $\frac{1}{2}$ ft high 2 ft
base alongside. Pits impracticable.

61.60 Volcanic Boulder on line 18 ft. high

72.00 top^{and} descend to N.Y.

80.00 Set a Volcanic stone 20x10x8 in. in
the ground for cor. trees 16-17-20^{and 21} marked
it with 3 notches on S and N notches
on E. edges, and raised a mound of stone
 $\frac{1}{2}$ ft. high, 2 ft. base alongside. Pits
impracticable.

Land Broken^{up} of mountainous rocks

Soil 3rd and 4th rate

Timber scattering, Juniper
Mountainous Land rocks

East on a random line to p. 16^{and 21}

N. $14^{\circ} 55' E$.

40.00 Set temporary $\frac{1}{4}$ sec. cr.

80.08 Intersect N. and S line 10 lks S. of cr. to

Op 20 N. Rio West.

Chain sec 15-16-21 ^{and} 22 as herein before discussed.

Thence Inn

S 89° 56' W. on a true line bet. sec. 16 ^{and} 21

To 14° 52' E

Through ^{Imper} dense undergrowth

40.00 Set a Granite stone 18 x 11 x 7 ins. 12 in. in the ground for 1/4 sec. cr. marked 1/4 on N. face, and raised a mound of stone 1/2 ft high 2 ft base along side. Pit is practicable.

45.00 ascend

50.00 top of ridge ^{and} descend by N

53.00 bottom ^{and} ascend

57.00 top by N

60.00 descend

70.00 bottom ^{and} ascend

80.00 The cor. to sec. 16-17-20 ^{and} 21

Land ^{mountainous} 35.08 chs.

Soil 4 the rate

80.00 ch. ^{Imper timber} dense undergrowth
mountainous land and dense under-
growth 80.08 chs. May 29, 1893.

Subdivisions

- Chains N. $0^{\circ} 2' W$ for sec. 16 ^{and 17}
 Va $14^{\circ} 5 2' E$
 Through scattering Timber, descended
- 32.00 bottom ^{and} wash 15 lbs wide by Ey.
- 33.00 ascend
- 40.00 Set a Volcanic stone $18 \times 13 \times 5$ ins 13 ins
 in the ground for $\frac{1}{4}$ in. cr. marked
 from N. face ^{and} raised a mound of stone
 $\frac{1}{2}$ ft high 2 ft base alongside. Pits
 impracticable.
- 45.00 top of ridge by N. Ey. ^{and} descend
- 59.00 bottom ^{and} ascend
- 63.00 top ^{and} descend by N. Ey. ^{and} N. N. Ey.
- 71.35 bottom
- 72.00 Wash 25 lbs wide by Ey.
- 73.00 ascend
- 80.00 This point falling on a Volcanic
 stone in place $4 \times 3 \times 2$ ft. I mark

Pp 20 N. R. 30 West.

chain ed a cross (x) at exact cr. point for
 cor. to secs. 8-9-16^{and 17} marked with 4
 notches on S. and E. edges^{and} raised a
 mound of stones 1/2 ft. high 2 ft. base
 alongside. Pits, impracticable
 Land mountainous rocks

Soil of the site

rocks scattering Juniper.

Mountainous land rocks

N. 89° 56' E. on a random line bet. secs. 9^{and 16}.

Wa. 14° 53' E.

40.00 Set temporary 1/4 sec. cr.

79.96 Intersect N. and S. line 10 lks. S. of cr.
 to sec. 9-10-15^{and 16} as herein before de-
 scribed.


Thence down

S 89° 52' W. on a true line bet. secs. 9^{and 16}

Wa. 14° 53' E.

descend.

Subdivisions

- 2.00 Bottoms
- 2.30 Intersect fence. N. E. & S. W. 
- and enter pasture
- 8.90 Intersect picket fence. N. & S.
- 10.20 Cornfield 2 chs square
- 14.40 Fort Rock Creek 20 lbs wide for N. E.
and S. W. (flows) S. W.
- 15.00 ascend ridge
- 16.85 wire fence. by N. E. S.
- 39.98 See a Volcanic stone 10 x 10 x 8 ins. 10 in in
the ground for prospect marked from N.
face and raise a mound of earth 12
ft. high, 5 ft. base along side. Pits
impracticable.
- 67.00 top of ridge and descend
- 79.96 The cor. to sec. 8-9-16 and 17
Land mostly mountainous 66, 960
Soil 1st and 4th rate
Timber scattering Juniper
Mountainous land 66, 960

BOOK 1082
 Sp 20 N. R. 10 West

61

- Chains N. 0° 3' W between 8^{and} 9.
 Va. 14° 58' E.
 ascend^d
- 10.00 top of ridge bet. Ny.
 16.00 descend^d
- 30.00 Edge of Bluff 30 ft. high
 30.10 bottom
- 36.60 Wash 15 lks wide bet. E.
 40.00 Saka Volcanic stone 16 x 14 x 6 ins 12 ins in
 the ground for 1/4 sec. cr. marked 1/4 on
 W face, ^{and} raised a mound of stone 1/3 ft.
 high 2 ft base along side. Pit in
 practicable from which
 A Juniper 12 ins diam bear S 81° W
 29 lks, dist, marked 1/4 S. B. T.
- 80.00 Saka Volcanic stone 12 x 10 x 6 ins 8 ins in
 the ground for cor tops, 4-5-8^{and} 9
 marked with 5 notches on S and 4
 notches on E. edge, ^{and} raised a

Subdivisions

Chains mound of stone $\frac{1}{2}$ ft. high $2\frac{1}{2}$ ft. long
 alongside. Pits impracticable.
 Land Mountainous ^{and Broken} 30.00 ch.
 Soil Worthless
 No Timber scattering Juniper & Cedar
 Mountains can't 30.00 ch.

N. 89° 52' E. on a true line between 4^{and} 9
 Va. 14° 51' E.

40.00 Set temporary $\frac{1}{4}$ sec. cr.

80.00 Intersect N. and S. line at cor. to sec.
 3-4-9^{and} 10 as here in before described.
 Phence Iron

S. 89° 52' W. on a true line between 4^{and} 9
 Va. 14° 51' E.

descend through scattering timber

21.00 Bottom ^E Road to W. Bacon's Ranch bsd.

24.85 Wire Fence N. & S. and ^{Bacon's} pasture

35.70 Foot Rock Creek 10 cks. wide $\frac{1}{2}$ ft. N.

39.50 Wire Fence N. E.

Apr. 20 N. R. 10 West.

40.00 Set a Granite stone 12 x 10 x 6 ins 8 ins
in the ground for 1/4 sec. marked 1/4 m
N face, dug pits 18 x 18 x 12 ins N & S of
stone ^{5 1/2 ft distant} and raised a mound of earth 1/2
ft high 3 1/2 ft base alongside.

from
Soil Stock Ranch Sec. N. 21° 15' E.

44.18 Intersect wire fence N.E.
45.00 S. Bacon's House 4 chs. south
61.50 Bluff 30 ft high
62.00 top of Bluff
80.00 The car to sec. 4-5-8 and 9
Land broken and Polling.
Soil. 1st and 4th rate
rocks, scattering Juniper ^{and} Cedar
May 30, 1893