

7.

BOOK 1083

No. 1083

BOOK 1083

4-671

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

of

T20NR10W

1083

Township 20 N R. 10 W

6	69	5	66	4	3	2	1
68		67					
7	8	9	10	11	12		
18	17	16	15	14	13		
19	20	21	22	23	24		
30	29	28	27	26	25		
31	32	33	34	35	36		

Subdivisions

- Chain N 0° 3' W at sec. 4 ^{and 5}
 Va 14° 54' E.
- 30.00 small gulch 15 ft deep in E
- 40.00 Set a sandstone 15 x 12 x 5 ins in
 the ground for 1/4 sec cor marked $\frac{1}{4}$
 on W face ^{and} raised a mound of
 stone 4 ft high 2 ft base along-
 side. Pits impracticable.
- 50.00 over Rocky Ledge
- 64.00 Bluff 30 ft high
- 75.22 Intersect the 5th stand and hauld
 north at a point 1416 chs East
 of 1st cor to sec. 32 ^{and} 33. To 21 N N
 10 W at which point I set a volca-
 nic stone 18 x 10 x 8 ins in the
 ground for closing cor to sec. 4+5
 marked C.C on S with 4
 chs on E ^{and} 2 notches on W
 faces ^{and} raised a mound of stone 1/2

Sp 201... 10 West

ft high 2 ft base alongside. Pits
impracticable

Land mountainous ^{2/4} broken ^{75.22}
chs

Soil 3.25 ^{and 8} substrate

Timber see ^{altering} Juniper
Mountainous land 75.22 chs

W. on a true line ht sees. 5 ^{and 8}

Va 14° 55' E

40.00 Set a Volcanic stone 24 x 8 x 6 ins in
the ground for ^{1/2} sec cor marked ^{1/2} on
face ^{and} raised a mound of ^{1/2} ft
ft high 2 ft base alongside. Pits im-
practicable.

46.50 Wash 25 lbs wide br. N. of ascent ^{1/2} slope
of mt sister Bottle; top br. N. 5 chs

50.00 Set a Granite stone 18 x 12 x 8 ins in
in the ground for cor to sec 5 ^{and 8}
marked with 5 notches on ^{1/2} and ^{1/2}
edges ^{and} raised a mound of ^{1/2} ft

Subdivisions

chain high 2 ft base along side. Pits
impracticable

Land Mountainous rocks

Soil 4th rate

Timber scattering Juniper
Mountainous Land rocks

W on a random line bet secs 6^{and} 7

Va 14° 55' E.

4000 bet temporary 1/4 sec cor.

78.04 Intinct W boundary of low ridge at
cor to secs 6-7^{and} 13 as herein before
described

Thence I run

East on true line bet secs 6^{and} 7

Va 14° 55' E.

Through scattering Timber
ascend S. slope of 3rd sister Butte

1000 top^{and} descent

1900 bottom^{and} ascent ridge

20 N. 10 West.

30.00 top and descent to top
 38.04 Set a granite stone 18x12x6 ins
 in the ground for "4 sec cor marked from
 N face, and raised a mound of stone
 1/2 ft high 2 ft base alongside. This
 impracticable.

50.00 bottom and ascend

78.04 the cor to sec 5-6-7 and 8.

Land Mountainous 78.04 chs

Soil Worthless

78.04 chs scattering juniper.

Mountainous land 78.04 chs

N. 0° 3' W lat. sec 5 and 6.

N. 14° 53' E.

ascend along W slope of 2nd section

Butte

5.00 top

8.00 descent

35.10 Gulch to top

40.00 Set a sandstone 12x12x6 ins in

Subdivisions

Chains the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
 on W face ^{and} raised a mound of stone
 $\frac{1}{2}$ ft high 2 ft base along side
 Pits impracticable.

46.00 ascent ridge

48.00 top of ls. Cr.

70.00 descent

75.80 Intersect the 5th standard, have allel
 north at a point 41.48 chs. 75.9225 E.

of ab. cor. to sees 31^{and} 32 $\frac{1}{4}$ N.R. 10 W
 at which point I set a Limestone

18 x 15 x 6 ins in the ground for C. Cor.

to sees 5-6-31^{and} 32 marked C. C. on S.

^{and} with 5 notches on E. ^{and} 1 notch on
 W faces ^{and} raised a mound of stone

$\frac{1}{2}$ ft high 2 ft base along side

Pits impracticable.

Land Broken $\frac{3}{4}$ mountainous.

Soil Worthless

Sp 20 R. L. 10 West.

Timber scattering Juniper
Mountainous land 75.80 chs
May 31 1893

38 miles 16 chs and 27 lbs
of the subdivision lines
run over mountainous
land, or through dense
undergrowth

General Description

The Western portion of this township is worthless, due to its accessible mountains and cañons, the only soil of any value in this township is that about Fort Rock Creek, there Messrs. H. & W. and C. Bacon have settled and cultivated certain portions in secs 9 and 10 W., - W. Bacon in the $\frac{1}{2}$ E $\frac{1}{4}$ of sec 9 & Bacon in the N W $\frac{1}{4}$ of sec. 9 H. and C. Bacon are in the N $\frac{1}{2}$ of sec. 10. There is but little Timber in this township which can ever be of advantage.

Philip Cortzer
U. S. Dep. Surveyor

Per. Final Oaths rec

Book No. 40

No. 1083

BOOK 1083 74

U. S. Surveyor-General's Office,

TUCSON, A. T., August 9, 1895-

The foregoing Field Notes of the Surveys of
the Subdivision lines of
Fractional T. No. 20
North Range 10 West
of the Gila and Salt River Meridian
in Arizona executed by
Philip Contzen,
U. S. Deputy Surveyor, under his contract dated
February 10th 1893.
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

Lewis N. Manning
U. S. Surveyor-General
for the Territory of Arizona.