

13.

1086

No 1086

BOOK 1086

Fractional

4-671

BOOK 1086

BOOK 1086

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions

of

T.18N., R.9W.

No. 1086

No. 1086

Field Notes
of the survey of
Subdivisions

of
Township No. 18 North Range No. 9 West
of the
Gila ^{and} Salt River Base ^{and} Meridian
in the
Territory of Arizona
as surveyed by
Philip Cortzen
U. S. Deputy Surveyor
Under his Contract No. 57
Dated Feb. 10, 1893.

Survey Commenced July 22, 1893
Survey Ended Aug. 6, 1893.

4

Indices for BOOK 1086
BOOK 1099

(1-674.)

Township 18 N R. 9 W.

6	5	63	4	45	3	31	2	6	1	
	70		62		43		29		17	
7	68	8	58	9	42	10	28	11	7	12
	67		56		41		26		16	
18	17	55	16	40	15	25	14	8	13	
			53		38		24		15	
19	20	52	21	37	22	22	23	9	24	
	65		50		36		21		14	
30	29	49	28	34	27	20	26	10	25	
			47		33		19		13	
31	64	32	46	33	32	34	18	35	12	36

Grant-

At 12 M July 22. 1893 Take an observa-
tion on the sun and find my instru-
ment in perfect adjustment.

Lat. $34^{\circ} 59' N$. Mean Variation $14^{\circ} 52' E$.

Subdivisions

chains Owing to the Luis Ma. Baca Grant. (W. Bdy.) which runs through the entire E. as a boundary of this township I run ^{and} a true line by paces 1 ^{and} 2.

Va. 14053' E.

Through dense ^{timber} undergrowth

10.00 descend

25.00 ^{timber} bottom, Wash. 15 lbs wide ^{and} ascend ^{course westerly}

30.00 top

37.00 descend

40.00 Set a volcanic stone 18 x 10 x 8 in in the ground for a sec. corner ^{and} 1/4 on W face ^{and} raised a mound of stone 1/2 ft high 2 ft base along side. Pits impracticable.

46.00 ^{timber} bottom, leave dense undergrowth

50.00 Set a volcanic stone 15 x 15 x 10 in in the ground for corner 21 ^{and} 2

Apr 18 R. R. 9 West.

Ch^a marked with 6 notches on S. ^{and} 1
notch on E edges ^{and} raised a mound
of stone 1/2 ft high 3 ft base along
side. Pits impracticable.
Land level $\frac{2}{3}$ mountainous
Soil 3rd rate
41 chs dense ^{juniper} ^{timber} undergrowth

S. 1' E on true line between 11 ^{and} 13
bearing $14^{\circ} 52' E$.

24.00 ascend ridge through ^{care brush} dense undergrowth
40.00 top ^{and} set a sandstone 15 x 10 x 10 ins 10
ins in the ground for face corner marked
1/4 on W face ^{and} raised a mound of stone
1/2 ft high 3 ft base along side.
Pits impracticable.
41.00 descend
47.00 bottom ^{and} leave ^{brush} ^{growth} ^{under} ascend
70.00 top ^{and} descend by Key.

Subdivisions

- 71.00 Bottom
- 80.00 Lava & volcanic stone 18x12x6 ins 15 ins in
the ground for cor to sec. 11-12-13 ^{and 14}
marked with 4 notches on S ^{and} 1
notch on E edge ^{and} raised a mound
of stone 1/2 ft high 2 ft base along
side. Pits impracticable.
Land Mountainous 47chs
Soil 2nd ^{and} 3rd rate
33chs ^{can} dense ^{brush} under growth
Mountainous land ⁱⁿ dense
under growth 70chs
-
- S. 10° active line lat. sec. 13 ^{and 14}
Va. 14° 51' E
- 20.00 Wash. 2 chs wide for 700.
- 30.00 Enter ^{brush} dense ^{under growth} as ascent ridge
- 40.00 Set a Sand Stone 12x12x5 ins 8 ins in
the ground for 1/4 sec. cor. marked 4 on
W face ^{and} raised a mound of stone
1/2 ft high 2 ft base along side.

Q. 18 N. Q. 9 West

Chain Pits impracticable.
 80.00 Set a volcanic stone 15 x 12 x 10 ins in the ground for cor. sec. 13-14-23 ^{and 24} marked with 3 notches on S. ^{and 1} notch on E. edge ^{and raised}, a mound of stone 1/2 ft high 2 ft base along side. Pits impracticable.

Land Mountainous 50chs
 Soil sub rate
 50chs ^{oak brush} Dense under growth
 Mountainous land and dense under growth. 50chs

1/2 E
 In a true line to sec. 23 ^{and 24}

Va. 14 250' E. ascend
~~top~~ ^{and} ^{brush growth} dense under

16.00
 36.00 bottom and ascend ridge

40.00 Set a volcanic stone 15 x 12 x 5 ins in the ground for 1/4 sec. cor. marked 1/4 on W. face ^{and raised}, a mound of stone 1/2 ft high 2 ft base along side.

Subdivisions

- 55.00 top and descend hrs. 72 E of
 72.00 bottom
 80.00 Set a sandstone 18 x 14 x 10 plus 13 plus in
 the ground for cor to sec 23-24-25 ^{and 26.}
 marked with 2 notches on S and
 1 notch @ edges ^{and} raised a mound
 of stone 1/2 ft high 2 ft base along
 side. Pits impracticable.
 Land Mountainous 72 chs
 Soil 3rd rate
 69 chs ^{oak brush} dense undergrowth
 Mountainous land and dense
 undergrowth 72 chs July 27, 93.
-
- 71.8
 S on a true line hit sec 25 ^{and 26.}
 Va. 14° 52' E
 7.00 Canoe hrs E. & W. through ^{undergrowth} dense
 10.00 leave " ^{and} ascent ridge ^{brush}
 39.00 Enter ^{heavy oak brush} dense undergrowth
 40.00 Set a Volcanic stone 18 x 12 x 5 in 1/2 plus

Sp 18 N. L. 9 West.

Chains in the ground for $\frac{1}{4}$ sec. cor marked
 $\frac{1}{4}$ on W face, ^{and} raised a mound of
 stone $\frac{1}{2}$ ft high $\frac{3}{4}$ ft base along
 side. Pils. unfracturable.

50.00 top. br. Ey.

55.00 descend

67.00 bottom ^{and} ascend ridge

70.00 top ^{and} descend br. Ey.

80.00 blk volcanic stone $18 \times 12 \times 6$ ins in the
 ground for cor. cor to pres. 25-26-35 ^{and} 36
 marked with notch on S. and E. ed-
 ges, Eng. pils $18 \times 18 \times 12$ ins in each
 sec $5\frac{1}{2}$ ft dist. ^{and} raised a mound
 of earth $\frac{3}{4}$ ft high $4\frac{1}{2}$ ft base along
 side.

Land Mountainous 73 chs

Soil 3rd rate

73 chs ^{sak brush} dense undergrowth
 Mountainous land and
 dense undergrowth 73 chs

Subdivisions

- 2.00 S. on a true line bet. secs 35^{and} 36.
 Va 14° 53' E.
- 4.00 ascend through ^{oak brush} dense undergrowth.
 29.00 top and descend N. E. y.
 33.00 bottom and enter Valley bet. E & W.
 40.00 Set a volcanic stone 24 x 20 x 10 ins in
 the ground for 1/4 sec. cor. marked 1/4 on
 W face and raise a mound of stone
 1/2 ft high 2 ft base along side.
 Pitts impracticable.
- 50.00 leave Valley and ascend ridge.
 55.00 top and descend bet. E. y.
 80.00 Set a volcanic stone 15 x 14 x 5 ins in
 the ground for cor. to secs 1-2-35^{and} 36 marked
 with 5 notches on W and 1 notch on
 E faces and raised a mound of stone
 1/2 ft high 2 ft base along side. Pitts
 impracticable.
- Land Mountainous 59 chs

Sp 18 N. & 9 West.

Chains Soil 2nd rate
 Oak brush
 76 chs Dense undergrowth
~~Mountains land and dense~~
 undergrowth 76 chs July 24, 93.

Then return at cor to secs 25-26
 35^{and} 36. and run

Con a true line bet secs 25^{and} 36

Na. 145 2' 6"

13.60 Intersect W boundary of Miss Ma.
 Baca Grant at a point 170 6^{ms}
 N of 48th mile cor. and set a
 Volcanic stone 12 x 10 x 6 ins 8 ins in
 the ground for closing cor to
 fractional secs. 25^{and} 36 marked
 C on W and L M B. No on E. faces
 and raise a mound of stone 1/2 ft
 high 2 ft base along side. Pals
 impracticable.
 Land Rolling
 Soil 2nd rate.

Subdivisions

Chain No Timber

Run from cor. to secs. 23-24-25 ^{and 26}

Run

E. on a true line to secs. 24 ^{and 25}

Va. $14^{\circ} 54' E$

14.87 Intersect W boundary of Luis. Ma.
Baca Grant at a point 17.77 chs
 $13^{\circ} 45' E$ of 9th mile cor. and set a
Lime stone $18 \times 12 \times 6$ ins in
the ground for closing cor to frac-
tional secs. 24 ^{and 25} marked CC
on W and S M. B. Nos on E faces and
raised a mound of stone $\frac{1}{2}$ ft high
& ft base along guide. Pits imprac-
ticable.

Land Rolling

Soil 2nd rate

No Timber.

Dec 18 N. Q. West.

Then from cor to secs 13-14 ^{and 3, 4}

From

E on a true line to secs 13 ^{and 3, 4}

to 14 ^{and 3, 4} E

18.28 Intersect W boundary of Luis M. Baca Grant at a point 32.04 chs N. 25° of initial monument and set a volcanic stone 12 x 10 x 8 ins diam in the ground for closing cor to fractional secs 13 ^{and 3, 4} marked CC on W and L. M. B. Ho on E faces and raised a mound of stone 1/2 ft high 2 ft base along side. Pile in practicable.

Land Level

Soil 2nd and 3rd rate

No 9

Subdivisions

chain then from cor to pces 11-12-13 ^{and} 14

Iron

Con. actual line bet pces 12 ^{and} 13

Na. $14^{\circ}53'E$.

1897

Intersect W boundary of Lewis

Ma. Bacia Grant at a point ^{cho} 31.8 x N

38' E of 1st mile cor ^{and} set a sandstone

12 x 12 x 10, inches in the ground for
closing Cor. to fractional pces.

12 ^{and} 13 marked C. Cor W ^{and} L

M. B. Nass on E faces ^{and} raised a
mount of stone 1/2 ft high 2 ft

base alongside. Pits impracti-
cable.

Land Level

Soil Rolling

Trunks scattering ^{scattered} oak

Apr 18 M. D. West

Chain then from cor to secs 1-2-11 and 13

Turn

Con a true line bet secs 1 and 13

Va. $14^{\circ}52'E$

7.00 Wash by N. 50 Elk wife:

19.66 Intersect W boundary of Luis Ma
Baca Grant at a point 3168 chs

$\frac{1}{2}$ mi E of 2nd mile cor. and set a lime
stone $12 \times 10 \times 6$ ins 8 ins in the ground

for closing cor to fractional, secs 1 and
13, marked C.C. on W and L. M. 13.

N. 5 on E faces and raised a mound
of stone $\frac{1}{2}$ ft high 2 ft base along
side. Pitt. impracticable

Land Level

Soil 3rd rate

No Timber

Subdivisions

chain N. 0° 1' W. ht secs 34 ^{and 35}

Wa. 14° 51' E.

40.00 Set Volcanic stone 18 x 12 x 8 ins 1 1/2 ins
in the ground for 1/4 sec or marked
1/4 on W face ^{and} raised a mound of
stone 1/2 ft high 3 ft base along
side. Pits impracticable.

80.00 Schadine stone 34 x 16 x 10 ins 16 ins
in the ground for corts. secs 26-27-34
^{and 35} marked with notch on S.
^{and 2} notches on E. edge ^{and} raised
a mound of stone 1/2 ft high
3 ft base along side. Pits im-
practicable.

Land Level

Soil 2nd ^{and 3rd} rate

Timber scattering Oak

July 25 93.

E. on random line ht secs 26 ^{and 35}

Apr 18 N. R. 9 West.

chain Va. $14^{\circ}53'E$.

40.00 set temporary $\frac{1}{4}$ sec. cor.

49.90 Intersect N and S line 38 lks N
of cor to sec. 36-36-35^{and} 36 as
herein before described

Thence I run

N. $89^{\circ}48'W$ on a true line to trees ^{and} 36-35

Va. $14^{\circ}53'E$.

7.00 ascend ridge

22.00 top br. N. E. y.

39.95 Set a volcanic stone $12 \times 12 \times 8$ inches
in the ground for $\frac{1}{4}$ sec. cor marked
 $\frac{1}{4}$ on N face ^{and} raised a mound of
stone $\frac{1}{2}$ ft high 2 ft base alongside
Pit's impracticable.

40.50 descent

47.00 bottom

49.50 Wash 25 lks wide br N. y.

63.00 ascend ridge

Subdivisions

72.00 Top of N.Y.

79.90 The cor to secs. 26-27⁰ and 35⁰

Land Mountainous 64.90chs

Soil 2ms⁰ and 3ms⁰ rateTimber ~~scattered~~ cedar

Mountainous land 64.90chs

N. 0° 1' W lat secs. 26⁰ and 27⁰

Va 14° 53' E

8.00 descent

24.00 bottom and ascent ridge

40.00 Set a Volcanic stone 12 x 12 x 8 ins 8 ins
 in the ground for 1/4 sec cor marked
 1/4 on W face and raised a mound
 of stone 1/2 ft high 3 ft base along
 side. Pit impracticable.

80.00 Set a lime stone 18 x 10 x 10 ins 8 ins in

The ground for cor to secs. 26⁰ and 27⁰
 marked with 2 notches on S.
 and E. edges and raised a mound

Sp 18 N. 9 West.

Chain of stone $1\frac{1}{2}$ ft high $2\frac{1}{2}$ ft base along side. Pits unpracticable.

Land mountainous rocks

Soil moderate

No Timber

~~Mountainous land rocks~~

$S 89^{\circ} 48' E$ on a random line to sec $2, 3$ ^{and 26}

$\frac{1}{4}$ a $14^{\circ} 53' E$.

40.00 Set temporary $\frac{1}{4}$ sec cor.

80.06. Intersect N and S line 6 chs S of cor to sec $2, 3, 24, 25$ ^{and 26} as here-
in before described

Thence run

$N 89^{\circ} 51' W$ on a true line to sec $2, 3$ ^{and 26}.

$\frac{1}{4}$ a $14^{\circ} 53' E$. oak brush

through dense undergrowth

25.00 Creek 13 chs wide to S. ascend

40.03. Set a volcanic stone $36 \times 24 \times 5$ ins 27
ins in the ground for $\frac{1}{4}$ sec corner marked

Subdivisions

- 1/4 on N face ^{and raised} a mound of
 stone 4 ft high 3 ft base along
 side. Pits ^{marsh} unpracticable.
- 43.00 leave dense undergrowth
- 45.00 top of ridge by N.E.
- 56.00 descent
- 60.00 Enter Brush
- 70.00 bottom
- 75.00 ascent
- 80.06 the cor to pics 22 23-26 ^{and 27}
- Land Mountainous 55 chs
- Soil 3rd rate ^{oak brush}
- 63 chs dense undergrowth
- Mountainous land dense
undergrowth 80 chs
-
- N. 0° 1' W by pics 22 ^{and 23}
- Va 14° 55' E ^{oak brush}
- Through dense undergrowth
- 10.00 descent into Gulch.
- 15.00 bottom ^{and} ascent by Ey.

BOOK 1086

Apr 18 to 19 West.

- 3.0.00 top ^{and} ascent ridge.
- 4.0.00 Set a Volcanic stone 15 x 13 x 8 ins 10
ins in the ground for $\frac{1}{4}$ sec, marked
 $\frac{1}{4}$ m W face ^{and} raised a mound of
stone $\frac{1}{2}$ ft high 3 ft base along guide
Pit's unpracticable.
- 4.9.00 top Cr. Ey. ^{and} descent
- 5.7.00 Bottom. Brush
- 6.3.00 leave dense undergrowth
- 6.8.00 Creek 30 fks wide course S. E
- 8.0.00 Set a Sandstone 24 x 20 x 10 ins 6 ins in
the ground for cor. to sec. 14-15-^{and} 22-23
marked with 3 notches on S. ^{and}
3 notches on E. edges ^{and} raised a
mound of stone $\frac{1}{2}$ ft high 3 ft
base along guide. Pit's unprac-
ticable
- Land Mountainous 57chs
Soil 3rd ^{and} 4th rate

Subdivisions

chains 63.00 ^{Oak brush} dense undergrowth
 Mountainous land and dense
 undergrowth 63.00

S 89° 51' E on a range in line bet recs ^{14 and 33}
 Va. 14° 51' E.

40.00 Set temporary 1/4 sec. cor.

81.10 Intersect N. and S. line 12 E.S.S.
 of cor to recs. 13-14-33 ^{and 33} was here
 in before described.

Thence S. run

N 89° 56' W on a line line bet recs 14 ^{and 33}
 Va. 14° 51' E.

7.00 descent

15.00 ^{Brush} Enter dense undergrowth

36.00 Bottom

40.05 Set a lime stone 15 x 12 x 8 inches in
 the ground for 1/4 sec. cor marked 1/2
 on N face ^{and dug pits} 18 x 18 x 12 ins
 E and W of stone 6 1/2 ft dist ^{and}
 raised a mound of earth 1/2 ft

Apr 18 R. & West

chains high $3\frac{1}{2}$ ft base alongside. Pits
impracticable.

46.00 ascend ridge

58.50 top to Ny.

60.00 descend

70.00 bottom ^{and growth} and leave dense under-

80.10 the cor to secs. 14-15-22 ^{and 23}

Land mountainous 63chs

Soil sand ^{and 3rd gate}

Oak brush

4.5 chs dense undergrowth
Mountainous land and dense
undergrowth 63chs July 29, 93.

N. 0° 1' W lat secs 14 ^{and 15}

Lat. 14° 52' 6"

2.00 Washi 55 lks wide to S. E. man

20.00 Enter ^{Brush} dense undergrowth

36.00 top

40.00 Set a Volcanic stone 15 x 10 x 10 in
in the ground for 4 sec cor marker
1/4 on N face ^{and raised a mound of}

Subdivisions

Chains of stone $\frac{1}{2}$ ft high 3 ft base along
side. Pits unpracticable.

49.00 descent

69.50 bottom ^{and} ascent ridge

73.50 top of ridge br. N.E. ^{and} leave
^{timber}
~~dense under growth~~

80.00 Set a volcanic stone 18 x 14 x 12 in.

12 in in the ground for cor to, pres

10-11-14 ^{and} 15 marked with 4

notches on S. ^{and} 2 notches on E.

edges ^{and} raised a mound of stone

$\frac{1}{2}$ ft high 3 ft base along side.

Pits unpracticable.

Land Mountainous 78 obs

Soil 2nd rate

can brush

53.50 chs. Dense ~~under~~ growth
mountainous land and dense
under growth 78 chs.

S 89° 56' E on a random line brucs 11 ^{and} 14

Va 14° 53' E.

Sp 18. 9 West.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 49.80 Intersect N^{and} line at cor to
secs. 11-12-13^{and}, 14 as herein before
described.
- Thence I run
 $N. 89^{\circ} 56' W$ on a true line between 11^{and} 14.
 $N. 14^{\circ} 53' E$.
- 14.00 Wash 1 ch wide br. Ry.
- 17.00 ascend ridge
- 30.00 Enter dense ^{Bush} undergrowth
- 30.00 top br Ry.
- 34.00 descent
- 39.90 Set a volcanic stone 18 x 12 x 10 just
in the ground for $\frac{1}{4}$ sec corner
on N face ^{and} raised amount of
stone $\frac{1}{2}$ ft high 5 ft base along
side. Pile impracticable.
- 48.00 bottom
- 60.00 ascend ridge

Subdivision

- 76.00 top cor. NW
- 79.80 The cor to secs. 10-11-14^{and 15}
 Land Mountainous 49.80cks
 Soil substrate
 Coche ^{Oak brush} Dense under growth
 Mountainous land and dense
 under growth 62.80cks
-
- 76.00' Whit secs 10^{and 11}
 Va 14° 55' E
- 10.00 descent through ^{brush} dense under growth
 22.00 bottom ^{and} East Valley & leaves dense
 cor. NW ^{brush}
- 36.00 Waste 1/2 mile ^{cor} NW ^{of} leave valley
 and ascent through dense ^{under growth}
 40.00 Let a Volcanic stone 15 x 13 x 5 in
 10 ins in the ground for 1/2 sec cor
 marked 1/4 on W face and raised
 a mound of stone 1/2 ft high
 2 ft base alongside Pittsburg
 tractable
- 60.00 top & descent

Pp 18 R. L. G. West.

~~61.00 descent~~

71.00 bottom and ascent ridge

80.00 top and set a volcanic stone 21 x 12
x 5 ins 14 ins in the ground for
corte nos. 2-3-10 and 11 marked
with 5 notches on S and 2 notches
on E edges and raised a mound
of stone 1/2 ft high 2 ft base
along ridge Pits impracticable.

Land Mountainous 66chs

Soil 1st and 2nd rate

Timber 66chs Oak Brush

Dense undergrowth 66chs

Mountainous land and dense
undergrowth 66chs

S 89° 56' E on a random line 1/4 sec 2, and 11

V. a. 14° 53' E.

40.00 set temporary 1/4 sec cr.

80.10 Intersect N and S line 8 lks S of corte

nos. 1-2-11 and 12 as herein before described

Subdivisions

Chains Thence, *Drum*N 89° 59' W on a true line to sec 2^{and} 11

V. a. 14° 52' E.

32.00 ascend through Timber

37.00 top of ridge to Ry.

38.00 descend

40.00 Set a volcanic stone 36x12x10 ins 2^{ins} in
 in the ground for 1/4 sec. cor marked 1/4
 on the face ^{and} raised, a mound of
 stones 1/2 ft high 2 ft base along
 side, Pile impracticable.

54.00 bottom ^{and} ascent ridge

60.00 top to Ry.

67.00 descend

80.10 The cor to sec. 2-3-10 ^{and} 11

Land Mountainous 48chs

Soil 2nd rate

48chs scattering juniper.

~~Mountainous land 48chs~~

Up 18 N. R. 9 West

- Chain 71.0° 1' W on a true line line to sec. 2 ^{and 3}
 Via 14° 52' E
- 44.00 Set temporary pt. sec. cor.
- 80.25 Intercept N. boundary of township
 3 lks. **E** of cor to sec. 2 or 3-34 ^{and 35} as
 herein before described
 Thence S. 100°
 S. 0° 2' E. on a true line to sec. 2 ^{and 3}
 Via 14° 52' E.
 Through Timber
- 2000 Leave Timber
- 40.35 Set a Volcanic stone 15 x 12 x 6 ins 10 ins
 in the ground for 1/4 sec. cor marked
 1/4 on W face ^{and} raised a mound of stone
 1/2 ft high 2 ft base along gride. Pits
 impracticable.
- 52.00 descent from mesa
- 74.00 bottom ^{and} ascent course S. W
- 80.25 The cor to sec. 2-3-10 ^{and 11}

Subdivisions

Chain Land Rolling ^{or} mountainous 28 chs

Soil 1st ^{and} 2nd water

20 chs. Greasewood timber

Mountainous or heavily timbered ^{land} 48 chs July 30-93.

N. 0° 3' W lat. sec. 33 ^{and} 34.

N. 14° 52' E.

Through Brush ^{and} Greasewood
undergrowth

5.00 descent

16.00 bottom ^{and} ascend ridge

23.00 top by Key.

24.00 descent

40.00 Set a Volcanic stone 16 x 10 x 8 ins 11 in on

the ground for 4 sec. circ marked 6 on W face

and raised a mound of stone 1/2 ft high

5 ft base along side. Pits impracticable.

50.00 bottom

61.75 Juniper 28 ins d, and on line marked
with 2 notches on N. and S. sides.

64.88 descent into Cañon

70.00 bottom ^{and} ascend by East

BOOK 1086

Apr 18 H. R. West.

76.00 top

80.00 Set a volcanic stone 18 x 13 x 6 in. in
the ground for cor to sec. 27-28-33 ^{and 34} mark
ed with 1 notch on S ^{and 3} notches on E.
edges ^{and} raised a mound of stone 1 1/2 ft high
2 ft base along side. Pits impracticable
Land Mountainous 65.12 chs

Soil 3rd rate

80 chs Oak ^{and} ~~Greasewood~~ ^{fence} ~~undergrowth~~ ^{brush}

East on a random line to sec. 27 ^{and 34}

Va. $14^{\circ} 53' 6''$

40.00 Set a temporary 1/4 sec. cor.

79.80 Intersect W. and S. line 8 chs N of cor.
to sec. 26-27-34 ^{and 35} as herein before
described

fence line

N $89^{\circ} 57' 11''$ W on a true line to sec. 27 ^{and 34}

Va. $14^{\circ} 53' 8''$

Subdivisions

- 215.00 Enter ~~dense undergrowth~~
cap brush
- 39.90 Set a volcanic stone 15 x 15 x 10, in 111, in the
ground for 1/4 sec cor marked on W face
and raised a mound of stone 1/2 ft high
2 ft base alongside. Pits, in practice
cable.
- 7.00 0 ascent
- 79.80 The cor to secs. 27-28-33^{and} 34.
Land, Rolling
Soil, 2nd and 3rd rate
Timber, 55 clus ~~dense undergrowth~~
cap brush
-
- X
- N. 0° 3' W lat secs. 27^{and} 28
Ta. 14-55
descent
- 10.00 bottom ~~dense undergrowth~~
and enter brush
- 40.00 Set a volcanic stone 15 x 10 x 6 in 111
in the ground for 1/4 sec cor marked on
W face and raised a mound of stone 1/2

Pp 18 N. & S. West

chain ft high 2 ft base alongside. Pits
impracticable.

60.00 descent from small mesa

60.60 juniper & cino. diam. 4 in line, ^{mkd}
with 2 notches on N. & S. sides

63.00 bottom ^{and} ascend ridge

65.00 top ^{and} descend by Key.

71.00 bottom ^{and} ascend ridge

75.00 top ^{and} descent

77.00 bottom

80.00 Set a volcanic stone 18 x 12 x 6 in 15 in
in the ground for cor to sec. 21, 22 ^{and} 27, 28

marked with 2 notches on L. ^{and} 3
notches on E. edges ^{and} raised a

mound of stone 1/2 ft high 2 ft base
alongside. Pits impracticable.

Land Mountainous rocks

Soil 2nd ^{and} 3rd rate

rocks ^{dense} Oak ^{and} yucca wood ^{brush}
growth.

Mountainous land ^{and} dense under-
growth rocks

Subdivisions

Chain $89^{\circ}07'E$ on a random line to secs 22 ^{and 27}

Va. $14^{\circ}54'E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect N ^{and} line at cert. sec. 22-

23-26 ^{and 27} as here in before described

Thence I run

$89^{\circ}07'W$ on a true line to secs 23 ^{and 27}

Va. $14^{\circ}54'E$

ascend ridge

0.00 top N.E.

200.00 descend

32.00 bottom ^{and} ascend ridge through Bush

40.10 Set a lime stone $15 \times 10 \times 8$ ins in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N face ^{and} raised a mound of stone $\frac{1}{2}$ ft high $\frac{1}{2}$ ft. low alongside. Pits unpracticable

42.00 top br. N.E.

50.00 leave Bush

Top 18 R.R. West.

69.00 descent through Brush
 77.00 bottom ^{and} ascent
 80.20 The cor to sec. 21-22-27 ^{and 28}
 Land mountainous 80.20 chs
 Soil 3rd rate
 29 chs Oak Brush
 Mountainous land 80.20 chs

N. 0° 2' W lat sec. 21 ^{and 22}

N. 14° 53' E

through Brush ^{and} Greasewood

18.00 Wash 25 lks wide lrs E. ^{and} ascent ridge

25.00 top lrs E.

28.00 descent

36.50 bottom ^{and} Creek 30 lks wide lrs E.
 and ascent

40.00 let a sandstone 15 x 10 x 6 ins 10 ins in the
 ground for it. we cor marked for it face
^{and} raised a monument of stone 4 ft high
 2 ft base alongside. Pits impractical
 the

Subdivisions

45.00 top lrs E.

50.00 descend

70.00 bottom lrs East

71.50 ascend ridge

76.00 top ^{and} descend lrs E.80.00 Set a sand stone $3 \times 10 \times 10$ just 14 in in
the ground for posts see 15 & 16 ^{and 21}marked with 3 notches on ^{lrs} E.
edges ^{and} raised a mound of stone $1/2$
ft high $1/2$ ft base alongside. Pits
impracticable.

Land mountainous rocks

Soil 3rd rate

rocks Oak ^{and} briar wood Bush,
Mountainous land rocksS. 89° 51' E on a ran 50 m line to piece 15 ^{and} 22Va $14^{\circ} 55' E$ 40.00 Set temporary $1/4$ sec cor.80.14 Intersect ^{at} line 6 lks S of cor

Apr 18. N. L. West

Chains to secs. 14-15-33 and 23 as herewith fore
described

Thence I run

West on a true line to secs 15^{and} 33

to 14^{and} 33

ascend ridge through ~~under growth~~ dense brush A

9.50 top and descent to N.E.

16.00 bottom and ascend ridge

25.00 top and descent to N.W.

34.00 junction of two ravines, one to
S.E. the other S.W.

40.07 set a lime stone 12 x 10 x 8 in in
the ground for 4 sec cor marked from
N face and raised a monument of stone
1/2 ft high 1/2 ft base along grid. Path
unpracticable

42.00 ascend ridge

50.00 top and descent to N.W.

60.00 bottom

Subdivisions

- 66.00 ascend ridge
 71.50 top br. N. ^{and S.} and descend
 80.14 the cor to secs 15-16-21 ^{and 22}

Land mountainous 66.14 chs

Soil 3rd ^{and 4} the rate
 can't ^{be} measured
 patches dense undergrowth
 mountainous land ^{and} dense
 undergrowth 80.14 chs July 31, '93.

N. 0° 2' W br. sec 15 ^{and 16}

Tr. 14° 53' E through brush
 descend through dense undergrowth

1.50 bottom

6.00 ascend ridge

20.00 top ^{and} descend br. E.

30.00 bottom ^{and} ascend ridge

40.00 Sec. 6 granite stone 12 x 10 x 8 inches
 in the ground for a sec. marked W on
 W face ^{and} passed a mound of stone 1/2 ft high
 2 ft base along side. Pils. imp. act. cl.

55.00 top ^{and} descend br. E.

1036
Apr 18 N. E. 9 West

80.00 Set a Volcanic, stone 20x15x10, just 4 inches in
the ground for cor. to sec. 9-10-15 ^{and} 16.
marked with 4 notches on S, ^{and} 3 not-
ches on E. edges ^{and} raised a mound of
stone 1/2 ft high 2 ft base along side.
Pits impracticable.

Land mountainous 75.50chs

Soil 3rd rate
Oak & spruce wood brush
So close dense under growth
mountainous land and dense
under growth rocks

East on a random line bet. sec. 10 ^{and} 15
Va. 14° 53' E.

40.00 Set temporary 1/4 sec. cor.
79.94 Intersect N ^{and} S line 12 lks N of cor. to
sec. 10-11-14 ^{and} 15 as here in h for described
Thence S 1/2 mi

N 89° 55' W on a true line bet. sec. 10 ^{and} 15.
Va. 14° 53' E

12.00 descent

Subdivisions

39.97 Set a Volcanic stone 18 x 10 x 8, in the ground
the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W
face ^{and} raised a mound of stone $\frac{1}{2}$
ft high 2 ft base alongside. Pits
unpracticable.

45.00 Creek 50 lks wide by S. E. & bottom

✓ 51.00 Enter ^{dense} Greasewood undergrowth

79.94 The cor to secs. 9-10-15 ^{and} 16

Land mountainous 33 chs

Soil 2 no ^{and} 3 rd rate

2894 chs ^{dense} Greasewood Bush

~~Mountainous land and dense
undergrowth 61.94 chs~~

N. 0° 3' W lat secs. 9 ^{and} 10

Va 14° 54' E

9.50 Creek 30 lks wide by E ^{and} ascend
through ^{brush} dense undergrowth

40.00 Set a Volcanic stone 15 x 5 x 6 in 10 in
in the ground for $\frac{1}{4}$ sec cor marked
 $\frac{1}{4}$ on W face ^{and} raised a mound of

Sp. 18 T. R. 30 West.

Chain stones $\frac{1}{2}$ ft high 2 ft base along-
side. Pits impracticable.

42.00 top of ridge br E. ^{and} descent

55.00 bottom ^{and} ascent ridge

80.00 Set a sand stone $12 \times 10 \times 6$ ins & give the
ground for corners 3-4-9 ^{and} 10, marked
with 5 notches on ^{and} 3 notches on
E. edges ^{and} raised a mound of stone
 $\frac{1}{2}$ ft high 2 ft base along side. Pits
impracticable.

Land mountainous 70.50 chs

Soil 2nd ^{and} 3rd rate

70.50 chs ^{Can't place wood here} dense undergrowth
Mountainous land and dense
undergrowth 70.50 chs

$S 89^{\circ} 55' E$ in a random line brs 3 ^{and} 10
Va $145^{\circ} 3' E$.

40.00 Set a temporary 1/4 sec. cor.

80.15 Intersect N ^{and} S. line 6 lks S of
cor to sec 2-3-10 ^{and} 11 as herein

Subdivisions

Chains before described

Thence I run

N 89° 58' W on a true line to sec 3^{and 10}

then 14° 53' E

descend through Brush

8.50 bottom^{and} Enter Valley by S.W.^{and}
leave Brush

20.00 Creek 50 lks wide by S.W

130.00 Creek 30 lks wide by S

32.00 Creek 100 lks wide by S

40.06 Set a true stone 15x10x10 rods in
the ground for 1/4 ac corner
won't see^{and} raised a mound of
stone 1 1/2 ft high 2 ft base along
side. Pits impracticable.

04.00 leave Valley^{and} ascend through
Brush

78.50 top of ridge by N.E^{and} descend

80.12 The cor to sec 3-4-9^{and 10}

Apr 18 N. L. West

chains Lands Rolling ⁸/₁₀ W mountainous 24.62 chs
Soil 1st ^{and} 2nd rate

24.62 chs Oak ^{and} Greasewood Brush
~~Mountainous land 24.62 chs~~

N. 0° 2' Monasans on line bet sec. 3 ^{and} 4

Va. 14° 52' E.

4000 Set temporary 1/4 sec. cor.

8010 Intersect N. boundary of Township
at cor to sec. 3-4-33 ^{and} 34 as herein
before described

Thence run

S. 0° 2' E on a line bet sec. 3 ^{and} 4

Va. 14° 52' E.

brush
through ~~down~~ under growth

25.00 Wash 50 lbs wire br. E. ^{and} ascend

35.00 top of ridge br. E. ^{and} descend

4010 Set a lime stone 12 x 10 x 10 ins in
the ground for 1/4 sec cor marked
1/4 on W face ^{and} raised as shown

Subdivisions

Chain of stone $1\frac{1}{2}$ ft high 3 ft base along
side. Pits impracticable.

55.00 bottom

70.50 Wash. 30 lks wide to E.

71.00 ascend

80.10 The corte secs. 3-4-9^{and} 10

Land mountainous

Soil 3rd rate

^{chs.} 81.10 ~~Dense undergrowth~~
~~mountainous land and dense~~
~~undergrowth 80.10 chs Aug. 1. 93.~~

N. of 3' Whit sec. 32^{and} 33.

Via. $14^{\circ} 52' E$.

ascend through ^{Brush} dense undergrowth

50.00 top of ridge to E. ^{and} descend

20.00 bottom ^{and} ascend ridge.

33.00 top to E.

38.00 descend into ~~canyon~~

40.00 Set a Granite stone $18 \times 10 \times 6$ ins 12 in
in the ground for $\frac{1}{4}$ sec corner marked

Apr 18 T. L. 9 West

Chain $\frac{1}{4}$ on W face ^{and} raised a mound of stone $\frac{1}{2}$ ft high 2 ft base along side. Pits impracticable

56.00 bottom ^{and} ascent hrs Ey.

79.70 top

80.00 Set a volcanic stone $36 \times 30 \times 12$ inches in the ground for cor to sec. 28 29 32 ^{and} 33 marked with 1 notch on S ^{and} 4 notches on E edges ^{and} raised a mound of stone $\frac{1}{2}$ ft high 2 ft base along side Pits impracticable.

Land Mountainous

Soil 4th rate ^{can} Birch
~~soche dense undergrowth~~
~~mountainous land and dense~~
~~undergrowth sochs~~

From a random line bet sec 28 ^{and} 33

Va. $14^{\circ} 53' E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

Subdivisions

- 80.15 Intersect N^{and} S. line 8 lks. S. of
 cortapes. 27-28-33^{and} 34, as herein
 before described
 Thence S. 89° 57' W on a true line to pces 28^{and} 33
 Ca. 14° 53' E ^{Pinch}
 through dense undergrowth
- 9.00 descent
- 16.00 bottom ^{and} ascend ridge
- 32.00 top^{brs}, N. Exp.
- 40.06 Set a Volcanic stone 18 x 9 x 6 inches
 in the ground for 1/4 sec commencing
 1/4 on N face ^{and} raised a mound of
 stone 1/2 ft high 3 ft base alongside
 Pits impracticable.
- 45.00 descended into Cañon 31 ft deep
- 70.00 bottom ^{and} Creek flows S. E. 20 lks wide
 running water
- 74.00 ascend
- 80.12 top ^{and} the cortapes 28-29-32^{and} 33

Sp 18 N. E. 9 West.

- Chains Land mountainous 71.12 chs
 Soil 3rd ^{and 4th rate}
~~oak brush~~
 80.13 ch. dense undergrowth
 mountainous land no dense
 undergrowth 80.12 chs.
-
- N 0° 5' W lat. sec. 28. ^{and 29}
 Va. 14° 54' E
 ascends through ^{brush} dense undergrowth
 100.00 top of ridge ^{course E} to E. and descends
 35.00 bottom ^{and} ascent ridge
 32.00 top ^{of} br 2. E.
 40.00 Set a sand stone 15 x 14 x 6 ins 10 ins
 the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on
 W face ^{and} raised a mound of stone
 $\frac{1}{2}$ ft high 2 ft base along side. Pite
 impracticable. found which
 a juniper 15 ins diam brs. 15° E. 165
 lbs dist. marked $\frac{1}{4}$ S. B. T. No other
 tree within limits
 58.00 descends

Subdivisions

68.50 bottom ^{and} Wash 50 lbs wide lvs E.
and ascent ridge

73.00 top ^{and} descent lvs N.E.

80.00 Set a Granite stone 18x12x6 ins 17 ins
in the ground for cor to sec. 20-21-28
and 29 marked with 3 notches on S.
and 4 notches on E edges ^{and raised}
a mound of stone 1/2 ft high 2 ft
base along side. Pits, mpe actica-
lle.

Land Mountainous rocks.

Soil 3rd ^{and 4th} rate ^{can brush}
Timber 80 chs dense under-
growth.
~~Mountainous land and dense under-
growth 80 chs~~

N 89° 57' E on a random line for 21 ^{and 28}
1a 14536.

40.00 Set temporary 1/4 sec cor.

80.10 Intersect N ^{and} S line 14 lbs S.
of cor to sec. 21-22-27 ^{and 28}

Apr 18 N. L. 9 West.

Chains as herein before described

Thence I run

S89°51' W on a true line bet secs 21^{and} 28

Va. 14°53' E. ~~run~~

through dense undergrowth

5.00 descent

15.00 bottom^{and} ascent ridge

20.00 top^{and} descent br. E. N. E.

32.35 Wash. 25-lbs wide br. S^{and}
bottom

40.05 Set a Volcanic stone 18x8x8 ins 12
ins in the ground for 1/4 sec cor marked
1/4 on N face^{and} raised a monument of stone
1/2 ft high 2 ft base along side. Pits
unpracticable

44.50 ascent ridge

61.00 top^{and} descent br. N. E.

72.00 bottom^{and} ascent br. N. E.

80.10 the cor. to secs. 20-21-28^{and} 29.

Subdivisions

Chain - ant. Mountainous 67.95 chs

Trail 3.00 ^{ant. to valley}
~~can brush~~
 8010 ns. ~~Dense undergrowth~~
 Mountainous and dense ~~undergrowth~~
 80.14 chs Aug 2, 93.

75.00 $0^{\circ} 2' W$ by acc. 20' ^{ant} 21

76.14 $14^{\circ} 54' E$

brush
 descent through dense undergrowth

77.50 bottom ^{ant} ascent ridge

78.00 top br. Cey.

78.50 descent

79.00 bottom ^{ant} ascent ridge

80.00 Pit a volcanic stone 15 x 8 x 6 in. 10 in
 in the ground for 4 in cor marked
 $\frac{1}{4}$ on N face ^{and} raised a mound of
 stone $1\frac{1}{2}$ ft high 2 ft base along
 side. Pit is impracticable.

80.50 top ^{ant} descent br. N.E.

81.00 This point falling on a Granite
 boulder 4 x 3 x 2 ft in place, J.

T. J. R. G. West

chain marked a cross (x) at exact cor.
point, for cor to sec. 16-17-20^{and 21}
with 3 notches on S. and 4 notches
on E. and raised a mound of stone
1/2 ft high 2 ft base alongside.
Pits unpracticable, from which
a Juniper 36 in diam br. S. 45° E.
71 lbs. dist. marked T. J. R. G. W.
S. 21 B. T.

A Juniper 30 in diam br. S. 70° W
100 lbs. dist. marked T. J. R. G. W.
S. 20 B. T. No other trees within limits.

Land mountainous rocks

Soil 3 rd ^{and 4th rate} brush
80 chs ~~Dense undergrowth~~
~~mountainous land and dense under-~~
~~growth 80 chs~~

N 89° 51' E on a random line Pt 200/16^{and 21}
Va 14° 54' E.

40.00 Set temporary 1/4 sec cor.

Subdivisions

- 79.80 Intersect N and S line 23 bk N of
 cor to sec. 15-16-21^{and} 22 as herein
 before described.
 Thence run
 N 89° 59' W on a true line to sec. 16^{and} 21
 Va. 14° 54' E. ^{brush}
 through dense undergrowth.
- 5.00 ascend ridge
- 15.00 top to N.
- 22.00 descend.
- 39.90 Set a volcanic stone 21 x 12 x 10 and 4 in
 in the ground for 1/4 sec or marked
 1/4 on N face and raised a mound
 of stone 1 1/2 ft high 2 ft base
 alongside Pit, unreachible.
- 46.00 bottom
- + 5.00 ascend ridge
- 55.00 top and descend to N.
- 60.00 bottom and ascend ridge

Op 18 N. & 9 West

- 79.80 The cor topics 16-17-20^{and} 21
 Land mountainous 70.80
 Soil 4th rate
 Mesquero & brush
 79.80 chs dense under growth.
 Mountainous and dense under-
 growth 79.80 chs
-
- N. 0° 2' W lat sec. 16^{and} 17
 Va. 14° 53' E.
 along E. slope of Medicine Mts.
 through dense undergrowth
- 17.00 Ravine 100 lks wide ^{by} E
 34.00 descent
 Course East
- 32.00 bottom Ravine 50 lks wide ^{by} E
 40.00 Set a granite stone 15 x 12 x 12 ins in
 in the ground for 1/4 sec cor marked
 1/4 on W face^{and} raised a mound of
 stone 1/2 ft high 2 ft base along-
 side. Pits impracticable
- 41.00 top^{and} descent N E.
 43.00 bottom^{and} ascent bridge
 50.00 top^{and} descent by N E.

Subdivisions

65.00 Bottom ^{and ascent} ridge

80.00 Set a Granite stone 18x9x8 ins 12 ins
in the ground for cor to sec 8-9-16
and 17 marked with 4 notches on
S and E edges ^{and raised}, a mound
of stone 1/2 ft high 3 ft base
along side. Pits impractica-
ble.

Land Mountainous rocks

Soil Worthless

^{Greasewood brush}
rocks dense undergrowth
Mountainous land and dense
undergrowth rocks

S 89° 59' E on a random line to sec. 9 ^{and 16}.

Wa 14° 58' E.

40.00 Set temporary 1/4 sec cor.

79.86. Intersect N. ^{and S} line 13 cks
N of cor to sec. 9-10-15 ^{and 16} as
herein before described
Thence I run

Sp 18 N. S. West

- Chain N 89° 54' W on a true line lat. sec. 9^{and} 16
 Va 14° 53' E.
- 9.00 Wash 30 lbs white br. N.E. ^{Brush} and ascend
 30.00 top of ridge br. N.E.
 39.93 Set a granite stone 36 x 10 x 10 ins 27 ins
 in the ground for 1/4 sec corner marked
 1/4 on N face and raised a mound
 of stone 1/2 ft high 3 ft base a-
 long side. Pits impracticable.
- 46.00 descent
- 52.00 bottom ^{and ascend} ridge
 60.00 leave ^{Brush} dense undergrowth
- 78.00 top and descend br. N.E.
- 79.86 The cor to sec. 8-9-16 ^{and} 17
 Land Mountainous 70.86 chs
 Soil 3rd ^{and} 4th rate
 60 chs. ^{car} ^{Brush} dense undergrowth
 Mountainous land and dense
 undergrowth 98.6 chs

Subdivisions

- Chains N. 0° 3' W lat recs ^{and g.}
 Va. 11° 51' E.
 descent
 10.00 Bottom ^{and ascent}
 15.00 top ^{and descent} br. N.E.
 30.00 bottom
 37.00 ascent ridge
 40.00 Set a Sand stone 12 x 10 x 7 ins diam
 in the ground for cor. marked
 1/4 on W face ^{and raised} a mooring
 of stone 1/2 ft high 2 ft base
 alongside. Pile impracticable.
 48.00 top br. N.E.
 55.00 Ravine br. E. 55 lks wide.
 76.00 Ravine br. E. 25 lks wide
 80.00 Set a Granite stone 34 x 16 x 6 ins 16 ins
 in the ground for cor. to recs 4-5 ^{and g.}
 marked with 5 notches on ^{and}
 3 notches on E. edges, ^{and raised} a

Sp 18 N. L. 9 West

chains mound of stone 1/2 ft high 1/2 ft
base along side. Pits, impractic-
cable.

Land Mountainous

Soil Worthless

Timber scattering ^{scarcely} cedar

Mountainous land 80 cho
Aug 3, '93.