

19.

20
x

20 N
7 W

BOOK 1088

No. 1088

1088

4-671

BOOK 1088

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision
of
T20NR 7W

Township 20N R. 7W

6	78	5	4	3	2	1
77	76					
7	75	8	9	10	11	12
74	73					
18	72	17	16	15	14	13
71	70					
19	69	20	21	22	23	24
68	66					
30	29	28	27	26	25	
31	32	33	34	35	36	

Subdivisions

Chains N. 0° 3' W lat sec 29^{and} 30
 Va 14° 43' E.

40.00 Set a sand stone 21 x 4 x 6 ins in
 the ground for $\frac{1}{4}$ sec. cor. marked
 1/4 on W face. and raised a mound
 of stone $\frac{1}{2}$ ft high 2 ft base along
 side. Pts impracticable.

80.00 Set a sand stone 12 x 12 x 6 ins in
 the ground for cor to sec. 19-20-29
 and 30. on west with 2 notches on
 S and 5 notches on E. edges and
 raised a mound of stone $\frac{1}{2}$
 ft high 2 ft base along side. Pts
 impracticable.

Last level

Soil 1st and 2nd rate
 Timber scattering ^{Juniper} cedar

N 89° 53' E on a random line sec 20^{and} 29

No. 1088

BOOK 1088

67

Apr 30 N. H. West

Chain Va $14^{\circ}42'E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line at cort. pces.
20-31-28^{and} 29, as herein before des-
cribed

Thence S. $89^{\circ}53'$

W. on a true line to pces 30^{and} 29.

Va $14^{\circ}48'E$

descend through ^{timber} dense undergrowth

21.00 bottom and leave ^{timber} dense undergrowth

39.95 Set a volcanic stone, 10x10x10 ins. in
in the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on N. face and raised a mound of
stone $\frac{1}{2}$ ft high, 2 ft base along
side. Pits impracticable.

79.90 The cort. pces. 19-30-29^{and} 30

Land Level

Soil set rate ^{Sumper Timber}
21 ch. dense undergrowth

Apr 30 '93.

Subdivisions

Chains S 89° 51' W on a random line to sec 19^Q 20
 Va. 14° 43' E.

440.00 Set temporary 1/4 sec cor.

78.41 To intersect W boundary of town section
 3 cks N of cor to sec 19-20-29^Q and 30
 as herein before described
 Thence same

N 89° 50' E on a true line to sec 19^Q 20 30
 Va. 14° 43' E.

38.41 Set a lime stone 18 x 15 x 6 in²
 in the ground for 1/4 sec cor
 marked 1/4 on N^W and raised a
 mound of stone 1/2 ft high 3 ft
 base along side. Pits impracticable.

78.41 The corners 19-20-29^Q and 30

Land level

Soil sub rate

Timber scattering cedar and
 Juniper

Apr 20 N. G. West.

Claims N. 003' W bet secs. 19^{and 20}

Co. 14² 46⁶

30.00 ^{timber} Outer dense undergrowth.

40.00 Set a Volcanic stone 18x18x6 ins in the ground for base cor marked on W face, 5 mg pile 18x18x18 ins N. end of stone 5 ft high ^{and} raised a mound of earth 1 1/2 ft high 3 1/2 ft base along side.

50.00 ^{timber} Leave dense undergrowth.

80.00 Set a Lime Stone 12x10x8 ins in the ground for cor to secs. 17-18-19^{and 20} marked with 3 notches on S ^{and 5} notches on E edges, 5 mg pile 18x18x18 ins in each sec. 5 1/2 ft high, ^{and} raised a mound of earth 2 ft high 4 1/2 ft base along side.

Land Rolling

Soil 10¹ and 2² strata.

Subdivisions

Chains ^{Juniper} ~~Timber~~ ^{dense under-}
growth

$N 89^{\circ} 53' E$ on a random line to sec 17 ^{and 20}
Va $14^{\circ} 45' E$.

40.00 Set temporary $\frac{1}{4}$ sec cor.

80.05 Intersect N and S line at cor to
secs 16-17-30 ^{and 31} as herein before
described

Thence S run

$S 89^{\circ} 53' W$ on a true line to sec 17 ^{and 20}
Va $14^{\circ} 45' E$.

40.07 Set a Limestone $10 \times 12 \times 10$ ins & run
in the ground for $\frac{1}{4}$ sec cor. mark
it $\frac{1}{4}$ on N face ^{and raise} a mound
of stone 16 ft high & 3 ft base a-
long side. Pits impracticable.

80.05 The cor to secs 17-18-19 ^{and 20}
Land Rolling
Soil 1st ^{and 2nd} rate.

Sp 50 N. E. of West

Chain Timber scattering cedar ^{and juniper}

S 89° 50' W on a road on line to sec 18 ^{and 19}
 Va. 14° 43' E.

20.00 Set temporary 1/4 sec. cor.

78.39 Intersect W boundary of township
 15 lks S. of cor to sec. 13-18-19 ^{and 24}
 as herein before described.

Thence S

N 89° 55' E on a true line to sec. 15 ^{and 19}
 Va. 14° 43' E.

Through scattering Juniper.

36.00 Leave mesa and descend and
 leave Timber

38.39 Set a lime stone 15 x 12 x 8 in 10 in
 in the ground for 1/4 sec corner at
 1/4 on N face ^{and} raised a mound
 of stone 1 1/2 ft high 2 ft base
 alongside. Pits impracticable.

Subdivisions

44.00 Cotton

78.39 $\frac{1}{2}$ sec. to sec. 17-18-19^{and 20}

Land Rolling

Soil 1st^{and 2nd} rate36 acres Juniper $\frac{1}{2}$ milesN 0° 3' W lat. sec. 17^{and 18}

Var 14° 42' E

40.00 Set a Post 3 ft. long 3 ins square
with marker stone 12 ins in the
ground for $\frac{1}{4}$ sec. cor marked
for S. on N. face; 5 in g. pile 18 x 18 x 12 in
N. and S. of post, 5 $\frac{1}{2}$ ft. dist, and
raised, a mound of earth $\frac{1}{2}$ ft
high, 3 $\frac{1}{2}$ ft base around post

80.00 Set a sand stone 12 x 10 x 6 ins in
in the ground for cor to sec. 17-18-19
and 18 marked with 4 notches on
N. and 5 notches on E. edges^{and}

Sp 50 N. S. West.

Charris raised a mound of stone $1\frac{1}{2}$ ft high 3 ft base alongside. Pits impracticable.

Last level

Soil. 1st rate

Timber scattering cedar ~~and~~
juniper

Oct. 2, '93.

N $89^{\circ} 53' E$ on a random line to sec 8 ^{and 17}

to $14^{\circ} 43' E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.35 Intersect N ^{and} line of N of cor. to sec. 8-9-16 ^{and} 17 as herein before described

Thence run

S $89^{\circ} 54' W$ on a true line to sec. 8 ^{and 17}

to $14^{\circ} 43' E$.

through ^{timber} dense undergrowth

40.12 Set a limestone $18 \times 10 \times 6$ ins 12 ins in the ground for $\frac{1}{4}$ sec. corner

Subdivisions

Chain 1/4 on N. face, ^{and raised a mound}
of stone 10 ft high 2 ft base along
side. Pitts impracticable.

80.25 The cor to sec. 7-8-17 ^{and 18}
Land Level

Soil moderate ^{Juniper timber}
80.25 the dense undergrowth

N 89° 55' W on a random line to sec. 7 ^{and 18}
Va 14° 45' E.

49.00 Set temporary 1/4 sec. cr.

78.25 Intersect N boundary of lower line
4 lks S of cor to sec. 7-12-13 ^{and 18}
as herein before described

Thence S. 1/4 sec.

N 89° 54' E on a true line to sec. 7 ^{and 18}
Va 14° 45' E.

^{Timber}
Through dense undergrowth

15.00 ascent ridge

Sp 20 N. R. West.

29.00 top and descend hill

38.25 Set a lime stone 12 x 10 x 6 ins & in the ground for 4 sec. cor marked from N face and raised a mound of stone 1/2 ft ^{high} 2 ft base along side. Pits impracticable.

78.25 the cor to sec. 7-8-17 and 18

Land mountainous & rolling
Soil 3rd rate

78.25 chs dense under growth
mountainous land and dense
under growth 78.25 chs

N. 0° 3' W. lat sec. 7 and 8

1/4. 14° 44' E.

Throng scattering Timber & brush

40.00 Set a lime stone 12 x 10 x 6 ins & in the ground for 4 sec. cor marked 1/4 on N face and raised a mound of stone 1/2 ft high 2 ft base along side. Pits impracticable.

Subdivisions

80.00 Set a Line stone $15 \times 10 \times 6$ inches
 in the ground for corners 5-5-7^{and 8}
 marked with 5 notches on S and
 West ends raised, a monument of
 stone $1\frac{1}{2}$ ft high 2 ft base a
 long side. Pits impracticable
 Land level
 Soil 1st and 2nd water
 Rocks scattering Juniper ^{and brush}
 150

N 89° 54' E on a random true line to sec 5^{and 8}
 T4 14° 43' E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N and S line 8 lks N
 of cor to sec 4-5-8^{and 9} as here-
 in before described
 Thence S run

S 89° 57' W on a true line to sec 5^{and 8}
 T4 14° 43' E.

Sp 20 N. R. 7 West.

Timber

20.00 Enter dense undergrowth
 40.05 Set a lime stone $18 \times 10 \times 8$ ins 8 ins
 in the ground for $\frac{1}{4}$ sec. marked
 $\frac{1}{4}$ on it face and raised a mound
 of stone $1\frac{1}{2}$ ft high 3 ft base along
 side. Pile impracticable.

80.10 The cor to secs 5-6-7 and 8.

Land Rolling

Soil 1st and 3rd rate

Timber 60.10 clear ^{Super} dense
 undergrowth.

Oct. 3, 90.

S. $89^{\circ}57'$ True a true line to secs 6 and 7

Var $14^{\circ}43'6''$.

100.00 Set temporary $\frac{1}{4}$ sec. cor.

78.25 Intersect N. bound any of township
 at cor to secs. 1-6-7 and 12 as herein
 before described

Thence S. run

N. $89^{\circ}57'$ True a true line to secs 6 and 7

Subdivisions

Chains Va. $14^{\circ} 43' E$.

38.20 Through Timber ^{and} dense undergrowth
Set a Sand stone $15 \times 8 \times 6$ ins
Dino in the ground for $\frac{1}{4}$ sec
marked $\frac{1}{4}$ on N face from which.

A Juniper 24 ins diam br. S. 33 W.
20 lbs dist marked $\frac{1}{4}$ S.B. 5

A Juniper 20 ins diam br. N. 8 E.
35 lbs dist marked $\frac{1}{4}$ S.B. 9

48.20 The Cor to sec's 5-6-7^{and} 8
Land level

Soil 1st ^{and} 2nd rate

48.20 also Juniper Timber
and dense undergrowth

N. 0° 3' Wht sec's 5^{and} 6.

Va. $14^{\circ} 45' E$.

Through Timber
dense undergrowth

22.50 Juniper Steins diam on line.

26.00 ascent ridge.

No. 1088

Apr 30 N. R. 7 West.

40.00 Set a Lime stone 15 x 10 x 6 ins in
 in the ground for $\frac{1}{4}$ sec. cor. mark
 $10\frac{1}{4}$ on W face and raised a
 mound of stone $1\frac{1}{2}$ ft high 2 ft
 base alongside. Pits imprac-
 ticable.

46.00 top Cr. East

55.00 descend

75.00 bottom

87.35 Intersect the 5th standard parallel
 north at a point 15.34 ch. $N 85^{\circ} 24' E$.
 of standard cor to sec. 31 ^{sec 35} map
 of T. 21 N. R. 7 W. at which point set
 a Lime stone 18 x 12 x 6 ins in the
 ground for C. C. mark. C. Cor
 S and 5 inches on E and 1 notch
 on W faces and raised a mound
 of stone $1\frac{1}{2}$ ft high 2 ft base
 alongside. Pits impracticable.
 Land Rolling

Subdivisions

Chain Soil. 2nd rate

Trumbull 87 35 chs dense undergrowth

Juniper

Oct. 4, '93.

33 miles 40 chs and 23 lks
run over mountainous
land or dense under-
growth

Apr 30 P. R. West

U. S. Surveyor-General's Office,

TUCSON, A. T., ~~August 9,~~ 1895-

The foregoing Field Notes of the Surveys of
the Subdivision lines
of Township No. 210
North Range 7 West
of the Gila and Salt River Meridian
in Arizona executed by
Philip Contzow
U. S. Deputy Surveyor, under his contract dated
February 10th 1893.
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

Lee A. Manning

U. S. Surveyor-General
for the Territory of Arizona.