

BOOK 1094

No. 1094

1094

BOOK 1094

BOOK 1094

4-671

FIELD NOTES

GENERAL LAND OFFICE.

*Subdivision*

*Township 25. N. R. 3. W.*

No. 1094

Index for  
Index

BOOK 1094  
BOOK 1095

(4-674.)

Township 25 N R. 3 W

6	116	5	91	4	72	3	51	2	25-1
114	113	89	70	49	24				
7	112	8	88	9	68	10	45	11	21 12
110	108	87	66	43	19				
18	107	17	85	16	63	15	41	14	17 13
106	104	83	62	39	15				
19	103	20	81	21	59	22	36	23	12 24
101	100	79	57	34	10				
30	98	29	77	28	56	27	31	26	8 25
97	96	76	54	29	7				
31	93	32	73	33	53	34	27	35	5 36

No. 1094

BOOK 1094

1.A

Field Notes  
of the survey of the  
Subdivision Lines  
of  
Township No. 25 N. R. no. 3 West  
of the  
Gila & Salt River Base & Meridian  
in the  
Territory of Arizona  
as surveyed by  
Francis W. Owen,  
U. S. Deputy Surveyor  
Charles E. Perkins  
Compassman and U. S. Deputy Surveyor  
under contract No. 31.  
Dated June 21, 1894.

Survey commenced July 11<sup>th</sup>, 1894  
Survey completed July 17<sup>th</sup>, 1894.

## Subdivisions

chs. Survey commences July  
11<sup>th</sup>, 1894 with a W. and  
S. E. Gully solar  
transit.

At the Standard  
con to Secs. 35 and 36,  
on the S. hdy of the sp.  
as hereinbefore des-  
cribed I verify the  
adjustments of my  
instrument and find  
them correct.

I set off  $22^{\circ} 03'$  N. on the  
decl. arc, and at 12<sup>h</sup> 5<sup>m</sup>  
p. m. l. m. t. observe  
the Sun on the meridian,  
the resulting lat. is  
 $35^{\circ} 28' N.$ , the true  
latitude nearly.

T. 25. N. R. 3 W. (cont'd)

obs. July 11<sup>th</sup> 1894, at 2 p.m.  
 l. m. s. I set off  $35^{\circ}28'N$   
 on the lat. arc, and  $22^{\circ}03'N$   
 on the decl. arc, and deter-  
 mine a true meridian  
 with the solar, the  
 resulting mean variation  
 is  $14^{\circ}43'$  East

Thence I ~~run~~

No. 11 W. bet secs 35 and 36.

Var.  $14^{\circ}43'$  East

over rolling land.

18.00 Road, course N.W. & S.E.

40.00 Set a sandstone  $18 \times 10 \times 10$   
 ins. 12 ins. in the ground  
 for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
 on W. face, dug pits  $18 \times$   
 $18 \times 12$  ins. N. and S. of  
 stone 5 ft. apart and

## Subdivisions

chs. raised a mound of earth,  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
 base, alongside.

80.00 Set a limestone  $20 \times 16 \times 12$   
 mi. 15 mi in the  
 ground for cor. to sec.  
 25, 26, 35 and 36, marked  
 with a notch on S.  
 and E. edges, and  
 dug pits  $18 \times 18 \times 12$  mi  
 in each sec.  $5\frac{1}{2}$  ft.  
 dist. and raised a  
 mound of earth  $1\frac{1}{2}$   
 ft. high  $4\frac{1}{2}$  ft. base,  
 alongside.  
 Land, gently rolling.  
 Soil stony, 20 and  $\frac{1}{2}$  rate.  
 No timber

## T. 25 N. R. 3 W. (cont'd)

chs. East on a random line  
bet secs. 25 and 36.

Var.  $140^{\circ} 43'$  East

40.00 Get temporary  $\frac{1}{4}$  sec. cor.

79.96 Intersect E. bdy of Sp. 9 chs  
S. of cor to secs. 25, 30, 31  
and 36, as hereinbefore  
described.

Thence I run

S.  $89^{\circ} 56'$  W. on a true line  
bet secs. 25 and 36.

Var.  $140^{\circ} 43'$  East.

over rolling land.

39.98 Get a limestone  $6 \times 10 \times 10$   
ms. 11 ms. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
on N. face, dug pits  $18 \times$   
 $18 \times 12$  ms. E. and W. of  
stone,  $5\frac{1}{2}$  ft. dist. and

## Subdivisions

chs. raised a mound of  
 earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
 ft base, alongside.

79.96 The cor. to secs. 25, 26,  
 35 and 36.

Land gently rolling.

Soil, stony, 20 and 40 rods  
 No timber.

N. 00 1' W. bet. secs. 25 and 26.

Var. 140 43' East.

11.00 Road, course N.E. & S.W.

40.00 Set a sand stone 20 x  
 14 x 10 ins. 18 ins. in  
 the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on W.  
 face, and raised a  
 mound of stone  $1\frac{1}{2}$  ft  
 high, 2 ft. base, along



T. 25 N. R. 3 W. (contd)

- chs side. Onto impracticable
- 68.00 Enter cedar brush  
ascend, rocky bluff.
- 70.00 a malpais rock in  
place, 12 x 10 x 8 ft. above  
ground, which I mark  
with a cross (+) at  
exact car. point, for  
cor. to secs. 23, 24, 25 and  
26, with 2 notches on S.  
and 1 notch on E. edges,  
and raised a mound  
of stone 1 1/2 ft. high  
2 ft. base, alongside,  
from car. point
- a cedar 12 ins. diam. hrs.  
N. 43° E. 21 lks. dist. marker  
T. 25 N. R. 3 W. S. 24 T. T.  
a cedar 6 ins. diam. hrs.

## Subdivisions

chs. S.  $41^{\circ}$  E. 39 lks. dist.  
 marked T. 25 N. R. 3 W. S. 25 B.T.  
 a cedar 10 in diam. hts.  
 S.  $47^{\circ}$  W. 17 lks. dist.  
 marked T. 25 N. R. 3 W. S. 26 B.T.  
 cedar 12 in diam. hts.  
 N.  $10^{\circ}$  15' W. 22 lks. dist. mark-  
 ed T. 25 N. R. 3 W. S. 23 B.T.  
 This cor is on S. slope  
 of bluff, about 200 ft.  
 above last sec. cor.  
 Land rolling out  
 mountainous.  
 Soil, stony, 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber, some cedar  
 brush.  
 mountainous land 12 lks.

N.  $89^{\circ}$  56' E. on a random line

T. 25 N. R. 3 W. (contd).

chs. bet. secs 24 and 25.

Var.  $140^{\circ}43'$  East.

40.00 Get Temporary  $\frac{1}{4}$  sec. cor.

09.93 I enter at E. body of sp. 13  
lbs. S of cor to secs.

19, 24, 25 and 30 as here-  
in before described.

Thence I run

S.  $89^{\circ}50'$  W. on a true line

bet. secs. 24 and 25.

Var.  $140^{\circ}43'$  East

over rolling land.

39.96 Get a limestone  $20 \times 14$

$\times 9$  ins. 15 ins. in the

ground for  $\frac{1}{4}$  sec. cor.

marks  $\frac{1}{4}$  on N. face,

and raised a mound of  
stone  $\frac{1}{2}$  ft. high, 2 ft  
base, alongside. Pits

## Subdivisions

chs impracticable.  
 64.00 Enter cedar brush.  
 ascent 200 ft. to  
 79.93 The cor to secs 23, 24, 25  
 and 26,  
 land, rolling and  
 mountainous.  
 Soil gravelly and  
 rocky. 20 and 4<sup>th</sup> all.  
 No timber, some cedar  
 brush.  
 mountainous land  
 15.93 chs.

July 11<sup>th</sup>, 1894.

N. 0° 1' W. bet. secs. 23 and 24

Var. 140 43' East.

Over mountainous land  
 ascent 100 ft.

T. 25 N. R. 3 W. (cont'd)

- ch<sup>s</sup>
- 4.00 Top of rocky bluff, about 300 ft high, thence over nearly level mesa, through scattering cedar and juniper brush.
- 33.10 Descent 30 ft.
- 39.00 Foot of descent.
- 40.00 a malpais rock in place, 2 x 3 x 4 ft. above ground, which I mark with a cross (+) at exact cor. point for 1/4 sec. cor. with 1/4 on W. face, and raise a mound of stone 1 1/2 ft. high, 2 ft. base, along side, from which a cedar 12 in. diam. has S. 86° E. 27 ebs dist.

## Submissions

chs. marked 14 E.B.T.

a fusion 6 ins. diam  
 hrs. N.  $81^{\circ}$  W. 33 lbs. dist.  
 marked 14 E.B.T.

75.70 Ravine, 4 ft. deep, came  
 E.

ascend 30 ft.

80.00 Top of ascent.

Get a sand stone  $20 \times 16 \times$   
 $2$  ins.  $15$  ins. in the  
 ground for cor. to see  
 $13, 14, 23$  and  $24$  marker  
 with 3 notches on B  
 and 1 notch on E. edge,  
 and raised a mound  
 of stone  $1\frac{1}{2}$  ft high  
 $2$  ft base, alongside,  
 from which  
 a cedar 8 ins. diam hrs

T. 25 N. R. 3 W. (contd)

chs.

N. 45° E. 92 lbs dist.

marked T. 25 N. R. 3 W. b. 13 B.T.

a cedar 11 ins. diam. lbs.

N. 65° E. 88 lbs dist.

marked T. 25 N. R. 3 W. b. 13 B.T.

a cedar 12 ins diam. lbs.

S 28° E. 97 lbs dist.

marked T. 25 N. R. 3 W. b. 14 B.T.

No other trees within limits

Land, rolling and broken.

Soil stony and rocky 20  
and 4<sup>th</sup> rate.

No timber, scattering cedar  
and prairie brush

N. 89° 50' E. on a random line  
bet secs. 13 and 24.

Var. 140 43' East.

40.00

Get Temporary 1/4 sec cor.

## Subdivisions

chs

79.90

Intersect E. body of the  
Sp. 17 chs. N. of cor to  
secs 13, 18, 19 and 24,  
as hereinbefore des-  
cribed.

Thence I run

S.  $89^{\circ} 57'$  W. on a true line  
bet secs 13 and 24.

Var.  $14^{\circ} 43'$  East.

over rolling land

19.00

wash, 3 ft. deep, course  
N. E.

39.95

Set a limestone  $18 \times 12$   
 $\times 10$  ins. 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face,  
and raised a marker  
of stone  $\frac{1}{2}$  ft. high.  
2 ft. base, alongside



T. 25 N.R. 3 W (contd)

chs. from which  
 a cedar 8 ins. diam. hrs.  
 S.  $71^{\circ}$  E. 85 lbs. dwt.  
 marked 14 E.B.T.

a cedar 10 ins. diam. hrs.  
 S.  $53^{\circ}$  W. 111 lbs. dwt.  
 marked 14 S.B.T.

76.00 ascent 30 ft to

79.90 The cor. to secs. 13, 14, 23  
 and 24.

Lands, rolling.

Trail, stony, 3' cut 4<sup>th</sup> rate.

No timber, scattering  
 cedar and juniper bushes

---

N. 00' W. bet. secs. 13 and 14.

Var. 140 43' East.

over rolling lands.

37.00 ascent 200 ft.

## Subdivisions

cls

40.00

Set a malpais stone  
 20 x 16 x 10 ins. 15 ins.  
 in the ground for  
 1/4 sec. cor. marked  
 1/4 on W. face, and  
 raises a mound of stone  
 1 1/2 ft high, 2 ft. base  
 along side, from which  
 a cedar 7 ins. diam.  
 hrs. N. 78° E. 24 lbs.  
 dist. marked 1/4 S.B.T.  
 a cedar 10 ins. diam.  
 hrs. N. 45° W. 73 lbs. dist.  
 marked 1/4 S.B.T.

59.50

Top of ascent.

71.10

cross wire fence  
 course N. W. + S. E.

80.00

Set a malpais stone  
 20 x 16 x 10 ins. 15 ins.

T. 25 N.R. 3 W. (cont'd)

shs. in the ground for cor. to  
secs. 11, 12, 13 and 14,  
marked with 4 notches  
on S and 1 notch on E  
edges, and raised a  
mound of stone  $1\frac{1}{2}$  ft.  
high, 2 ft. base, along  
side. Pits impracticable  
land, mountainous and  
rolling.

Soil, stony, 28 and 4<sup>th</sup> rate.  
No timber, scattering  
cedar and juniper brush.

---

N.  $89^{\circ}57'$  E. on a random line  
bet. secs. 12 and 13

Var.  $14^{\circ}43'$  East.

40.00 Set temporary 1/4 sec. cor.  
29.91 Intersect the E. hdy of

## Subdivisions

chs the 70, 6 lbs S of  
 cor. to secs. 7, 12, 13 and  
 18, as hereinbefore des-  
 cribed

Thence I run  
 S. 89° 50' W. on a true line  
 bet. secs 12 and 13.

Var. 140° 43' East.

over broken land,  
 through dense under-  
 growth  
 ascent 250 ft.

37.70 Top of ascent.

39.95 Set a malpais stone  
 10 x 6 x 12 ins., 12 ins.  
 in the ground for 1/4  
 sec. cor. marked 1/4 on  
 N. face, and raised a  
 mound of stone 1 1/2 ft.

T. 25 N. R. 3 W. (contd.)

chs. high, 2 ft base, alongside  
 from which

a cedar 20 ins. diam. chs.

S. 21° 15' E. 43 lks. dist.

marked 14 S.B.T.

a cedar 16 ins. diam. chs.

N. 33° W. 57 lks. dist. marked

14 S.B.T.

Leave dense undergrowth

79.91 The cor to secs 11, 12, 13 and  
 14.

Land mountains and  
 rolling.

Soil, rocky 3<sup>d</sup> and 4<sup>th</sup> rate.

No timber, cedar and  
 juniper bush.

Dense undergrowth 3.9.95 chs.

N. 0° 1' W. bet. secs. 11 and 12.

## Subdivisions

chs. Var. 40.43' East  
 can calling land.

16.70 Descent 300 ft.

39.60 Foot of descent.

40.00 Set a post 3 ft. long,  
 3 ins. square, 12 ins. in  
 the ground for 1/4 sec.  
 cor. marked 1/4 S on  
 W. face, dug pits 18x18  
 x 12 ins. N and S of post,  
 3 1/2 ft. dist. and raised  
 a mound of earth 1 1/2  
 ft high, 3 1/2 ft. base  
 around post, from  
 which  
 a cedar 6 ins. diam.  
 bro. S. 200 W. 45 sba dist.  
 marked 1/4 S.D.T.  
 a cedar 9 ins. diam bro.

T. 26 N. R. 3 W. (contd)

- chs. N.  $89^{\circ}30'$  E. 37 lks dist.  
marked  $\frac{1}{4}$  S.O.T.
- 49.00 Road from Howard's  
ranch to Williams,  
course E. and W.
- 50.00 Set a sand stone  $14 \times 10$   
 $\times 10$  ins. 9 ins. in the  
ground for cor to secs.  
12, 11 and 12, marked  
with 5 notches on S.  
and 1 notch on E. edges,  
dug pits  $18 \times 18 \times 12$  ins.  
in each sec.  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth 2 ft high,  $4\frac{1}{2}$   
ft base along side.  
Land, mountainous and  
rolling.  
Soil, rocky and gravelly

## Subdivisions

cho. 2<sup>d</sup> and 4<sup>th</sup> rate.  
 Timber, scattering  
 cedar.  
 maintains land 22.90 chs.

N.  $89^{\circ}50'$  E. on a random line  
 bet secs. 1 and 12.

Var.  $14^{\circ}43'$  East.

40.00 Set temporary 1/4 sec. cor.

79.97 Intersect E. body of the  
 sp. 10 chs. N. of cor to  
 secs. 1, 6, 7 and 12, as  
 herein before described.

Thence I run

$89^{\circ}54'$  N. on a true line  
 bet. secs. 1 and 12.

Var.  $14^{\circ}43'$  East.

over gently rolling open  
 land.



## T. 25 N. R. 3 W. (cont'd)

ch.  
39-98 Set a sand stone  $15 \times 12$   
 $\times 10$  ins. 10 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins.  
E and W. of stone  $5\frac{1}{2}$   
ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft  
high,  $3\frac{1}{2}$  ft base, along  
side.

79-97 The cor. to secs 1, 2, 11  
and 12.

Land, gently rolling.  
Soil, gravelly, 3<sup>d</sup> rate.  
No timber

N.  $00^{\circ}1'$  W. on a random line  
bet. secs. 1 and 2.

Var.  $140^{\circ}43'$  East.

## Subdivisions

cha

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

79.92

Intersect the N. ldy  
of the Sp. 10 chs W. of  
cor. to secs. 1, 2, 35 and  
36. as hereinbefore  
described.

Thence I run

S.  $0^{\circ}03'$  W. on a true line  
bet secs 1 and 2.

Var.  $14^{\circ}43'$  East.

ever gently rolling land

30.92

Set a post 3 ft long,  
3 ins. square 12 ins. in  
the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  S. on  
W. face, dug pits  $18 \times$   
 $18 \times 12$  ins. N and S.  
of post  $5\frac{1}{2}$  ft dist.  
and raised a mound

T. 25 N.R. 3 W (cont'd)

chs. of earth  $1\frac{1}{2}$  ft high, 2 ft. base, around post, from which  
 a cedar 10 ins. diam.  
 hrs. N.  $40^{\circ}$  E. 106 lbs. dist.  
 marked  $\frac{1}{4}$  S.B.T.  
 no other trees within limit

7992 The cor. to secs. 11, 12, 11 and 12.

Land, gently rolling.  
 Soil gravelly 3<sup>d</sup> rate.  
 No timber.

From the Standard cor.  
 to secs. 34 and 35 on S.  
 bdy of Sp. as hereinbefore  
 described

From

N.  $00^{\circ}$  W. bet. secs. 34 and 35.

## Subdivisions

chs.

Var. 14043 East.

Over calling land.

40.00

Set a malpais stone  
 20 x 14 x 14 ins 15 ins.  
 in the ground for 1/4  
 sec cor. marked 1/4 on  
 W. face, and raised a  
 mound of stone 1 1/2 ft  
 high 2 ft. base, along-  
 side. Pits impractic-  
 cable.

56.40

Road to Chunnings  
 ranch, course S.E. and N.W.

80.00

Set a malpais stone  
 20 x 16 x 14 ins. 15 ins. in  
 the ground for cor. to  
 secs. 26, 27, 34 and 35,  
 marked with 1 notch  
 on S and 2 notches

T. 25 N. R. 3 W. Contd

chs. on E. edge, and raised  
 a mound of stone  $1\frac{1}{2}$   
 ft high, 2 ft base, along-  
 side. Pits impracticable  
 Land, rolling.  
 Soil, rocky, 4th rate.  
 No timber.

East on a random line  
 bet secs. 26 and 35.

Var.  $140^{\circ} 43'$  East.

40.00 Bet temporary  $\frac{1}{4}$  sec. cor

7993 Intersect N and S. line  
 13 chs S. of cor. to sec.

25, 26, 35 and 36.

thence I run

S.  $89^{\circ} 54'$  W. on a true line  
 bet secs. 26 and 35.

Var.  $140^{\circ} 43'$  East.

## Subdivisions

- chs over rolling land.
- 16.00 Road, course N.E. & S.W.
- 31.00 Enter dense undergrowth.
- 39.96 Set a malpais stone  
 22 x 20 x 14 ins. 16 ins  
 in the ground for  
 1/4 sec. cor. marked 1/4  
 on N. face, and raised  
 a mound of stone 1 1/2  
 ft high, 2 ft. base,  
 alongside from which  
 a cedar 10 ins. diam. has  
 N. 71° 30' E. 16 lbs. dist.  
 marked 1/4 S.P.T.
- a cedar 16 ins. diam.  
 has S 81° 15' W. 27 lbs.  
 dist. marked 1/4 S.P.T.
- 44.00 ascend 150 ft
- 47.20 Top of ascent.

T. 25 N. R. 3 W. (contd)

chs. Leave dense under-  
growth.

79.93 The cor. to secs. 26, 27, 34  
and 35.

Land, rolling and broken  
Soil, stony, 30 and 4<sup>th</sup> rate.  
No timber

Dense undergrowth  
16.20 chs.

N. 0° 1' W. bet secs. 26 and 27.

Var. 140 43' East.

over rolling land.

17.00 Wire fence, course N. W  
and S. E.

40.00 Set a malpais stone  
20 x 14 x 14 ins. 15 ins in  
the ground for 94 sec.  
cor. marked 1/4 on W. face

## Subdivisions

- chs. and raised a mound of  
 stone  $1\frac{1}{2}$  ft. high, 2 ft.  
 base, alongside Pito  
 impracticable  
 50.00 ~~enter since cedar in deep growth~~  
 53.40 Descend 250 ft into  
 rocky canon.  
 57.60 Bottom of canon, come  
 N.E.  
 ascend 400 ft.  
 73.00 -  
 68.70 Top of ascent, and N.  
 edge of canon.  
 Thence over rolling land  
 80.00 Get a malpais stone  
 $21 \times 18 \times 16$  vis. 15 vis.  
 in the ground for cor.  
 to secos. 22, 23, 26 and 27,  
 marked with 2 notches



T. 25 N. R. 3 W. (cont'd)

cho on S and E. edges, and  
raised a mound of stone  
1 1/2 ft high, 2 ft base  
alongside from  
which

a cedar 6 ins. diam. ho.

N. 77° E. 70 lbs. dist.

marked T. 25 N. R. 3 W. S. 25 B.T.

a cedar 20 ins. diam.

ho S. 21° 15' E. 70 lbs. dist.

marked T. 25 N. R. 3 W. S. 26 B.T.

a cedar 15 ins. diam. ho S.

79° 30' W. 70 lbs. dist. marked

T. 25 N. R. 3 W. S. 27 B.T.

a cedar 12 ins. diam. ho.

N. 110° 30' W. 83 lbs. dist.

marked T. 25 N. R. 3 W. S. 22 B.T.

lands, rolling and broken.

## Subdivision

chs. Soil, rocky, 4th rate  
 No timber, dense cedar  
 undergrowth, 30 charis.

N.  $89^{\circ} 54'$  E. on a random line  
 bet secs. 23 and 26.

Var.  $14^{\circ} 43'$  East.

40.00 Set temporary 1/4 sec. cor.

79.85 9th intersect N and S. line  
 1/4 chs. S of cor. to secs.  
 23, 24, 25 and 26.

Thence I run

S  $89^{\circ} 48'$  W. on a true line  
 bet. secs. 23 and 26.

Var.  $14^{\circ} 43'$  East.

ascend 100 ft.

5.60 Top of ascent.

Thence over rolling

T. 25 N R. 3 W. (contd)

chs. land.

39.92 a malpais rock in place 2x3x2 ft. above ground, which I mark with a cross (+) at exact cor. point for  $\frac{1}{4}$  sec. cor. with  $\frac{1}{4}$  on N. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high, 2 ft. base, alongside, from which a cedar 16 ins. diam. has N. 70 E. 85 lbs. dist. marked  $\frac{1}{4}$  S.B.T.

a cedar 12 ins. diam. has. S 83° 30' W. 96 lbs. dist. marked  $\frac{1}{4}$  S.B.T.

41.50 Descend 250 ft. into canon,

## Subdivisions

cho

61.00 Bottom of canon, course  
N.E.

ascend 300 ft.

72.00 Top of ascent.

79.85 The cor. to secs. 22, 23, 26  
and 27.

Lands, rolling and mountainous

Soil, rocky, 4<sup>th</sup> rate.No timber, scattering  
cedars

Mountainous lands, 31.50 cho.

July 12<sup>th</sup>, 1894.

N. 0° 1' W. bet. secs. 22 and 23,

Var. 140 43' East.

Over rolling land.

40.00 Got a malpais stone 18x  
14x10 ins. 12 ins. in the

T. 25 N. R. 3 W. (cont'd)

des. ground for  $\frac{1}{4}$  sec. cor-  
 marked  $\frac{1}{4}$  on W. face,  
 and raised a mound  
 of stone  $1\frac{1}{2}$  ft high,  
 2 ft base, alongside,  
 from which; a cedar 12 ins. diam. hrs.  
 N.  $8^{\circ}45'$  E. 87 lbs dist, marked  $\frac{1}{4}$  S. B.T.

A cedar 2 ins. diam. hrs. S.  $52^{\circ}$  W. 53 lbs dist,  
 marked  $\frac{1}{4}$  S. B.T.

58.50 Descend 190 ft. into  
 canon.

62.00 Bottom of canon, course  
 E.

ascend 150 ft.

74.00 Top of ascent. N. edge  
 of canon.

80.00 But a malpais stone  
 $18 \times 16 \times 12$  ins 12 ins.  
 in the ground for cor.

## Subdivisions

chs. To sees 14, 15, 22 and 23,  
 marked with 3 notches  
 on S and 2 notches  
 on E. edges, and raised  
 a mound of stone  $1\frac{1}{2}$   
 ft high, 2 ft. base, along  
 side. from which,  
 a cedar 16 ins. diam. hrs.  
 S.  $33^{\circ} 30'$  E. 275 lbs. dist.  
 marked T. 25 N. R. 3 W. S. 23-D.T.  
 a cedar 20 ins. diam. hrs.  
 S.  $70^{\circ} 30'$  W. 300 lbs. dist.  
 marked T. 25 N. R. 3 W. S. 22-D.T.  
 No other trees within limits  
 Lawns, rolling and broken  
 Soil, stony, 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber, scattering cedar  
 mountainous land 1550 chs.

T. 25 N. R. 3 W. (cont'd)

- 39.00 N.  $89^{\circ}48'$  E. on a random line  
 bet secs. 14 and 23.  
 Var.  $14^{\circ}43'$  East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 39.90 Enter the N. and S.  
 line 21 lbs. N. of cor.  
 to secs. 13, 14, 23 and 24.  
 Thence I run  
 S.  $89^{\circ}57'$  W. on a true line  
 bet. secs. 14 and 23.  
 Var.  $14^{\circ}43'$  East,  
 over rolling land.
- 30.00 Enter dense undergrowth  
 39.95 Set a malpais stone  
 $18 \times 16 \times 10$  ins.  $12$  ins. in  
 the ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  on N. face,  
 and raised a mound  
 of stone  $\frac{1}{2}$  ft. high 2 ft.

## Subdivisions

chs. base, alongside, from  
which

a cedar 10 mis. diam.

hrs.  $N 70^{\circ} 30' W$ . 27 lbs. dist.  
marker 14 E.B.T.

a cedar 13 mis. diam. hrs.

$N. 130^{\circ} 45' E$ . 31 lbs. dist.

marker 14 E.B.T.

54.30 Leave dense undergrowth  
ascend rock bluff.

59.55 Top of bluff, 200 ft.

high, thence over gently  
rolling mesa.

79.90 The cor to secs. 14, 15, 22  
and 23.

Land, rolling and broken  
Soil rocky, 4th rate.

No timber, cedar and  
pinon undergrowth.



T. 25 N. R. 3 W. (contd)

cho. Maintains, or land cov-  
ered with dense under  
growth 29.50 cho.

N. 0° 1' W. bet. sec. 14 and 15.

Var. 14043' East.

over rolling mesa

40.00 Set a malpais stone  
18 x 10 x 9 ins. 12 ins in  
the ground for 14 sec. cor  
marked 14 on W. face, and  
raise a mound of stone  
1 1/2 ft high, 2 ft base,  
alongside, from which  
a cedar 6 ins. diam. has  
S. 28° 30' W. 73 lks. dist.  
marked 14 S.B.T.  
a cedar 8 ins. diam. has  
S. 59° W. 297 lks. dist.

## Subdivisions

- chs. marker  $\frac{1}{4}$  S.O.T.  
 53.00 Descend 200 ft.  
 69.00 Foot of descent  
 Wire fence, across  
 line, course E. and W.  
 80.00 Set a post 4 ft. long  
 + wire square, 12 ins.  
 in the ground for con  
 to secs. 10, 11, 14 and 15,  
 marker  
 T. 25 N. S. 11 on N.E.  
 R. 3 W. S. 14 on S.E.  
 S. 15 on S.W. and  
 S. 10 on N.W. faces, with  
 4 notches on S. and 2  
 notches on E. edges, dug  
 pits 18x18x12 ins. in  
 each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of

T 25 N. R. 3 W. (contd)

chs. earth 2 ft high  $4\frac{1}{2}$  ft  
base, around post, from  
which

a cedar 24 ins. diam. hrs.

N.  $64^{\circ}$  W. 395 chs. dist

marker T. 25 N. R. 3 W. S. 10 T.

a cedar 18 ins. diam. hrs.

S.  $28^{\circ} 30'$  W. 73 chs. dist.

marker T. 25 N. R. 3 W. S. 15 T.

No other trees within limits  
land, rolling and moun-  
tainous.

Soil, rocky, 4<sup>th</sup> rate.

No timber, cedar under  
growth.

mountainous land 16 chs.

N.  $59^{\circ} 57'$  E. on a random line  
bet sees. 11 and 14.

## Subdivisions

chs

Var.  $14^{\circ}43'$  East.40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.92 Intersect N and S. line  
16 chs. S. of cor. to sec.

11, 12, 13 and 14.

thence run

 $S 89^{\circ}50' W.$  on a true line

bet secs. 11 and 14.

Var.  $14^{\circ}43'$  East.

One rolling land

17.83 Wire fence, across line  
course N.W. & S.E.

39.96 Set a malpais stone

18 x 14 x 10 ins. 12 ins.

in the ground for  $\frac{1}{4}$ sec. cor. marked  $\frac{1}{4}$  on

N. face, and erect a

mound of stone  $1\frac{1}{2}$  ft

high, 2 ft base, along

7. 25 N. R. 3 W. (contd)

cho. side, from which  
 a cedar 8 ins. diam. - ho.  
 N.  $21^{\circ}$  W. 123 lks. dist.  
 marker 1/4 S.B.T.  
 a cedar 10 ins. diam. ho.  
 N.  $33^{\circ} 15'$  W. 127 lks. dist.  
 marker 1/4 S.B.T.

42.45 Descend 200 ft

51.00 Foot of descent.

79.92 The cor to secs. 10, 11, 14  
 and 15.

Land, rolling and mountainous.

Grail stony, 3<sup>d</sup> rate.

No timber, some scattering cedar.

mountainous land, S. 50 cho.

N.  $0^{\circ} 1'$  W. bet. secs. 10 and 11.

## Subdivisions

chs.

Var.  $140^{\circ} 43'$  East.

over rolling land.

22.91

Road, from Howard's  
ranch to Williams,  
course N.E. and S.W.

40.00

Set a post 3 ft long 3  
 ins. square 12 ins. in  
 the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  S on  
 N. face, dug pits  $18 \times$   
 $18 \times 12$  ins. N and S of  
 post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
 ft. base, around post,  
 from which  
 a cedar 9 ins. diam. tree  
 N.  $70^{\circ}$  E. 113 lbs. dist.  
 marked  $\frac{1}{4}$  S.B.T.

No. 1094

BOOK 1094

47.

T. 25 N. R. 3 W. (cont'd)

- chs. a cedar 10 ins. diam  
hrs. N. 73° E. 131 lbs. dist.  
marked 1/4 S.B.T.
- 63.45 Road, course N.E. & S.W.
- 65.00 Enter dense cedar and  
pinon undergrowth.
- 73.00 ascent abruptly 150 ft to
- 80.00 Get a slate stone 18 x 12 x 6  
ins. 12 ins. in the ground  
for cor to sec. 2, 3, 10 and  
11, marked with 5 notches  
on S and 2 notches on  
E. edges, and raised a  
mound of stone 1 1/2 ft  
high. 2 ft base, along-  
side, from which  
a cedar 30 ins. diam. hrs. N.  
41° E. 57 lbs. dist. marked  
T. 25 N. R. 3 W. S. 2 B.T.

## Subdivisions

- chs. a cedar 12 ins. diam. hrs.  
S. 55° W. 41 lbs. dist. marker  
T. 25 N. R. 3 W. S. 10 D. T.
- a cedar 10 ins. diam. hrs.  
S. 31° 30' W. 37 lbs. dist  
marker T. 25 N. R. 3 W. S. 10 D. T.
- a cedar 16 ins. diam. hrs.  
S. 57° W. 61 lbs. dist. marker  
T. 25 N. R. 3 W. S. 10 D. T.
- Land, rolling and mountain-  
ous.
- Soil, gravelly and rocky  
3<sup>d</sup> and 4<sup>th</sup> rate.
- No timber, cedar and pine  
undergrowth.
- mountains or land cover-  
ed with dense undergrowth  
15 chs.



T. 25 N. R. 3 W. (contd)

chs. N.  $89^{\circ}50'$  W. on a random line  
bet secs. 2 and 11

Var.  $14^{\circ}43'$  East.

40.00 Get Temporary  $\frac{1}{4}$  sec. cor.

79.88 9 intersect N and S. line 7  
lbs. S. of cor. to secs. 1, 2, 11  
and 12.

Thence I run

S.  $89^{\circ}47'$  W. on a true line  
bet secs. 2 and 11.

Var.  $14^{\circ}43'$  East.

over gently rolling land.

39.94 Get a post 3 ft. long, 3  
ins. square, with marker  
stone 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marker  $\frac{1}{4}$  S. on N. face, dug  
pits  $18 \times 18 \times 12$  ins. E.  
and W. of post 5 ft. ft.

## Subdivisions

- chs. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft.  
high.  $3\frac{1}{2}$  ft. base, around  
post.
- 68.90 Road, course N and S.
- 69.50 Enter dense cedar and  
juniper undergrowth.
- 71.00 ascend 50 ft to
- 79.88 The car to see 2, 3, 10 and 11.  
Lands, rolling and moun-  
tainous.  
Soil gravelly, and rocky,  
3<sup>d</sup> and 4<sup>th</sup> rate.  
No timber, cedar and  
juniper undergrowth.  
mountainous or land  
covered with dense under-  
growth. 10, 38 chs.

## T. 25 N. R. 3 W. (contd)

- 40.00 N. 0°1' W. on a random line  
 bet. Secs. 2 and 3.  
 Var. 14°43' East.
- 40.00 Set Temporary 1/4 sec. cor.  
 79.92 Intersect N. bdy of Tp. 11 lks.  
 W. of cor. to secs. 2, 3, 34 and  
 35, as hereinbefore des-  
 cribed.
- Thence I run  
 S. 0°4' W. on a true line  
 bet. secs. 2 and 3.  
 Var. 14°43' East.
- over rolling land.
- 39.92 Get a marble stone  
 20 x 14 x 10 ins. 15 ins. in  
 the ground for 1/4 sec.  
 cor. marked 1/4 on W. face  
 and raised a mound of  
 stone 1/2 ft high, 2 ft.

## Sub divisions

60.00 base, alongside  
 from which  
 a cedar 40 mis. diam. hrs.  
 S 43° W. 21 lks. dist.  
 marked 1/4 E.B.T.  
 a cedar 20 mis. diam. hrs.  
 S 24° 15' E. 23 lks. dist.  
 marked 1/4 E.B.T.

61.00 ascent 200 ft.

72.00 Top of ascent and  
 descent 50 ft. through  
 dense undergrowth to

79.92 The car. to sus. 2, 3, 0  
 and 11.

Land, rolling and moun-  
 tainous.

Soil, rocky, at the rate.  
 No timber, cedar and  
 pine in undergrowth.

T. 25 N. R. 3 W. (contd)

chs. mountains on land covered  
with dense brush, 18.92 chs.

From the Standard cor.  
to sees 33 and 34 on S.  
body of sp. as heretofore  
described

From

N. 0° 2' W. bet sees 33 and 34.

Var. 140 43' East  
over rolling land.

40.00 Set a mae pair's stone  
20 x 15 x 16 ins. 15 ins. in  
the ground for 1/4 sec.  
cor. marked 1/4 on W.  
face, and raised a  
mound of stone 1 1/2 ft.  
high, 2 ft base, along-  
side. Pits impracticable

## Subdivisions

chs.

80.00

Set a malpais stone  
 $22 \times 20 \times 16$  vis. 16 vis.  
 in the ground for cor.  
 To secs. 27, 28, 33 and 34  
 marked with 1 notch on  
 S. and 3 notches on E.  
 edges and raised a  
 mound of stone  $1\frac{1}{2}$  ft.  
 high, 2 ft base, along side  
 pits impracticable.  
 Sand, rolling.  
 Soil rocky, 4<sup>th</sup> rate.  
 No timber.

East on a random line  
 bet secs. 27 and 34.

Var.  $14^{\circ} 43'$  East

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

29-90

Intersect N. and S. line

T. 25 N. R. 3 W. (contd)

Chs. 12 lbs S of cor. to secos.

26, 27, 34 and 35.

Thence I run

S.  $89^{\circ}55'$  W. on a true line

bet. secos. 27 and 34.

Var.  $14'43'$  East.

28.90 Over ralley's land,  
Road, course S. E. and S. W.

39.95 Set a malpais stone  $20 \times$

$20 \times 18$  ins.  $15$  ins. in the

ground for  $\frac{1}{4}$  sec. cor.

marked  $\frac{1}{4}$  on N. face,

and raised a marker of

stone  $1\frac{1}{2}$  ft. high, 2 ft. base,

at angle. Pits imprac-

ticable.

From this cor an old  
deserted ranch house lies  
N.  $33^{\circ}$  W. about 300 yards.  
dist.

## Subdivisions

do

70.00

Road to Chunnings,  
course S.E. and N.W.

79.90

The car to secs. 27, 28,  
33 and 34.Land, rolling mesa.  
Soil, rocky, 4<sup>th</sup> rate.  
No timber.

N. 0° 2' W. bet. secs. 27 and 28.

Var. 140 43' Eash

over rolling mesa.

9.00

Road to Chunnings  
course N.W. & S.E.

40.00

Get a malpais stone 26x

20x 14 ins. 19 ins. in the

ground for 1/4 sec. cor.

marked 1/4 on W. face, dug  
pits 18x18x12 ins. N. and S. of stone 5 1/2  
ft dist., and raised a mound of  
stone covered with earth 1 1/2 ft. high,



7 25 N. R. 3 W. (cont'd)

chs. 2 ft. base, alongside.

80.00 Set a malpais stake 22 x  
20 x 18 ins. 15 ins. in the  
ground for cor. To sec.  
21, 22, 27 and 28, marked  
with 2 notches on S.  
and 3 notches on E.  
edges, and raised a  
mound of stone 1/2 ft.  
high, 2 ft. base, alongside  
Pito impracticable  
Land, rolling mesa.  
Soil, rocky 4th rate.  
No timber.

N.  $59^{\circ}55'$  E. on a random line  
bet. sec. 22 and 27.

Var.  $14^{\circ}43'$  East.

## Subdivisions

chs.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.93 Intersect N. and S. line  
9 lbs. S. of cor. to sec.  
22, 23, 26 and 27.

Thence 9 min

S.  $89^{\circ}51'$  W. on a true line  
bet secs. 22 and 27.Var.  $14^{\circ}43'$  East.

Over rolling land, through dense cedar undergrowth

39.96 Set a malpais stone  
 $20 \times 14 \times 12$  ins. 15 ins. in  
the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face  
and raised a mound of  
stone  $1\frac{1}{2}$  ft high, 2 ft base  
alongside, from which  
a cedar 10 ins. diam.  
bis. N. 23 E 33 lbs. dist.  
marked  $\frac{1}{4}$  A.B.T.

FOOK 1094

T. 25 N. R. 3 W. (contd)

Ins. a cedar 6 ins. diam. hrs.  
 \$ 1°30' E. 30 lbs dist. marked  
 1/4 S.B.T.  
 43.00 Leave dense cedar undergrowth.  
 79.93 The car to secs. 21, 22, 27  
 and 28.

Land, rolling mesa.

Soil, stony, 4<sup>th</sup> rate.N. timber, dense cedar  
 undergrowth. 43 chsJuly 13<sup>th</sup>, 1894.

N. 0°2' W.

bet. secs. 21 and 22.

Var. 1°43' East.

Over rolling land.

40.00 Get a malpais stone, 8x  
 16x16 ins. 12 ins in the  
 ground for 1/4 sec. car.  
 marked 1/4 on W. face,

## Subdivisions

- chs. and raised a mound of  
stone  $1\frac{1}{2}$  ft high, 2 ft  
base, alongside, from  
which  
a cedar 30 ins. diam. tree  
S.  $17^{\circ}$  W. 197 lbs. dist.  
marked  $\frac{1}{4}$  S.B.T.
- a cedar 26 ins. diam.  
tree. S.  $37^{\circ}$  W. 169 lbs. dist.  
marked  $\frac{1}{4}$  S.B.T.
- 77.85 Road from Bishop's  
Lake to Howard's  
ranch, course N.E. & S.W.
- 80.00 Set a malpais stone 24  
 $\times$  18  $\times$  18 ins. 18 ins. in  
the ground for corner  
secs. 15, 16, 21 and 22,  
marked with 3 notches  
on S and E. edges, and

T. 25 N. R. 3 W. Contd

chs. raised a mound of stone  
 1 1/2 ft high, 2 ft base  
 alongside, from which  
 a cedar 9 ins. diam. hrs.  
 N. 17° 45' E. 65 lks. dist.  
 marked T. 25 N. R. 3 W. S. 15 B.T.  
 a cedar 8 ins. diam. hrs.  
 S 67° 30' E. 39 lks. dist. marked  
 T. 25 N. R. 3 W. S. 22 B.T.  
 a cedar 7 ins. diam. hrs.  
 S. 27° W. 121 lks. dist.  
 marked T. 25 N. R. 3 W. S. 21 B.T.  
 a cedar 8 ins. diam. hrs.  
 N. 43° W. 106 lks. dist. marked  
 T. 25 N. R. 3 W. S. 16 B.T.  
 Land, rolling mesa.  
 Soil, rocky. 4<sup>th</sup> rate.  
 No timber, some scattering  
 cedar.

## Subdivisions

- chs. N.  $89^{\circ}51'$  E. on a random line  
bet. secs. 15 and 22.  
Var.  $14^{\circ}43'$  East;
- 40.00 Set Temporary  $\frac{1}{4}$  sec. cor.  
79.95 Intersect N. and S. line  
19 chs. N. of cor. to secs.  
14, 15, 22 and 23.  
Thence I run  
S.  $89^{\circ}59'$  W. on a true line  
bet. secs. 15 and 22.  
Var.  $14^{\circ}43'$  East.  
over rolling mesa.
- 31.80 Wire fence across line  
course N.W. & S.E.
- 39.97 Set a malpais stone  
 $20 \times 18 \times 18$  ins. 15 ins. in  
the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N.  
face, and raised a

## T. 25 N. R. 3 W. (contd)

- chs. remains of stone  $1\frac{1}{2}$  ft high. 2 ft. base, along side. Pits impracticable
- 74.00 Road from Bishop's Lake to Howard's ranch, bis N.E. & S.W.
- 79.95 The car to secs. 15, 16, 21 and 22.
- Land, rolling mesa.  
Soil, rocky, 4<sup>th</sup> rate.  
No timber.
- 
- N. 0° 2' W. bet. secs. 15 and 16.  
Var. 140° 43' East.
- Over rolling land.
- 1.00 Enter scattering cedar and pinon bush.
- 40.00 Get a malpais stone  
16 x 14 x 14 in. // in. in

## Subdivisions T. 25 N. R. 3 W.

chs. the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on W.  
 face, and raised a  
 mound of stone  $1\frac{1}{2}$   
 ft. high, 2 ft. base, along  
 side, from which  
 a cedar 22 ins. diam. has  
 N.  $79^{\circ}$  E. 37 chs. dist. marked  
 $\frac{1}{4}$  E.B.T.

a cedar 18 ins. diam. has.  
 N.  $84^{\circ}$  15' W. 34 chs. dist.  
 marked  $\frac{1}{4}$  E.B.T.

80.00 Set a malpais stone  
 $20 \times 14 \times 9$  ins. 15 ins. in  
 the ground for cor.  
 to secs. 9, 10, 15 and 16,  
 marked with 4 notches  
 on S. and 3 notches on  
 E. edges, and raised a



Concluded, Book 1095