

2

BOOK 1095

1095

No. 1095

4-671

BOOK 1095

FIELD NOTES

GENERAL LAND OFFICE.

Subdivision

Township 25 N. R. 3 W.

No. 1095

Indexed, Book 1094.

64

Township 25N R. 3W

6	116	5	91	4	72	3	2	1
114		113		89		70		
7	112	8	88	9	68	10	11	12
110		108		87		66		
18	107	17	85	16	15	14	13	
106		104		83				
19	103	20	81	21	22	23	24	
101		100		79				
30	98	29	77	28	27	26	25	
97		96		76				
31	93	32	73	33	34	35	36	

No. 1095

BOOK 1095

65.

Subdivisions T. 25 N. R. 3 W. Sec 10

chs. mound of stone $1\frac{1}{2}$ ft.
high, 2 ft. base, along-
side, from which
a cedar 12 ins. diam. hrs. N.
 $12^{\circ}30'$ E. 102 lbs. dist.
marked T. 25 N. R. 3 W. S. 10 B.T.
a cedar 17 ins. diam. hrs. S.
 $63^{\circ}30'$ E. 316 lbs. dist. marked
T. 25 N. R. 3 W. S. 15 B.T.
a cedar 6 ins. diam. hrs. S.
 $76^{\circ}30'$ W. 80 lbs. dist. marked
T. 25 N. R. 3 W. S. 16 B.T.
a cedar 6 ins. diam. hrs. N.
 44° W. 160 lbs. dist. marked
T. 25 N. R. 3 W. S. 9 B.T.
Land, rolling mesa.
Soil, rocky, 4th rate.
No timber, cedar and juniper
undergrowth.

Subdivisions

- chs. N. $89^{\circ}59'$ E. on a random line
bet secs. 10 and 15.
Var. $14^{\circ}43'$ East.
- 40.00 Set temporary $\frac{1}{4}$ sec cor.
- 79.91 Intersect N and S. line
3 eko N. of cor to secs.
10, 11, 14 and 15.
Thence I run
N. $89^{\circ}55'$ W. on a true line
bet secs. 10 and 15.
Var. $14^{\circ}43'$ East
Cull rolling land.
- 25.40 Road, Howard's ranch
to Williams, course N. E
and SW.
- 39.95 Set a malpais stone 18
 $\times 16 \times 14$ ins. 12 ins. in
the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face,

T. 25 N.R. 3 West (ctd)

hs and raised a mound of stone
 1 1/2 ft high, 2 ft base,
 alongside, from which
 a cedar 24 ins. diam. hs.
 N. 40° 15' E. 49 lks dist. marker
 1/4 E.P.T.

a cedar 28 ins. diam. hs.
 S. 17° 30' E. 63 lks. dist.
 marker 1/4 E.P.T.
 ascent 150 ft.

51.00 Top of ascent, ridge,
 course N.W. and S.E.
 Descent 100 ft.

63.00 at this point towards
 Spring hs. S. 5 lks. dist.,
 towards ranch house
 and corrals hs. S.E. from
 spring about 9 lks. dist.

68.00 Foot of descent.

Subdivisions

Sho. Ranne, 4 ft. deep, coarse
S. E.

ascend 160 ft.

77.00 Top of ascent.

79.91 The car. To secs. 9, 10, 15
and 16.

Land, rolling and broken
Soil, stony, 3rd and 4th rate.
No timber, cedar and
juniper undergrowth

N. 0° 2' W. bet. secs. 9 and 10.

Var. 14° 43' East

over rolling mesa.

40.00 Got a malpais stone
18 x 16 x 8 in. 12 in. in
the ground for 1/4 sec.
cov. marked 1/4 on W.
face, and raised a mound

T. 25 N. R. 3 West. (C.T.)

chs of stone $1\frac{1}{2}$ ft high, 2 ft base, alongside, from which a cedar 24 ins. diam. hrs. N. 37° E. 165 lbs. dist. marked 74 S.B.T.

No other trees within limits

80.00 Set a malpais stone $24 \times 18 \times 16$ ins. 18 ins. in the ground for cor to sec-3, 4, 9 and 10. marked with 5 notches on S. and 3 notches on E. edges and raised a mound of stone $1\frac{1}{2}$ ft. high, 2 ft base, alongside. Pts impracticable land, rolling mesa. Soil, rocky, 4 th rate.

Subdivisions

chs. No timber, some scattering cedar.

I. $89^{\circ} 55'$ E. on a random line
bet secs. 3 and 10.

Var. $140^{\circ} 43'$ East.

40.00 Set temporary $1/4$ sec cor.

79.85 Intersect N and S. line
20 chs. N of cor to secs.
2, 3, 10, and 11.

Thence I run
N. $89^{\circ} 46'$ W. on a true line
bet secs. 3 and 10.

Var. $140^{\circ} 43'$ East.

Over mountainous land
through dense under-
growth.

Descent 200 ft.

5.40 Foot of descent.

T. 25 N. R. 3 West. (etc)

che thence over rolling mesa.

10.00 Leave dense undergrowth.

39.92 Set a limestone $6 \times 14 \times 8$
 ins. 11 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
 on N. face, and raised
 a mound of stone $1\frac{1}{2}$ ft.
 high, 2 ft. base, along-
 side, from which
 a cedar 12 ins. diam. thro.
 N. 80 E. 43 lbs. dist.

marked $\frac{1}{4}$ B.B.T.
 No other trees within limits.

79.85 The cor. to secs. 3, 4, 9 and
 10.

South of this line about
 the center of the N.E. $\frac{1}{4}$ of
 sec. 10 is a small spring
 of fresh water, also
 small tank.

Subdivisions

chs. Land, mountains and
rallying.
Soil, rocky, 4th rate.
No timber, cedar and
juniper undergrowth
mountainous or land
covered with dense
undergrowth 10 chs.

N. 0° 2' W. on a random line
bet secs. 3 and 4.

Var. 14043' East.

40.00 Set temporary 1/4 sec. cor.

80.01 Intersect N. hdy of Tp. 7
chs. W. of cor to secs. 3, 4,
33 and 34 as hereinbefore
described.

Thence I run

S. 0° 1' W. on a true line

T. 25 N. R. 3 West. (T.S.)

chs. bet. secs. 3 and 4.

Var. $140^{\circ}43'$ East.

Over rolling mesa.

40.01 Set a malpais stone $2 \times 18 \times 8$ ins. 16 ins. in the ground for $\frac{1}{4}$ sec. cor. marker $\frac{1}{4}$ on W. face, and raised a mound of stone $1\frac{1}{2}$ ft high, 2 ft base alongside. Pits impracticable

80.01 The cor to secs. 3, 4, 9 and 10.

Land rolling.

Soil rocky. 4 th rates.

No timber.

From the standard cor. to secs. 32 and 33, on the

Subdivisions

- chs. S. hdy of the Sp. as
heretofore described
9 run
N. 0° 2' W. bet secs. 32 and 33.
Tan. 140 43' East.
Over rolling land.
Descent gradually 600 ft.
37.00 Foot of descent -
wash, 2 ft deep, course E.
ascend 60 ft.
40.00 Set a malpais stone 24
x 20 x 18 ins. 18 ins. in
the ground for 1/4 sec.
cor. marked 1/4 on W.
face, and raised a
mound of stone 1 1/2
ft. high, 2 ft. base,
alongside. Pits im-
practicable.

T. 25 N. R. 3 West. (cts)

chs.

63.00

Top of ascent.

Thence over gently rolling
mesa.

80.00

Got a malpais stone
20 x 18 x 10 ins. 15 ins. in
the ground for cor. to
secs. 28, 29, 32 and 33,
marked with 1 notch
on S and 4 notches on
E. edges, and raised a
mound of stone 1 1/2
ft high. 2 ft base, along
side. from which.

a cedar 16 ins. diam. has
S. 13' E. 105 lbs. dist.

marked T. 25 N. R. 3 W. S. 33 B. T.
No other trees within limits
land, rolling.

Soil, rocky, 4th rate.

Subdivisions

chs. No timber.

East on a random line
bet secs. 28 and 33.

Var. $140^{\circ}43'$ East.

40.00 Set temporary $1/4$ sec. cor.

80.03 Intersect N and S line
15 chs S. of cor to sec.
27, 28, 33 and $3\frac{1}{2}$.

Thence I run

$389^{\circ}05'4''$ W. on a true line
bet secs. 28 and 33.

Var. $140^{\circ}43'$ East.

Over rolling mesa.

30.00 Enter dry lake

33.00 Leave dry lake.

40.01 Set a malpais stone $20 \times$
 18×18 ins. 15 ins. in the
ground for $1/4$ sec. cor.

T 25 N. R. 3 West (ctd)

chs. marked 74 on N. face,
and raised a mound of
stone $1\frac{1}{2}$ ft high, 2 ft
base, alongside. Pits
unpracticable.

80.03 The cor. to secs. 28, 29,
32 and 33.

Land, rolling.

Soil, rocky, 4th rate.

No timber

N. 0° 2' W. bet. secs. 28 and 29.

Var. 140° 43' East.

One rolling land.

2.77 Road to Channing's
course E and W.

40.00 Set a malpais stone
20 x 20 x 16 ins. 15 ins.
in the ground for 74

Subdivisions

chs. see. cor. marked $\frac{1}{4}$ on
 W. face; and raised a
 mound of stone $1\frac{1}{2}$ ft
 high. 2 ft base along-
 side. Pits impracti-
 cable.

80.00 Set a lime stone $18 \times$
 12×10 ins. 12 ins. in
 the ground for cor to
 sees. 20, 21, 28 and 29,
 marked with 2 notches
 on S. and 4 notches on
 E. edges and raised a
 mound $1\frac{1}{2}$ ft high,
 2 ft base, along side,
 from which
 a cedar 6 ins. diam. chs.
 N. $50^{\circ} 15'$ E. 124 chs. dist.
 marked T. 25 NR 3 W. S 2 / B.T.

T. 25 N.R. 3 West. (cts)

chs. a cedar 12 mis. diam. hrs. 5.
 $46^{\circ} 30'$ E. 92 lks. dist. marked
 T. 25 N.R. 3 W. S. 28 B.T.

a cedar 8 mis. diam. hrs 5
 $39^{\circ} 30'$ W. 175 lks. dist. marked
 T. 25 N.R. 3 W. S. 29 B.T.

a cedar 8 mis. diam. hrs.
 $N. 5^{\circ} W.$ 32 lks. dist. marked
 T. 25 N.R. 3 W. S. 20 - B.T.

Land, rolling.

Soil, rocky. 4th rate.

No timber, some scattering
 cedar.

July 14, 1894.

N. $89^{\circ} 54'$ E. on a random line
 bet. secs. 21 and 28.

Var. $14^{\circ} 43'$ East.

40.00 Set temporary 1/4 sec. cor.

79.96 Intersect N. and S line 21 lks

Subdivisions

chs. S. of cor. to secs. 21, 22,
27 and 28.

Thence I run

S. 89° 45' W. on a true line
bet secs. 21 and 28.

Var. 14° 43' East.

over rolling mesa.

3998 Set a malpais stone 22
x 20 x 16 ins. 16 ins. in
the ground for 1/4 sec.
cor. marked 1/4 on N. face
dug pits 18 x 18 x 12 ins.
E. and W. of stone, 3 1/2 ft
dist. and raised a mound
of earth 1 1/2 ft high, 3 1/2
ft. base, alongside
Enter dense cedar undergrowth
The cor. to secs. 20, 21, 28
and 29.

60.00

79.96

Land, gently rolling mesa.

T. 25 N. R. 3 West. (ctd)

chs. Soil, stony, 2^o and 4th rate.
No timber, dense cedar
undergrowth, 14 96 charis.

N. 0° 2' W. bet. secs. 20 and 21.

Var. 140° 43' East.

over rolling mesa.

40.00 Set a malpais stone 20 x
20 x 15 ins. 15 ins in the
ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on W. face,
and raised a mound of
stone $1\frac{1}{2}$ ft high, 2 ft.
base, alongside. Pits
impracticable.

66.10 Road from Bishop's Lake
to Howard's ranch,
course N.E. & S.W.

80.00 Set a malpais stone

Subdivisions

chs. 17x15x10 vis. 12 vis in
 the ground for cor to
 sec. 16, 17, 20 and 21, mark-
 ed with 3 notches on S.
 and 4 notches on E.
 edges, and raised a
 mound of stone $1\frac{1}{2}$ ft
 high, 2 ft. base, along-
 side, from which
 a cedar 12 vis. diam. bet.
 S. 420 15' E. 702 lbs. dist
 marked T. 25 N. R. 3 W. S. 21 B.T.
 a cedar 11 vis. diam. bet.
 S. 310 30' E. 196 lbs. dist.
 marked T. 25 N. R. 3 W. S. 21 B.T.
 No other trees within limit
 land, rolling mesa.
 Soil, rocky, 4th rate.
 No timber some scatter

T. 25 N. R. 3 West. (ctd)

chs. my cedar.

at this cor. I verify the adjustments of the transit and find them correct.

I set off $21^{\circ} 27'$ N. on the decl. arc, and $12^{\text{h}} 6^{\text{m}}$ p.m. l.m. N. observe the Sun on the meridian, the resulting lat. is $35^{\circ} 31'$ N, the true lat. nearly.

N. $89^{\circ} 45' E.$ on a random line bet. secs. 16 and 21.

Var. $14^{\circ} 43'$ East.

40.00 Set Temporary 1/4 sec cor.

79.94 I intersect N. and S. line

19 lbs. N. of cor to sec 15, 16

Subdivisions

chs. 21 and 22,
 Thence 9 mm
 S. $89^{\circ} 53'$ W. on a true line
 bet. secs 16 and 21.

Var. $14^{\circ} 43'$ East.

Over rolling mesa

39.97 Set a malpais stone
 $24 \times 20 \times 19$ ins. 18 ins. in
 the ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ on N. face,
 and raised a mound of
 stone $\frac{1}{2}$ ft high, 2 ft
 base, alongside. Pits
 impracticable.

79.94 The cor to secs. 16, 17, 20
 and 21.

Land, rolling mesa.

Soil, stony, 4th rate.

No timber.

T. 25 N. R. 3 West. (etc)

chs. N. 0° 2' W. bet. secs. 16 and 17.

Var. 140 43' East.

over rolling mesa

40.00 Set a malpais stone
23 x 20 x 18 ins. 17 ins. in
the ground for 1/4 sec.
cor. marked 1/4 on W. face,
and raised a mound
of stone 1 1/2 ft. high, 2 ft.
base, along side, from
which

a cedar 14 ins. diam. has

N. 72° E. 271 lks. dist.

marked 1/4 S. B.T.

a cedar 14 ins. diam. has

N. 33° 30' E. 294 lks. dist.

marked 1/4 S. B.T.

80.00 Set a malpais stone

20 x 18 x 16 ins. 15 ins. in

Subdivisions

sbs. the ground for cor to
 secs. 8, 9, 16 and 17, marked
 with 4 notches on bands
 E. edges, and raised a
 mound of stone 1 1/2 ft high
 2 ft base, along side
 from which,
 a cedar 10 ins. diam. hcs.
 N. 30 45' E. 105 lbs. dist.
 marked T. 25 N. R. 3 W. S. 9 B.T.
 a cedar 11 ins. diam. hcs.
 N. 19 30' W. 220 lbs. dist. mark-
 ed T. 25 N. R. 3 W. S. 8 B.T.
 No other trees within limits
 and rolling mesa
 Soil, stony, 3^d and 4th rate.
 No timber, some scatter-
 ing cedar.

T. 25 N. R. 3 West. (ctd)

chs. N. $89^{\circ}53'$ E. on a random line
bet sees 9 and 16.

Var. $14043'$ East.

40.00 Set temporary $\frac{1}{4}$ sec cor.

79.90 Intersect N. and S line 7 lks
S of cor to sees. 9, 10, 15 and
16.

Thence I run

S. $89^{\circ}50'$ W. on a true line
bet sees. 9 and 16.

Var. $14043'$ East.

over rolling mesa.

39.95 Set a malpais stone, 8 x
14 x 10 ins. 12 ins in the
ground for $\frac{1}{4}$ sec cor.

marked $\frac{1}{4}$ on N face, and
raised a mound of stone
 $1\frac{1}{2}$ ft. high, 2 ft. base,
alongside. from which

Subdivisions

shs. a cedar 10 ins. diam. hcs.
N. 73° W. 299 lbs. dist
marked 1/4 S.D.T.

No other trees within limits

79.90 The cor. to secs. 8, 9, 16 and

7-

Land, rolling mesa.

Gail, stony, 3^d and 4th rate

No timber, some scattering
cedar.

N. 0° 2' W. bet. secs. 8 and 9.

Var. 140 43' East

over rolling mesa.

40.00 Get a malpais stone

22 x 20 x 20 ins. 16 ins.

in the ground for 1/4
sec. cor. marked 1/4 on W.

face, and raised a mound

T. 25 N. R. 3 West (ctd)

chs. of stone $1\frac{1}{2}$ ft. high, 2 ft. base, alongside. Pits impracticable.

80.00 Set a sand stone $30 \times 20 \times 16$ ins. 20 ins. in the ground for cor to sec. 4, 5, 6 and 9, marked with 5 notches on Band 4 notches on E. edges, and raised a mound of stone $1\frac{1}{2}$ ft. high, 2 ft. base, alongside. Pits impracticable. Sand, rolling mesa. Soil, stony, 3' rate. No timber.

N. $59^{\circ}50'$ E. on a random line bet secs. 4 and 9.

Var. $14^{\circ}43'$ East.

Subdivisions.

- chs.
40.00 Get temporary 74 sec cor
- 79.93 Intersect N and S. line
17 lks. N. of cor to
secs 3, 4, 9 and 10.
thence 9 run
S. 89° 57' W. on a true line
bet secs. 4 and 9.
Var. 14° 43' East.
Over rolling mesa.
- 39.96 Get a malpais stone
21 x 18 x 18 ins. 15 ins. in
the ground for 74 sec.
cor. marked 1/4 on N.
face, and raised a
mound of stone 1 1/2 ft.
high, 2 ft. base, along-
side, from which
a cedar 10 ins. diam. has
S. 31° 15' E. 213 lks. dist.

T. 25 N.R. 3 West. (ctd)

chs. marked $\frac{1}{4}$ E.B.T.

a cedar 14 ins. diam. tw.

S. 130° W. 223 lks. dist.marked $\frac{1}{4}$ E.B.T.

79-93 The cor. to secs. 4, 5, 8 and

9.

Land, rolling mesa.

Soil, rocky, 4th rate.No timber, some scatter-
ing cedarN. $00^{\circ} 2'$ W. on a random line

bet. secs. 4 and 5.

Var. $14^{\circ} 43'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.03 Intersect the N. ldy of T.

16 lks. W. of cor. to secs.

4, 5, 32 and 33. as herein-
before described

Subdivisions

- chs. Thence I run
 $S. 0^{\circ} 5' W.$ on a true line
 bet secs. 4 and 5.
 Var. $14^{\circ} 43'$ East.
 Over calling mesa.
- 40.03 Set a malpais stone $18 \times$
 16×16 ins. 12 ins. in
 the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ on W.
 face, and raise a
 mound of stone $1\frac{1}{2}$ ft
 high, 2 ft base, along
 side, from which
 a cedar 16 ins. diam. br.
 $S. 69^{\circ} 15' W.$ 83 chs. dist.
 marked $\frac{1}{4}$ S.B.T.
- a cedar 17 ins. diam. br.
 $S. 73^{\circ} 30' E.$ 65 chs. dist.
 marked $\frac{1}{4}$ S.B.T.

T. 25 N. R. 3 West. (ctd)

chs.

80.03 The cor to secs. 4, 5, 8 and 9.
Land, rolling mesa.
Soil, rocky, 4th rate.
No timber, some scattering
cedar.

From the Standard cor
to secs. 31 and 32 on S.
bdy of T. as hereinbefore
described.

I run

N. 0° 3' W bet secs. 31 and 32.

Var. 140 43' East.

Over rolling mesa.

40.00 Get a malpais stone 22 x
20 x 18 ins. 16 ins. in the
ground for $\frac{1}{4}$ sec. cor.
mark $\frac{1}{4}$ on W. face, and
raise a mound of stone

Subdivisions

chs. $1\frac{1}{2}$ ft high, 2 ft base,
alongside. Pits in-
practicable.

80.00 Set a malpais stone 26
 $\times 20 \times 20$ vis. 20 vis. in.
the ground for cor to
secs. 29, 30, 31 and 32,
marked with 1 notch on
D. and 5 notches on E.
edges, and raised a
mound of stone $1\frac{1}{2}$ ft.
high, 2 ft base, along-
side, from which,
a cedar 20 vis. diam. ths.
 $\angle 52^\circ$ E. 200 lbs. dist.
marked T. 25 N. R. 3 W. S. 32-B.T.
a cedar 16 vis. diam. ths.
 $\angle 54^\circ$ E. 212 lbs. dist.
marked T. 25 N. R. 3 W. S. 32-B.T.

No. 1095

BOOK 1095

95.

T. 25 N. R. 3 West. (cts)

chs. No other trees within limits.
Land, rolling mesa.
Soil, rocky, 4th rate.
No timber, some scattering
undergrowth.

July 15th, 1894.

at this cor. I verify the
adjustments of the
transit and find them
correct. I set off $21^{\circ} 18' N$ ⁶⁰
on the decl. arc, and at
 $12^h 06^m$ p.m. l.m.t. observe
the Sun on the Meri-
dian; the resulting
lat. is $35^{\circ} 29' N$, the
true latitude nearly.

East on a random line

Subdivisions

chs. bet sec 29 and 32.

Var. $140^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N. and S. line 16

chs. S. of cor. to sec. 28.

29, 32 and 33.

Thence I run

S. $89^{\circ}53'$ W. on a true line

bet sec. 29 and 32.

Var. $140^{\circ}43'$ East.

over rolling mesa.

3995 Set a maeperi stone

$28 \times 20 \times 12$ in. 2' dia.

in the ground for $\frac{1}{4}$ sec.

cor. marked $\frac{1}{4}$ on N. face,

and raised a mound

of stone $\frac{1}{2}$ ft high, 2 ft

base, alongside. Pits

impracticable.

T. 25 N. R. 3 West. (ctd)

chs.
79.91

The cor. to secs. 29, 30,
31 and 32.
Land, rolling mesa.
Soil, rocky, 4th rate.
No timber.

West on a random line
bet secs. 30 and 31.

Var. $14^{\circ}43'$ East.

80.05

Intersect the W. bdy of
the 2^d. at the cor. to
secs. 25, 30, 31 and 36. as
heretofore described.

Thence I run
East on a true line
bet. secs. 30 and 31.

Var. $14^{\circ}43'$ East.

Over rolling mesa.

13.00

Road to Channing

Subdivisions

- chs. ranch, bears N.E. & S.W.
- 40.05 Set a malpais stone 20
x 18 x 10 ins. 15 ins. in the
ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face,
and raised a mound
of stone $1\frac{1}{2}$ ft high, 2
ft base, alongside.
Pits impracticable.
- 80.05 The cor. to secs. 29, 30, 31
and 32.
Land, rolling mesa.
Soil, rocky, 4th rate.
No timber

N. $0^{\circ} 3'$ W. bet. secs. 29 and 30.

Var. $140^{\circ} 43'$ East.

over rolling mesa.

1.00 Road to Chumingo,

T. 25 N. R. 3. West. (ctd)

chs. course E. and W.

40.00 Set a malpais stone
 30 x 20 x 20 ins. 2/1 ins. in
 the ground for 1/4 sec. cor.
 marked 1/4 on W. face, and
 raised a mound of stones
 1 1/2 ft high, 2 ft base,
 alongside. Pits imprac-
 ticable.

80.00 Set a malpais stone 30 x 20
 x 20 ins. 2/1 ins. in the
 ground for cor. to sec.
 19, 20, 29 and 30, marked
 with 2 notches on S.
 and 5 notches on E. edge
 and raised a mound of
 stone 1 1/2 ft high, 2 ft
 base, alongside. Pits
 impracticable.

Subdivisions

chs. Land, rolling mesa.
Soil, rocky, + th. rate.
No timber.

N. $89^{\circ}53'$ E. on a random line
bet secs. 20 and 29.

Var. $14^{\circ}43'$ East

40.00 Set temporary $1/4$ sec. cor.

79.93 Intersect N and S. line

11 chs. N. of cor. to secs.

20, 21, 28 and 29.

thence I run

S. $89^{\circ}58'$ W. on a true line

bet. secs. 20 and 29.

Var. $14^{\circ}43'$ East.

30.00

Over rolling mesa through dense cedar undergrowth
Re one dense cedar undergrowth

39.96

Set a malpais stone 20x

18x18 ins. 15 ins. in the

ground for $1/4$ sec. cor.

T. 25 N. R. 3 West. (etc)

chs. marked $\frac{1}{4}$ on N. face,
and raised a mound of
stone $\frac{1}{2}$ ft high, 2 ft.
base, alongside. Pits
impracticable.

79.93 The cor. to secs. 19, 20, 29
and 30.

Low, rolling mesa.

Soil, rocky, 4th rate.

No timber.

Dense cedar undergrowth 20 chs.

West on a random line
bet secs. 19 and 30.

Var. $140^{\circ} 43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.05 Intersect the W. bdy of
Sp. 20 lks. S of cor to
secs. 19, 24, 25 and 30, as
hereinbefore described.

Subdivisions

- thence I run
 S 89° 05' E. on a true line
 bet secs. 19 and 30.
 Var. 140 43' East.
 Over rolling mesa.
- 40.05 Set a malpais stone 22 x
 20 x 18 ins. 16 ins in the
 ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ on N. face, and
 raised a mound of stone
 $1\frac{1}{2}$ ft high, 2 ft base,
 alongside. Pits unprac-
 ticable.
- 78.00 Road from Bishop's Lake
 to Howard's ranch, course
 N.E. and S.W.
- 80.05 The cor. to secs. 19, 20, 29
 and 30.
 Land, rolling mesa.

T. 25 N. R. 3 West. (ctd)

chs. Soil, rocky 4th rate.
No timber.

N. 0° 3' W. bet. secs. 19 and 20.

Var. 14° 43' East.

over rolling mesa.

4.10 Road from Bishop's lake
to Howards ranch, course
N. E. and S. W.

40.00 Set a malpaisi stone 20
x 20 x 16 ins. 15 ins. in the
ground for 1/4 sec. cor.

marked 1/4 on W. face,
and raised a mound of
stone 1 1/2 ft. high, 2 ft
base, alongside. Pits
impracticable.

80.00 Set a malpaisi stone 28 x
22 x 16 ins. 21 ins. in the

Subdivisions

chs. ground for cor. to secs.
 17, 18, 19 and 20, marked
 with 3 notches on S. and
 5 notches on E. edges,
 and raised a mound
 of stone $1\frac{1}{2}$ ft. high
 2 ft. base, alongside.
 Pits impracticable
 Land, rolling mesa.
 Soil, rocky, 4th rate.
 No timber.

N. $89^{\circ} 58' E$. on a random line
 bet secs. 17 and 20.

Var. $14^{\circ} 43' East$.

40.00 Set temporary 1/4 sec. cor.
 79.90 Intersect N and S. line
 22 lbs. S. of cor. to secs.
 16, 17, 20 and 21.

T. 25 N. R. 3 West. (ctr)

chs. Thence I run

S. $89^{\circ}49'$ W. on a true line
bet secs. 17 and 20.

Var. $14^{\circ}43'$ East.

over rolling mesa.

39.95 Set a malpais stone $22 \times$

19×17 - ins. 16 ins. in

the ground for $\frac{1}{4}$ sec.

cor. marked $\frac{1}{4}$ on N. face

and raised a mound of
stone $1\frac{1}{2}$ ft high, 2 ft-

base, alongside. Pits
impracticable.

79.90 The cor. to secs. 17, 18, 19
and 20.

Land, rolling mesa.

Soil, rocky, 4th rate

No timber.

Subdivisions

chs. N. $89^{\circ}51'W.$ on a random line
bet secs. 18 and 19.

Var. $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.02 I intersect the W. bdy of
the T_p. 9 chs. N. of cor
to secs. 13, 18, 19 and 24,
thence I run

S. $89^{\circ}55'E.$ on a true line
bet. secs. 18 and 19.

Var. $14^{\circ}43'$ East.

Over rolling mesa.

40.02 Set a sandstone 26×22
 $\times 14$ ins. 19 ins. in the
ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face, and
raise a mound of stones,
 $1\frac{1}{2}$ ft high, 2 ft. base,
alongside. Pits in-

T. 25 N. R. 3 West (ctd)

chs. practicable.

80.02 The cor. to secs. 17, 18, 19
and 20.

Land, rolling mesa.

Soil, rocky. 4th rate.

No timber.

N. 003' W. bet. secs. 17 and 18.

Tan. 140 43' East.

Over rolling mesa.

40.00 Set a malpais stone
20 x 18 x 18 ins. 15 ins. in
the ground for 1/4 sec.
cor. marked 1/4 on W.
face, and raised a
mound of stone 1 1/2 ft.
high, 2 ft. base, along
side. Pits impracticable

80.00 Set a malpais stone

Subdivisions

chs. 30 x 20 x 20 ins. 22 ins. in
 the ground for cor. to
 sec. 7, 8, 17 and 18, marked
 with 4 notches on S.
 and 5 notches on E.
 edges, and raised a
 mound of stone $1\frac{1}{2}$ ft.
 high, 2 ft. base, along-
 side. Pits unpracti-
 cable.

Land, rolling mesa.
 Soil, rocky, 4th rate.
 No timber.

July 16th 1894

N. $89^{\circ}49'$ E. on a random line
 bet. sec. 8 and 17.

Var. $140^{\circ}43'$ East.

40.00 Bet temporary $\frac{1}{4}$ sec. cor.

T. 25 N. R. 3 West. (ctd)

chs.

79.93

Intersect N and S. line

17 lks. N. of cor. to secs

8, 9, 16 - and 17.

Thence I run

S. $89^{\circ}56'$ W. on a true line
bet secs. 8 and 17.

Var. $14^{\circ}43'$ East.

Over rolling mesa.

39.96

Get a malpais stone

$26 \times 22 \times 18$ ins. 18 ins in

the ground for $\frac{1}{4}$ sec

cor. marked $\frac{1}{4}$ on N.

face, and raised a

mount of stone $1\frac{1}{2}$

ft high, 2 ft. base,

alongside, from

which

a cedar 6 ins. diam. has.

N. 78° E. 116 lks dist

Subdivisions

chs. marked $\frac{1}{4}$ S. B.T.
 a cedar 16 ins. diam
 hrs. S. $71^{\circ}15'$ W. 123 lbs.
 dist marked $\frac{1}{4}$ S. B.T.
 79.93 The cor. to secs. 7, 8, 17
 and 18.

Land, rolling mesa.

Soil, rocky, 4th rate.
 No timber, some few
 scattering cedars.

N. $89^{\circ}55'$ W. on a random line
 bet. secs. 7 and 18.

Var. $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.06 Intersect W. body of Sp.
 10 lbs. S of cor. to secs.
 7, 12, 13 and 18, as heremi-
 before described.

T. 25 N. R. 3 West. (etc)

- cho. Thence 9 run
 S. $89^{\circ}51'$ E. on a true line
 bet. secs 7 and 18.
 Var $14^{\circ}43'$ East.
 over rolling mesa.
- 40.06 Set a malpais stone 30
 $\times 19 \times 19$ ins. 22 ins. in
 the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ on N.
 face, and raised a
 mound of stone $1\frac{1}{2}$ ft.
 high, 2 ft. base, along-
 side. Pits impracticable.
- 80.06 The cor. to secs 7, 8, 17
 and 18.
 Low, rolling mesa.
 Soil, rocky, 4th rate.
 No timber.

Subdivisions

- chs. N. 0° 3' W. bet. secs. 7 and 8.
 Var. 14° 43' East.
 Over rolling mesa.
- 40.00 Set a malpais stone
 26 x 24 x 19 ins. 18 ins.
 in the ground for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ on
 W. face, and raised a
 mound of stone $1\frac{1}{2}$ ft.
 high, 2 ft base, along
 side. Pits impracti-
 cable.
- 80.00 Set a malpais stone
 30 x 21 x 17 ins. 22 ins.
 in the ground for cor.
 to secs. 5, 6, 7 and 8.
 marked with 5 notches
 on S and E. edges, and
 raised a mound of stone

T. 25 N.R. 3 West. (etc.)

chs. $1\frac{1}{2}$ ft high, 2 ft. base,
alongside. Pits im-
practicable.

Land, rolling mesa.

Soil, rocky 4th rate.

No timber.

N. $89^{\circ}56'$ E. on a random line
bet secs. 5 and 8.

Var. $14^{\circ}43'$ East.

40.00 Sub temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect N and S. line

7 chs. N. of cor. to secs.

4, 5, 8 and 9.

Thence I run

S. $89^{\circ}59'$ W. on a true line
bet secs. 5 and 8.

Var. $14^{\circ}43'$ East.

Over rolling mesa.

Subdivisions

chs.
39.97 Set a limestone 22x
18x 10 mis. 10 mis. in
the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N.
face, and raised a
mound of stone $1\frac{1}{2}$ ft
high. 2 ft base, along
side. Puts imprac-
ticable.

79.95 The cor. to secs. 5, 6, 7
and 8.

Land, rolling mesa.

Soil, rocky, 4th rate.

No timber.

N. $89^{\circ} 51' W.$ on a random line
bet. secs. 6 and 7.

Var. 140 43' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

T 25 N. R. 3 West. (ctd)

chs.

80.00 I intersect W. body of Sp.

11 lbs. N. of cor to sec.

16. 7 and 12, as herein -
before described.

Thence I run

S. 89° 56' E. on a true line

hit sec. 6 and 7.

Var. 140° 43' East.

One ralling mesa.

40.00 Set a post 3 ft long. 3 mis.

square, 12 mis. in the
ground for 1/4 sec. cor.

marked 1/4 Sec N. face,

dug pits 18 x 18 x 12 mis.

E. and W. of post. 5 1/2 ft

dist. and raised a

mound of earth 1 1/2 ft.

high 3 1/2 ft. base around

post. from which

Subdivisions

chs. a cedar 12 mis. diam. hrs.
 S. 73° 30' W. 106 chs. dist.
 marked 1/4 S.B.T.

" a cedar 8 mis. diam. hrs.
 S. 57° W. 87 chs. dist.
 marked 1/4 S.B.T.

80.00 The cor. to secs. 5, 6, 7
 and 8.

Land, rolling mesa.
 Soil, rocky, 4th rate.
 No timber, some scatter-
 ing cedar.

N. 0° 3' W. on a random line
 bet. secs. 5 and 6.

Var. 14043 East

40.00 bet. temporary 1/4 sec.
 cor.

80.05 Intersect N. ldy of Tp.

T. 25 N. R. 3 West. (ctd)

chs. 11 lks. W. of cor to secs.

5, 6, 31 and 32, as herein-
before described.

Thence I run

S. $0^{\circ} 21' W.$ on a true line
bet secs. 5 and 6.

Var. $140^{\circ} 43'$ East.

over rolling mesa.

40.05 a malpais rock in place,
 $1 \times 2 \times 3$ ft above ground,
which I mark with a
cross at exact cor point
for $\frac{1}{4}$ sec. cor. with $\frac{1}{4}$
on W. face, and raise a
mound of stone $1\frac{1}{2}$ ft.
high, 2 ft. base, along-
side, from which
a cedar 10 ins. diam. tree.
N. $43^{\circ} 45'$ E. 67 lks dist.

Subdivisions

cho. marked 1/4 S.P.T.

a cedar, 12 ins. diam. tree.
N. 650 E. 193 lbs. dist.
marked 1/4 S.P.T.

P.O. 05 The cor. to secs. 5, 6, 7 and 8.
Land, rolling mesa.
Soil, rocky, 4th rate
No timber, some scatter-
ing cedar.

July 17th, 1894.

General Description.

The larger portion is
on a high, rolling
mesa, covered with
malpais rock.

a small portion of
the N.E. part is in a
much lower altitude

T. 25 N. R. 3 West. concluded

chs. Between this and the larger part of the sp. the land is broken by deep rocky cañons.

In all portions of the sp-grass is abundant. On N $\frac{1}{2}$ of sec. 15 is a sheep ranch, well fitted with buildings and corrals; also a fine spring and tank of fresh water.

Charles E. Perkins
Compassman ^{and}
U.S. Deputy Surveyor

U. S. Surveyor-General's Office,

TUCSON, A. T., July 13, 1895

The foregoing Field Notes of the Surveys of
the Subdivisions of
Tp: 25 N. R. 3 W.

Gila and Salt River Meridian
in Arizona executed by
F. W. Oury

U. S. Deputy Surveyor, under his contract dated
June 21st 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Geo. H. Manning

U. S. Surveyor-General
for the Territory of Arizona.