

Contract "35.

2

Cotton.

BOOK 1101

1101

No. 1101

BOOK 1101

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions

T. 4 N. R. 1 W.

59-2-67

Indexed Book 1024.

61

Township 4N R. 1W

6	94	5	70	4	3	2	1
92		91		69			
7	89	8	67	9	10	11	12
88		87		66			
18	85	17	64	16	15	14	13
84		82		63			
19	81	20		21	22	23	24
79		78					
30	77	29		28	27	26	25
75		74					
31	72	32		33	34	35	36

Subdivisions T. 4. N. R. 1. W.

chains 14.00	Phonix rd Wickenburg Stage road trans. N 65° W, + S 65° E.
31.50	Wash 20 lks wide 4 ft. deep. flows S.E.
40.00	Set a post. 2 ft. long, 3 in square, with marked stone 12 in. in the ground. for 1/4 Sec. Cor. marked 1/4 S. on W. face dug pits 18x18x12 ins. N. & S. of post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base. around post.
80.00	Set a granite stone 20x9x6 ins. 45 ins. in the ground. for Cor. to Secs. 16, 17, 20 & 21. Marked with 3 matches on S. and 4 matches on E. edges. dug pits 18x18x12 ins. in each. Sec. 5 1/2 ft. dist. and raised a mound of earth. 2 ft. high

Subdivisions

Chains $4\frac{1}{2}$ ft. base along side
Land level.
Soil. Sandy loam 1st rate
No timber. —

$N 89^{\circ} 59' E.$ on a random line
bet. Secs. 16 & 21

Va. $13^{\circ} 45' E.$

40.00 Set temp. $\frac{1}{4}$ Sec Cor.

80.00 Intersect. N & S. line 5 lks.
S. of Cor to Secs. 15, 16, 21 & 22.

Thence I run

$S 89^{\circ} 57' W.$ on a true line
bet. Secs. 16 & 21.

Va. $13^{\circ} 45' E.$

Over level land

6.00 Entire dense mesquite + grass
wood bet. N.E. and S.W.

40.00 Set a post. 3 ft. long 3 ins.

J. H. N. R. I. W.

- Chains Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18x18x12 ins. E & W,
of post. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of Earth, 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base, around post. -
- 50.00 Wash 30 lks. wide, 2 ft. deep, flows S 10 E
- 80.00 The Cor. to Secs. 16, 17, 20 & 21
Land level.
Soil. Sandy loam 1st rate
Timber. Mesquite & greasewood
Undergrowth, 74. chains.
Oct. 10, 1894
- N 0° 22' W. bet. Secs. 16 & 17.
Pa. 13° 45' E.
- One level land, in dense brush
- 40.00 Set a post, 3 ft. long 3 ins.
Square, with marked Stone 12

Subdivisions.

Chairs ins. in the ground for $\frac{1}{4}$ Sec
 Cor. Marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N. & S.
 of post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of Earth $1\frac{1}{2}$
 ft. high. $3\frac{1}{2}$ ft. base. Around Post
 49.50 Wash. 25 lbs wide 2 ft. deep. flows S 20° E
 80.00 Set a post. 4 ft. long 4 ins.
 square. with marked stone 12
 ins in the ground. for. Cor. to
 Secs. 8, 9, 16, & 17. marked
 T. 4. N. S. 9 on N.E.
 R. 1. W. S. 16 on S.E.
 S. 17 on S.W. and
 S. 8 on N.W. faces. with 4
 notches on S and E. edges.
 dug pits $18 \times 18 \times 12$ ins in
 each Sec. $5\frac{1}{2}$ ft. dist. and
 raised a mound of Earth 2

T. H. N. R. 1, W.

Chain ft high. $4\frac{1}{2}$ ft base
 Around Post. -
 Land level.
 Soil. Sandy loam 1st rate
 Timber. dense Mesquite + greasewood.
 Undergrowth. 80. chs.

N $89^{\circ}57'E$. on a random line
 bet. Secs. 9 & 16.
 Va. $13^{\circ}45'E$

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.95 Intersect. N. & S. line 11 Mts.

N. of Cor. to Secs. 9, 10, 15 & 16.

Thence I run

N $89^{\circ}58'W$. on a true line
 bet. Secs. 9 & 16.

Va. $13^{\circ}45'E$.

Over level land. in dense brush

39.98 Set a post. 3 ft long 3 ins.

Subdivisions.

Chains Square. with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ S on N. face
 dug pits 18x18x12 ins. E. & W.
 of post. 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of earth 1 $\frac{1}{2}$
 ft. high. 3 $\frac{1}{2}$ ft. base. around post.

79.95 The Cor. to Secs. 8, 9, 16th and 17.
 Land. level.

Soil. Sandy loam 1st rate
 Timber. dense. Mesquite + Palo.
 Verde. undergrowth. 79.95 chs.

N $0^{\circ} 22' W$ bet. Secs. 8 & 9

Va. $13^{\circ} 45' E$

over level land. in dense brush

40.00 Set a post. 3 ft. long 3 ins.
 Square. with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec

T. H. N. R. 1. W.

Chains. Cor. marked $\frac{1}{4}$ S on W. face
 dug pits $18 \times 18 \times 12$ ins. N.T.S.
 of post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base. around post.

80.00 Set a post. 4 ft. long. 4 ins.
 square, with marked stone 12
 ins. in the ground. for Cor. to
 Secs. 4, 5, 8 & 9. marked
 T. H. N. S. 4 on N.E.
 R. 1. W. S. 9 on S.E.
 S. 8 on S.W. and
 S. 5 on N.W. faces, with 5
 notches on S. and 4 notches
 on E. edges, dug pits $18 \times 18 \times$
 12 ins. in each Sec. $5\frac{1}{2}$ ft.
 dist. and raised a mound of
 earth. 2 ft. high, $4\frac{1}{2}$ ft.
 base. around post. —

Subdivisions.

Chains Land, level.
Soil. Sandy loam 1st rate
Timber. dense Mesquite &
Palo Verde undergrowth 80. chs.

$S 89^{\circ} 58' E$. on a random line
bet. Secs. 4 & 9

Va. $13^{\circ} 45' E$

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.00 Intersect N & S. line 2 lks.

N. of Cor. to Secs. 3, 4, 9 & 10.

Thence I run.

$N 89^{\circ} 57' W$. on a true line
bet. Secs. 4th & 9.

Va. $13^{\circ} 45' E$.

9.50 Over level land, in dense brush
Wash 30 lks. wide 2 ft. deep
runs $S 30^{\circ} E$

40.00 Set a post, 3 ft. long, 3 ins.

T. 4. N. R. 1. W.

Chains Square, with marked Stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits 18x18x12 ins. E. & W. of post, $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around post.

80.00 The Cor. to Secs. 4, 5, 8th & 9.

Land, level.

Soil, Sandy loam, 1st rate

Timber, dense Mesquite and

Catalaw, undergrowth, 80, chs..

 N $0^{\circ} 22' W$. bet. Secs. 4 & 5.
Va. $13^{\circ} 45' E$.

Over level land, in dense brush

35.00 Clear dense undergrowth
brass. E. & W.

40.00 Set a post, 3 ft. long 3 ins.

Subdivisions.

Chains Square, with marked Stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N & S.
 of post, $5 \frac{1}{2}$ ft. dist. and
 raised a mound of Earth $1 \frac{1}{2}$ ft
 high, $3 \frac{1}{2}$ ft. base, around post.

75.00 Intersect first Standard
 Parallel, N. at $S 89^{\circ} 50' W$
 124 lks. dist. from the Stand-
 ard Cor. to Secs. $32 \& 33$, as
 recently reestablished by me
 and hereinbefore described
 At which point I
 set a post, 4 ft. long 4 ins.
 Square, with marked Stone 12
 ins. in the ground, for closing
 Cor. to Secs. $4 \& 5$, marked
 S. 4. N. R. 1. W. on S.

72

T. H. N. R. 1. W.

Chains

S. 4 on E and

S. 5. on W. faces. with 4
 matches on E. and 2 matches on
 W. faces. dug pits 18X18X12 in
 S. E & W. of post. 5 1/2 ft. dia
 and raised a mound of earth
 2 ft. high. 4 1/2 ft. base
 around post. -

Land level.

Soil. Sandy loam 1st rate
 Timber. dense mesquite and
 Catclaw. undergrowth. 35. chs.
 Oct. 11. 1894

From the Cor. to Secs. 5, 6, 31, & 32
 on S. bdy of Tp. as recently
 established by me. and
 hereinbefore described.
 I run.

Subdivisions.

Chains No° 23' W. bet. Secs. 31 & 32
 Va. 13° 45' E.

Over level land. in timber

40.00 Set a post, 3 ft. long, 3 ins.
 Square, with marked stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits 18x18x12 ins. N. & S.
 of post, 5 $\frac{1}{2}$ ft. dirt and rain
 a mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft. base. around post.

80.00 Set a post, 4 ft. long, 4 ins.
 Square, with marked stone 12
 ins. in the ground, for Cor. to
 Secs. 29, 30, 31 & 32. marked
 J, 4, N. S. 29 on N.E.
 R. 1, W. S. 32 on S.E.
 S. 31 on S.W. and
 S. 30. on N.W. faces, with 1

J. H. N. R. 1. W.

Chains Notch on S. and 5 notches on
E. edges, dug pits $18 \times 18 \times 12$
ins. in each. Sec. $5 \frac{1}{2}$ ft.
dist. and raised a mound
of Earth. 2 ft. high. $4 \frac{1}{2}$ ft.
base, around post. -
Land. level.

Soil. Sandy loam 1st rate.
Timber. Mesquite.

East on a random line
bet. Secs. 29th & 32.
Va. $13^{\circ} 45' E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

79.95 Intersect N.T.S. line 10 lks.
N. of Cor. to Secs. 28, 29, 32, & 33.
Thence I run

$N 89^{\circ} 56' W$ on a true line
bet. Secs. 29 & 32.

Subdivisions.

Chains

Va. $13^{\circ}45'E$.

Over level land.

39.97

Set a post, 3 ft. long 3 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E. & W. of post, $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. around post.

79.95

The Cor. to Secs. 29, 30, 31 & 32
Land, level

Soil, sandy loam 1st rate
No timber. —

West. on a random line
bet. Secs. 30 & 31.

Va. $13^{\circ}45'E$

40.00

Set. temp. $\frac{1}{4}$ Sec Cor.

T. H. N. R. 1. 00.

- Chains
70.40 Intersect. W. side of Sp. 9 lks.
S. of Cor. to Secs. 25, 30, 31 & 36.
as recently established by me
and hereinbefore described.
Thence I run
S $89^{\circ}56'$ E. on a true line
bet. Secs. 30 & 31.
Ta. $13^{\circ}45'$ E.
Over level land
- 30.40 Set a post, 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18x18x12 ins. E & W.
of post, $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base, around post.
- 10.40 The Cor. to Secs. 29, 30, 31 & 32
Land, level.

77
Subdivisions.

Chains Soil, Sandy loam 1st rate
No. timber, —

No. 23' W bet. Secs. 29 & 30

Va. 13° 45' E

Over level land

- 40.00 Set a granite stone 18x9x6 ins.
12 ins. in the ground. for 1/4
Sec. Cor. marked 1/4 on W. face
dug pits 18x18x12 ins. N. & S.
of stone 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft high 3 1/2 ft. base. alongside
- 80.00 Set a part. 4 ft. Cong. 4 in.
square, with marked stone 12
ins. in the ground. for Cor to
Secs. 19, 20, 29 & 30. Marked
T. & N. S. 20 on N.E.
R. 1. W. S. 29 on S.E.

chains S. 30 on S.W. and
 S. 19 on N.W. faces, with 2
 notches on S. and 5 notches on
 E. edges. dug pits 18x18x12 ins.
 in each Sec. 5 1/2 ft. diam. and
 raised a mound of earth 2 ft.
 high. 4 1/2 ft. base around post. -
 Land. level.
 Soil. Sandy loam 1st rate
 No timber. -

S 89° 56' E. on a random line
 bet. Secs. 20 & 29.
 Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.
 79.90 Intersect N & S. line 7 lks. S.
 of Cor. to Secs. 20, 21, 28 & 29
 Thence I run
 N 89° 59' W. on a true line

Subdivisions.

Chains

bet. Secs. 20 & 29

Va. $13^{\circ}45'E$.

One level land

39.95 Set a post. 3 ft. long 3 ins.
Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. and raised
a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post.

79.90 The Cor. to Secs. 19, 20, 29 & 30.

Land. level.

Soil. Sandy loam, 1st rate

No timber. —

 $N 89^{\circ}56'W$. on a random line

bet. Secs. 19 & 30.

Va. $13^{\circ}45'E$

J. H. N. R. 1. W.

chains 40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
69.80	Intersect W. bdy Sp. 16 lks. N. of Cor. to Secs. 19, 24, 25 & 30. as recently established by me and herein- before described. - Thence I run N $89^{\circ}56'E$. on a true line bet. Secs. 19 & 30. Va. $13^{\circ}45'E$. Over level land. in dense brush
29.80	Set a post. 2 ft. long 3 ins. square. with marked stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dig pits $18 \times 18 \times 12$ ins. E. & W. of post. $5\frac{1}{2}$ ft. dist. and raise a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.
37.00	leave dense mesquite brush. N. & S.

Subdivisions.

chains
69.80The Cor. to Secs. 19, 20, 29 & 30
Land level.Soil. Sandy loam 1st rate

Timber, dense Mesquite 37 chs.

N 0° 23' W. bet. Secs. 19 & 20

Ru. 13° 45' E

Down level land

40.00 Set a post. 3 ft long. 3 ins.

Square, with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.Cor. marked $\frac{1}{4}$ S. on W. face

dug pits 18 x 18 x 12 ins. N. & S.

of post. 5 $\frac{1}{2}$ ft. dist. andraised a mound of Earth 1 $\frac{1}{2}$ fthigh. 3 $\frac{1}{2}$ ft. base. around post.58.00 Phoenix ^{and} Wickenburg Stage

road. bears. N 80° W & S 80° E

80.00 Set a post. 4 ft. long 4 ins.

T. 4. N. R. 1. W.

Chains Square. with marked Stone 12
 ins. in the ground. for Cor. to
 Secs. 17, 18, 19th and 20. marked
 T. 4. N. S. 17 on N.E.
 R. 1. W. S. 20 on S.E.
 S. 19 on S.W. and
 S. 18 on N.W. faces. with 3 notches
 on S. and 5 notches on E. edges.
 dug pits 18x15x12 ins. in each Sec.
 5 1/2 ft. dia. and raised a mound
 of Earth 2 ft. high 4 1/2 ft. base
 around post. —
 Land level.
 Soil. Sandy loam 1st rate
 No. timber. —

$\Delta 89^{\circ} 59' E.$ on a random line
 bet. Secs. 17th and 20.
 Va. $13^{\circ} 45' E.$

Subdivisions.

- chains
40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.
79.98 Intersect. N. & S. line 8 lks. N.
of Cor. to Secs. 16, 17, 20 & 21
Thence I run
N $89^{\circ}56'$ W. on a true line
bet. Secs. 17th & 20.
Va. $13^{\circ}45'$ E.
- Over level land
- 29.50 Wash 10 lks. wide 2 ft. deep flows. S 30° E
- 39.99 Set a post. 2 ft. long. 3 ins.
square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18x18x12 ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post.
- 79.98 The Cor. to Secs. 17, 18, 19 & 20
Land. level.

T. 4, N. R. 1, W.

Chain Soil, sandy loam 1st rate.

No timber, -

Oct. 12, 1894S 89° 56' W on a random line
bet. Secs. 18th & 19.

Va. 13° 45' E.

40.00 Set temp 1/4 Sec. Cor.

69.28 Intersect W. bdy Sp. 7 lks. S.
of Cor. to Secs. 13, 18, 19th 2nd pt. as
recently established by me. and
hereinafter described -

Thence I run

N 89° 59' E on a true line
bet. Secs. 18th & 19.

Va. 13° 45' E.

Over level land. -

9.00 Phoenixnd & Wickensburg Stage road
trans. N 40° W x S 40° E

29.28 Set a post, 3 ft. long 3 ins.

Subdivisions.

Chains Square, with marked Stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits 18x18x12 ins. E. & W. of post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base, around post. —

69.28. The Cor. to Secs 17, 18, 19 & 20 Land. level.

Soil. Sandy loam 1st rate
No. timber. —

N $0^{\circ} 23' W$. bet. Secs. 17, ^{and} 18.

Va $13^{\circ} 45' E$.

Open level land

30.00 Extra mesquite timber

40.00 Set a post. 2 ft. long 3 ins. Square, with marked Stone 12 ins. in the ground, for $\frac{1}{4}$ Sec.

T. H. N. R. 1. W.

Chains

Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N. & S.
 of post. $5\frac{1}{2}$ ft. diet. and raised
 a mound of Earth $1\frac{1}{2}$ ft. high.
 $3\frac{1}{2}$ ft. base around post.

80.00

Set a Post. 4 ft. long 4 ins.
 Square. with marked Stone 12
 ins. in the ground. for Cor. to
 Secs. 7, 8, 17th & 18. marked.

T. H. N. S. 8 on N.E.

R. 1. W. S. 17 on S.E.

S. 18 on S.W. and

S. 7 on N.W. faces. with 4 notches
 on S. and 5 notches on E. edges

dug pits $18 \times 18 \times 12$ ins. in each
 Sec. $5\frac{1}{2}$ ft. diet. and raised a
 mound of Earth 2 ft. base. $4\frac{1}{2}$
 ft. base around post.

Land level.

high
 4

Subdivisions.

Chains Soil. Sandy loam 1st rate.
Timber. Mesquite.-

—
S $89^{\circ}56'E$ on a random line
bet. Secs. 8 & 17
Va $13^{\circ}45'E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.96 Intersect N. & S. line. at Cor.
to Secs. 8, 9, 16th & 17.-
Thence I run

N $89^{\circ}56'W$ on a true line
bet. Secs. 8th & 17.
Va. $13^{\circ}45'E$

Over level land. in timber

33.00 Wash 10 lks wide. 2 ft. deep flows S $40^{\circ}E$.

35.00 Wash 20 lks wide 2 ft. deep flows S $50^{\circ}E$

39.98 Set a post. 3 ft. long. 3 ins.
square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.

T. 4. N. R. 1. W.

Chain
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ ins. E. N. W.
 of post. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
 ft. base. around Post. -

79.96 The Cor. to Secs. 7, 8, 17, ^{2d} 18.

Land. level.

Soil. Sandy loam 1st rate.

Timber. Mesquite. -

S $89^{\circ}59'W$. on a random line
 bet. Secs. 7th 18.

Va. $13^{\circ}45'E$

40.00 Set. temp $\frac{1}{4}$ Sec. Cor.

68.74 Intersect W. bdy Sp. at Cor. to
 Secs. 7, 12, 13rd 18. as recently
 established by me. and
 hereinbefore described. -

Thence I run.

Subdivisions.

Chains N 89° 59' E. on a true line
bet. Secs. 7. ^{2d} 18.
Ta. 13° 45' E.

28.74 Over level land. in timber
Set a post. 3 ft. long 3 ins.
Square. with marked stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. Marked $\frac{1}{4}$ S. on N. face
dug pits 18x18x12 ins. E. & W.
of post. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base. around post. -

68.74 The Cor. to Secs. 7. 8. 17 ^{2d} 18.
Land. level.
Soil. Sandy loam 1st rate
Timber. Mesquite. -

N 0° 23' W. bet. Secs. 7 & 8.
Ta 13° 45' E

T. H. N. R. 1. W.

- | | |
|--------|---|
| Chains | Over level land, in mesquite timber |
| 20.00 | Enter dense mesquite undergrowth |
| 40.00 | Set a post, 3 ft. long, 3 in. square, with marked stone 12 in. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W. face dry pits 18x18x12 in. N.W.S. of post, 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, around post. |
| 67.00 | Wash 15 lks. wide 1 ft. deep runs or flows. S.E. |
| 77.00 | Wash 15 lks. wide 3 ft. deep flows. S.E. |
| 80.00 | Set a post, 4 ft. long 4 in. square, with marked stone 12 in. in the ground, for Cor. to Secs. 5, 6, 7 and 8, marked T. H. N. P 5 on N.E. |

Subdivisions.

Chains R. 1. W. S. 8 on S. E.
 S. 7 on S. W. and
 S. 6. on N. W. faces. with 5 notches
 on S. and E. edges. dug pits $18 \times$
 18×12 ins. in each Sec. $5\frac{1}{2}$
 ft. dist. and raised a mound
 of Earth 2. ft. high. $4\frac{1}{2}$ base
 around post. —

Land. level.

Soil. Sandy loam 1st rate.

Timber. some Mesquite 60. chs.

$\Delta 89^{\circ} 56' E$. on a random line
 bet. Secs. 5. & 8.

Va. $13^{\circ} 45' E$.

40.00 Set. temp. 1/4 Sec. Cor.

80.02 Intersect. N. & S. line 3 lks

N. of Cor. to Secs. 4. 5. 8 & 9.

Thru I run

T. H. N. R. I. W.

- Chains N $89^{\circ}55'$ W. on a true line
bet. Secs. 5th & 8.
Va. $13^{\circ}45'$ E.
- 40.01 Over level land, in dense mesquite
Set a post, 3 ft. long, 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of post, $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post.
- 80.02 The Cor. to Secs. 5, 6, 7th & 8.
Land, level.
Soil, sandy loam 1st rate
Timber, dense mesquite 80.02 chs.
-
- S $89^{\circ}59'$ W. on a random line
bet. Secs. 6 & 7.

Subdivisions.

Chains

Va. $13^{\circ}45'E$.40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.68.20 Intersect W. bdy of Tp. 8 ths
S. of Cor. to Secs. 1, 6, 7, & 12. as
recently established by one
and herein before described.

Thence I run

 $S 89^{\circ}57'E$. on a true line
bet. Secs. 6th & 7.Va. $13^{\circ}45'E$

28.20

Over level land in dense mesquite
Set a post 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dig pits $18 \times 18 \times 12$ ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$ ft
high, $3\frac{1}{2}$ ft. base, around post.

T. 4. N. R. 1. W.

chains 59.50	Wash. 15 lks. wide 3 ft. deep flows. S. E.
65.00	Wash. 15 lks. wide 3 ft. deep, flows. S. E.
68.20	The Cor. to Secs. 5, 6, 7 & 8. Land. level. Soil. Sandy loam 1 st rate Timber. dense Mesquite 68.20 chs.

N $0^{\circ} 23' W$. bet. Secs. 5 & 6.

va. $13^{\circ} 45' E$

Over level land. in dense mesquite

40.00	Set. a post. 3 ft. long. 3 ins. square. with marked stone 12 ins. in the ground. for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on W. face dug pits - 18x18x12 ins. N. & S. of post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft.
-------	--

Subdivisions

Chains High $3\frac{1}{2}$ ft. base. around post.
 74.75 Intersect first Standard Parallel
 N. at $S 89^{\circ}50' W$. 166 lks. from
 Standard Cor. to Secs. 31. & 32
 as recently re established by me
 and herein before described.
 At which point I
 set a post. 4 ft. long 4 ins.
 square. with marked stone 12
 ins. in the ground. for closing
 Cor. to Secs. 5. & 6. Marked
 E. C. T. 4. N. R. 1. W. on S.
 S. 5 on E. and
 S. 6 on W. faces. with 5 notches
 on E. and 1 notch on W. faces
 dug pits $18 \times 18 \times 12$ ins. S. E. & W.
 of post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth 2
 ft. high $4\frac{1}{2}$ ft. base. around post.

J. H. N. R. L. W.

Land. level.

Soil. Sandy loam 1st rate.

Timber. dense Mesquite. 74, 75 chs.

Oct. 13, 1894.

29 miles 69 chains and 73 lks. of
the subdivision lines, pass through
dense Mesquite, Palo Verde, and
Catclaw undergrowth. -

General Description.

The eastern portion of this township
is rough and broken. Soil. gravelly
2^d rate. the bottom land along
the Agua Fria River is rich sandy
loam. 1st rate. and is generally
covered with a dense under-
growth of Mesquite Palo Verde
and tall grease wood.

The western portion, is level.
Soil. Sandy loam 1st rate quality
and portions covered with a
dense undergrowth of Mesquite
and Palo Verde.

At this date, no settlers in
the township -

Albert J. Colton,
U. S. Dep. Surveyor

U. S. Surveyor-General's Office.

Tucson, A.T. August 6th, 1896.

The foregoing field-notes of the surveys
of the Subdivisions of Township No. 4 N.

Range, 1 West, Gila & Salt River
Meridian in Arizona, executed by

ALBERT T. COLTON.

U. S. Deputy Surveyor, under his Contract
dated March 14th, 1894, having been
critically examined, the necessary
corrections and explanations made, the
said Field Notes and the surveys they
describe are hereby approved.

George J. Roskruge
U. S. Surveyor-General

for the Territory of Arizona.