

Contract "35 2.

Cotton

BOOK 1102

No. 1102

BOOK 1102

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions

T. 4. N. R. 2 W.

1102

59-39-65

Indexed. Book 1017

61

Township 4N R. 2W

6	92	5	68	4	3	2	1
40		89		66			
7	87	8	64	9	10	11	12
86		84		63			
18	83	17		16	15	14	13
81		80					
19	79	20		21	22	23	24
77		76					
30	74	29		28	27	26	25
73		71					
31	69	32		33	34	35	36

Subdivisions, T. 4, N. R. 2, W.

- Chains. Cor. marked $\frac{1}{4}$ S. on W. face.
 dug pits 18x18x12 ins. N. & S.
 of post. $5\frac{1}{2}$ ft. dist. and raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around Post. —
- 77.80 Wagon road. brass. N.W. & S.E.
- 80.00 Set a post. 4 ft. long 4 ins.
 square, with marked stone 12
 ins. in the ground. for Cor. to
 Secs. 8, 9, 16, and 17. marked
 T. 4, N. S. 9 on N.E.
 R. 2, W. S. 16. on S.E.
 S. 17 on S.W. and
 S. 8 on N.W. faces, with 4
 notches on S. and E. edges.
 dug pits 18x18x12 ins. in
 each Sec. $5\frac{1}{2}$ ft. dist. and
 raised a mound of Earth 2 ft.
 high. $4\frac{1}{2}$ ft. base. around Post. —

Subdivisions

Chains. Land, rough
 Soil, gravelly 2^d & 3^d rate
 Timber, dense mesquite and
 growth. 80. chains.

East on a random line
 bet. Secs. 9.th & 16.
 Va. $13^{\circ}45'E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.94 Intersect. N.th & S. line 7 lks.
 S. of Cor. to Secs. 9, 10, 15, & 16.

Thence I run

$S 89^{\circ}57'W$. on a true line
 bet. Secs. 9.th & 16.

Va. $13^{\circ}45'E$.

Over broken land in dense
 mesquite and Palo Verde

39.97 Set a post, 3 ft. long 3 ins.

Square, with marked Stone 12

64.

BOOK 1102

T. 4. N. R. 2. W.

Chains. ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ ins. E. & W.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post -

79.94 The Cor. to Secs. 8, 9, 16, & 17.

Land. broken

Soil. Sandy & gravelly 2^d & 3^d rate

Timber. dense. mesquite and

Palo Verde undergrowth 79.94 chs.

No^o 2' W. bet. Secs. 8, and 9.

Va. $13^{\circ}45'6''$.

Open level land. in dense
 mesquite and Palo-Verde.

40.00 Set a post. 3 ft. long 3 ins.

Square. with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.

Subdivisions

Chains. Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N. & S.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post. —

45.00 Phoenix ^{and} Maricopa Stage
 road. bears. $N60^{\circ}W$ ^{and} $S60^{\circ}E$

80.00 Set a post. 4 ft. long 4 ins.
 square, with marked stone 12
 ins. in the ground, for Cor. to
 Secs. 4, 5, 8, ^{and} 9, marked
 S. 4. N. S. 4 on N.E.
 R. 2, W. S. 9 on S.E.
 S. 8. on S.W. and
 S. 5. on N.W. faces, with 5
 notches on S, and 4 notches
 on E. edges. dug pits $18 \times 18 \times$
 12 ins. in each Sec. $5\frac{1}{2}$ ft.
 dist. and raised a mound of

T. 4 N. R. 2 W.

Chains Earth 2 ft. high, $4\frac{1}{2}$ ft.
 base, around post. —
 Land level.
 Soil Sandy & gravelly 1^{st} 2^{d}
 Timber, dense mesquite & Palo-
 Verde undergrowth 80. Chains. —

N $89^{\circ} 57' E$. on a random line
 bet. Secs. 4. ^{and} 9.
 Va. $13^{\circ} 45' E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
 79.96 Interest N. ^{and} S. line 7 Mts. N.
 of Cor. to Secs. 3. 4. 9. ^{and} 10.
 Thence I run
 West. on a true line.
 bet. Secs. 4. ^{and} 9.
 Va. $13^{\circ} 45' E$.
 over level, land in dense
 mesquite undergrowth.

67.
Subdivisions

- Chains
39.98 Set a post. 3 ft. long 3 ins.
Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dry pits 18x18x12 ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. —
- 79.96 The Cor. to Secs. 4, 5, 8. ^{and} 9.
Land, level.
Soil. Sandy loam 1st rate
Timber, dense mesquite. 79.96 chs.

N $0^{\circ} 2'$ W. bet. Secs. 4. ^{and} 5.

Va. $13^{\circ} 45'$ E.

- 40.00 Over level land, in dense mesquite,
Set a post. 3 ft. long 3 ins.
Square, with marked Stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.

T. 4 N. R. 2. W.

Chains. Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N. $\frac{3}{4}$ S.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post. —

71.80 Intersect first. Standard
 parallel. N. at $N 89^{\circ} 30' E$
 13.60 chs. dist. from Standard
 Cor. to Secs. 32. $\frac{3}{4}$ S. 33. as recently
 re established by me, and
 heretofore described
 At which point I
~~set~~ a post. 4 ft. long 4 ins.
 square, with marked stone 12
 ins. in the ground, for closing
 Cor. to Secs. 4. & 5, marked
 C. C. T. 4. N. R. 2. W. on S.
 S. 4. on E. and
 S. 5 on W. faces, with 4 notches

Subdivisions.

Chains. on E. and 2 matches on W. faces
 dug pits $18 \times 18 \times 12$ ins S. E. & W.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of Earth $2\frac{1}{2}$ ft. high
 $4\frac{1}{2}$ ft. base. around post.
 Land level.

Soil. Sandy loam 1st rate
 Dense mesquite undergrowth 71.80 cts.

Nov. 3. 1894

From the Cor. to Secs. 5. 6. 31. & 32.
 on S. side of Sp. as recently
 established by me. and
 hereinbefore described.

I run

$N 0^{\circ} 3' W.$ bet. Secs. 31. & 32.

$Va. 13^{\circ} 45' E.$

over very broken land. in dense
 undergrowth

70.
D. H. N. R. 2. W.

BOOK 1102

- 6.50 Wash 20 lks. wide, 4 ft. deep.
flows East.
- 18.00 Wash 40 lks. wide, 6 ft. deep.
flows Eastward. -
- 20.00 foot. of ridge of white tank
mountain. trans. N.W. + S.E. ascend
- 33.50 Top of ridge 300 ft. high. trans
N.W. & S.E. descend
- 40.00 foot of ridge. trans. N.W. + S.E.
Set a granite stone 16x8x6 ins.
11. ins. in the ground. for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ on W. face. ^{and}
raised a mound of stone. $1\frac{1}{2}$
ft. high, 2 ft. base. alongside
Pits impracticable. -
- 51.00 Wash, 20 lks. wide, 2 ft. deep.
flows S.E.
- 78.50 Manicapa + Wickburg wagon
road. trans. N.W. & S.E.

Subdivisions.

Chairs
80.00

Set a granite Stone $18 \times 18 \times 12$ ins.
12 ins. in the ground, for Cor. to
Secs. 29, 30, 31 & 32, marked
with 1 notch on S. and 5 notches
on E. edges. Aug pits $18 \times 18 \times 12$
ins. in each Sec. $5\frac{1}{2}$ ft. dia.,
and raised a mound of Earth 2
ft. high, $4\frac{1}{2}$ ft. base.

Alongside.

Land. Very rough.

Soil. gravelly + stony 3rd + 4th rate
Dense undergrowth. 80 chs.

East, on a random line
bet. Secs. 29, 30 & 32.

Va. $13^{\circ} 48' E$

40.00 Set temp. $\frac{1}{4}$ sec. Cor.

80.00 Intersect. N. and S. line 4 lks.
S. of Cor. to Secs. 28, 29, 32 & 33.

P. 4. N. R. 2. W.

- Chains Three Iron
 S $89^{\circ}58'$ W. on a true line
 bet. Secs. 29. ^{2d} & 32.
 Va. $13^{\circ}45'$ E.
- over very rough land. in dense
 Mesquite and Ironwood
- 40.00 Set a post. 3 ft. long, 3 ins.
 square. with marked Stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ ins. E & W.
 of post. $5\frac{1}{2}$ ft. dia. & raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. -
- 80.00 The Cor. to Secs. 29, 30, 31. & 32.
 Land rough & broken
 Soil. Stony 3^d & 4^th rate
 Dense mesquite & Ironwood
 undergrowth. 80. Chains -

Subdivisions

- Chairs West. on a random line
bet. Secs. 30. ^{and} 31.
Va. $13^{\circ}48'E$.
- 40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.
- 79.56 Intersect. W bdy of Sp at
Cor. to Secs. 25. 30. 31. & 36.
heretofore described,
Thence I run
East. on a true line.
bet. Secs. 30 ^{and} 31.
Va. $13^{\circ}48'E$.
over broken land. in stumps
mesquite and Palo Verde
- 1.56 Wash. 20 yds. wide. 3 ft. deep.
flows. S.E.
- 39.56 Set a granite Stone $18 \times 8 \times 8$ ins.
12 ins. in the ground. for $\frac{1}{4}$
Sec. Cor. marked $\frac{1}{4}$ on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.

- Chains of Stone. $5\frac{1}{2}$ ft. dist & raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base alongside. —
- 78.00 Maricopa & Wickburg wagon
 road, bears N.W. & S.E.
- 79.56 The Cor. to Secs. 29, 30, 31 & 32.
 Land rough & broken
 Soil. Stony 3rd & 4th rate.
 Dense. Mesquite & Palo Verde
 undergrowth, 79.56 chs.

N $0^{\circ} 3' W$. bet. Secs. 29, & 30.

Va. $13^{\circ} 48' E$.

over undulating land, in
 dense mesquite.

- 3.00 Wash. 10 lks. wide 2 ft. deep
 floors. Northeastly
- 40.00 Set a post. 3 ft. long 3 in.
 square, with marked Stone 12

Subdivisions

Chains ins. in the ground. for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N. & S.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of Earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. -

80.00 Set a post. 4 ft. long 4 ins.
 square. with marked stone 12
 ins. in the ground. for Cor. to
 Secs. 19, 20, 29 & 30. marked
 T. 4. N. S. 20 on N.E.
 R. 2. W. S. 29 on S.E.
 S. 30 on S.W. and
 S. 19 on N.W. faces. with 2
 notches on S. and 5 notches on
 E. edges. dug pits $18 \times 18 \times 12$
 ins. in each Sec. $5\frac{1}{2}$ ft.
 dist. and raised a mound of
 earth $2\frac{1}{2}$ ft. high $4\frac{1}{2}$ ft.

P. 4. N. R. 2. W.

Chains base. Around Post. —
 Land. nearly level.
 Soil. Sandy & gravelly 1st & 2^d rate
 Dense mesquite wood growth
 80. Chains.

N 89° 58' E. on a random line
 bet. Secs. 20. ^{and} 29.
 Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.
 80.05 Intersect N. ^{2d} S. line 3 lks.
 S. of Cor. to Secs. 20. 21. 28. & 29.
 Thence I run
 S 89° 57' W. on a true line
 bet. Secs. 20. ^{and} 29.
 Va. 13° 45' E.

over level land, in dense mesquite

40.02 Set a post. 3 ft. long 3 ins.
 Square, with marked stone 12

Subdivisions

Chains. ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits 18x18x12 ins. E. & W.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. Around post. -

80.05 The Cor. to Secs. 19, 20, 29 & 30.
 Land level.

Soil. Sandy loam 1st rate
 Dense mesquite undergrowth
 80.05. chs.

West. on a random line
 bet. Secs. 19. & 30.
 Va. $13^{\circ}45'E$.

40.00 Set. temp $\frac{1}{4}$ Sec. Cor.

79.50 Intersect. W. body of Sp. 9 lks.
 N. of Cor. to Secs. 19, 24, 25 & 30
 herein before described.

P. H. N. R. 2. W.

Chains

Thence I run

N 89° 56' E. on a true line
bet. Secs. 19. ^{2d} & 30.

Va. 13° 45' E.

over rolling land, in dense
mesquite undergrowth.

39.50

Set a post. 3 ft. long 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18x18x12 ins. E. & W.
of post. 5 $\frac{1}{2}$ ft. dia. & raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base, around post. —

79.50

See cor. to Secs. 19, 20, 29, & 30.
Land rollingSoil. Sandy 1st rate

Dense mesquite undergrowth

79.50 chains. —

Subdivisions.

Chains. No^o 3' W. bet. Secs. 19. ^{and} 20.

Va. 13° 45' E

Over nearly level land. in
dense mesquite brush.

40.00 Set a post, 3 ft. long 3 ins.
Square. with marked Stone 12
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face.
dug pits 18x18x12 ins. E. & W.
of post. 5 $\frac{1}{2}$ ft. dia. & raised
a mound of Earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base. around post. -

80.00 Set a post, 4 ft. long, 4 ins.
Square. with marked Stone 12
ins. in the ground. for Cor. to
Secs. 17, 18, 19 & 20. marked
I. 4. N. S. 17 on N.E.
R. 2. W. S. 20. on S.E.
S. 19 on S.W. and.

D. H. N. R. 2. W.

Chains S. 18 on N.W. faces. with 3
notches on S. and 5 notches on
E. edges. dug pits $18 \times 18 \times 12$ ins.
in each Sec. $5\frac{1}{2}$ ft. dirt &
raised a mound of Earth 2
ft. high. $4\frac{1}{2}$ ft. base
around post. —

Land. Nearly level

Soil. Sandy. 1st & 2^d rate

Dense mesquite undergrowth
80. Chains. —

$N 89^{\circ} 57' E.$ on a random line
bet. Secs. 17th and 20.

Va. $13^{\circ} 45' E.$

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.07 Intersect N. and S. line 5 lks.

N. of Cor. to Secs. 16, 17, 20 & 21.

Thence I run

Subdivisions.

Chains. $S 89^{\circ} 59' W.$ on a true line
 Feb. Secs. 17. ^{and} 20.
 Va. $13^{\circ} 45' E.$

40.03 over level land, in dense mesquite
 Set a post. 3 ft. long 3 ins.
 Square, with marked stone 12
 ins. in the ground, for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ ins. E. & W.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post. —

80.07 The Cor. to Secs. 17, 18, 19, & 20
 Land, level.

Soil. Sandy loam 1st rate
 Dense mesquite wood growth
 80.07 chains. —

Nov. 5, 1894

$S 89^{\circ} 56' W.$ on a random line

D. 4. N. R. 2. W.

Chains.	bet. Secs. 18. th & 19. th Va. $13^{\circ}45'E$.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
79.40	Intersect W. bdy of Sp. 4 lks. S. of Cor. to Secs. 13, 18, 19 & 24 hereinafter described. - Thence I run $N89^{\circ}58'E$ on a true line bet. Secs. 18. th & 19. th Va. $13^{\circ}45'E$. over level land. in dense mesquite. undergrowth
39.40	Set a post. 3 ft. long 3 ins. square. with marked Stone 12 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits 18x18x12 ins. E. & W. of post. $5\frac{1}{2}$ ft. dist. & raised a mound of earth $1\frac{1}{2}$ ft. high

Subdivisions.

Chains. $3\frac{1}{2}$ ft. base around Post. -
 79.40 The Cor. to Secs. 17, 18, 19 & 20.
 Land level.
 Soil. Sandy loam 1st rate
 Dense mesquite undergrowth
 79.40 chains. -

No^o $3^{\circ} W.$ bet. Secs. 17. ^{and} 18.
 Va. $13^{\circ} 45' E$

over level land. in dense
 mesquite undergrowth.

40.00 Set a post. 3 ft. long 3 ins.
 square. with marked stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N. $\frac{1}{4}$ S.
 of post. $5\frac{1}{2}$ ft. dist. & raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. -

No. 1102

84.

BOOK 1102

T. 4. N. R. 2. W.

chains.

80.00

Set. a post. 4 ft. long 4 ins. square, with marked stone 12 ins. in the ground. for Cor. to Secs. 7, 8, 17, ⁴ and 18. Marked T. 4. N. S. 8 on N.E.

R. 2. W. S. 17 on S.E.

S. 18 on S.W. and

S. 7 on N.W. faces. with 4 matches on S. and 5 matches on E. edges. dug pits 18x18x12 ins in each Sec. 5 1/2 ft. dist. & raised a mound of Earth 2 ft. high. 4 1/2 ft. base around post. — Land. level.

Soil. Sandy loam 1st rate
Dense mesquite undergrowth
80. chains. —

N 89° 59' E. on a random line

Subdivisions.

Chain

bet. Secs. 8. ^{2d} 17.Va. $13^{\circ}45'E$.40.00 Set temp. $\frac{1}{4}$ Sec. Cor.80.03 Intersection N. ^{2d} S. line 5 Mks.

S. of Cor. to Secs. 8, 9, 16 & 17.

Thence I run

 $S89^{\circ}57'W$, on a true linebet. Secs. 8. ^{2d} 17.Va. $13^{\circ}45'E$.over level land. in dense
mesquite undergrowth

3.00 Wagon road. bears N.W. & S.E.

40.02 Set a post. 3 ft. long 3 ins.

square. with marked stone 12

ins. in the ground. for $\frac{1}{4}$ Sec.Cor. marked $\frac{1}{4}$ S. on N. facedug pits $18 \times 18 \times 12$ ins. E. & W.of post. $5\frac{1}{2}$ ft. dist. & raiseda mound of earth $1\frac{1}{2}$ ft. high

D. H. N. R. 2. W.

Chains. 3 1/2 ft. base around post. -
 80.03 The Cor. to Secs. 7, 8, 17, & 18.
 Land level.
 Soil. Sandy loam 1st rate
 Dense mesquite undergrowth
 80.03 chains. -

S 89° 58' W. on a random line
 bet. Secs. 7, ^{4d} 18.
 Va. 13° 45' E.

40.00 Set. temp. 1/4 Sec. Cor.
 79.20 Intersect N. bdy of Sp. at.
 Cor. to Secs. 7, 12, 13 & 18.
 Hereinafter described
 Thence I run
 N 89° 58' E. on a true line
 bet. Secs. 7, ^{4d} 18.
 Va. 13° 45' E.
 over level land, in dense mesquite

Subdivisions.

chains.
39.20

Set a post 3 ft. long 3 ins. square. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits 18x18x12 ins. E. & W. of post. $5\frac{1}{2}$ ft. dist. & raised a mound of Earth. $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. around post. -

79.20

The Cor. to Secs. 7, 8, 17 & 18.
Land. level.

Soil. Sandy loam 1st rate
Dune Mesquite undergrowth
79.20 chains. -

N $0^{\circ}3'$ W. bet. Secs. 7th & 8.
Va. $13^{\circ}45'$ E.

40.00

over level land. in dune Mesquite
Set a post. 3 ft. long 3 ins. square. with marked stone 12

P. 4. N. R. 2. W.

- chain
ins. in the ground. for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on W. face
dug pits $18 \times 18 \times 12$ ins. N. ^{and} S.
of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base. around post. —
- 45.00 Wash 10 lks. wide 4 ft. deep.
flows. S.E.
- 75.00 Wagon road. bears N 50° W & S 50° E
- 80.00 Set a post. 4 ft. long 4 ins.
square. with marked stone 12
ins. in the ground. for Cor. to
Secs. 5, 6, 7, ^{and} 8. marked
S. 4. N. S. 5 on N.E.
R. 2 W, S. 8 on S.E.
S. 7 on S.W. and
S. 6 on N.W. face with 5
notches on S. and E. edges.
dug pits $18 \times 18 \times 12$ ins in

Subdivisions.

Chains. Each sec. $5\frac{1}{2}$ ft. dist. &
raised a mound of Earth. 2
ft. high $4\frac{1}{2}$ ft. base
around post. —

Land. level.

Soil. Sandy loam 1st rate

Dense mesquite sand growth

80. Chains. —

$N 89^{\circ} 57' E$. on a random line
bet. Secs. 5. ^{4th} & 8.

Va. $13^{\circ} 45' E$.

40.00 Set. temp. $\frac{1}{4}$ Sec. Cor.

80.05 Intersect N. ^{4th} & S. line 5 Mks.

N. of Cor. to Secs. 4, 5, 8. ^{4th} & 9.

Thence I run

$S 89^{\circ} 59' W$: on a true line
bet. Secs. 5. ^{4th} & 8.

Va. $13^{\circ} 45' E$.

D. 4. N. R. 2. W.

- Chains. over level land in dense mesquite
 40.02 Set a post. 3 ft. long 3 ins.
 Square, with marked stone 12
 ins. in the ground. for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits 18x18x12 ins. E. & W.
 of post. 5 $\frac{1}{2}$ ft. dist. & raised
 a mound of earth 1 $\frac{1}{2}$ ft. high.
 3 $\frac{1}{2}$ ft. base. around post. —
- 74.00 Phoenix ^{4d} Wickburg Stage
 road. bears N60°W + S60°E
- 80.05 The Cor. to Secs. 5, 6, 7, and 8,
 Land. level.
 Soil. Sandy loam 1st rate
 Dense mesquite undergrowth
 80.05 chains. —

S89°58'W, on a random line
 bet. Secs. 6. ^{4d} and 7.

Subdivisions

- Chain Va. $13^{\circ}45'E$.
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
- 79.10 Intersect W. bdy of Sp. 7 Mts.
N. of Cor. to Secs. 1, 6, 7, and 12
hereinbefore described
Thence I run
 $N89^{\circ}55'E$. on a true line
bet. Secs. 6, and 7.
Va. $13^{\circ}45'E$.
- 39.10 Over level land, in dense mesquite
Set a post, 3 ft. long, 3 ins.
square, with marked stone 12
ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E. & W.
of post. $5\frac{1}{2}$ ft. dist. & raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, around post.
- 77.50 Wagon road bears N.W. & S.E.

92 BOOK 1102
D. H. N. R. 2. W.

chains.
79.10

The Cor. to Secs. 5, 6, 7^{and} 8.
Land level.
Soil. Sandy loam 1st rate
Dune Mesquite undergrowth.
79.10 chains. —

N^o 3' W. bet. Secs. 5^{and} 6.
Va. 13° 45' E

over level land. in dune Mesquite
3.00 Phoenix^{and} Wickenburg Stage
road. bears. N60° W + S60° E.
40.00 Set a post. 3 ft. long 3 ins.
square. with marked stone 12
ins. in the ground. for 1/4 Sec.
Cor. marked 1/4 S. on W. face
dug pits 18 x 18 x 12 ins. N. ^{and} S.
of post. 5 1/2 ft. dist. & raised
a mound of Earth 1 1/2 ft. high
3 1/2 ft. base. around post. —

Subdivisions

Chains.
71.20

Intersect first Standard
parallel, N. at. $N 89^{\circ} 30' E$
14.00 chains dist from
Standard Cor. to Secs. 31. ^{and} 32
at which ^{here before} ^{described} point I
Set a post, 4 ft. long 4 ins.
square, with marked stone 12
ins. in the ground, for closing
Cor. to Secs. 5. ^{and} 6, marked
C.C. T. 4. N. R. 2, W. on S.
S. 5 on E. and
S. 6 on W. faces, with 5 notches
on E. and 1 notch on W. faces.
dug pits $18 \times 18 \times 12$ ins. S. E. & W.
of post, $5 \frac{1}{2}$ ft. dist. & raised
a mound of Earth 2 ft. high
 $4 \frac{1}{2}$ ft. base. around post. —
Land, level.
Soil. Sandy loam / ^{at} rate

94. BOOK 1102
P. H. N. R. 2. W.

Dense Mesquite undergrowth
71.20 chains. —

Nov. 6. 1894.

53 miles 39 chains, and 9 links of
the subdivision lines, run through
dense Mesquite, Palo Verde and
tall Greasewood, undergrowth.

General Description.

The eastern portion of this town-
ship, is level. Soil sandy
loam of first rate quality, and
is covered with a dense under-
growth of Mesquite, Palo Verde,
and tall Greasewood. —

The ^s western portion is rough and
mountainous. Soil, stony and
gravelly, of a 3^d and 4th rate.

and covered with a dense
undergrowth of Mesquite Palo
Verde and Ironwood. —

At this date, there are no
settlers in the township.

Albert T. Colton
U. S. Dep. Surveyor

U.S. Surveyor-General's Office.

Tucson, A. T. August 6th, 1896.

The foregoing field notes of the Surveys
of the Subdivisions of Township No. 4 N.
Range, 2 West, Gila & Salt River
Meridian in Arizona, executed by

ALBERT T. COLTON

U.S. Deputy Surveyor, under his contract
dated March 14th, 1896 having been
critically examined, the necessary
corrections and explanations made, the
said Field Notes and the surveys they
describe are hereby approved.

George J. Roskrug

U. S. Surveyor General,

for the Territory of Arizona.