

BOOK 1104

1104

No. 1104

BOOK 1104

4-671

FIELD NOTES

GENERAL LAND OFFICE.

subdivision

Township 25 N. R. 4. W.

Indexed Book 1103

64

Township 25N R. 4W

6	115	5	81	4	3	2	1
114		111		79			
7	109	8	77	9	10	11	12
107		105		75			
18	102	17	72	16	15	14	13
100		98		71			
19	96	20	69	21	22	23	24
93		92		67			
30	89	29	66	28	27	26	25
87		85					
31	83	32		33	34	35	36

No. 1104

BOOK 1104

65.

Subdivisions T. 25 N.R. 4 W.

Chs. over gently rolling land.
39.95 Set a malpais stone 30 x
18 x 14 ins. 15 ins. in the
ground for 1/4 sec. cor.
marked 1/4 on N. face,
and raised a mound of
stone 1/2 ft high, 2 ft
base, alongside. Pits
impracticable.
From this cor. Ellinwood's
lake, covering about 3
acres, lies N.E. 2.50 chs.
dist.

7991 The cor. to secs. 28, 29, 32 and
33.

Land, gently rolling.
Soil, rocky, 4th rate.
No timber.

Subdivisions

Chs.

N. 0° 21' W. bet secs. 28 and 29.

Var. 14° 43' East.

over rolling land.

1.16

Wash. 5 ft. deep, course

E. runs into Ellinwood
Lake.

40.00

Get a sand stone 23 x 19 x
9 ins. 18 ins. in the
ground for 1/4 sec. can
marked 1/4 on W. face,
and raised a mound
of stone 1 1/2 ft. high
2 ft. base alongside.

Pits impracticable

80.00

Get a sand stone 20 x 10
x 7 ins. 15 ins. in the
ground for cor. to secs.
20, 21, 28 and 29, marked
with 2 notches on E.

T. 25 N. R. 4 W. (contd)

Chs. and 4 notches on E. edges,
and raised a mound of
stone $1\frac{1}{2}$ ft. high, 2 ft.
base, alongside. Pits
impracticable
Land, rolling.
Soil, rocky, 4th rate.
No timber.

N. $89^{\circ}54'$ E. on a random line
bet. secs 21 and 28.

Var. $14^{\circ}43'$ East.

40.00 Set Temporary 44 sec. cor.

79.90 Intersect N and S. line.

at the cor to secs 21, 22,
27 and 28.

Thence run

S. $89^{\circ}54'$ W. on a true line
bet secs. 21 and 28.

Subdivisions

Chs.

Var. No 43 East.

Over rolling land.

- 39.95 Set a malpais stone
 30 x 19 x 11 ins. 21 ins in
 the ground for 1/4 sec.
 cor marked 1/4 on N.
 face, and raised a
 mound of stone 1 1/2 ft.
 high, 2 ft. base along
 side, from which
 a cedar 8 ins. diam. tree
 S. 33° E. 47 lbs. dist.
 marked 1/4 S.P.T.
- a cedar 10 ins. diam. tree
 S. 47° W. 59 lbs dist.
 marked 1/4 S.P.T.
- 79.90 The cor to sec. 20, 21,
 28 and 29.
 Land, rolling.

T. 25 N. R. 4 W. contd

Bhs. Soil, rocky, 4th rate.
No timber, some scattering
cedars.

N. 00 2' W. bet. secs. 20 and 21.

Var. 14° + 3' East.

Over rolling land.

10.00 ascent 100 ft.

24.00 Top of ascent.

Descent 150 ft.

37.00 Foot of descent.

wash, 6 ft. deep, course E.

ascent 100 ft.

40.00 Set a malpais stone 26 x
20 x 12 ins. 18 ins in the
ground for 1/4 sec. cor.
marked 1/4 on W. face,
and raised a mound of
stone 1 1/2 ft high. 2 ft base

Subdivisions

Obs.

along side, from which
a cedar 10 ins diam. has.

N. 47° E 65 lbs dist. marked
1/4 S.P.T.

a cedar 14 ins. diam. has.

S 53° W. 87 lbs dist.

marked 1/4 S.P.T.

50.00 Top of ascent.

80.00 Set a limestone 18x16x
8 ins. 12 ins. in the ground
for cor to sec. 16, 17, 20
and 21, marked with
3 notches on S and 4
notches on E. edges, and
raised a mound of stone
1 1/2 ft high, 2 ft base
along side. Pits imprac-
ticable.

Lans. broken

T. 25 N. R. 4 W. (contd)

6hs Soil, rocky, + the water.
No timber, some scatter-
ing cedar brush.

N. $89^{\circ}54'$ E. on a random line
bet sees 16 and 21.

Var. $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line 9
chs S of cor. to sees. 15,
16, 21 and 22.

Thence I run

S. $89^{\circ}50'$ W. on a true line
bet. sees. 16 and 21.

Var. $14^{\circ}43'$ East

over calling land.

39.97 Set a malpais stone $28 \times$
 30×11 ins. 21 ins in the
ground, for $\frac{1}{4}$ sec. cor

Subdivisions

- Chs. marked $\frac{1}{4}$ on N. face,
and raised a mound
of stone $1\frac{1}{2}$ ft high,
2 ft base, alongside.
Pits impracticable.
- 42.00 Descent 60 ft.
- 61.00 Foot of descent
Ravine, 10 ft. deep, course
S
Ascent 75 ft.
- 73.00 Top of ascent.
- 79.94 The car to sees. 16, 17, 20
and 21.
Land, rolling.
Soil, rocky, 4th rate.
No timber

N. $0^{\circ} 2'$ W. bet. sees. 16 and 17.

Var. $14^{\circ} 4' 3''$ East.

T. 25 N. R. 4 W. (contd)

- 6hs over mountainous land.
- 12.00 ascent 400 ft.
- 40.00 Set a sand stone $20 \times 18 \times 12$ ins. 15 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone $1\frac{1}{2}$ ft high 2 ft base, along side, from which a pinion 8 ins diam. has N. 88° W. 35 lks dist. marked $\frac{1}{4}$ S.R.T.
- no other trees within limits this cor. on W. slope of butte, 1 ch. from top.
- 40.50 Top of ascent.
Descent 375 ft.
- 71.00 Foot of descent.
Enter dense brush, cedar,

Subdivisions

Chs.

and pinion.

80.00

Set a sand stone $26 \times 24 \times$
 10 ins. 18 ins. in the ground
 for cor. to sec. 8, 9, 16 and
 17, marked with 4 notches
 on S and E. edges and
 raised a mound of stone
 $1\frac{1}{2}$ ft high 2 ft base
 alongside, from
 which

a cedar 20 ins. diam. hrs.
 N. 63° E. 219 lbs dist. marked
 T. 25 N. R. 4 W. S. 9 B.T.

a cedar 20 ins. diam. hrs.
 S 51° E. 49 lbs. dist. marked
 T. 25 N. R. 4 W. S. 16 B.T.

a cedar 8 ins. diam hrs.
 S 23° W. 17 lbs. dist. marked
 T. 25 N. R. 4 W. S. 17 B.T.

T. 25 N. R. 4 W. (contd)

Shs. a cedar 9 ins. diam. tree.
N. 47° W. 93 chs. bet. market
T. 25 N. R. 4 W. S. 8 B. T.
Land, rolling and mountainous
Soil, rocky, + the state
No. timber, cedar and
juniper brush.
Mountainous or land covered
with dense brush. 68 chs.

N. 89° 50' E. on a random line
bet. secs. 9 and 16.

Var. 140° 43' East.

79.88 Intersect N. and S. line 16
chs. N. of cor. to secs. 9, 10, 15
and 16.

Thence I run

S. 89° 57' W. on a true line
bet. secs. 9 and 16.

Subdivisions

Chs.

Var. 14° 43' East

Over rolling land.

39.94 Set a malpais stone 16
 x 14 x 9 ins. 11 ins. in the
 ground for 1/4 sec. cor
 marked 1/4 on N. face,
 and raised a mound of
 stone 1 1/2 ft high 2 ft.
 base alongside. Pits
 impracticable

52.00

Enter dense cedar and
 pinon

79.88

The cor. to secs 8, 9, 16
 and 17.

Land, rolling

Soil, rocky, 4th rate.

No timber, cedar and
 pinon bushes

Dense brush 27.88 chs.

T 25 N. R. 4 W. (contd)

- Shs N. 0° 2' W. bet. secs 8 and 9.
 Tan. 14' 43' East.
- Over rolling land, through
 dense brush.
- 36.00 Leave dense brush, descent
 150 ft. into dry creek.
- 39.00 Bottom of creek, course E.
- 40.00 Set a limestone 16 x 10 x 8
 vis 11 vis. in the ground
 for 1/4 sec. cor. marked 46
 on W. face, and raised a
 mound of stone 1 1/2 ft.
 high, 2 ft. base, alongside
 from which
 a cedar 30 vis diam. bro.
 N. 70° W. 61 lbs. dist. marked
 1/4 E. B. T.
- a cedar 26 vis. diam. bro.
 S 45° W. 79 lbs. dist. marked

Subdivisions

Obs.

1/4 S.P.T.

This cor. in W. edge of
Geller's tank.Geller's ranch house
hrs. N. 3' W. 200 ft dist.

42.00 ascend 200 ft.

65.00 Top of ascent.

77.00 Descent 160 ft.

Road, course E and W.

78.00 Foot of descent.

80.00 Get a malpais stone

23 x 18 x 10 ins. 18 ins in

the ground for cor. To

secs. 4, 5, 8 and 9. marked
with 5 notches on S.

and 4 notches on E. edges

and raised a mound of

stone 1 1/2 ft high 2 ft.

base, alongside, from

T. 25 N. R. 4 W. (cont'd.)

Obs.

which

a cedar 8 ins. diam. hrs.

S 63° E. 279 lbs. dia.

marked T. 25 N. R. 4 W. S. 9 B. T.

no other trees within limit

Land rolling and moun-
tainousSoil rocky, 4th rate.No timber, cedar and
juniper brush.

mountainous on land

covered with dense

brush 41 lbs.

N. 89° 57' E. on a random line
bet. secs 4 and 9.

Var. , 4043' East.

40.00 Get temporary 1/4 sec. cor.

79.92 Intersect N and S line 22

Subdivisions

Bhs. lks N. of cor to secs. 3, 4,
9 and 10.

Thence 9 run

N. 89° 54' W. on a true line
bet secs 4 and 9.

Var. 140° 43' East

over calling land.

39.96 Set a limestone 20 x 18 x
8 ins 15 ins. in the

ground for 1/4 sec. cor.

marked 1/4 on N. face,

and raised a mound

of stone 1 1/2 ft high, 2 ft

base, alongside, from
which

a cedar 10 ins. diam. bis.

N. 53° E. 65 lks. dist. marked

1/4 B.D.T.

a cedar 12 ins. diam.

T. 25 N. R. 4 W. (cont'd)

- lbs
 hrs N. $47^{\circ}30'$ W. 57 lbs.
 dist marked $\frac{1}{4}$ S.B.T.
 9.92 The cor. to sees 4, 5, 8 and 9.
 Land, rolling
 Soil, rocky. 4th rate.
 N. timber, cedar and pinon
 brush.

July 22, 1894.

N. $0^{\circ}2'$ W. on a random line
 bet sees 4 and 5.

Var. $14^{\circ}43'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec cor
 80.08 9 intersect N. ldy of sp.
 9 lbs. N. of cor. to sees
 4, 5, 32 and 33 as herein-
 before described
 Thence 9 min
 S. $0^{\circ}2'$ W. on a true line

Subdivisions

Obs.

bet. sec 4 and 5.

Var. 14043' East.

Over mountainous land

Descent 200 ft.

40.08

Foot of descent.

Get a malpais stone 28

x 20 x 10 ins 2 ins. in

the ground for 1/4 sec

cor. marked 1/4 on W

face and raised a

mound of stone 1 1/2

ft high, 2 ft base,

alongside. Pits un-
practicable.

ascent 75 ft.

62.10

Top of ascent, rocky

bluff, course E. and W.

Descent 60 ft.

64.80

Foot of descent, ravine

T. 25 N. R. 4 W (cont'd)

- Obs. 4 ft. deep, course E.
 ascent 100 ft.
- 74.50 Top of ridge, course E.
 and W.
 Descent 120 ft. to
- 80.08 The cor to secs. 4, 5, 8
 and 9.

Land, mountainous
 Soil, rocky, 4th rate.
 No timber, some cedar
 and prairie brush

From the standard cor
 to secs. 31 and 32 on the
 E. side of T₂₅ as herein-
 before described

From

N. 0° 3' W. bet. secs. 31 and 32.

Var. 140° 43' East

Subdivisions

- Obs. over rolling land, through dense cedar and juniper brush.
- 38.00 Leave dense brush enter scattering brush
- 40.00 Set a malpais stone $19 \times 14 \times 8$ ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone $1\frac{1}{2}$ ft high, 2 ft base alongside, from which
- a cedar 8 ins. diam. has S. 70° W. 89 lks. dist. marked $\frac{1}{4}$ S.P.T.
- a cedar 10 ins. diam. has N. 220° E. 47 lks. dist. marked $\frac{1}{4}$ S.P.T.

T. 25 N. R. 4 W. (cont'd)

Ch.
90.00 Set a malpais stone 30
x 19 x 11 ins. 21 ins in the
ground for cor to sec.
29, 30, 31 and 32. marked with
1 notch on E. and 5 notches
on T. edges, and raised
a mound of stone 1 1/2 ft
high, 2 ft. base, along side.
Pats impracticable.
Land, rolling.
Soil, rocky, 4th rate.
No timber, cedar and juniper
bush.
Dense brush 38 chs.

East on a random line
bet. secs 29 and 32.

Var. 140 43' East.

40.00 Set temporary 1/4 sec cor

Subdivisions

Chs.

79.96

Intersect N. and S. line

15 lks N. of car to sec.

28, 29, 32 and 33.

Thence I run

N. 89° 54' W. on a true line

bet sec 29 and 32.

Var. 140 + 3' East

over rolling land.

39.98

Set a malpais stone

20 x 18 x 9 ins. 15 ins. in

the ground for 1/4 sec.

car. marked 44 on N.

face, and raised a

mount of stone 1 1/2 ft

high, 2 ft. base along

side. Pits impracticable

79.96

The car to sec. 29, 30, 31

and 32.

Land, gently rolling,

T. 25 N. R. 4 W. (contd)

Obs. Soil, rocky, 4th rate.
No timber.

West on a random line
bet secs 30 and 31.

Var. $14^{\circ} 43'$ East.

40.00 Set Temporary 14 sec cor.

79.95 Enter west the W. body
of the T₁ 19 lbs S. of
cor. to secs. 25, 30, 31 and
36, as heretofore
described.

Thence I run
 $\angle 89^{\circ} 52'$ E. on a true line
bet. secs 30 and 31.

Var. $14^{\circ} 43'$ East.

Over rolling land.

19.00 Enter dense cedar and
juniper brush.

Subdivisions

Chs.
39.95-

Set a malpais stone
 23 x 18 x 9 ins 18 ins.
 in the ground for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ on
 N. face, and raised a
 mound of stone $1\frac{1}{2}$ ft
 high, 2 ft base along-
 side, from which
 a cedar 24 ins. diam
 hrs. N. $59\frac{1}{4}$ E. 37 lbs.
 dist. marked $\frac{1}{4}$ S.P.T.
 a cedar 20 ins. diam.
 hrs. N. $42\frac{1}{4}$ W. 128
 lbs. dist. marked $\frac{1}{4}$ S.P.T.
 ascent 150 ft.

66.50

Foot of descent
 Leave dense brush.

79.95

The cor. to secs. 29, 30,
 31 and 32.

T. 25 N. R. 4 W. (contd)

Bhs.

Land, rolling.

Soil, rocky, & stony.

No timber, cedar and
juniper brush.

Dense brush, 27.50 chs.

at this cor. I verify the
adjustments of the
transit and find them
correct. I set off $19^{\circ} 59' N$
on the decl. arc, and at
 $12^h 6^m$ p.m. l.m. it. observe
the Sun on the meri-
dian; the resulting
lat. is $35^{\circ} 29' N$, the true
latitude nearly.

N. $0^{\circ} 31' W$. bet. secs. 29 and 30.

Var. $14^{\circ} 43'$ East.

Subdivisions

- Chs. over rolling land.
- 1.00 Ramine, 5 ft. deep,
course E.
- 40.00 Set a malpais stone
28 x 20 x 12 ins. 21 ins.
in the ground for
1/4 sec. cor. marker 1/4
on W. face, and raised
a mound of stone 1 1/2
ft. high, 2 ft. base,
alongside, from
which
a cedar 33 ins. diam.
bros. N. 48° - 5' E. 300 ft.
dist. marker 1/4 S.P.T.
No other trees within limits
- 50.00 Set a malpais stone
22 x 16 x 9 ins. 16 ins. in
the ground for cor to sec.

T. 25 N. R. 4 W. (contd)

lbs. 19, 20, 29 and 30, marked
with 2 notches on S.
and 5 notches on E.
edges, and raised a
mount of stone $1\frac{1}{2}$ ft.
high, 2 ft. base, along
side, from which
a cedar 20 ins. diam.
hrs. N. 41° E. 298 lbs. dist.
marked T. 25 N. R. 4 W. S. 20 B. T.
a cedar 6 ins. diam. hrs.
S. 81° 30' W. 106 lbs. dist.
marked T. 25 N. R. 4 W. S. 30 B. T.
a cedar 5 ins. diam. hrs.
N. 46° W. 72 lbs. dist.
marked T. 25 N. R. 4 W. S. 19 B. T.
No other trees within limits.
Land, rolling.
Soil, rocky. 4th rate
No timber, some scattering

Subdivisions

Chs. cedar bush.

S. $89^{\circ}54'$ E. on an arduous line
bet. secs 20 and 29.

Var. $140^{\circ}43'$ East.

40.00 Set temporary 1/4 sec. cor.

79.92 In intersect N and S line
7 chs N. of cor to sec.
20, 21, 28 and 29.

Thence I run
N. $89^{\circ}57'$ W. on a true line
bet. secs 20 and 29.

Var. $140^{\circ}43'$ East.

over rolling land.

39.96 Set a malpais stone
 $26 \times 19 \times 10$ ins. 20 ins.
in the ground for 1/4
sec. cor. marked 1/4 on
N. face, and raised a

T. 25 N. R. 4 W. (cont'd)

Shel. mound of stone $1\frac{1}{2}$ ft. high,
2 ft. base, alongside. Pits
impracticable.

63.00 Wash 8 ft. deep, course S. E.

79.92 The cor. to sees. 19, 20, 29
and 30.

Land, rolling.

Soil, rocky, 4th rate.

No timber, some scattering
brush

N. $89^{\circ}52'$ W. on a random line
bet. sees. 19 and 30.

Var. $140^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.93 Reintersect the W. bdy
of the Tp. 19 S. N. of
cor. to sees. 19, 24, 25
and 30, as herein before

Subdivisions

- Chs. described.
- Thence I run
East on a true line
bet secs 19 and 30.
Var. 14043' East.
over broken land.
- 21.00 Descent 150 ft.
- 28.00 Foot of descent.
Ravine, 6 ft deep, course
S.E.
ascent 150 ft.
- 34.00 Top of ascent, ridge,
course N. and S.
Descent 200 ft.
Enter dense cedar and
juniper bush.
- 39.93 Det a malpais stone 18
x 14 x 9 ins. 12 ins in the
ground for 1/4 sec. cor.

T. 25 N.R. 4 W. (cont'd)

chs.

marker $\frac{1}{4}$ on N. face,
and raised a mound
of stone $1\frac{1}{2}$ ft high, 2
ft base, alongside
from which

a cedar 12 ins. diam.

hrs. S. 70 30' W. 23 lbs

dist. marker $\frac{1}{4}$ S.B.T.

a cedar 10 ins. diam. hrs.

N. 15° E. 21 lbs. dist.

marker $\frac{1}{4}$ S.B.T.

69.00 Dense dense brush.

73.00 Foot of descent.

79.93 The cor. to secs. 19, 20, 29
and 30.

Land broken and
mountainous.

Soil, rocky, with ruts.

No timber, cedar and

Subdivisions

Chs. *pinus* bush
 mountains or land
 covered with dense
 bush 52 chs.

N. $0^{\circ} 3' W.$ bet. secs. 19 and 20.

Var. $140^{\circ} 43'$ East.

over broken land.

ascend 75 ft.

40.00 Set a malpais stone
 $30 \times 20 \times 11$ ins. 21 ins
 in the ground for $\frac{1}{4}$
 sec. cor. marker $\frac{1}{4}$ on
 W. face, and raise a
 mound of stone $1\frac{1}{2}$ ft
 high. 2 ft base, along-
 side. Pits impracti-
 cable.

51.00 Top of ascent, ridge

T. 25 N. R. 4 W. (cont'd)

- Sho. course E. and W.
Descent 100 ft.
- 63.00 Foot of descent, and
ascent 100 ft. to
- 80.00 Set a malpais stone
20 x 16 x 9 ins. 15 ins. in
the ground for cor.
to secs. 17, 18, 19 and 20,
marked with 3 notches
on S. and 5 notches
on E. edges and raised
a mound of stone 1 1/2
ft high. 2 ft base,
alongside, from which
a cedar 7 ins. diam
hrs. N. 22° E. 41 lbs. dist.
marked T. 25 N. R. 4 W. S. 17 S.T.
a cedar 6 ins. diam. hrs.
S. 78° 15' E. 41 lbs. dist

Subdivisions

Chs. marker T. 25 N. R. 4 W. S. 20 O.T.
 a cedar 22 ins. diam. hts.
 S. 130 30' W. 105 lbs. dist.
 marker T. 25 N. R. 4 W. S. 19 O.T.
 a cedar 12 ins. diam. hts.
 N. 87° 15' W. 63 lbs. dist.
 marker T. 25 N. R. 4 W. S. 18 O.T.
 Land broken and unman-
 tained.
 Soil rocky, & the water.
 No timber, some cedar
 and prairie brush.

July 23rd 1894.

S. 87° 57' E. on a random line
 bet. secs. 17 and 20.

Var. 140 + 3' East.

40.00 Set temporary 1/4 sec. cor.

79.90 Int. to sec. 18 and S. line

T. 25 N. R. 4 W. (contd)

3 lks. 3 lks. E. of cor to sec.

16, 17, 20 and 21.

Thence I run

N. $89^{\circ}58'$ W. on a true line
bet secs. 17 and 20.

Var. $140^{\circ}43'$ East.

over rolling land.

30.00 Descend gradually 100 ft.

39.95 Foot of descent.

Get a malpais stone
 $20 \times 14 \times 8$ ins. 15 ins.

in the ground for $\frac{1}{4}$

sec. on marker $\frac{1}{4}$ on

N. face, dug pits $18 \times 18 \times$

12 ins. E. and W. of

stone $5\frac{1}{2}$ ft. dist. and

raised a mound of
earth $1\frac{1}{2}$ ft high

$2\frac{1}{2}$ ft. base alongside

100.

BOOK 1104

Subdivisions

Obs. from which
a cedar 12 ins. diam. but
S 21° E. 111 lbs. dist.
marked 1/4 E.S.T.
no other trees within
limits.

51.00 ascend 90 ft. to

79.90 The cor. to sec. 17, 18, 19
and 20.

Land, rolling.

Soil, rocky, 4th rate.

No timber, some cedar
bush

Next on a random line
bet. sec. 18 and 19.

Var. 14043' East

40.00 Set temporary 1/4 sec. cor.

T. 25 N. R. 4 W. (contd)

Chs.

79.58

I intersect W. ldy of the 2nd 22 lks. S of cor to sec.

13, 18, 19 and 24.

Thence I run

S. $89^{\circ} 51'$ E. on a true line bet secs. 18 and 19.

Var. $140^{\circ} 43'$ East

Over broken land.

Descent 150 ft.

39.88

Set a malpais stone $20 \times 16 \times 9$ ins. 15 ins. in the ground for $\frac{1}{4}$ sec. cor.

marked 14 on N. face, and raised a mound of stone $1\frac{1}{2}$ ft high 7 ft. base, alongside, from which

a cedar 6 ins diam. has

S. 27° W. 265 lks. dist.

Subdivisions

6 hrs. marker 4 B.B.T.
 No other trees within limits
 42.00 Wash. 4 ft deep, course B.T.
 56.00 ascent 100 ft. to
 79.88 The run to see 17, 18, 19 and
 20.

Land broken.

Soil, rocky, 4th rate.
 No timber, some cedar
 brush.

N. $0^{\circ} 3'$ W. bet. secs. 17 and 18.

Var. $14^{\circ} 43'$ East.

Over mountainous land.

ascent 200 ft.

20.00 Top of ascent, a point
 on E. slope of mt. about
 5 hrs from top.
 Descent 400 ft.

T. 25 N. R. 4 W. (contd)

chs.

40.00

Set a malpais stone 24
 x 20 x 9 ins. 18 ins. in
 the ground for 1/4 sec.
 cor marked 1/4 on W.
 face, and raised a mound
 of stone 1 1/2 ft. high, 2
 ft. base, along side,
 from which
 a cedar 14 ins. diam. has
 N. 85° W. 41 lks. dist.
 marked 1/4 E.B.T.
 a cedar 14 ins. diam. has
 N. 70 1/5° E. 51 lks. dist.
 marked 1/4 E.B.T.

71.00

Foot of descent.

80.00

a malpais rock in place
 2 x 2 x 3 ft. above ground
 which I mark with a
 cross (+) at exact cor.

Subdivisions

Chs. point for car to runs 7, 8
 17 and 18, marked with
 4 notches on S. and 5
 notches on E. edges,
 and raised a mound of
 stone $1\frac{1}{2}$ ft. high, 2 ft.
 base, alongside, from
 which
 a cedar 12 mis. diam. tree
 N. 21° E. 23 chs. dist.
 marked T. 25 N. R. 4 W. S. 8 B.T.
 a cedar 12 mis. diam. tree
 S. 21° E. 197 chs. dist.
 marked T. 25 N. R. 4 W. S. 17 B.T.
 a cedar 10 mis. diam. tree
 S. 63° W. 47 chs. dist.
 marked T. 25 N. R. 4 W. S. 18 B.T.
 a cedar 8 mis. diam. tree.
 N. 27° W. 31 chs. dist. marked

T. 25 N. R. 4 W. (contd)

Chs

T. 25 N. R. 4 W. S. 7 B. T.

Land, mountainous.

Soil, rocky, & th rate.

No timber, some scatter-
ing cedar brush

mountainous land 71 chs

S 89° 58' E. on a random line
bet secs 8 and 17.

Var. 14° 43' East.

40.00 Set Temporary 14 sec. cor.

79.85 Intersect N and S line

25 chs. N. of cor to sec.

5, 9, 16 and 17.

Thence I run

N 89° 47' W. on a true line

bet secs 8 and 17.

Var. 14° 43' East.

over mountainous land.

Subdivisions

Obs. ascent 300 ft.

31.00 Top of butte.

Descent 300 ft.

39.92 a malpais rock in place

$1\frac{1}{2} \times 2 \times 2$ ft. above ground

which I mark with a

cross (+) at exact

cen. point for 94 sec. cor.

marked 74 on N. face,

and raised a mound

of stone $1\frac{1}{2}$ ft. high, 2 ft.

base, alongside, from

which

a cedar 14 ins. diam. has

N. 71° E. 31 lbs. dist. marked

74 S.B.T.

a cedar 6 ins. diam. has

N. 33° W. 43 lbs. dist.

marked 74 S.B.T.

T. 25 N. R. 4 W. (contd)

Chs.
45.00

Foot of descent

Thence one rolling land.

79.85

The cor. to secs 7, 8, 17 and 18.

Land, mountainous and rolling.

Soil, rocky, 4th rate.

No timber, some scattering cedar brush.

mountainous land, 45 chs.

N. 89° 51' W. on a random line
bet secs 7 and 18.

Var. 140 43' East

+0.00

Set temporary 1/4 sec. cor.

79.90

Intersect W. bdy of the 2^d
9 chs. N. of cor. to secs
7, 12, 13 and 18, as herein-
before described.

Subdivisions

- Chs. Thence I run
 S. 89° 55' E. on a true line
 bet secs. 7 and 18.
 Tan 140 43' East
 over mountainous land.
 Descent 150 ft.
- 20.00 Foot of descent.
 ascent 200 ft.
- 39.00 Top of ascent.
- 39.90 Set a malpais stone 24 x
 18 x 18 ins. 18 ins. in the
 ground for 1/4 sec. cor
 marker 1/4 on N. face,
 and raised a mound
 of stone 1 1/2 ft. high,
 2 ft. base alongside.
 Pts impracticable.
- 45.00 Descent 200 ft.
- 63.00 Foot of descent

T. 25 N. R. 4 W. (cont'd)

Chs Thence over rolling land to

79.90 The cor to secs. 7, 8, 17 and
18.Land, mountainous and
rolling.

Elev. every 4th rate.

No timber some cedar
brush.

mountainous land 63 chs.

N. 0° 3' W. bet. secs. 7 and 8.

Var. 140° 43' East

over rolling land

40.00 Get a malpais stone 26 x

18 x 9 ins. 18 ins. in the

ground for $\frac{1}{4}$ sec cor.marked $\frac{1}{4}$ on W. face,and raised a mound of
stone $1\frac{1}{2}$ ft high 2 ft.

Subdivisions

- 6hs. base, alongside, from
which
a cedar 6 ins. diam
hrs. N. 40° E. 20 lbs. dist.
marked $\frac{1}{4}$ B.B.T.
- a cedar 6 ins. diam
hrs. S. 54° E. 121 lbs.
dist. marked $\frac{1}{4}$ B.B.T.
- 70.40 Wash, 10 ft. deep, course
S.E.
- Ascent 20 ft.
- 73.80 Top of ascent.
Descent 20 ft.
- 80.00 Foot of descent.
a malpais rock in
place $1 \times 1 \times 3$ ft. above
ground, which I mark
with a cross (+) at
exact cor. point for

T. 25 N. R. 4 W. (contd)

Chs.

con. to sec. 5, 6, 7 and 8.
with 5 notches on S.
and E. edges and raised
a mound of stone $1\frac{1}{2}$
ft high, 2 ft base
alongside. from which
a cedar 17 ins. diam. hrs.
N. 70 E. 32 lbs. dist.

marked T. 25 N. R. 4 W. S. 5 B. T.
a cedar 23 ins. diam. hrs.
S. 62° E. 73 lbs. dist.

marked T. 25 N. R. 4 W. S. 8 B. T.
No other trees within limits
land, rolling.

Soil, rocky, 4 strata.
No timber, some cedar
bush.

S. 89° 47' E. on a random line

Subdivisions

- | | |
|-------|---|
| Chs. | bet. secs. 5 and 8
Var. 14043' East. |
| 40.00 | Set temporary 1/4 sec. cor. |
| 79.91 | Intersect N. and S. line
20 chs. S. of cor to sec.
4, 5, 8 and 9.
Thence I run
N. 89° 58' W. on a true line
bet. secs. 5 and 8.
Var. 14043' East.
Over calling land. |
| 39.95 | a malpais stone in
place, 2 x 4 x 2 ft above
ground, which I mark
with a cross (+) at
exact cor. point for
1/4 sec. cor., marked 1/4
on N. face, and raised
a mound of stone 1 1/2 |

T. 25 N. R. 4 W. (cont)

Chs.

ft. high, 2 ft base, along-
side, from which
a cedar 8 in diam has
N. 43° E. 39 lbs. dist. marked
74 S.B.T.

a cedar 10 in. in diam.
has N. 51° W 43 lbs. dist
marked 74 S.B.T.

41.00

Road, course NW. and S.E.
ascend 20 ft.

60.00

Top of ascent

Descent 100 ft.

72.00

Foot of descent.

79.91

The cor. to secs. 5, 6, 7
and 8.

Land, rolling.

Soil, rocky. 4 strata
No timber, some cedar
brush.

Subdivisions

Chs. N. $89^{\circ}55'$ W. on a random line
bet secs. 6 and 7.

Var. $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect w. body of Sp.
16 chs. S of cor. to sec.
6, 7 and 12.

Thence 9 run

S $89^{\circ}48'$ E. on a true line
bet secs. 6 and 7.

Var. $14^{\circ}43'$ East

over mountainous land.

Descent 400 ft.

27.00 Foot of descent.

Thence over rolling land.

39.85 Set a malpais stone 20
 \times 16 \times 10 ins. 15 ins. in
the ground for $\frac{1}{4}$ sec.
cor. marked 74 on N.

T. 25 N. R. 4 W. (cont'd)

cks. face, and raised a mound of stone $1\frac{1}{2}$ ft. high, 2 ft. base, along side. Pits impracticable.

79.85 The cor. to secs 5, 6, 7 and 8.

Land, mountainous and rolling.

Soil, rocky, 4th rate.

No timber, some scattering brush.

N. 0° 3' W. on a random line bet. secs 5 and 6.

Var. 140° 45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 I intersect N. body of the Sp. 26 cks. W. of cor. to secs. 5, 6, 31 and 32. as

Subdivisions

Chs. heretofore described.

Thence I run

\$ 00 8' W. on a true line
bet. secs. 5 and 6.

Var. $14^{\circ}43'$ East.

over rolling land.

39.00 Road, course N. W + S. E.

40.09 Get a malpais stone $24 \times$
 20×12 ins. 18 ins. in
the ground for $\frac{1}{4}$ sec.
car. marker $\frac{1}{4}$ on W.
face, and raise a
mount of stone $1\frac{1}{2}$ ft
high. 2 ft. base, along
side. Pits impracti-
cable

58.00 Descent 250 ft.

62.00 Foot of descent.

Wash, course S E, 6 ft. deep.

T. 25 N. R. 4 W. (contd)

Chs.
80.09The con trees. 5, 6, 7 and
8.

Land, rolling and mountainous

Soil rocky, & the same.

No timber.

Mountainous land & chs

July 24th, 1894.

General Description

The W. portion of this T_{p.} is of a mountainous character, covered with high buttes

The southern and eastern portions are more level and contain several old crater beds that form lakes during

Subdivisions T. 25 N. R. 4 W.

Soils wet seasons.

The soil is rocky, but produces good grass, suitable for grazing purposes.

The mountainous portion is more or less covered with cedar and juniper brush.

A few dams have been constructed by the settlers to impound water for stock purposes.

There are two settlers in this T., one in sec. 36 and one in sec.

9.

Charles E. Perkins

U.S. Deputy Surveyor, Comptroller

U. S. Surveyor-General's Office,

TUCSON, A. T., *July 13, 1895.*

The foregoing Field Notes of the Surveys of
the Subdivisions of
Tp: 25 N. R. 4 W.

Gila and Salt River Meridian
in *Arizona* executed by
F. W. Overy

U. S. Deputy Surveyor, under his contract dated
June 21st 1893.
having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Levi H. Manning
U. S. Surveyor-General
for the Territory of Arizona.