

Subdivisions

BOOK 1105

FRAC. T. 27 N R 1 W. GIRAND, D.S

No. 1105

BOOK 1105

4-671

FIELD NOTES
GENERAL LAND OFFICE.

1105

BOOK 1105

4-674.

Township 27 N. R. 14. Secs. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32

6	1	5	3	4	5	3	7	2	9	1
2		4		26		8		10		32
7		8		9		10		11		12
18		17		16		15		14		13
19		20		21		22		23		24
30		29		28		27		26		25
31		32		33		34		35		36

Subdivision of Fract Sp 27 N. R. 1. W.

No. 1105 Sept 1st 1900 at 8^{hr} 30^m am limit
I set off $5^{\circ}19'$ for my decl and
 $54^{\circ}17'$ for my co latitude and determine
a true meridian with its poles on
the South boundary of Sp 28 N R 1
W at the cor of secs 31 + 32.

Thence I run $S 0^{\circ}4'E$ between

secs 5 + 6. over rolling land
through dense undergrowth.
40.00 Hit a limestone $24 \times 12 \times 4$ ins. 14
ins in ground for $\frac{1}{4}$ ac cor. marked
 $\frac{1}{4}$ 6 on W $\frac{1}{4}$ 5 on E. Dig pits $18 \times 18 \times 12$ ins
N + S on line and 3 ft dist. and
raise a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of Cor.

80.00 Hit a limestone $24 \times 10 \times 4$ ins. 18 ins in
ground for cor of secs 5, 6, 7 + 8
marked with 5 notches on S + E
edges. Dig pits $18 \times 18 \times 12$ ins in each
sec $5\frac{1}{2}$ ft dist and raise a mound
of earth 4 ft base 2 ft high.

Subdivision of Tract Sp 27 N B 17 W.

Chains.

Met of corner.

Land rolling.

Soil gravelly 3rd rate.

No timber

Dense undergrowth chis 80 chains.

N 89° 54' W on a random line

between Secs 6 & 7.
 Over Rolling sand and through
 170.00 ~~light~~ ~~undergrowth~~
 Set amp 1/4 sec cor.

79.01 Intersect the West boundary of
 the Sp, 5 chains S of the cor
 of sec 1.6. 7 & 12 hitherto described
 Thence I run S 89° 52' E on a
 true line between sec 6 & 7

39.01 Set a limestone 20 x 8 x 4 ins 12 ins
 in the ground for 1/4 sec cor.
 marked 1/4 6 on N, 1/4 7 on S face.
 Dig pits 18 x 18 x 12 ins E & W of
 cor. and 3 ft dist. and raise a
 mound of earth 3 1/2 ft base

Subdivision of Tract T₂₇R₁₀E_{17N}

Chains.

1½ ft high N of corner

79.01 The cor of sec 5. 6. 7 & 8.

Land rolling.

Soil gravelly, 3rd rate

No timber

Dense undergrowth of Chis 79.01 chains.

S 0° 3' E. bet sec 4 & 5
Through dense undergrowth

40.00 Set a limestone 18x8x6 ins 12 ins in the

ground for ¼ sec. cor. marked ¼ 4

on E ¼ 5 on N face. Dig pits 18x18

x12 ins N. & S. of cor and 3 ft dist and

raise a mound of earth 3½ ft base

1½ ft high. N of corner.

80.00 Set a limestone 20x8x4 ins. 12 ins

in ground for cor of sec. 4. 5. 8 & 9.

marked with 5 notches on S and 4

notches on E. edges. Dig pits 18x

18x12 ins in each sec 5½ ft dist

and raise a mound of earth 4 ft

Chain

Base 2 ft high N. of corner.

Land rolling.

Soil gravelly 2nd x 3rd rate.

No timbers.

Dense undergrowth of chips brush 80 chns

 N 89°54' W on a random line
 between secs 5 & 8.

40.00 Set temp 1/4 sec. cor.

79.97 Intersect N & S line at the cor
of secs 5, 6, 7 & 8. Thence I run

S 89°54' E on a true line between

secs 5 & 8 through Dense
~~undergrowth~~

39.98 Dig a limestone 20 x 10 x 4 ins, for 1/4

sec cor. 12 ins in ground marked

1/4 5 on N face 1/4 8 on S face, and

raise a mound of stone 2 ft base

1 1/2 ft high N of Corner. Pits impracticable

79.97. The cor of secs 4, 5, 8 & 9.

Land rolling

Subdivision of Tp 27 N R 1 W

BOOK 1105

5-25

Chains.

Soil gravelly 3rd rate

No timber.

Down undergrowth of chico brush 79.97 Chas

40.00f. ~~Set~~ ^{Set} a limestone 16x11x6 ins 10 ins in
the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}4$ on W face, $\frac{1}{4}3$ on E face. Dig
pits 18x18x12 ins N & S of cor. and
3 ft dist. and raise a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of
corner.

80.00 Set a limestone 20x8x3 ins, 12 ins
in the ground for cor of sec. 3, 4
9 & 10, marked with 5 notches on
N and 3 notches on E edges,
Dig pits 18x18x12 ins in each sec
 $5\frac{1}{2}$ ft dist. and raise a mound of
earth 4 ft base 2 ft high W of cor.
Land rolling.

Subdivision of Tp 27 N R 1 W.

Chiaus.

Soil gravelly 3rd rate

No timber

Dense undergrowth of chies brush so. chrs
Sept 1st 1900

N 89° 54' W on a random line
between secs 4 + 9 -

40.00 Set temp 1/4 sec cor.

79.965' Interscut N + S line 7 lines N of
Cor of secs 4, 5, 8 + 9. Hence I run

S 89° 57' E on a true line between

secs 4 + 9. Through Dense
undergrowth

39.98 Set a limestone 20 x 6 x 3 in 12 in in
ground for 1/4 sec cor. marked.

1/4 H on N, 1/4 9 on E. faces. Dig pits

18 x 18 x 12 in. E + W of cor and 3 ft dist

and raise a mound of earth 3/2 ft

base 1 1/2 ft high N of cor.

79.965' The cor of secs 3, 4, 9 + 10

Land rolling.

Soil gravelly 3rd rate.

Subdivision of Tract Sp 27 N. R. 17W.

Chains.

No timber

Dense undergrowth of chico bush 79.965 chains

- Through Dense underbrush
 11.50 Set a limestone 20 x 3
 Cross draw course S 30° W.
- 29.00 Cross draw course E + W.
- 40.00 Set a limestone 18 x 10 x 3 ins. 12 ins
 in ground for 1/4 sec cor. marked 1/4
 3 on W. 1/4 2 on E face. Dig pits 18 x
 18 x 12 ins N + S of cor and 3 ft dia
 and raise a mound of earth 3 1/2 ft
 base 1 1/2 ft high W of corner.
- 67.50 Cross road bra S 15° E.
- 80.00 Set a limestone 16 x 10 x 4 ins. 10 ins in
 ground for cor of sec 2, 3, 10 + 11
 marked with 5 notches on S. and
 2 notches on E. edges. Dig pits 18 x 18
 x 12 ins in each sec. 5 1/2 ft dia
 and raise a mound of earth 4 ft
 base 2 ft high W of corner.

Subdivision of Tract Tp 27 N R. 1 W.

Chains

Land rolling.

Soil gravelly 3rd rate,

No timber.

Dense undergrowth of Chic brush 80 chrs.

N $89^{\circ}54'W$ on a random line

between secs 3 & 10.

Through ^{the} dense underbrush
40.00 Set temp $\frac{1}{4}$ sec. cor.

80.04 Intersect N & S line 9 links S
of cor of sec 3.4. 9 & 10.

Thence run S $89^{\circ}50'E$ on
a true line between secs 3 & 10

40.02 Set a limestone $18 \times 10 \times 3$ ins. 12 ins in
ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ 3 on
N & $\frac{1}{4}$ 10 on S faces. Dig pits 18×18
 $\times 12$ ins E & W of cor and 3 ft dia and
raise a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of Cor.

80.04 The cor of secs 2.3. 10 & 11
Land level & rolling

Subdivision of Tract Sp 24 N. R. 1 W.

Chains.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth chic brush 80.04 Chns.
Sept 2nd 1900.

Through ^{Ag. Co. between Sec 1 & 2.} Dense underbrush
31.00 of N. bank of ravine -

39.60 Bottom of ravine 100 ft deep course S 30° W

40.00 Set a limestone 24 x 8 x 6 ins partly
in ground and supported by mound of
stone for 1/4 sec cor. marked 1/4 2 on W
1/4 1 on E face, raise a mound of
stone 2 ft base 1 1/2 ft high W of Cor

Pite impracticable.

43.00 S. bank of ravine.

48.00 N. bank of ravine.

52.50 Bottom of ravine, 100 ft deep Course W.

59.40 S. bank of ravine.

77.00 Bottom of ravine. 60 ft deep Course S 45° W.

80.00 Set a limestone 18 x 6 x 5 supported
by mound of stone for cor of sec

Subdivision of Trail Sp. 27 N. R. 1 W.

Chains.

1, 2, 11, & 12 - marked with 5 notches
on S and 1 notch on E edges.

raise a mound of stone 2 ft base
1½ ft high N. of cor. Pite impracticable

Road Kelly.

Soil rocky & rate.

No timber.

Dense undergrowth of shrubs &
bush brush 80.00 Chains.

Sept. 3rd 1900 at 3 P.M. l.m.t. I set
off $T^{\circ} 29'$ on my decl arc and
 $54^{\circ} 18'$ for my co latitude and determine
a true meridian with the solar it
the cor of secs 1, 2, 11 & 12. Hence
I run N $89^{\circ} 54'$ W on a
random line between secs 2 & 11

40.00 Set temp $\frac{1}{4}$ sec cor.

80.00 Intersect N & S line 2 lines
S. of the cor of secs 2, 3, 10 & 11

Subdivision of Trail Sp 27 N R, 1 W.

Chain.

- Thence I run S $89^{\circ}53'6''$ on a
true line between secs 2 & 11,
Through Dense underbrush.
2.70 Cross road course S 15° E.
- 40.00 Hit a limestone $18 \times 10 \times 3$ ins. 10 ins in
ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ 2
on N $\frac{1}{4}$ 11 on S. Dig pits $18 \times 18 \times 12$
ins E & W of cor and 3 ft diam.
and raise a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N of cor.
- 50.00 Begin ascent of Hill
- 55.00 Summit of rocky point.
- 59.00 Bottom of ravine 150 ft deep. Course S 45° W.
- 70.40 E. bank of same
- 73.00 Limestone point.
- 75.07 W bank of ravine 100 ft deep.
- 77.00 Bottom. Course S 30° W.
- 80.00 The cor. of secs 1, 2, 11 & 12,
Land hilly.
Soil rocky 4th rate.
No timber

12
 Subdivision of Tract Sp 27 N.R. 177.

Chains.

Dense undergrowth of chies
 and buck brush 80. Chains

A $89^{\circ}54' E$ on a random
 line between secs. 1 + 12
 Through ^{the} Dense Underbrush
 40.00 Set temp $\frac{1}{4}$ sec cor.

79.97 Intersect Gila + Salt River Meridian

$11\frac{1}{2}$ links N of cor of sec 1, 4
 7 + 12, which is a limestone $8 \times 10 \times 6$
 ins above ground marked and
 witnessed as described by the
 Surveyor General. Thence I run
 N $89^{\circ}49' W$ on a true line
 between sec 1 + 12.

34.90 Bottom of ravine, 60 ft deep across $\angle 30^{\circ} W$

39.98 Set a limestone $20 \times 6 \times 10$ ins 12 ins
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4} 1$ on N, $\frac{1}{4} 12$ on S face. Dig pits
 $18 \times 18 \times 12$ ins E + W of cor and 3 ft
 dist, and raise a mound of earth

Chains.

3 1/2 ft base 1 1/2 ft high N of cor.

52.00 Bottom ravine. 10 ft deep course S.

78.57 E. bank of ravine.

79.97 The cor of sec 1. 2. 11 + 12

Land hilly.

Soil rocky & ³/₄ rate.

No timber.

Dense undergrowth of chies and

buck brush 79.97 Chains.

Sept 3rd 1900

General description of T28

N.R. 1 W. and Tract Sp. 27

N.R. 1 W.

These lands are for the

most part rocky and gravelly covered with dense undergrowth and unfit for agricultural purposes.

The soil in nearly every instance

when I have dug pits being

shallow, averaging from 2 to 6

ins deep. under this I would

encounter a deposit of limestone. Very little timber exists, mainly scrub cedar, along the Cataract Cañon in the N.W. part of Tps 28 N. R. 1. W. The continued drought has destroyed all grass.

There is no water of a permanent nature, Cataract Cañon has a few holes which fill during the rainy season.

There are no settlements in either of the Tps.

James B. Girards
U.S. Deputy Surveyor.

No. 1105

BOOK 1105

15

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

Tucson, Arizona.

Dec. 18, 1900

The foregoing field notes of the survey of The Subs. of T & T R. I.
W. Fractional G. E. R. 2
executed by J. B. Girard
under his contract No. 72, dated June
13, 1900, having been critically
examined, and the necessary corrections
and explanations made, the said field
notes, and the surveys they describe,
are hereby approved.

George Christ

U. S. Surveyor General for Arizona