

BOOK 1110

Fractional Subs

T. 32 N. R 2W

Secor

No. 1110

1110

4-671

BOOK 1110

**FIELD NOTES**  
**GENERAL LAND OFFICE.**

No 1110

No. 1110

BOOK 1110

Field Notes  
of the survey of the  
Subdivisional Lines  
of  
Trac. Tp. No 32 N. R. 2 West,  
of the  
G. and S. R. Base and Meridian,  
in the  
Territory of Arizona,  
as surveyed by  
W. Oscar Saco  
U. S. Deputy Surveyor,  
Under his contract No 77,  
Dated August 29, 1900.

Survey commenced Dec. 22, 1900  
Survey completed Dec. 22, 1900

2

BOOK 1110

Township 32 N, Range 2 W,

BOOK 1110

County,

NORTH

	6	5	4	3	2	1
	7	8	9	10	11	12
	18	17	16	15	14	13
	19	20	21	22	23	24
	30	29	28	27	26	25
	6	10	14			
	31	7	32	8	33	12
	34	35	36			

SOUTH

WEST

EAST

Dec. 22; at 8<sup>h</sup> 0<sup>m</sup> a.m. l.m.t. I set off 23° 21' S. on the decl. arc; 36° 06' N. on the lat. arc; <sup>and</sup> determine a true meridian with the solar at the cor. to secs. 5, 6, 31 <sup>and</sup> 32 on the S. bdy; thence I run N. 0° 04' W. bet. secs. 31 <sup>and</sup> 32

Over rough land, through dense undergrowth <sup>and</sup> scattering cedars <sup>and</sup> pines.

40.00

Set a lime stone 18x10x10 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face <sup>and</sup> raised a rnd. of stone 2 ft. base <sup>and</sup> 2 ft. high W. of cor. Pits impract. No trees near.

80.00

Set a lime stone 24x10x4 ins. 12 ins. in ground for cor. to secs. 29, 30, 31 <sup>and</sup> 32, marked with 5 notches on E. <sup>and</sup> one notch on

S. edges, and raised a md. of stone  
2 ft. base and 3 ft. high N. of cor.  
~~Petalimpractricipes~~ no nets near,  
land rough and rocky.  
Soil 4<sup>th</sup> rate.

Dense undergrowth 80 chs.  
Scattering cedars and pines.

<sup>48</sup>  
S.  $89^{\circ}32'$  W. on a true line  
bet. secs. 30 and 31.

Over rough, rocky ground, through  
dense undergrowth and scattering  
cedars and pinons.

21.09

Trail bears N.E. and S.W.

40.00

Set a line stone  $18 \times 10 \times 6$  ins.

10 ins. in ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face and passed  
a row of stones 2 ft. base and 2 ft.  
high N. of cor. ~~Its impact.~~

49.00

~~No Section Limits~~  
Edge of bluff of cañon, descend  
abruptly, bears N.E. and S.W.

53.70

Bottom of cañon 400 ft. deep,  
course S.W. ascend diagonally

64.00

Top of bluff W. side, bears  
N.E. and S.W.

74.00

Edge of vertical bluff 1000 ft.  
above bottom of cañon, bears

N. and S. at 5 chs. N. turns W.  
 As cor. to secs. 25, 30, 31 and 36,  
 would come in bottom of  
 inaccessible cañon, I set a  
 lime stone 20x10x6 ins. in a  
 mid. of stone for witness corner  
 marked W.C. with 5 notches  
 on N. and 1 notch on S edges.  
~~Get in contact~~ ~~no trees~~ ~~in~~  
 Monttamous land 80 chs.  
 Dense undergrowth 80 chs.  
 Scattering cedars and pinons,  
 Soil rocky 4<sup>th</sup> rate

From the cor. to secs. 4, 5, 32,  
<sup>and</sup> 33 on the S. bdy, I run  
 N.  $0^{\circ}03'$  W. bet. secs. 32 <sup>and</sup> 33,

Ascending bluff abruptly

47.10

Top of bluff of cañon bears N.E.  
 and S.W. Enter dense undergrowth

40.00

Set a lime stone  $18 \times 10 \times 6$  ins.

10 ins. in ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  on W. face, <sup>and</sup> raised

a md. of stone 2 ft. base, 2 ft.  
 high W. of cor. ~~Its impract.~~

70.00

~~Top~~ <sup>Foot</sup> of ridge bearing NE + S.W.  
 descend.

80.00

Foot of ridge, set a limestone

$20 \times 12 \times 8$  ins. 12 ins. in ground  
 for cor. to secs. 28, 29, 32 <sup>and</sup> 33,

marked with one notch on S.

<sup>and</sup> 4 notches on E. edges, <sup>and</sup> raised  
 a md. of stone 2 ft. base <sup>and</sup> 3 ft.



high W. of cor. *Peto* *empresae*  
~~266 feet~~ ~~of~~ ~~Limit~~  
Mountainous land 80 Chs.

Dense undergrowth 75:90 Chs.  
Scattering cedars of inons.  
Soil 4<sup>th</sup> rats

- <sup>48'</sup>  
 S.  $89^{\circ}32'$  W. on a random line  
 between secs. 29<sup>and</sup> 32.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.13 Intersect N. <sup>30</sup> and S. <sup>76</sup> lines  $\neq$  lks. S.  
 of cor. to secs. 29, 30, 31 <sup>and</sup> 32.  
 thence I run  
 N.  $89^{\circ}35'$  E. on a true line bet.  
 secs. 29 <sup>and</sup> 32.
- Our rough, rocky land, through  
 dense undergrowth <sup>and</sup> scattering  
 cedars <sup>and</sup> pines.
- 40.06 Set a line stone 16x10x10 ins  
 10 ins. in ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  on N. face <sup>and</sup> raised  
 a rd. of stone 2 ft. base, 2 ft.  
 high N. of cor. ~~to impract~~  
~~20~~ ~~feet~~ ~~in~~ ~~finite~~  
 68.40 Edge of bluff of cañon, bears  
 N. E. <sup>and</sup> S. W. descend.
- 76.60 Bottom of cañon <sup>and</sup> trail

course of cañon S. W., trail  
bears S. W. + N. E.

80.13

The cor. to secs. 28, 29, 32 + 33

Mountainous land 80.<sup>13</sup> chs.

Dense undergrowth 80.<sup>13</sup> chs.

Scattering cedars <sup>and</sup> pines.

Soil rocky, 4<sup>th</sup> rate.

From the cor. to secs. 3, 4, 33 <sup>and</sup> 34  
on the S. bdy, I run  
N. 0° 02' W. bet. secs. 33 <sup>and</sup> 34.

Ascending out of cañon,  
6.00 Top of bluff of cañon from  
N.E. <sup>and</sup> S.W.

40.00 ✓ Set a lime stone 20x12x6 ins.  
12 ins. in ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on W. face <sup>and</sup> raised a  
md. of stone 2 ft. base, 2 ft.

high W. of cor. ~~Too imperfect~~  
~~to keep in limits~~  
80.00 ✓ Set a lime stone 20x12x4

ins. in a md. of stone for cor.  
to secs. 27, 28, 33 <sup>and</sup> 34 marked  
with our notch on S. <sup>and</sup> 3  
notches on E. edges, <sup>and</sup> raised  
a md. of stone 2 ft. base, 2 ft.  
high W. of cor.  
Land rough <sup>and</sup> rocky,

*Pteris imbricata*  
No. Trees in Limits  
Soil 4<sup>th</sup> rate.

Dense undergrowth 80 cms.  
Scattering cedars and pines.

<sup>#8</sup>  
S.  $89^{\circ} 32' W$  on a random line  
bet. secs. 28 <sup>and</sup> 33.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.09 Intersect N. <sup>and</sup> S. line <sup>#8</sup> lks.  
<sup>20</sup> of cor. to secs. 28, 29, 32 <sup>and</sup> 33.

thence I run

N.  $89^{\circ} 37' E$  on a true line, bet.  
secs. 28 <sup>and</sup> 33,

Over rough, rocky land, through  
dense undergrowth <sup>and</sup> scattering  
cedars <sup>and</sup> pines.

40.05 ✓ Set a lime stone  $18 \times 8 \times 6$  ins.

12 ins. in ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face, <sup>and</sup> raised  
a sq. of stone 2 ft. base, 2 ft.  
high N. of cor. <sup>Set in impact</sup>  
<sup>to</sup> <sup>Set in limits</sup>  
the cor. to secs. 27, 28, 33 <sup>and</sup> 34.

80.09

Land rough <sup>and</sup> rocky.

Soil 4<sup>th</sup> rate.

Dense undergrowth 80.09 ch.  
Scattering cedars <sup>and</sup> piñon.

Dec. 22, 1900

No. 1110

## A P P R O V A L.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

Tucson, Arizona.

March 1, 1901.

The foregoing field notes of the survey of the Sub-lines of Trac.  
T. 32 N. R. 2 W  
and Salt River Meridian  
 executed by H. Oscar Jecor  
 under his contract No. 77, dated August  
29, 1900, having been critically  
 examined, and the necessary corrections  
 and explanations made, the said field  
 notes, and the surveys they describe,  
 are hereby approved.

U. S. Surveyor General for Arizona.