

1117

SUBDIVISIONS

T. 27 N. R. 3 W.

BOOK 1117

No. 1117

J. B. GIRARD

4-671

BOOK 1117

FIELD NOTES

GENERAL LAND OFFICE.

## — Field Notes —

Of the survey of the subdivision of fractional Township No 27 North Range No 3 West of the Gila and Salt River Base and Meridian in the Territory of Arizona, as surveyed by James B Girard, U. S. Deputy Surveyor, under his contract No 74. Dated June 13<sup>th</sup> 1900—

Survey commenced Oct 9<sup>th</sup> 1900

Survey completed Oct 10<sup>th</sup> 1900

Names and duties of Assistants

John. A. Raudall	Chairman
W <sup>m</sup> N Lockridge	Chairman
Anna Adams	Mourner
E D Stafford	Mourner
Chas H Wolf	Arman
Russell Stone	Arman
P. W. Lattimer	Flagman

BOOK 1117

Index

Frac' T, 27N.R.3W.

6	3-4	5	5-6	4	7-8	3	9-10	2	11-12	1
4-5	6-7	8-9	10-11	13	13-14					
7	8	9	10	11	12					

## Subdivision of tract Tp 27 NR 3 W

Oct 9<sup>th</sup> 1900 at 11<sup>h</sup> a.m. l.m.t.

I set off  $6^{\circ}17'$  on my declarc  
and  $54^{\circ}17'$  for my colatitude  
and determine a true meridian  
with the solar on the North  
Sdy of the Tp. at the cor of  
secs 5+6. Thence I run

S  $0^{\circ}4'$  E between secs 5+6

through dense brush

0.00 Set a limestone  $16 \times 6 \times 6$  ins

10 ins in the ground for  $\frac{1}{4}$  sec

corner marked  $\frac{1}{4}$  on N. face

dig pits  $18 \times 18 \times 12$  ins N. & S.

of cor 3 ft dist and raised a

mound of earth  $3\frac{1}{2}$  ft base

$1\frac{1}{2}$  ft high N. of corner.

0.00 Set a limestone  $16 \times 12 \times 4$  ins.

10 ins in the ground for cor of

secs 5, 6, 7+8 marked with 5

notches on S. & E. edges. dig

pits  $18 \times 18 \times 12$  ins in each sec

## Subdivision of tract Tp 28 N R 37 W

BOOK 1117

5 1/2 ft dist and raised a mound of earth 4 ft base 2 ft high N of corner.

Land level

Soil gravelly 2<sup>nd</sup> & 3<sup>rd</sup> rate.  
No Timber.

Dense undergrowth of chick  
brush 80 chains.

S 89° 58' W on a random  
line between secs 6 & 7.

40.00 Set temp 1/4 sec cor.

48.70 Intersect West bdy of Tp  
2 lines north of the cor of  
secs 1, 6, 7 & 12 heretofore de-  
scribed. Thence I run

N 89° 57' E on a true line

between secs 6 & 7 through  
dense brush

38.70 Set a limestone 18 x 10 x 4 ins  
partly in ground and supported

Subdivision of tract Tp 27 N R 3 W,

Chains.

BOOK 1117

By mound of stone for 1/4 sec cor. marked 1/4 on N. face and raised a mound of stone 2 ft base 1 1/2 ft high N. of corner pits impracticable

78.70

The cor of secs 5, 6, 7 + 8. Land rolling + hilly - Soil gravelly + rocky 3<sup>rd</sup> + 4<sup>th</sup> rate. Timbr. Scattering scrub cedars. Dense undergrowth of Chic brush 78.70 Chains

40.00

S 10° 3' E between Secs 4 + 5, through dense brush. Set a limestone 16 x 8 x 5 ins 10 ins in the ground for 1/4 sec cor. marked 1/4 on N. face, raised a mound of stone 2 ft base 1 1/2 ft high W. of corner. pits impracticable

80.00

Set a limestone 18 x 8 x 6 ins

6  
Subdivision of tract Tp 27 N R 3 W.

Chains. BOOK 1117

12 ins in the ground for cor  
of secs 4, 5, 8 + 9, marked  
with 5 notches on S and 4  
notches on E edges, dug pits  
18x18x12 ins in each sec 5 1/2  
ft dist, and raised a mound  
of earth 4 ft base 2 ft high  
N. of corner.

Rand rolling.

Soil gravelly 3<sup>rd</sup> rate.

No Timber.

Dense undergrowth of  
Chico brush 80 chains.

---

S 89° 58' W on a random  
line between secs 5 + 8

40.00 Sub temp 1/4 sec cor.

80.09 Intersect N. + S. line 9 lines  
N. of the cor of secs 5, 6, 7 + 8  
Thence I run N 89° 54' E

Subdivision of Tract Tp. 27 N., R. 37 W.

chains.

BOOK 1117

- 10.045 on a true line between secs 5 & 8, through dense brush  
Set a limestone 18x8x4 ins  
10 ins in the ground for  $\frac{1}{4}$   
sec cor. marked  $\frac{1}{4}$  on N  
face, raised a mound of  
stone 2 ft base  $1\frac{1}{2}$  ft high  
N. of cor pit impracticable
- 80.09 The cor of secs 4, 5, 8 & 9  
Land rolling.  
Soil gravelly 3<sup>rd</sup> rate.  
No Timber.  
Dense undergrowth of chico  
brush 80.09 chains.

- 40.00  $10^{\circ} 2'$  E between secs 3 & 4  
through dense brush  
Set a limestone 27x10x8 ins  
14 ins in the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on N. face  
dug pits 18x18x12 ins. N. & S.



Subdivision of fract Sp, 27 N, R, 3 W.

Chains, **BOOK 1117**

- of corner 3 ft dia and raised a mound of earth 3 1/2 ft base 1 1/2 ft high N. of cor.
- 80.00 Set a limestone 24x12x8 in 14 ins in the ground for cor of sec 3, 4, 9 & 10 marked with 5 notches on S and 3 notches on E edges, raised a mound of stone 2 ft base 1 1/2 ft high N. of cor. pits impracticable.
- Land rolling.
- Soil gravelly & rocky 3<sup>rd</sup> & 4<sup>th</sup> rate
- No Timber.
- Dense undergrowth of Chic  
brush 80.00 chains

- S 89° 58' N on a random line between sec 4 & 9.
- 40.00 Set temp 1/4 sec cor.
- 80.00 Intersect N. & S. line 2 links

Subdivision of T<sub>p</sub>. 27 N. R. 3 W.

BOOK 1117

Chains,

N. of the cor of secs 4, 5, 8 + 9  
Thence I run N 89° 57' E  
on a true line between secs

40,00

Set a limestone 20 x 9 x 3 ins  
12 ins in the ground for 1/4 sec  
cor. marked 1/4 on N. face, raised  
a mound of stone 2 ft base  
1 1/2 ft high N. of corner.

55,50

Cross road, course N 10° W,

80,00

The cor of secs 3, 4, 9 + 10

Land rolling,

Soil gravelly & rocky 3<sup>rd</sup> - 4<sup>th</sup> rate,

No Timber,

Dense undergrowth of chico brush

80,00 chains.

40,00

S 0° 1' E between secs 2 + 3  
through dense brush

Set a limestone 20 x 10 x 4 ins partly  
in ground and supported by

Subdivision of fract Tp. 27 N. 1 R. 3 W.

Chains BOOK 1117

mound of stone for  $\frac{1}{4}$  sec  
 cor. marked  $\frac{1}{4}$  on W face.  
 raised a mound of stone 2 ft  
 base  $1\frac{1}{2}$  ft high N. of cor.  
 pits impracticable.

80.00 Set a limestone  $18 \times 8 \times 5$  ins  
 11 ins on the ground for  
 cor of secs 2, 3, 10 + 11 marked  
 with 5 notches on S, and 2 on  
 E. edges dug pits  $18 \times 18 \times 12$  ins  
 in each sec  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth 4 ft  
 base 2 ft high N. of corner.

Land rolling

Soil gravelly & rocky 3<sup>rd</sup> + 4<sup>th</sup> rate  
 No Timber.

Dense undergrowth of chin  
 brush 80.00 chains.

S  $89^{\circ} 58' N$  on a random

Subdivision of Twp 27 North R. 3 West.

Chains.	BOOK 1117
	line between secs 3 & 10
40.00	Set temp 1/4 sec cor.
49.98	Intersect N. & S. line at the cor of secs 3, 4, 9 & 10. Thence I run N 89° 58' E on a true line between secs 3 & 10, through dense brush
39.99	Set a limestone 24 x 12 x 12 ins partly in ground and supported by mound of stone for 1/4 sec cor. marked 1/4 on N. face, raised a mound of stone 2 ft base 1 1/2 ft high N. of cor. pits impracticable
49.98	The cor of secs 2, 3, 10 & 11 Land rolling. Soil gravelly & rocky 3 <sup>rd</sup> & 4 <sup>th</sup> rate, No Timber. Dense undergrowth of Chic's Bush 49.98 chains.

S 0° 1' E between secs 1 & 2

Subdivision of frac'l Sp 27 N, R, 3 W, &

Chains through dense brush

40.00 Set a limestone 24 X 12 X 6 ins

12 ins in the ground for  $\frac{1}{4}$  sec corner. marked  $\frac{1}{4}$  on N face raised a mound of stone 2 ft base  $1\frac{1}{2}$  ft high N. of corner. pits impracticable.

80.00 Set a limestone 20 X 10 X 4 ins

12 ins in the ground for cor of sec 1.2.11 & 12 marked with 5 notches on S and E on E edges, dug pits 18 X 18 X 12 ins in each sec  $5\frac{1}{2}$  ft dist and raised a mound of earth 4 ft base 2 ft high N. of cor. Land rolling.

Soil gravelly 3<sup>rd</sup> rate.

No Timber.

Dense undergrowth of Chic's brush 80.00 Chains, )

Subdivision of tract P. 27 N. 10. 3 W.

Chains.

S  $89^{\circ}58'$  W on a random line  
between secs 2 + 11

40.00 Set temp  $\frac{1}{4}$  sec cor.

80.04 Intersect N. + S. line 5 links  
S of the cor of secs 2. 3. 10 + 11  
Thence I run East. on a  
true line between secs 2 + 11  
through dense brush

40.02 Set a limestone  $18 \times 10 \times 3$  ins. 10 ins  
in the ground for  $\frac{1}{4}$  sec cor.  
marked  $\frac{1}{4}$  on N face. raised a  
mound of stone 2 ft base  $1\frac{1}{2}$   
ft high N. of corner pits impracticable

80.04 The cor of secs 1. 2. 11 + 12  
Land rolling.

Soil gravelly 3<sup>rd</sup> rate.

No Timber.

Dense undergrowth of chick  
bush 80.04 chains

N  $89^{\circ}58'$  E on a random line

## Subdivision of fract Tp 27N R 3W

- between secs 1 & 12
- 40.00 Set temp  $\frac{1}{4}$  sec cor.
- 80.00 Intersect E. bdy. of Tp 16  
lines S. of the cor of secs  
1, 6, 7 & 12. Thence I run  
S  $89^{\circ}51'W$  on a true line  
between secs 1 & 12, through  
dense brush.
- 40.00 Set a limestone  $20 \times 8 \times 3$  ins  
12 ins in the ground for  $\frac{1}{4}$   
sec cor marked  $\frac{1}{4}$  on N face  
dug pits  $18 \times 18 \times 12$  ins E. & W.  
of cor. 3 ft dist and raised a  
mound of earth  $3\frac{1}{2}$  ft base  
 $1\frac{1}{2}$  ft high N. of corner
- 80.00 The cor of secs 1, 2, 11 & 12  
Land level.  
Soil gravelly 3<sup>rd</sup> rate,  
No Timber.  
Dense undergrowth of chis  
brush 80.00 Chas. Oct 10<sup>th</sup> 1900

General Description

BOOK 1117

15

General description of tract Sp,  
27 N. B. 3 W. These lands  
are rolling gravelly & rocky  
and unfit for agricultural  
purposes. No timber No water,  
No grass, and no settlers.

The entire tract Sp is covered  
with a dense undergrowth of  
chic brush.

James B Girard  
U.S. Deputy Surveyor.



No. 1117

BOOK 1117 16

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

Tucson, Arizona.

Dec. 15, 1900.

The foregoing field notes of the survey of The subdivisional lines

of Trac. T. 27 N. R. 3 W. G. & S.

R. Mer  
executed by James T. Girard

under his contract No. 72, dated June

13, 1900, having been critically

examined, and the necessary corrections

and explanations made, the said field

notes, and the surveys they describe,

are hereby approved.

*George Christ*

U. S. Surveyor General for Arizona.