

<11.>

BOOK 1120

Subdivisions
of
T. 30 N. R. 4 W.

No. 1120 BOOK 1120

4-671

FIELD NOTES
GENERAL LAND OFFICE.

1120

Township 30 N R. 4 W

6	91	5	66	4	3	2	1
89		88	65				
7	86	8	63	9	10	11	12
85			62				
18	83	17	16	15	14	13	
80		18					
19	77	20	21	22	23	24	
75		14					
30	72	29	28	27	26	25	
71		69					
31	68	32	33	34	35	36	

Subdivision of T. 30 N. R. 4 W.

Chains N. $0^{\circ} 03' 41''$ bet. sec's, 16 and 17
over rolling, rocky land, through
chico, buck, cedar and sage
brush.

40.00

Set a lime stone $18 \times 10 \times 6$ ins.
12 ins in ground for $\frac{1}{4}$ cor. of
sec's, 16 and 17.

Marked $\frac{1}{4}$ S. 17 on W. face.
dug pits $18 \times 18 \times 12$ ins. N and S.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base,
2 ft. high N. of Cor.

80.00

Set a lime stone $18 \times 10 \times 6$ ins
12 ins. in ground for cor of
sec's. 8-9-16 and 17.

Marked 4 notches on S. and
4 notches on E. edges.
dug pits $18 \times 18 \times 12$ ins. in
each sec. $5\frac{1}{2}$ ft. dist. and
raise a mound of earth

Subdivision of T. 30 N. R. 4 W.

Chains 3½ ft. base 2 ft. high W of Cor.
 Land, rolling
 soil, loam 2nd rate
 Timber, None
 Dense undergrowth of Chico,
 sage and buck brush 80. cl^s
 August 10th 1901

N. 89° 50' E. on random line
 bet. sec's, 9 and 16.

40.00

Set temporary ¼ sec. Cor.

80.38

Intersect, N. and S. line 15 links
 N. of the cor of sec's, 9-10-15-
 and 16.

Thence I run.

S. 89° 36' W. on true line ^{bet. sec. 9 and 16} through
 buck, chico and sage brush,
 over rolling land.

40.19

Set a lime stone 20 x 6 x 6 ins.
 15 ins. in ground for ¼ cor. of

Subdivision of T. 30. N. R. 4 W.

Chains sec's 9 and 16. Marked $\frac{1}{4}$ S. 9
on N. face.

High pits 18x18x12 ins. E. and W.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft.
base 2 ft. high N. of Cor.

80, 38

The Cor. of sec's. 8-9-16 and 17.

Land - rolling

Soil, loam 2nd rate

Timber, None

Dense undergrowth of Chic.

buck and sage brush, 80, 38 lbs.

N. $0^{\circ}03'$ W. bet. sec's 8 and 9.

over rolling, broken land.

Head of Hanalapai Canow
drains N. W.

Through buck, sage and

Subdivision of T. 30. N. R. 4 W.

Chains	chico bush
12.65	Seligman Super road bears N. 3° E. and S. 4° W.
40.00	Set a lime stone 20 X 8 X 6 ins. 12 ins in ground for $\frac{1}{4}$ Cor. of sec's 8 and 9. Marked $\frac{1}{4}$ S. 8 on W. face dig pits 18 X 18 X 12 ins. N. and E. of cor. and raise a mound earth $3\frac{1}{2}$ ft. base 2 ft. high W. of Cor.
80.00	Set a lime stone 18 X 8 X 6 ins. 12 ins. in ground for cor. of sec's. 4-5-8 and 9. Marked 5 notches on S. and 4 notches on E. edges. dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and and raise a mound of earth $3\frac{1}{2}$ ft. base, 2 ft high.

Subdivision of T. 30 N. R. 4 W.

Chains N. of Cor.

Land rolling and rocky.

Soil, loam and rocky
2nd and 4th rate.

Timber None

Dense undergrowth of buck
chico and sage brush so. chs.

N. 89° 56' E. on random line bet.
secs, 4 and 9

40.00 Set temporary 1/4 sec. Cor.

80.28 Intersect N. and S. line 24 links
S. of the cor. of secs. 3-4-9
and 10

Thence I run

S 89° 46' W. on a true line
bet. secs. 4 and 9

Over rolling, rocky land
through chico, buck and
sage brush.

Subdivision of T. 30 N. R. 4 W.

Chains

40.14 Set a lime stone $18 \times 10 \times 6$ ins.
12 ins. in ground for $\frac{1}{4}$ Cor.
of secs. 4 and 9.

Marked $\frac{1}{4}$ s. 4 on N. face
dig pits $18 \times 18 \times 12$ ins. E. and W.
of Cor. and raise a mound
of earth $3\frac{1}{2}$ ft. base 2 ft high
N of Cor.

40.45 Seligman Super road Bearing
N. 46° E., S 44° W.

80.28 The Cor. of secs 4-5-8 and 9
Land rolling
Soil, loam 2nd rate
Timber, None
Dense undergrowth of chico
buck and sage brush 80.28 chs

N. $0^\circ 03'$ W. on random line
bet. secs 4 and 5.

Subdivision of T. 30 N. R. 4 W.

Chains

40.00

Set temporary $\frac{1}{4}$ sec. Cor.

80.04

Intersect N. body of ~~the~~ 34 links
W. of Cor. of sec's. 4-5-32 and 33
Thence I runS. $0^{\circ}12'W$. on a true line bet
sec's. 4 and 5.

40.04

Set a lime stone $18 \times 8 \times 6$ ins
12 ins in ground for $\frac{1}{4}$ cor. of
sec's. 4 and 5.Marked $\frac{1}{4}$ S. 5 on W. face.Dig pits $18 \times 18 \times 12$ ins N. and S.
of cor. 3 ft. dist.; and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high W. of Cor.

80.04

The Cor. of sec's. 4-5-8 and 9.

Land rolling

Soil, loam 2nd rate

Timber None

Dense undergrowth of chick

Subdivision of T. 30 R. 4 W.

Chains buck and sage brush 80.04 ch
 August 12th 1901

From the S. boundary of Tp. at
 cor. of sec.'s 5-6-31 and 32
 established by Carl R. Caudle
 Deputy - I run

N. $0^{\circ}03'W$. bet. Secs 31 and 32,
 over rolling broken land,
 drains N. Head of Hualapai
 Canon. through buck chins
 and sage brush.

40.00

Set a lime stone $20 \times 10 \times 6$ ins.
 15 ins. in ground for $\frac{1}{4}$ cor.
 of sec's. 31 and 32.

Marked $\frac{1}{4}$ S. 31 on W. face.
 Dig pits $18 \times 18 \times 12$ ins. N.
 and S. of Cor. 3 ft. dist. and
 raise a mound of earth
 $3\frac{1}{2}$ ft. base, 2 ft. high, W. of Cor.

Subdivision of T. 30 N. R. 4 W.

Chains

80.00

Set a lime stone $18 \times 10 \times 8$ ins
12 ins. in ground for Cor.
of sec's 29-30-31 and 32.

Marked 1 notch on S. and
5 notches on E. edges.

dig pits $18 \times 18 \times 12$ ins. in
each sec. $5\frac{1}{2}$ ft. dist. and
raise a mound of earth
 $3\frac{1}{2}$ ft. base, 2 ft high, W of Cor.
Land, rolling and broken
Soil, loam and rocky

2nd and 4th rate.

Timber None

Herse undergrowth of Chinc
sage and buck brush 80.00chs

East on random line bet.
secs. 29 and 32

40.00

Set temporary $\frac{1}{4}$ sec. Cor.

Subdivision of T. 30. R. 4 W.

Chains

80.00

Intersect N. and S. line, 20 links
S. of the cor. of sec's. 28-29-32 and 33
Thence I run

S. $89^{\circ}51'W.$ on a true line bet.
sec's 29 and 32,

over rolling land through
buck, sage and chinw brush

40.00

Set a lime stone $20 \times 8 \times 6$ ins.
15 ins. in ground for $\frac{1}{4}$ Cor.
of sec's 29 and 32.

Marked $\frac{1}{4}$ S. 29 on N. face
dug pits $18 \times 18 \times 12$ ins E. and W.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft high, N. of Cor.

80.00

The Cor. of sec's. 29-30-31 and 32
Land rolling and broken
Soil, loam 2nd rate
Timber, None

Subdivision of T. 30 N. R. 4 W.

Chains Dense undergrowth of chico.
buck and sage brush, 80.00 chs.

West on random line bet.
secs. 30 and 31.

40.00 Set temporary $\frac{1}{4}$ sec. Cor.

79.27 Intersect W. Body, of Tp. 48 links
N. of Cor. of secs. 25-30-31 and 36
thence I run.

N. $89^{\circ}40'E$. on a true line bet.
sec. 30 and 31. over rolling
land, through buck, chico.
Cedar and sage brush.

39.27 Set a line stone $18 \times 10 \times 6$ ins
12 ins in ground for $\frac{1}{4}$ Cor. of
secs. 30 and 31.

Marked $\frac{1}{4}$ S. 30 on N. face.
Dig pits $18 \times 18 \times 12$ ins. E. and W.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base

Subdivision of T. 30 N. R. 4 W.

Chains 2 ft. high N. of Cor.
 51.15 Williams - Super wagon
 road - bears N. 15° E. and S 15° W.
 79.27 The Cor. of sec's. 29-30-31 and 32,
 Land, rolling
 Soil, loam and rocky
 2nd and 4th rate.
 Timber - scrub Cedar.
 Dense undergrowth of buck
 chico, cedar and sage
 brush - 79.27 ch's.

N. $0^{\circ}09'$ W. bet. sec's 29 and 30
 Over rolling, broken land,
 head of Hualapap Canon.
 Through buck, chico, and
 cedar brush.

40.00 Set a line stone 18 X 8 X 6 ins
 12 ins in ground for $\frac{1}{4}$ Cor.
 of sec's. 29 and 30.

Subdivision T. 30N. R. 4W.

Chains Marked $\frac{1}{4}$ S. 30 on W. face.
 Dig pits $18 \times 18 \times 12$ ins N. and S.
 of Cor. 3 ft. dist. and raise
 a mound of earth $3\frac{1}{2}$ ft.
 base, 2 ft. high W. of Cor.

80.00 Set a lime stone $18 \times 10 \times 6$ ins
 12 ins. - in ground for cor.
 of sec's 19-20-29 and 30.
 Marked 2 notches on S. and
 5 notches on E. edges.
 Dig pits $18 \times 18 \times 12$ ins. in
 each sec. $5\frac{1}{2}$ ft. dist. and
 raise a mound of earth
 $3\frac{1}{2}$ ft. base 2 ft. high W. of Cor.
 Land, rolling and broken,
 Soil, loam and rocky
 2 ~~ac~~ and 4 rats.
 Timber scrub cedar
 dense undergrowth
 of chick, buck, cedar and

Subdivision T. 30 N. R. 4 W.

Chains sage brush 80.00 chs.
August 13th 1901

N. $89^{\circ}57'E$. on random line
bet. sec's. 20 and 29.

Over rolling, broken land
Head of Hualapai Canon
drains N.

Through buck, cedar, chico,
and sage brush.

40.00

Set temporary $\frac{1}{4}$ sec. Cor.

79.88

Intersect N. and S. line 13
links N. of the cor. of sec's.
20-21-28 and 29.

Thence I run

S. $89^{\circ}57'W$. on true line bet.
sec's. 20 and 29.

39.94

Set a lime stone $20 \times 10 \times 6$ ins.
15 ins in ground for $\frac{1}{4}$ cor.
of sec's. 20 and 29.

Subdivision of T. 30 N. R. 4 W.

Chains. Marked $\frac{1}{4}$ S. 20 on ⁿ face
 and raise a mound of stone
 3 ft. base, 2 ft high N. of Cor.
 Pits impracticable
 79.88 The Cor. of secs 19-20-29 and 30
 Land, rolling rocky and broken
 Soil, loam and rocky
 2^{nd} and 4^{th} rate
 Timber, scrub cedar
 Dense undergrowth of Chios
 sage, buck and cedar brush
 79.88 chs

S. $89^{\circ}40'$ W. on random line
 bet. secs. 19 and 30
 40.00 Set temporary $\frac{1}{4}$ sec. Cor.
 79.07 Intersect N. bdy. of T. p. 48
 links S. of the Cor. of secs. 19
 24-25 and 30.
 Thence I run

Subdivision of T. 30 N. R. 4 W.

bits Secs. 19 and 30

- Chains. East on a true line, over rolling broken land, through chico, buck and cedar brush.
- 39.07 Set a lime stone $20 \times 8 \times 6$ ins 15 ins. in ground for $\frac{1}{4}$ cor. of Secs. 19 and 30.
Marked $\frac{1}{4}$ S. 19 on N. face
High pits $18 \times 18 \times 12$ ins. E. and W. of Cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft base 2 ft. high, N. of Cor.
- 77.00 Seligman - Super wagon road. Bears S. 16° N. and N. 10° E.
- 79.07 The Cor. of Secs. 19-20-29 and 30.
Land, rolling broken and rocky.
Soil, loam and rocky
 $2\frac{1}{4}$ and $4\frac{1}{2}$ rate.
Timber - scrub Cedar
dense undergrowth of buck

Subdivision of T. 30 N. R. 4 W.

Chains Cedar, chico and sage brush.
79.07 Chs.

N. $0^{\circ}03'W$. bet. sec's 19 and 20.
over rolling broken land
through chico, buck, cedar
and sage brush.

23.00 Seligman - Supai wagon
road, bears N. $10^{\circ}E$. and S. $6^{\circ}W$.

40.00 Set a lime stone $18 \times 8 \times 6$ ins.
12 ins. in ground for $\frac{1}{4}$ cor.
of sec's 19 and 20.

Marked $\frac{1}{4}$ S. 19 on W. face.
blig pits $18 \times 18 \times 12$ ins. N. and S.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high W. of Cor.

80.00 Set a lime stone $20 \times 8 \times 6$ ins.
15 ins. in ground, for cor of
sec's, 17-18-19 and 20.

No. 1120 BOOK 1120⁷⁸

Subdivision of T. 30 N. R. 4 W.

Chains Marked 3 notches on S. and 5 notches on E. edges.
Llig pits 18x18x12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 3½ ft base 2 ft. high W. of Cor.
Land rolling rough and broken - chains N.
Soil, loam and rocky 2nd and 4th rate
Timber, scrub Cedar.
Thick undergrowth of Chico, buck, cedar and sage brush 80.00 ch's.

N. 89° 57' E. on random line bet. sec's. 17 and 20,

40.00 Set temporary ¼ sec. Cor.
79.84 Intersect N. and S. line 15 links

79.

BOOK 1120

Subdivision of T. 30 N. R. 4 W.

Chains N. of the Cor. or sec's. 16-17
20 and 21.

Thence I run,

N. $89^{\circ}57'W.$ on a true line
bet. sec's 17 and 20.

Over rocky, broken land.
through chico, buck, Cedar
and sage brush.

39.92 Set a lime stone $18 \times 8 \times 6$ ins.
12 ins. in ground for $\frac{1}{4}$ Cor
of sec's, 17 and 20.

Marked $\frac{1}{4}S.$ 17 on N. face.

dig pits $18 \times 18 \times 12$ ins. E. and W
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high N. of Cor.

59.75 Seligman - Lupai. Flag on
road bears N. $15^{\circ}E.$ and S. $10^{\circ}W.$

79.84 The Cor. of sec's, 17-18-19
and 20.

Subdivision of T. 30 N. R. 4 W.

Chains Land, rough, rocky and broken
 drainage N.
 Soil, loam and rocky, 2nd.
 and 4th rate.
 Timber, scrub Cedar.
 Dense undergrowth of
 Cedar, buck, chico and
 sage brush. 79.84 Chs.
 August 14th 1901

West on random line bet.
 Sec's, 18 and 19.

40.00 Set temporary $\frac{1}{4}$ sec. Cor.

79.00 Intersect N. and S. line 13
 links N. of the Cor. of sec's,
 18-19-13 and 24. on W. Bdy.
 of 4p.

Thence I run

N. $89^{\circ}54'E$. on a true line
 bet. sec's. 18 and 19

Over rough broken ground.

Subdivision of T. 30 N. R. 4 W.

- Chains Head of Hualapai Canon.
through chico, buck, cedar
and sage brush.
- 39.50 Set a lime stone $28 \times 10 \times 6$ ins.
21 ins. in ground for $\frac{1}{4}$ Cor.
of sec's. 18 and 19.
Marked $\frac{1}{4}$ S. 18 on N. face.
Dig pits $18 \times 18 \times 12$ ins. E. and W.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft base
2 ft. high N. of Cor.
- 49.00 The Cor. of sec's. 17-18-19 and 20
Land rolling, broken and
rocky.
Soil, loam and rocky.
Timber, scrub Cedar
dense undergrowth of Chico,
buck, cedar and sage
brush 79.00 ch's.

Subdivision of T. 30 N. R. 4 W.

Chains	N. 0° 03' W. bet. sec's 17 and 18 over rolling, rock, land through chice, buck, cedar and sage brush.
40.00	Set a lime stone 20x10x6 ins. 15 ins. in ground for $\frac{1}{4}$ Cor. of sec's. 17 and 18. Marked $\frac{1}{4}$ S. 18 on W. face. Dig pits 18x18x12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high W. of Cor.
20.00	Set a lime stone 20x10x8 ins. 15 ins. in ground for Cor. of sec's, 7-8-17 and 18. Marked 4 notches on S. and 5 notches on E. edges. and raise a mound of stone 3 ft. base 2 ft high W. of Cor. Land, rolling and rocky.

Subdivision of T. 36 N. R. 4 W.

Chains Soil, loam and rocky
 2nd and 4th rate.
 Timber, scrub cedar.
 Dense undergrowth of buck
 chics, cedar and sage
 brush 8000 ch's.

S. 89°57'E. on random line
 bet. sec's. 8 and 17.

40.00 Set temporary $\frac{1}{4}$ sec. Cor.
 80.00 Intersect N. and S. line 26
 links S. of the Cor. of sec's.
 8-9-16 and 17.

Thence I run,

South 89°48'W. on a true line
 bet. sec's. 8 and 17

Over rocky, broken, rolling
 land.

Through buck, chics, and sage brush

Subdivision of T. 30 N. R. 4 W.

Chains

- 6.55 Seligman - Lupai wagon road
bears N. 12° E and S. 15° W.
- 40.00 Set a lime stone $18 \times 8 \times 16$ ins.
12 ins. in ground for $\frac{1}{4}$ Cor.
of secs. 8 and 17.
Marked $\frac{1}{4}$ S. 8 on N. face
Hlg pits $15 \times 18 \times 12$ ins. E. and W.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft base
2 ft. high N. of Cor.
- 80.00 The Cor. of secs. 7-8-17 and 18.
Land, rolling and rocky,
Soil, loam and rocky
2nd and 4th rate.
Timber, scattered scrub cedar
dense under growth of Chic,
buck and sage bush, 80. chs

Subdivision of T. 30 N. R. 4 W.

- Chains. S. $89^{\circ}54'$ W. on random line
bet. sec's. 7 and 18.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.00 Intersect N. Bdy. of Tp. at cor.
of sec's. 7-18-12 and 13.
Thence I run
N. $89^{\circ}54'$ E. on a true line bet.
sec's. 7 and 18.
Over broken, rolling land
drainage N.
Through chico, cedar, buck
and sage brush.
- 39.00 Set a line stone $20 \times 10 \times 6$ ins.
15 ins in ground for $\frac{1}{4}$ Cor.
of sec's 7 and 18.
Marked $\frac{1}{4}$ S. 7 on N. face.
and raise a mound of
stone 3 ft. base, 2 ft. high,
N. of Cor. Pits impracticable.
- 79.00 The Cor. of sec's. 7-8-17 and 18.

Subdivision of T. 30. N. R. 4 W.

Chains. Land, broken and rolling
Soil, loam and rocky
2nd and 4th rate.
Timber, scrub Cedar,
Dense underbrush of buck
chico, cedar and sage
79.00 ch's.
August 15th 1901

N. 0°03' W. bet. sec's. 7 and 8
Over rough, rocky rolling land
Through chico, buck, cedar
and sage brush.

4000

Set a line stone 18x8x6 ins.
12 ins in ground for $\frac{1}{4}$ Cor.
of sec's. 7 and 8.

Marked $\frac{1}{4}$ S. 7 on W. face
Dig pits 18x18x12 ins. N. and S.
of Cor. 3 ft. dist., and raise
a mound of earth $3\frac{1}{2}$ ft base

Subdivision of T. 30 N. R. 4 W.

Chains. 2 ft. high W. of Cor.
 80.00 Set a line stone 20x8x6 ins.
 15 ins. in ground for Cor.
 of sec's. 5-6-7 and 8.
 Marked 5 notches on S. and
 5 notches on E. edges, and
 raise a mound of stones
 3 ft. base, 2 ft high W. of Cor.
 Pits impracticable.
 Land, rough, rocky
 and rolling.
 Soil, loam and rocky
 2nd and 4th rate.
 Timber, scattered scrub Cedar
 dense undergrowth of Cedar
 Chico, buck and sage brush.
 80.00 chs.

N. 89° 48' E, on random line

Subdivision of T. 20 N. R. 4 W.

- Chains bet. sec. 5 and 8.
- 40.00 Set temporary $\frac{1}{4}$ sec. Cor.
- 79.72 Intersect N. and S. line 4 links
N. of the Cor of Sec's. 4-5-8 and 9,
Thence I run
S. $89^{\circ}50'W$. on a true line
bet. sec's 5 and 8.
Over rough, rocky, rolling
land.
Through buck, cedar, chico,
and sage brush.
- 39.86 Set a lime stone $18 \times 8 \times 6$ ins
12 ins. in ground for $\frac{1}{4}$ Cor.
of sec's. 5 and 8.
Marked $\frac{1}{4}$ S. 5 on N. face.
11ig pits $18 \times 8 \times 12$ ins E. and W.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft
base, 2 ft. high N. of Cor.
- 79.72 The Cor. of sec's. 5-6-7 and 8.

Subdivision of T. 30 N. R. 4 W.

Chains.

Land rough, rocky and, rolling
 Drainage N. W.

Soil, loam and rocky
 2nd and 4th rate.

Timber, scrub Cedar.

Dense undergrowth of cedar
 Chic, buck and sage brush
 79.72 chs.

S 89° 54' W. on random line
 bet. sec's. 6 and 7.

40.00

Set temporary $\frac{1}{4}$ sec. Cor.

79.09

Intersect ~~N.~~ bdy. of $\frac{1}{4}$ 10 links
 N. of the cor. of sec's 6-7-1
 and 12.

Thence I run

N. 89° 50' E. on a true line bet
 sec's. 6 and 7, over rough rocky
 broken rolling land

Subdivision of T. 30 N. R. 4 W.

- Chains. Through chico, buck, cedar and sage brush.
- 39.09 Set a lime stone 20 x 10 x 6 ins. 15 ins. in ground for $\frac{1}{4}$ Cor. of sec's. 6 and 7. Marked $\frac{1}{4}$ S. 6 on N. face, and raise a mound of stones 3 ft base, 2 ft high N. of lev. Pits impracticable.
- 79.09 The Cor. of sec's, 5-6-7 and 8. Land, rough, rocky and rolling. Soil, loam and rocky. 2nd and 4th rate. Timber, scrub Cedar. Dense undergrowth of buck chico, cedar and sage brush. 79.09 Ch's.

Subdivision of T. 30 N. R. 4 W.

- Chains N. $0^{\circ}03'W$. on random line
bet. sec's. 5 and 6.
- 40.00 Set temporary $\frac{1}{4}$ sec. Cor.
80.25 Intersect N. bdy of the tp.
at cor. of sec's. 5-6-31 and 32.
Thence I run -
S. $0^{\circ}03'E$. on a true line
bet. sec's 5 and 6.
Over rough, rocky, rolling
land.
Through chio, sage and buck
brush.
- 40.20 Set a lime stone $20 \times 8 \times 6$ ins
15 ins in ground for $\frac{1}{4}$ Cor.
of sec's. 5 and 6.
Marked $\frac{1}{4}$ S. 6 on W. face.
Dig pits $18 \times 18 \times 12$ ins. N. and S.
of Cor. 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft
base, 2 ft high W. of Cor.

Subdivision of T. 20 N. R. 4 W.

Chains.

80.25

The Cor. of secs. 5-6-7 and 8.

Land, rough, rocky and rolling. Drainage N. W.

Soil - loam and rocky
3rd and 4th rate.Timber, scrub Cedar
dense undergrowth of
chico, buck, sage and
cedar brush 80.25-chs.Aug. 16th 1901

General Description

This Township is mostly mountainous, with scattering cedar in center and west portions

The township has no water, there are no settlers on the Township

A P P R O V A L

OFFICE OF THE U. S. SURVEYOR GENERAL.

Phoenix, Arizona.

August 2-1902.

The foregoing field notes of the survey of Subdivisions of
Sp. 30 N. R. 4 N.
 executed by F. D. Jacobs, Compassman
 under his Contract No. 71 dated June
13, 1900. having been critically
 examined, and the necessary corrections
 and explanations made, the said field
 notes, and the surveys they describe,
 are hereby approved.

August A. Pray

U.S. Sur. Gen. for Arizona.