

1900 Book II BOOK 1122

SUBDIVISIONS

T 28 N. R 2 W

GIRARD

4-671 BOOK 1122

FIELD NOTES
GENERAL LAND OFFICE.

No. 1122

1122

Field Notes

of the survey of the subdivisions
of T₁P, No 28 North Range
No 2 West of the Gila
and Salt River Base and
Meridian in the Territory
of Arizona, as surveyed
by James B. Girard
under his contract No 74.
Dated June 13th 1900.

Survey commenced Sept 18th 1900
Survey completed Sept 22nd 1900

Names and duties of assistants

BOOK 1122

Jno. A. Randall Chairman
 Wm. N. Lockridge Chairman
 Amos Adams Moundman
 C. D. Stafford Moundman
 Chas. Hoef Axman
 P. W. Lattimer Flagman
 Russell Stone Axman

BOOK 1122

BOOK 1123

Ludwig

Index

6	7	5	53-4	4	40-1	3	26-7-8	2	14-15	1
70	69			52-3		38-9-40		25-6		13-14
7	68	8	51	9	37-8	10	24-5	11	12-13	12
66	65			50		36-7		23-4		12-13
18	64	17	49	16	35-6	15	22-3	14	10	13
63	62									
19	61	20	46-7	21	32-3-4	22	20-1	23	7-8	24
60		59-60		45-6		31-2		19-20		6-7
30	58-9	29	44-5	28	30-1	27	17-18-19	26	5-6	25
57		55-6		43-4		29-30		16-17		4-5
31	54-5	32	41-2-3	33	28-9	34	15-16-35	3-4		36

Subdivision of Tp 28 N R 2 W.

Chains

Sept 8th at 8^h 00^m am l.m.t. I set off $5^{\circ}45'$ on my decl arc and $5^{\circ}4'17''$ for my as latitude and determine a true Meridian with the solar at the cor of sec 1.2.35 + 36, Tp 27 + 28 N R. 2 W. Thence I run

N $0^{\circ}1' W$, bet sec 35 + 36, through dense brush
 16.00 S. bank of ravine.

25.09 Patton ravine 100 ft deep Course N $80^{\circ} E$.

30.00 N. bank of same.

40.00 Set a limestone $20 \times 8 \times 6$ ins 12 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N face. dig pits $18 \times 18 \times 12$ ins N & S of cor and 3 ft dist and raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of Cor.

46.00 Cross draw 60 ft deep Course East,

67.00 Cross draw 60 ft deep Course N $70^{\circ} E$.

Subdivision of Tp 28 N R 2 W.

Chains.

80.00 Set a limestone $18 \times 8 \times 6$ ins
10 ins in ground for cor of sec
25, 26, 35 + 36 marked with 1
notch on S + E edges.
raise a mound of stone 2 ft
base $1\frac{1}{2}$ ft high N. of Cor.

Pits impracticable.

Land hilly -

Soil rocky 4th rate.

No Timber.

Dense undergrowth of Chic 80 chns.

N $89^{\circ}54'$ E on a random
line between secs 25 + 36

40.00 Set temp $\frac{1}{4}$ sec cor.

80.00 Intersect E boundary of
Tp. 5 lines N of the cor of
secs 25, 30, 31 + 36. *Leulofen described*

Thence I run S $89^{\circ}56'$ W on
a true line between secs 25 + 36
through dense brush.

Subdivision of $\frac{1}{4}$ Sec 28 N. R. 2 W.

Chains.

- 21.00 E. bank of Cataract Cañon.
 35.00 Bottom of Cañon. Course N. E.
 37.00 W. bank of same.
 40.00 Set a limestone $20 \times 8 \times 5$ ins. 12
 ins in the ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on N. face. Dig pits
 $18 \times 18 \times 12$ ins E + W of cor and
 3 ft dist out raise a mound of
 earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 N of corner.
 80.00 The Cor of sec 25, 26, 35 + 36.

Land hilly.

Soil rocky 4th rate.

No timber.

Dense undergrowth of chico 80.6 hrs

N $0^{\circ} 1' W$ bit sec 25 + 26.
through dense brush.

- 40.00 Set a limestone $18 \times 12 \times 4$ ins. 12 ins
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W. face. Dig pits 18×18

Subdivision of T₂₈N. R. 2 W.

Chains

X 12 ins N + S of cor and 3 ft
dist and raise a mound of earth
3 1/2 ft base 1 1/2 ft high N of
Corner).

80.00 Set a limestone 18 X 10 X 8 ins 12 ins
in the ground for cor of acs
23, 24, 25 + 26, marked with
2 notches on S and 1 notch on
east edges. Dig pits 18 X 18 X 12
ins in each sec 5 1/2 ft dist
and raise a mound of earth
4 ft base 2 ft high N of cor
Hard hill.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth of Chic Bush 80 chns.

N. 89° 56' E. on a random
line between secs 24 + 25

40.00 Set temp 1/4 sec cor.

Subdivision of Sp 28 N R 2 W.

Chassis.

- 79.85 Intersect E boundary of Sp.
23 links S. of. cor of sec. 19.24
25 & 30. Thence I run -
S $89^{\circ} 46' W$ on a true line between
secs 24 & 25 through dense brush
39.975 Set a limestone 18 X 8 X 4 ins. 12 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N face. Dig pits 18 X 18 X 12
ins. E & W of cor & 3 ft dist
and raise a mound of earth
3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N
of corner.
- 79.85 The cor of sec 23, 24, 25 & 26,
Land Kelly,
Soil gravelly 3rd rate,
No timber

Dense undergrowth of this 7985 Chas
Sept 8th 1900,

- 40.00 N $0^{\circ} 1' W$ bet sec 23 & 24,
through dense brush
Set a limestone 18 X 10 X 8 ins. 12 ins

Subdivision of Sp. 28 N R 2 W.

Chains,

in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N face. Dig pits
18 X 18 X 12 ins N & S of cor and 3 ft
dist and raise a mound of earth
3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N of cor.

80.00

Set a limestone 18 X 8 X 6 ins 12
ins in the ground for cor of sec.
13, 14, 23 & 24, marked with 3
notches on S. and 1 notch on E,
edges. Dig pits 18 X 18 X 12 ins
in each sec 5 $\frac{1}{2}$ ft dist. and
raise a mound of earth 4 ft
base 2 ft high N of cor.

Land hilly,

Soil gravelly 3rd rate

No timber,

Dense undergrowth of chico
bush 80.00 chains,N. $89^{\circ} 46' E$ on a random

Subdivision of Sp 28 N R 2 W.

- Chains.
- line between secs. 13 & 24
- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 80.02 Intersect E boundary of
18. lks N. of
Sp. \nearrow the corner of secs.
13, 18, 19, & 24, heretofore de-
scribed. Thence I run
S $89^{\circ} 54' W$ on a true line
between Secs 13 & 24, through
dense brush.
- 40.01 Set a limestone 12 x 8 x 18. ins
12 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N face
dig pits. 18 x 18 x 12 ins. E & W.
of cor. and 3 ft dist and
raise a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N of cor.
- 80.02 The cor of secs 13, 14, 23, & 24.
Land rolling.
Soil gravelly 3rd rate
No timber.
Dense undergrowth of Chic's Bush 80.02 Chms

BOOK 1122
 Subdivision of Sp. 28 N. R. 2 W.

Chns

40,00

N 0° 1' W between Secs. 13 & 14,
 through dense brush

Set a limestone 20x10x4 ins.

12 ins in the ground for $\frac{1}{4}$

sec cor. marked $\frac{1}{4}$ on N

face. raise a mound of stone

2 ft base 1½ ft high West

of corner. Pits impracticable

80,00

Set a limestone 26x12x6 ins

18 ins in the ground for cor of

secs. 11, 12, 13, & 14 marked

with 4 notches on S and 1

notch on E. edges. raise a

mound of stone 2 ft base

1½ ft high West of Corner

Pits impracticable

Land hilly.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth this 80,00 chains.

Subdivision of Sp. 25. N. R. 2 W. "

Chains.

N. $89^{\circ}54'E$ on a random
line between secs 12 & 13.

40.00 Set temp $\frac{1}{4}$ sec cor.

79.86 Intersect @ boundary of Sp.
18. links N of cor of secs
7, 12, 13, & 18. Thence I run
77. $89^{\circ}58'W$ on a true line

between secs. 12 & 13, through
dense brush.

39.93 Set a red sandstone $26 \times 12 \times$
3 ins. 15 ins in the ground for $\frac{1}{4}$
sec. corner, marked $\frac{1}{4}$ on N
face. Dig pits $18 \times 18 \times 2$ ins
E & W of cor and 3 ft dist
and raise a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N of corner.

79.86 The cor of secs 11, 12, 13 & 14.
Land rolling & hilly
Soil loam & gravelly - 2nd 3rd & 4th notes
Matimber

Subdivision of T₂₈N R₂W.

Chains.

Dense undergrowth of chico 79.86 Chms

- 40.00 N 0° 1' W. bet pccs 11 & 12.
through dense brush.
Set a limestone 15 x 12 x 4 ins
10 ins in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N face. dig pits
18 x 18 x 12 ins N & S of cor and
3 ft dist. and raise a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
W of corner.
- 80.00 Set a limestone 16 x 12 x 4 ins.
partly in ground and supported
by mound of rock. for cor of
pccs 1, 2, 11 & 12. marked with
5 notches on S and 1 notch
on E edges. raise a mound
of stone 2 ft base $1\frac{1}{2}$ ft
high W of corner. Pits impr-
acticable.
Land rolling & hilly.

Subdivision of Tp 28 N R 2 W,

Chains.

Soil rocky 4th rate,

Scattering scrub cedars.

Dense undergrowth of chics &
suck bushes 80.00 Chains.S. $89^{\circ}58'E$ on a random
line between secs 1 & 1240.00 Set temporary $\frac{1}{4}$ sec cor.79.90 Intersect E boundary of Tp 25
line N of cor of secs 1, 6, 7
& 12. heretofore described. HenceI run N $89^{\circ}47'W$. on a trueline between secs 1 & 12, through
dense brush39.95 Set a limestone $22 \times 6 \times 6$ ins. 15 ins
in the ground for $\frac{1}{4}$ sec cor -marked $\frac{1}{4}$ 1 on N $\frac{1}{4}$ 12 on S face,

raise a mound of stone 2 ft base

1 1/2 ft high N of corner.

A bushy cedar tree 6 ins in dia
on S $45^{\circ}W$ 32 lines marked $\frac{1}{4}$ S

Subdivision of Tp 28 N R 2 W.

Chains

12 B.T.

79.90

The Cor of sec 1.2.11+12
 land hilly.

Soil rocky 4th rate.

Scattering scrub cedar trees

Dense undergrowth of chico brush
 and hick & cedar brush 79.90 chains.

40.00

N 0° 1' W between Sec 1 + 2
 through dense brush

Set a limestone 16 X 12 X 4 ins. 10 ins
 in the ground for 1/4 sec cor mark

1/4 on N face, dig pits 18 X 18 X 12 ins

N + S of cor out 3 ft dist and

raise a mound of earth 3 1/2 ft

base 1 1/2 ft high N of corner.

79.72

Intersect 7th Standard Parallel
 2.32 chains East of S.C. of

sec 35 + 36, which is a

limestone mark and witnessed
 as described by the Surveyor

Subdivision of Sp 28 NR 2 W.

Chaus.

General - I set a limestone
 24 x 12 x 4 ins 12 ins in ground
 for closing corner of sec.
 1 & 2. marked C C on S. with
 1 notch on E & 5 notches on
 N edge. Raise a mound of
 stone 2 ft base 1 1/2 ft high S
 of corner. Pits impracticable.
 Land hilly.

Soil rocky 4th rate.

Scattering cedar timber.

Dense undergrowth of this 79.72 Chaus
 Sept 9th 1900

From the cor of Sec 2. 3

34 & 35, Sp 27 & 28 NR 2 W

Run N 0° 1' N. between Secs 34 & 35
 through dense brush.

40.00

Set a limestone 16 x 5 x 6 ins. 10 ins
 in the ground for 1/4 sec cor. marked
 1/4 on N. face. Dig pits 18 x 18 x 12 ins
 N & S of cor on 3 ft dist. and

Subdivision of Tp 28N R 2W.

Chairs.

raise a mound of earth
3½ ft base 1½ ft high N.
of corner.

80.00

Set a limestone 18x8x4 ins. 12 ins
in the ground for cor of sec
26, 27, 34 + 35, marked with 1
notch on S, and 2 notches on
E. edges. Dig pits 18x18x12 ins
in each sec 5½ ft dist and
raise a mound of earth 4 ft base
2 ft high N of corner.

Land rolling.

Soil. gravelly 3rd rate.

No timber.

Dense undergrowth chris brush 80 chrs

N 89° 54' E on at random line
between sec 26 + 35,

40.00

Set temp ¼ sec cor.

80.00

Intersect N + S line, at the

Subdivision of $\frac{1}{4}$ Sec 28 N R 2 W.

Chains:

cor. of sec 25-26-35 & 36-

Thence I run S $89^{\circ}54'N$.on a true line between Secs
26 & 35, through dense brush40.00 Set a limestone $16 \times 6 \times 4$ ins. 10ins in the ground for $\frac{1}{4}$ sec cor,
marked $\frac{1}{4}$ on N face. dig pits $18 \times 18 \times 12$ ins E & W of cor and 3ft
dist and raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N of cor.

80.00 The cor. of sec 26, 27, 34 & 35-

Land rolling.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth Chico Bush 80 chns.

Sept 10th 1900 at 10^h 0^m am. cont.I set off $4^{\circ}57'$ on my decl arcand $54^{\circ}16'$ for my co latitude and

determine a true meridian with

Subdivision of $\frac{1}{4}$ Sec 28 & N²W

Chains

- the solar. at the cor of secs
26, 27, 34 & 35. Thence I run
N 0° 1' W on a true line
between sec 26 & 27 through
dense brush.
- 40.00 Set a limestone 24 X 15 X 3 ins 14
ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W. Dig pits
18 X 18 X 12 ins. N. & S. of cor and
3 ft dist and raise a mound
of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high
W. of corner.
- 80.00 Set a limestone 16 X 12 X 6 ins
10 ins in the ground for cor of
secs 22, 23, 26 & 27. marked
2 notches on S & E. edges,
Dig pits 18 X 18 X 12 ins in each
sec 5 $\frac{1}{2}$ ft dist and raise a
mound of earth 4 ft base
2 ft high W of Cor.
Land rolling if

Subdivision of Sp 28 NR 2 W,
Chico.

Soil gradually 3rd rate,
No Timber.

Dense undergrowth Chico. 80 chns.

N 89° 54' E, on a random
line between Sec 23 + 26

40.00 Set temp 1/4 sec cor.

80.00 Intersect the N + S line 7 lines

S of cor of secs 23, 24, 25 + 26

Thence I run S 89° 51' W on

a true line between Secs. 23 + 26
through dense brush

40.00 Set a limestone 6 x 10 x 18 ins.

12 ins in ground for 1/4 sec cor.

marked 1/4 on N. face. dig pits

18 x 18 x 12 ins E + W of cor and

3 ft dist and raise a mound

of earth 3 1/2 ft base 1 1/2 ft high

N of corner.

80.00 The cor of sec 22, 23, 26 + 27.

Land rolling.

Subdivision of Twp 28 N R 2 W,
Chiaus

Soil gravelly 3rd rate
No Timber.

Dense undergrowth of Chiaus 80 Chiaus,
Sep 10th 1900

Sept 11th 1900 at 9^h am. cont.
I set of $4^{\circ} 35'$ on my decl
arc and $54^{\circ} 15'$ for my co-
latitude and determine a true
meridian with the solar at the
Cor of Secs 22, 23, 26 + 27

Hence True N $0^{\circ} 1' W$.

Between Secs. 22 + 23,
through dense brush

40.00 Set a limestone $18 \times 9 \times 3$ ins. 12 ins
in ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
in. N face. Dig pits $18 \times 18 \times 12$
ins N + S of Cor and 3 ft dist
and raise a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N of Cor.

80.00 Set a limestone $22 \times 8 \times 6$ ins.
12 ins in the ground for cor

Subdivision of Sp 28 N, R. 2 W.
Chains.

of sec 14, 15, 22 & 23 marked with 3 notches on A and 2 notches on B edges, dig pits 18x18x12 ins in each sec 5 1/2 ft dist and raise a mound of earth 4 ft base 2 ft high N of corner.

Land rolling.

Soil gravelly 2nd & 3rd rate,
Dense undergrowth this 80 chains.

N 89° 51' E. on a random line between sec 14 & 23.

- 40.00 Set temp 1/4 sec cor
80.02 Intersect N & S line ^{7 lks. N. of} the corner of sec 13, 14, 23 & 24.
Thence I run S 89° 54' W on a true line between sec 14 & 23, through dense brush
40.01 Set a limestone 16x7x4, 102.8 in

Subdivision of Tp 28 N, R 2, W.

Chains.

in the ground for $\frac{1}{4}$ sec cor,
marked $\frac{1}{4}$ on N face. dig pits
18 X 18 X 12 ins E & W of cor and 3
ft dist and raise a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N
of corner.

80.02 The cor of sec 14, 15, 22 & 23,
Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of Choc 80.02 Choc.

N 0° W between sec 14 & 15,
through dense brush

40.00 Set a limestone 20 X 8 X 3 ins, 12
ins in the ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N face. dig pits
18 X 18 X 12 ins N & S of cor and 3 ft
dist, and raise a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
W of corner.

Subdivision P 28 N R 2 W.

Chains.

80.00

Set a limestone $20 \times 6 \times 6$ ins
12 ins in the ground for the cor
of sec. 10, 11, 14 & 15 marked
with 4 notches on 1 and 2 on
E edges. Dig pits 18×18
 $\times 12$ ins in each sec. $5\frac{1}{2}$ ft dist
and raise a mound of earth
4 ft base 2 ft high W of
corner.

Land rolling.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth chico brush 80 chains.

N. $89^{\circ} 54'$ E. on a random line
between sec. 11 & 14

40.00

Set temp $\frac{1}{4}$ sec cor.

80.02

Intersect N & 2 line. 7 lines
N of corner of sec. 11, 12, 13 & 14
Thence I run S $89^{\circ} 57'$ W

Subdivision of T_p 28 N R. 2 W.

Chains.

- on a true line between secs
11 & 14. through dense brush
- 40.01 Set a limestone 20x10x4 ins 10 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ 11 on N face $\frac{1}{4}$ 14 on S face. raise
a mound of stone 2 ft base $1\frac{1}{2}$ ft
high N of cor. Pits impracticable
- 80.02 The cor of secs 10, 11, 14 & 15.
Land rolling.
Soil generally 3rd rate
No timber
Dense undergrowth Chico brush 80⁰² Chains.

- N $0^{\circ} 1' W$ between Secs 10 & 11
through dense brush
- 40.00 Set a limestone 16x6x4 ins 10 ins
in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N face Dig pits
18x18x12 ins N & S of cor and
3 ft dist and raise a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high

Subdivision of Sp. 28 N. R. 2 W.

Chains

West of corner

80.00 Set a limestone $14 \times 8 \times 6$ ins
9 ins in the ground, for the cor of
sec 2, 3, 10 + 11 marked with
5 notches on S and 2 notches on
E edges. Dig pits $18 \times 18 \times 12$ ins
in each sec $5\frac{1}{2}$ ft dist and
raise a mound of earth 4 ft
base 2 ft high W of cor.

Land rolling.

Soil gravelly 3rd rate.

No timber

Dense undergrowth of chis brush 80 ctms.

N $89^{\circ}57'$ E on a random line between
secs 2 + 11

40.00 Set temp $\frac{1}{4}$ sec cor.

80.00 Intersect N. & S. line 37' links

N of cor of secs 1, 2, 11 + 12

Thence I run, N $89^{\circ}49'$ W.

Subdivision of Sp 2870 R 2 W

Chains.

on a true line between secs
2 + 11 through dense brush
40.00 Set a limestone 20 X 10 X 6 ins
14 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ 2 on N $\frac{1}{4}$ 11 on S face
dig pits 18 X 18 X 12 ins E + W of cor
and 3 ft dist and raise a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N of corner.

80.00 The cor of secs 2, 3, 10 + 11
Land rolling.

Soil gravelly & rocky 3rd + 4th rods
Timber scattering scrub cedar.
Dense undergrowth chis. 80 chains.

N $0^{\circ} 1' W$ on a true line
between secs 2 + 3, through
dense brush.
40.00 Set a limestone 24 X 12 X 3 ins
supported by mound of stone for
 $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N

Chains

face, raise a mound of stone
2 ft base $1\frac{1}{2}$ ft high N of
corner Pits impracticable

79.68. Intersect 7th Standard Parallel
2.11 chains East of S.C. of
secs 34 & 35, which is a
limestone, marked and witnessed
as described by the Surveyor
General. Set a limestone $26 \times 8 \times$
6 ins. supported by mound of stone
for closing corner of sections
2 & 3, marked C.C. on South,
with 2 notches on E and 4
notches on W edge. Pits
impracticable, raise a mound
of stone 2 ft base $1\frac{1}{2}$ ft high
South of corner.

A cedar tree 12 ins in dia
brz S 23° N, 1.78 chains, marked
T 28 N, R 2 W, S 3 B. 1.

Subdivision of Tp 28 N R 2 W.

Chains.

Land Kelly.

Soil gravelly + rocky 3rd & 4th rate

Scattered scrub cedar.

Dense undergrowth of chips and

buck brush 79.68 chains.

Sept 12 1900.

From the cor of secs 3.4.33 &

34. Tp 27 & 28 N R. 2 W. Iron

No 0' 2' W between secs 33 & 34
through dense brush

40.00

Set a limestone 16 x 6 x 4 ins 10 ins

in the ground for $\frac{1}{4}$ sec cor.marked $\frac{1}{4}$ on W face. Dig pits

18 x 18 x 12 ins N. & S. of cor and 3 ft

dist and raise a mound of earth

3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N. of cor.

80.00

Set a limestone 18 x 8 x 3 ins 12 ins

in the ground for cor of secs 27, 28,

33 & 34 marked with 1 notch on S.

and 3 notches on E edge.

Dig pits 18 x 18 x 12 ins in each

Subdivision of Sp 28 N. R. 2 W.

Chains.

section $5\frac{1}{2}$ ft dist and raises a mound of earth 4 ft base 2 ft high N of corner.

Land rolling.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth of chic so chno.

N $89^{\circ}54'$ E. on a random line between sec 27 & 34

40.00 Set temp $\frac{1}{4}$ sec cor.

79.85 Intersect N. & S. line at the corner of sec 26, 27, 34 & 35

Thence I run S $89^{\circ}54'$ W on a true line between sec 27 & 34 through dense brush

39.925 Set a limstone 16 x 10 x 6 ins 12 ins in the ground for $\frac{1}{4}$ sec cor.

marked $\frac{1}{4}$ on N face, dig pits 18 x 18 x 12 ins E & W of cor.

Subdivision of Sp. 28 N, R. 2 W.

Chains,

and 3 ft dist and raise a mound of earth 3 1/2 ft base 1 1/2 ft high N of cor.

79, 85- The cor of secs 27, 28, 33 & 34

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chief 79, 85 Chains

N 0° 2' W between secs 27 & 28
through dense brush

40, 00

Set a limestone 16 X 8 X 5 ins.

10 ins in the ground for 1/4 sec
corner, marked 1/4 on N face

Dig pits 18 X 18 X 12 ins N & S,
and 3 ft dist and raise a mound
of earth 3 1/2 ft base 1 1/2 ft high
N. of corner.

80, 00

Set a limestone 20 X 8 X 6 ins. 12 ins
in the ground for cor of secs
21, 22, 27 & 28. marked with

Subdivision of T₂₈N R₂W

Chains.

2 notches on S and 3 notches on E edges. Dig pits 18x18x12 ins in each sec 5 1/2 ft dist and raise a mound of earth 4 ft base 2 ft high. W of cor. Land rolling.

Soil gravelly 3rd rate.

No timber

Dense undergrowth of chips 80 chns

N 89° 54' E, on a random line between secs 22 + 27

40.00 Set temp 1/4 sec cor.

79.90 Intersect N. & S. line. Thence

S of cor of secs 22, 23, 26 + 27

Thence I run S 89° 51' W

on a true line between secs

22 + 27, - through dense brush

39.95 Set a limestone 18 X 6 X 4 ins, 12 ins

in the ground for 1/4 sec cor

Subdivision of Sp 28 N R 2 W.
Chains.

Marked $\frac{1}{4}$ on N face Dig pits
18 x 18 x 12 ins. E & W of cor and
3 ft dist and raise a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N of cor.

79.90

The cor of sec 21, 22, 27 & 28
Land rolling.

Soil gravelly 3rd rate.
No timber.

Dense undergrowth chis 79.90 chis
Sept 13th 1900

Sept 14th 1900 at 9^h am, lmt.
I set off $3^{\circ} 26'$ on my dial
arc and $54^{\circ} 15'$ for my co-
latitude and determine a true
meridian with the solar at
the cor of sec, 21, 22, 27 & 28
Thence I run N $0^{\circ} 2' W$

40.00
Between sec 21 & 22
through dense brush
Set a limestone 16 x 6 x 4 ins.

Subdivision of Sp 28 N R 2 W
Chains,

10 ins in the ground for $\frac{1}{4}$
sec cor. marked $\frac{1}{4}$ on W face
Dig pits 18x18x12 ins N & S
of cor and 3 ft dist and
raise a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N. of
corner.

80.00 Set a limestone 15x8x8 ins.
10 ins in the ground for the cor
of sec 15, 16, 21 & 22, marked
T 28 N on N.E. 2. W on S.E.
faces, with 3 notches on
E & S. edges, Dig pits, 18x
18x12 ins in each sec $5\frac{1}{2}$ ft.
dist and raise a mound of
earth 4 ft base 2 ft high
N. of corner.

Land Soil & rolling.

Soil gravelly loam 2nd & 3rd rate,
No Timber.

Subdivision of Tp 28 NR 2 W.

Chains,

Dense undergrowth of Chico
brush 80.00 chains,

N $89^{\circ}51'E$ on a random
line between secs N + 22

40.00 Set temp $\frac{1}{4}$ sec cor.

79.89 Intersect N 1 S line
at the cor of secs 14, 15,
22 + 23.

Thence I run S $89^{\circ}51'W$,
on a true line between secs
15 + 22. through dense brush

39,945 Set a limestone $18 \times 12 \times 4$ ins 12
ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N face,
dig pits $18 \times 18 \times 12$ ins E + W
of cor and 3 ft dia and
raise a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N of cor.

79.89 The cor of secs 15, 16, 21 + 22

Subdivision of Sp 28 N R 2 W.

Chains.

Land rolling.

Soil gravelly 3rd rate.

No timber

Dense undergrowth of
chico brush 79.89 chains.

40.00 N 0° 2' W between secs N 4 & 16
through dense brush
Set a limestone 15 x 8 x 4 ins
10 ins in the ground for $\frac{1}{4}$
sec cor. marked $\frac{1}{4}$ on N. face
dig pits 18 x 18 x 12 ins N + S
of cor and 3 ft dist and
raise a mound of earth 3 $\frac{1}{2}$
ft base 1 $\frac{1}{2}$ ft high N of
corner.

80.00 Set a limestone 16 x 8 x 4 ins
10 ins in ground for cor of
secs. 9, 10, 15 + 16 marked
with 4 notches on S + 3 notches
on E edges. Dig pits 18 x

Subdivisions of Tp 28 N R 2 W.

Chains.

18 x 12 ins in rock sec 5 1/2 ft
distant and raise a mound
of earth 4 ft base 2 ft high
N of corner.

Land rolling

Soil gravelly & rocky 3rd & 4th rates

No timber

Dense undergrowth of thick
brush 80.00 chains.

N 89° 51' E on a random
line bet sec 10 & 15

40.00 Set temp 1/4 sec cor.

79.86 Intersect N & S line 7 links
S of cor of sec 10, 11, 14 & 15

Thence I run S 89° 50' N
on a true line between sec
10 & 15 through dense brush

39.93 Set a limestone 20 x 12 x 5 ins
12 ins in ground for 1/4 sec cor

BOOK 1122
 Subdivision of Tp 28 N R 2 W ³⁷

Chains

marked $\frac{1}{4}$ on N face, dig
 pits 18x18x12 ins S & N.
 of cor and 3 ft dist and
 raise a mound of earth $3\frac{1}{2}$
 ft base $1\frac{1}{2}$ ft high N of
 corner.

79.86 The cor of secs 9, 10, 15 &
 16.

Land rolling.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth of chico
 brush 79.86 Chains.

N $0^{\circ}2'W$ between Secs 9 & 10
 through dense brush

40.00

Set a limestone 16x10x3 ins
 10 ins in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ on N face
 dig pits 18x18x12 ins N & S.
 of cor and 3 ft dist and

Subdivision of Sp 28 N R 2W

BOOK 1122

Chains

raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of cor.
 80.00 Put a limestone $16 \times 12 \times 6$ ins
 10 ins in ground for cor of sec
 3.4. 9 + 10, marked with 5
 notches on S and 3 notches
 on E edges, dig pits 18×18
 $\times 12$ ins, in each sec $5\frac{1}{2}$ ft
 dist and raise a mound of
 earth 4 ft base 2 ft high N
 of corner.

Land rolling.

Soil gravelly & rocky 3rd & 4th rate
 No timber

Dense undergrowth of chico
 brush 80 chains.

Sept 14th 1900

Sept 15th 1900 at 9^h 30^m am
 limit. I set off $3^{\circ} 03'$ on my dial
 arc and $54^{\circ} 12'$ for my colatitude.

Subdivision of Sp. 28 N R 2 W.

Chains

and determine a true meridian
with the solar at the cor
of sec 3, 4, 9 + 10. Hence I run
N $89^{\circ}50'$ E. on a random
line between sec 3 + 10.

49.00 Set temp $\frac{1}{4}$ sec cor.

79.80 Intersect N + S line. 23
links S of the cor of sec
2, 3, 10 + 11. Hence I run

S $89^{\circ}40'$ W on a true line
between sec 3 + 10 through
dense brush.

39.90 Set a limestone $18 \times 8 \times 6$ ins
12 ins in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}^3$ on N face,
 $\frac{1}{4}10$ on S face. dig pits $18 \times 18 \times 12$
ins E + W of cor and 3 ft dist and
raise a mound of earth $3\frac{1}{2}$ ft
base $\frac{1}{2}$ ft high N of corner.

79.80 The cor of sec 3, 4, 9 + 10.

Land rolling —

Subdivision of Tp 25 N. R. 21 W.

Chains

Soil gravelly 3rd rate.

No timber

Dense undergrowth of thick brush

79.80 chains.

N 0° 2' W in a true line
through dense brush

Between Sec 3 + 4.

40.00 Set a limestone 16x8x6 ins.
10 ins in ground for $\frac{1}{4}$ sec cor,
marked $\frac{1}{4}$ on W face. Dig pits
18x18x12 ins, 76 + S. of cor and
3 ft dist and raise a mound
of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft
high W of corner.

79.76 Intersect 7th Standard Parallel
2.41 chains E of S. E. of sec
33 + 34, which is a limestone 12x
8x6 ins above ground, marked
and witnessed as described by
the Surveyor General, Dit

Subdivision of Sp 28 N R 2 W,

Chacus,

a limestone $20 \times 8 \times 6$ ins, 12
ins in ground for closing cor.
of sec 3 & 4, marked C.C.
on S. with 3 notches on
E & W edges. Dig pits
 $24 \times 18 \times 12$ ins crosswise on each
line E & W and 3 ft dist and
south of stone 7 ft dist, and
raised a mound of earth 4 ft
low 2 ft high south of cor.
Land rolling.

Soil gravelly & rocky 3rd & 4th rate,
No Timber.

Dense undergrowth of chio
brush 79.76 chains.

Sept 15th 1900

Sept 16th 1900 at 9^h 30^m am,
A.M.T. I set off. $2^{\circ} 39' 30''$ on my
decl arc and $54^{\circ} 17'$ for my
co latitude and determine a true

Subdivision of Tp 28 N R 2 W.

- meridian with the solar at the
 cor of sec 4, 5, 32 + 33 Tps 27
 + 28 N. R. 2, E. Thence S run
 $N 0^{\circ} 3' W$ between sec 32 + 33
 through dense brush
- 40,00 Set a limestone $30 \times 9 \times 4$ ins
 12 ins in ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ on N face. dig
 pits $18 \times 18 \times 12$ ins N + S of cor
 and 3 ft dist and raise a
 mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of corner.
- 80,00 Set a limestone $18 \times 10 \times 6$ ins
 12 ins in ground for the cor
 of sec. 28, 29, 32 + 33, marked
 with 1 notch on S and 4 notches
 on E edge, Dig pits 18×18
 $\times 12$ ins in each sec and $5\frac{1}{2}$ ft
 dist and raise a mound of earth
 4 ft base 2 ft high N of cor.
 Land rolling.

Subdivision of Sp. 28 N. R. 34 W.

Chains:

No. 1; 1; 2; 2

Soil very $\frac{1}{4}$ rate

No Timber

Dense undergrowth of chico
brush 80.00 chains

N $89^{\circ}54' E$ on a random
line between sec 28 + 33

40.00 Set temp $\frac{1}{4}$ sec. cor.

80.02 Intersect N. + S. line 5 lines
S. of cor of sec 27, 28, 33 + 34

Thence I run S $89^{\circ}52' W$ on

a true line between sec 28 + 33
through dense brush

40.01 Set a limestone $20 \times 8 \times 4$ ins

12 ins in the ground for $\frac{1}{4}$ sec

cor. marked $\frac{1}{4}$ on N face

dig pits $18 \times 18 \times 12$ ins E + W

of cor and 3 ft dist and raise

a mound of earth $3\frac{1}{2}$ ft base

$1\frac{1}{2}$ ft high N of cor.

80.02 The cor of sec 28, 29, 32 + 33

Subdivision of Tp 28 N R 2 W.

Chains.

Land level.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth alders brush

80.02 chains

40.00 N 0° 3' W between sec 28 + 29
- through dense brush
Set a limestone 16 x 8 x 6 ins

10 ins in the ground marked

1/4 on W face, dig pits 18

x 18 x 12 ins N + S. of cor and

3 ft dist and raise a mound

of earth 3 1/2 ft base 1 1/2 ft

high N of cor.

80.00 Set a limestone 24 x 6 x 4 ins

14 ins in the ground for cor of

sec 20, 21, 28 + 29, marked

with 2 notches on S and 4

notches on E. edges, dig pits

18 x 18 x 12 ins in each sec 15 1/2

Chains.

ft dist and raise a mound
 of earth 4 ft base 2 ft high
 N of Cor.

Land level

Soil gravelly & rocky 3rd & 4th rate

No timber

Dense undergrowth chief brush
 80.00 chains.

N 89° 52' E on a random
 line between secs 21 & 28.

40.00 Set temp 1/4 sec cor.

80.08 Intersect N & S line 2. lno
 N of cor of secs 21 & 22.27
 & 28 thence I run.

S 89° 53' W on a true line
 between secs 21 & 28.

through dense brush

40.04 Set a limestone 20 x 6 x 4 ins
 12 ins in the ground for 1/4 sec
 cor, marked 1/4 on N face

Subdivision of T_p 28 N R 2 W

Chains.

Dig pits 15 x 18 x 12 ins E + W of
corner^{3/4} and raise a mound of
earth 3 1/2 ft base 1 1/2 ft high
N of cor.

80.08 The cor of secs 20, 21, 28 + 29
Land rolling.

Soil gravelly 3rd rate.

No timber

Dense undergrowth with chico

bush 80.08 chains
Sept 16th 1900.

Sept 17th 1900 at 8^h a.m. cont.
I set off 2° 18' on my dial arc
and 54° 15' for my co latitude.
and determine a true meridian with
the solar at the cor of secs 20, 21,
28 + 29. Thence I run

40.00 N 0° 3' W between secs 20 + 21
through dense brush
Set a limstone 22 x 8 x 4 ins
12 ins in ground for 1/4 sec cor

Subdivision of Tp 28 N R 2 W.

BOOK 1122

47

Chains. marked $\frac{1}{4}$ on W. face
Dig pits $18 \times 18 \times 12$ ins N. & S. of
cor and 3 ft dist and raise a
mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of cor.
80.00 Set a limestone $18 \times 6 \times 5$ ins supported
by mound of stone. for cor of sec
16, 17, 20 & 21. marked 3 notches
on S and 4 notches on E edge.
raise a mound of stone 2 ft base
 $1\frac{1}{2}$ ft high N of corner. Pits
impracticable.
Land rolling.
Soil gravelly 3rd rate
No Timber.
Dense undergrowth chico
bush 80.00 chains.

$77, 89^{\circ} 53' E$ on a random
line between sec 16 & 21.

40.00 Set temp $\frac{1}{4}$ ac corner.

Subdivision of Tp 28 N R 2 W.

Chains.

80.12. Intersect N + S line 6 chains

S. of the cor of secs 15, 16

21 + 22. Thence I run

S $89^{\circ}50'W$ on a true linebetween secs 16 + 21, through
dense brush

40.06 Set a limestone 18 X 10 X 3 ins

12 ins in the ground for $\frac{1}{4}$ seccorner, marked $\frac{1}{4}$ on N face.

Dig pits 18 X 18 X 12 ins E + W

of cor and 3 ft dist and raise

a mound of earth 3 $\frac{1}{2}$ ft base1 $\frac{1}{2}$ ft high N. of corner.

80.12 The cor of secs 16, 17, 20

+ 21

Land rolling,

Soil gravelly 3rd rate

No Timber,

Dense undergrowth chief brush

80.12 chains

Subdivision of $\frac{1}{4}$ 28th NW R2W.

Chains

N. 0° 3' W between pines 16 x 17
- through dense brush

40.00 Set a limestone 18 x 6 x 4 ins
10 ins in the ground for $\frac{1}{4}$
sec corner. marked $\frac{1}{4}$ on
N face. dig pits 18 x 18 x 12
ins N + S of cor and 3 ft dist
and raise a mound of earth 3 $\frac{1}{2}$
ft base 1 $\frac{1}{2}$ ft high N of Cor.

80.00 Set a limestone 24 x 10 x 6 ins
15 ins in ground for cor of sec.
8, 9, 16 x 17, marked with 4
notches on S + E edges.
Dig pits 18 x 18 x 12 ins in each
sec 5 $\frac{1}{2}$ ft dist and raise a
mound of earth 4 ft base 2 ft
high N of corner.

Land level

Soil loam 2nd rateDense undergrowth of chico
bush 80.00 Chains.

Subdivision of $\$28$ N R L W.

Chains.

N $89^{\circ}50'E$ on a random
line between secs 9 + 16.

40.00 Set temp $\frac{1}{4}$ sec cor.

80.00 Intersect N + S. line 4
links N. of the cor of secs
9, 10, 15 + 16. Then I run

S $89^{\circ}52'W$ on a true line
between secs 9 + 16. through
dense brush.

40.00 Set a limestone $16 \times 10 \times 4$ ins
11 ins in the ground for $\frac{1}{4}$
sec cor. marked $\frac{1}{4}$ on
N. face. Dig pits $18 \times 18 \times$
 12 ins E + W of cor 3 ft dist
and raised a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N of Cor.

80.00 The cor of secs 8, 9, 16 + 17.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth thick brush 80.00 chains.

Subdivision of Sp, 28 N. R. 21 W.

Chains,

N $0^{\circ} 3' W$ between sec 8 + 9
through dense brush

40.00

Set a limestone $18 \times 12 \times 4$ ins12 ins in ground for $\frac{1}{4}$ sec cor.marked $\frac{1}{4}$ L on N face, dig pits 18 $\times 18 \times 12$ ins E. + S. of cor and 3 ft

diam and raise a mound of earth

 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of

corner.

80.00

Set a limestone $24 \times 8 \times 6$ ins

supported by mound of stone

for cor of sec 4, 5, 8 + 9.

marked with 5 notches on

S. and 4 notches on E edge.

raise a mound of stone 2 ft

base $1\frac{1}{2}$ ft high W of cor.

site impracticable.

hard bed + rolling.

Soil gravelly + rocky 2nd 3rd + 4th chs

No timber.

Dense undergrowth chs about 80 chains.

Subdivision of $\frac{1}{4}$ Sec 28 N, R 2 W.

Chains.

- N. $89^{\circ} 52' E$. on a random line between secs 4 + 9.
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.00 Intersect N + S. line 2 links S. of the corner of secs 3, 4, 9 + 10. Thence I run $S 89^{\circ} 51' W$ on a true line between secs 4 + 9, through dense ^{brush}
- 40.00 Set a limestone $20 \times 12 \times 6$ ins. 12 ins in the ground for $\frac{1}{4}$ sec corner, marked $\frac{1}{4}$ 4 on N, $\frac{1}{4}$ 9 on S. face, dig pits $18 \times 18 \times 12$ ins E + W of cor and 3 ft dist and raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N of corner.
- 80.00 The cor of secs 4, 5, 8 + 9. Land rolling. Soil gravelly 3rd rate. No timber.

Subdivision of Sp 28 N. R. 20 W.

Chains.

Dense undergrowth chips brush 80. Chains.

N $0^{\circ} 3' W$ on a true line between
secs 4 & 5. through dense brush
40.00 Set a limestone $24 \times 6 \times 4$ ins.
supported by mound of stone
for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on
N. face. raise a mound of
stone 2 ft base $1\frac{1}{2}$ ft high
N of cor. Pits impracticable

79.78

Intersect 7^{th} Standard Parallel
2.21 chains E of S.C. of
secs 32 & 33. which is a
limestone $7 \times 12 \times 7$ ins above
ground. marked and witnessed
as described by the Surveyor
General. I set a limestone
 $24 \times 9 \times 5$ ins. 14 ins in the ground
for closing corner of secs 4 & 5.
marked C.C. on S. with $\frac{1}{4}$

Subdivision of Twp. 28 N. R. 2 W.

Chains.

notches on E. & 2 notches on
N. edges. dig pits 24x18x12
ins crosswise on line E. & W. of
cor and 3 ft dist and S of
course 7 ft dist and raise
a mound of earth 4 ft base
2 ft high South of corner.

Land rolling.

Soil gravelly & rocky 3rd & 4th sets,
No timber.

Dense undergrowth of Chies Bush
79.78 Chains.

From the cor of secs 5.6
31 & 32 Tps 27 & 28 N. R. 2
W. I run.

N. 9° 4' W. between secs 31 & 32
through dense brush

40.00

hit a limestone 30x6x4 ins.
12 ins in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N.

Subdivision of Sp. 28 N, R. 2 W.

Chains

face, dig pits $18 \times 18 \times 12$ ins
 N & S of cor and 3 ft dist
 and raise a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of cor.

80.00 Set a limestone $16 \times 10 \times 8$ ins
 10 ins in the ground for cor of
 sec 29, 30, 31 & 32, marked
 with one notch on south and
 5 notches on E. dig pits $18 \times$
 18×12 ins in each sec $5\frac{1}{2}$ ft dist
 and raise a mound of earth
 4 ft base 2 ft high N. of cor.

Land rolling -

Soil gravelly 3rd rate,

No Timber

Dense undergrowth of chico brush

80.00 chains,

N. $89^{\circ} 54' E$ on a random
 line between sec 29 & 32.

Subdivision of Sp. 28 N. R. 2 W.

Chains.

40.00 Set temp $\frac{1}{4}$ sec cor.

80.00 Intersect N. & S. line 2
 lks. S. of the cor of secs
 28, 29, 32 & 33. Thence I run
 S $89^{\circ}53'N$ on a true line
 between secs 29 & 32, through
 dense brush

40.00 Set a limestone $16 \times 12 \times 4$ ins
 12 ins in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ on N face
 dig pits $18 \times 18 \times 12$ ins, E. & W.
 of cor and 3 ft dist and raise
 a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of corner,

80.00 The cor of secs 29, 30, 31 & 32.

Land rolling

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth thick

brush 80.00 chains.

Chains.

A $89^{\circ}54'N$ on a random line between secs 30 & 31

40.00 Set temp $\frac{1}{4}$ sec Cor.

78.14 Intersect N boundary of Sp 18 lines N of the cor of secs 25.30 31 & 36. herefore described.

Thence I run $N 89^{\circ}46' E$, on a true line between secs 30 & 31, through dense brush

38.14 Set a limestone $16 \times 8 \times 4$ ins 10 ins in the ground for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$ on N face, dig pits $18 \times 18 \times 12$ ins E & W of cor and 3 ft dist, and raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of corner.

78.14 The cor of secs 29, 30, 31 & 32, Land rolling.

Soil gravelly 3rd rate. No Timber.

Dense undergrowth chies brush 78.14 Chns.

Subdivision of Sp. 28 N. R. 2 W.

Chains.

Sept 20th 1900 at 8th a.m. l.m.t.
I set off $1^{\circ}09'$ on my decl arc
and $54^{\circ}16'$ for my co latitude
and determine a true meridian
with the solar at the cor of
secs 29, 30, 31 & 32. Hence I run

$N 0^{\circ}4' W$ between secs 29 & 30
through dense brush
40.00 Set a limestone $22 \times 6 \times 3$ ins
12 ins in the ground for $\frac{1}{4}$ sec
corner, marked $\frac{1}{4}$ on W face
dig pits $18 \times 18 \times 12$ ins N & S.
of cor and 3 ft dist and raise
a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high W of corner.

80.00 Set a limestone $20 \times 8 \times 4$ ins
12 ins in the ground for cor of
secs 19, 20, 29 & 30. marked
with 2 notches on S and 5 notches
on E edges. Dig pits $18 \times 18 \times$
12 ins in each sec $5\frac{1}{2}$ ft

Subdivision of Sp 28 N R 2 W.

Chains.

dist and raise a mound
of earth 4 ft base 2 ft high
N. of corner.

Land rolling & hilly.

Soil gravelly & rocky 3rd & 4th rate.
No Timber.

Dense undergrowth chis brush
80.00 chains.

N 89° 53' E on a random
line between Sec 20 & 29.

40.00 Set temp 1/4 sec cor.

79.92 Intersect N. & S. line.

at the cor of sec 20, 21, 28 & 29

Thence I run S 89° 53' W

on a true line between sec 20 & 29.
through dense brush

39.96 Set a limestone 18 X 9 X 5 ins

12 ins in the ground for 1/4 sec

corner, marked 1/4 on N face

dig pits 18 X 18 X 12 ins E & W of cor

Subdivision of Tp 28 N R. 2 W.

Chains.

and 3 ft dist and raise a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N of corner

79.92 The cor of sec 19, 20, 29 & 30

Land rolling

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth ches brush

79.92 Chains.

S $89^{\circ} 46'$ N on a random line between sec 19 & 30.

40.00 Set temp $\frac{1}{4}$ sec cor.

77.98 Intersect N boundary of Tp.

↙ lies N of the cor of sec 19, 24, 25 & 30. Hereafter described. Thence Iron

N $89^{\circ} 45'$ E on a true line

between sec 19 & 30 -

through dense brush

37.98 Set a limestone 18 X 6 X 5 ins

Concluded, Book 1123