

1123

Book 2

SUBDIVISIONS BOOK 1123

T. 28 N. R. 2 W.

GIRAND

No. 1123

BOOK 1123

4-671

**FIELD NOTES**  
GENERAL LAND OFFICE.

58  
concluded from Book 1122.  
copied & compared

Township 28N R. 2W

6	7	5	4	3	2	1
70	69					
7	68	8	9	10	11	12
66	65					
18	64	17	16	15	14	13
63	62					
19	61	20	21	22	23	24
30		29	28	27	26	25
31		32	33	34	35	36

## Field Notes.

of the Survey of the subdivisions of Tp 28 North Range 2 West and of ~~Tract~~ Tp No 27 North R 2 West of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as surveyed by James Bell Girard U. S. Deputy Surveyor. Under his contract No 74 Dated June 13<sup>th</sup> 1900 Survey commenced Sept 8<sup>th</sup> 1900 Survey completed Sept 25<sup>th</sup> 1900

*Name and duties of Assistants*

Jno A. Randall Chairman  
 Wm N Lennidge Chairman  
 Amos Adams Moundman  
 C. D. Stafford Moundman  
 Chas Wolf Axman  
 P. W. Lattimer Flagman  
 Russell Stone Axman.

BOOK 1123

*Index*  
 7<sup>th</sup> Standard Parallel

6	13-14	5					
-12-13-		-11-12-					
7	10-11	8					
-8-9-10-		-7-8-					
18	6-7	17					
-5-6-		-4-5-					
19	3-4	20					
-3-							
30		29					
31		32					
6	15-16	5	17-18	4	19-20	3	
-16-17-		-18-19-		-21-22-		-23-24-	
7		8		9		10	
-25-26-		-27-28-					
11		12					

*See Index, Book 1122*  
 T, 2 S, N, R, 2 W.

*See Book 1116.*

## Subdivision of Sp 28 N R. 2 W.

Chains.

12 ins in the ground for  $\frac{1}{4}$  sec corner, marked  $\frac{1}{4}$  on N face. Dig pits 18x18x12 ins. E. & W. of cor and 3 ft dist and raised a mound of earth  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high N. of corner.

77.98 The cor of secs 19, 20, 29 & 30. Land rolling & hilly.

Soil gravelly 3<sup>rd</sup> rate.

No Timber.

Dense undergrowth chief brush

77.98 chains,

N  $0^{\circ} 4' 77$ , between secs 19 & 20 through dense brush

40.00 Hit a limestone 16x6x4 ins.

10 ins in the ground for  $\frac{1}{4}$  sec corner, marked  $\frac{1}{4}$  on N face.

Dig pits 18x18x12 ins N. & S. & 3 ft dist and raise a mound of earth.

## Subdivision of Tp 28 N.R. 2 W.

Chains.

3 1/2 ft base 1 1/2 ft high N of cor  
 80.00 Set a limestone 20x10x4 ins  
 12 ins in the ground for cor of  
 sec 17, 18, 19 & 20. marked  
 with 3 notches on S and 5 notches  
 on E edges. dig pits 18x18x  
 12 ins. in each sec 5 1/2 ft dia  
 and raised a mound of earth  
 4 ft base 2 ft high N. of cor.

Land rolling.

Soil gravelly & rocky 3<sup>rd</sup> & 4<sup>th</sup> rate,  
 No Timber.

Dense undergrowth Chic brush  
 80.00 chains.

N. 89° 53' E on a random  
 line between sec 17 & 20

40.00 Set temp 1/4 sec cor.

80.00 Intersect N & S line at  
 3 chs N of  
 the cor of sec 16, 17, 20 & 21

## Subdivision of Tp 28 N R 2 W

Chaco.

Thence I run  $S 89^{\circ} 54' W$ on a true line between secs 17 + 20  
through dense brush

40.00 Set a limestone  $20 \times 10 \times 3$  ins,  
14 ins in the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on N face, dig  
pits  $18 \times 18 \times 12$  ins E + W of cor  
and 3 ft dist, and raised a  
mound of earth  $3\frac{1}{2}$  ft base  
 $1\frac{1}{2}$  ft high N of corner.

80.00 The corner of secs 17, 18, 19 + 20.  
Land rolling.

Soil gravelly 3<sup>rd</sup> rate.

No Timber.

Dense undergrowth of chics.

Brush 80.00 chains.

$S 89^{\circ} 45' W$  on a random  
line between secs 18 + 19,

40.00 Set temp  $\frac{1}{4}$  sec corner

77.92 Intersect N boundary of Tp.

## Subdivision of Tp 28 N. R. 2. W.

Chaina.

- 2 lines N of the cor of  
secs, 13, 18, 19 & 24. hereafter  
described. Thence I run  
N 89° 44' E on a true line  
between secs 18 & 19 through  
dense brush.
- 37.92 Set a limestone 18x8x8 ins  
12 ins in the ground for 1/4 sec  
corner. marked 1/4 on N face  
dig pits 18x18x12 ins E. & W. of  
cor and 3 ft dist and raise  
a mound of earth 3 1/2 ft base  
1 1/2 ft high N of corner.
- 77.92 The corner of secs 17, 18, 19 & 20  
Red soil, soil gravelly 3<sup>rd</sup> rate. No timber.  
Dense undergrowth thick brush 77.92 Chas
- 40.00 N 0° 4' W between secs 17 & 18.  
Through dense brush  
Set a limestone 16x6x6 ins.  
10 ins in the ground for 1/4 sec  
cor. marked 1/4 on N face.  
dig pits 18x18x12 ins N. & S.  
of cor and 3 ft dist and

Subdivision of Sp. 28 N. R. 2 W.  
Chains,

raised a mound of earth  
3½ ft base 1½ ft high N. of cor.  
80.00 Set a limestone 18x8x8 in a  
12 in in the ground for cor of  
sec. 7, 8, 17 & 18, marked with  
4 notches on A and 5 notches  
on B edges. Dig pits 18x  
18x12 in in each sec 5½  
ft dist and raise a mound  
of earth 4 ft base 2 ft  
high N. of corner.  
Land rolling.  
Soil gravelly & rocky 3<sup>rd</sup> & 4<sup>th</sup> rate.  
No Timber.  
Dense undergrowth Chico brush  
80.00 chains

N 89° 54' E on a random  
line between Secs 8 & 17

40.00 Set temp ¼ sec corner.

## Subdivision of Sp. 28 N. R. 2 W.

Chains.

80.00 Intersect N. & S. line at  
the cor of sec 8, 9, 16 & 17  
Thence I run  $S 89^{\circ} 54' W$

40.00 on a true line between sec 8 & 17  
through dense brush.  
Set a limestone  $20 \times 10 \times 6$  ins.  
12 ins in the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on N face.  
Dig pits  $18 \times 18 \times 12$  ins E & W.  
of cor and 3 ft dia and  
raise a mound of earth  
 $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high N  
of corner.

80.00 The cor of sec 7, 8, 17 & 18.  
Land rolling.

Soil gravelly 3<sup>rd</sup> rate.  
No timber.

Dense undergrowth of chics  
brush 80.00 chains

$S 89^{\circ} 44' W$  on a random

## Subdivision of Sp 287 R 2 W

Crawls

line between secs 7 + 18.

40.00 Set temp  $\frac{1}{4}$  sec cor.

77.80 Intersect N boundary of  
Sp. ~~23 lines north of~~  
at cor of secs 7, 12, 13 + 18.  
heretofore described.

Thence I run  $N 89^{\circ} 44' E$ .on a true line between secs  
7 + 18, through dense brush.

37.80 Set a limestone  $18 \times 8 \times 7$  ins  
12 ins in the ground for  $\frac{1}{4}$   
sec cor. marked  $\frac{1}{4}$  on N  
face. dig pits  $18 \times 18 \times 12$  ins  
E. & W. of cor and 3 ft dist  
and raise a mound of earth  
 $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high  
N of corner.

77.80 The cor of secs 7, 8, 17 + 18.  
Land rolling.  
Soil gravelly 3<sup>rd</sup> rate.

Subdivision of  $\frac{1}{4}$  Sec 28 N R 2 W.

Chains.

No timber.

Dense undergrowth and  
brush 77.80 chains.

40.00 N. 0° 41' W between sec 7 & 8,  
through dense brush  
Set a limestone 20 x 8 x 6 ins  
partly in ground and supported  
by mound of stone for  $\frac{1}{4}$  sec  
corner. marked  $\frac{1}{4}$  on W. face,  
raised a mound of stone 2 ft  
base 1  $\frac{1}{2}$  ft high  $\frac{1}{4}$  W of cor.  
pits impracticable.

80.00 Set a limestone 20 x 12 x 6 ins  
12 ins in the ground for cor of  
sec 5, 6, 7 & 8. marked with  
5 notches on S. & E. edges.  
Dig pits 18 x 18 x 12 ins in each  
sec 5  $\frac{1}{2}$  ft dist and raised  
a mound of earth 4 ft  
base 2 ft high  $\frac{1}{4}$  W of cor.

## Subdivision of Sp 28 N R 2 W

Chains

Land rolling.

Soil gravelly 3<sup>rd</sup> rate.

No Timber.

Dense undergrowth. Chico brush

80.00 chains.

Sept 21<sup>st</sup> 1900

N 89° 54' E on a random  
between Sec 5 + 8.

40.00 Set temp 1/4 sec cor.

80.10 Intersect N + S line 7 chains  
N of the cor of sec 4, 5, 8  
+ 9. Thence I run

S 89° 57' W on a true line  
between sec 5 + 8, through dense  
brush

40.05 Set a limestone 18 x 8 x 6 ins,  
12 ins in the ground for 1/4  
sec cor. mound 1/4 5 on N  
1/4 8 on S face. dig pits 18 x 18  
x 12 ins E + W of cor 3 ft dist  
and raise a mound of earth

BOOK 1123  
Subdivision of Tp 28 N R 2 W

Chains,

3½ ft base 1½ ft high N of cor.  
80.10 The cor of sec 5, 6, 7 & 8.  
Land rolling.  
Soil gravelly 3<sup>rd</sup> rate.  
No timber.  
Dense undergrowth of chic  
brush 80.10 chains.

---

S 89° 44' W on a random  
line between sec 6 & 7,  
40.00 Set temp ¼ sec cor.  
47.71 Intersect W boundary of  
Tp. 9 links N of the cor of  
sec 1, 6, 7 & 12. Therefore  
described. Thence I run  
N 89° 40' E on a true line  
between sec 6 & 7, through  
dense brush  
37.71 Set a limestone 22 x 12 x 3 ins  
12 ins in ground for ¼ sec  
corner marked ¼ 6 on N

Subdivision of  $\frac{1}{4}$  Sec 28 N R 2 W

Chaus.

$\frac{1}{4}$  7 on S face, dig pits 18  
 x 18 x 12 ins E + W of cor and  
 3 ft dist and raise a mound  
 of earth  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft  
 high N of corner.

77.71 The cor of secs 5, 6, 7, + 8.  
 Land rolling.

Soil gravelly 3<sup>rd</sup> rate.  
 No timber

Dense undergrowth of  
 this brush 77.71 Chns.

N  $0^{\circ} 4' N$  on a true line  
 between secs 5 + 6. through  
 dense brush.

40.00 Set a limestone 16 x 8 x 4 ins  
 10 ins in the ground for  $\frac{1}{4}$  sec  
 cor. marked  $\frac{1}{4}$  on N face  
 Dig pits 18 x 18 x 12 ins N +  
 S of cor 3 ft dist and raise  
 a mound of earth  $3\frac{1}{2}$  ft

## Subdivision of Tp 28 N R. 2 W.

Chains

79.82

base  $1\frac{1}{2}$  ft high W of Cor  
 Intersect 7<sup>th</sup> Standard  
 Parallel, 1.85 chains E.  
 of S.C. of sec 31 & 32  
 which is a limestone  $6 \times 9 \times 10$  ins  
 above ground marked and  
 witnessed as described by the  
 Surveyor General. I set a  
 limestone  $24 \times 12 \times 7$  ins  $14$  ins  
 in the ground for closing corner  
 of sec 5 & 6, marked C.C. on  
 S. face with 5 notches on E.  
 and 1 notch on W edge. Dig pit  
 $24 \times 18 \times 12$  ins crosswise on line  
 E. & W. of stone and 3 ft dist, and  
 S of stone 7 ft dist and raise  
 a mound of earth  $\frac{1}{2}$  ft high Sof. Cor.  
 Low rolling, soil gravelly 3<sup>rd</sup> rate.  
 No timber.

Deer and ground chis brush 79.82, Chas

General description  
of township 28 N. R. 2 W.  
of the Gila and Salt River  
meridians in the Territory  
of Arizona. The lands  
are gravelly and unfit  
for agricultural purposes. the  
soil being shallow averaging  
from 2 to 6 ins. deep. there  
being a limestone deposit  
underneath. There is no timber  
on these lands. and no permanent  
water. at the present time  
there is no grass. The lands  
are covered with a dense  
undergrowth of cholla brush.  
There are no settlers in  
the township

J. B. Girard  
N. S. Dep. Surveyor

No. 1123. BOOK 1123

74

A P P R O V A L.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

Tucson, Arizona.

Dec 18, 1900

The foregoing field notes of the sur-  
vey of The Subdivisional

lines of T 28 N. R. 2 W

executed by J. B. Grand

under his contract No. 77, dated June  
13, 1900, having been critically

examined, and the necessary corrections

and explanations made, the said field

notes, and the surveys they describe,

are hereby approved.

George Christ

U. S. Surveyor General for Arizona