

I 1

Subdivisions

BOOK 1124

T. 28 N. R 3 W

GIRAND

4-671 BOOK 1124

1124

FIELD NOTES
GENERAL LAND OFFICE.

No. 1124

J
No. 1124

BOOK 1124

- Field Notes -

Of the survey of the
subdivision of $\frac{1}{4}$ 70 28 North
Range No 3 West. of the
Gila and Salt River Base
and meridian in the
Territory of Arizona, as
surveyed by James P. Grand
under his contract No.
44 Dated June 13th 1900
Survey commenced Sept 29th 1900
Survey completed Oct 8th 1900

Names and duties of assistants
BOOK 1124

John A Randall	Chairman.
W ^m N Lockridge	Chairman.
Amos Adams	Moundman.
E. D. Stafford.	Moundman.
Chas Wolf.	Arman
Russell Stone.	Arman
P. W. Lattimer	Flagman.

Index for {
BOOK 1124
BOOK 1125

Index.

6	67-8	5	49-50	4	37-8	3	25-67	2	13-14-15	1
656	64-5	48	36-7	24-5	12-13					
7	63-4	8	47	9	35-6	10	23-4	11	11-12	12
62-3	61-2	46	34-5	22-3	10-11					
18	60-17	4-5	16	33-4	15	21-2	14	9-10	13	
59-60	58-9	44-5	32-3	20-21	8-9					
19	57	20	43-4	21	31-2	22	19-20	23	7-8	24
56	55	42-3	30-31	18-19	6-7					
30	53-4	29	41-2	28	29-30	27	17-18	26	5-6	25
52-3	51-2	40	28-9	16-17	4-5					
31	50-51	32	38-9	33	27-8	34	15-16	35	3-4	36

Subdivision of T₂₈ N. R. 3 W.

Chains.

Sept 29th 1900 at 8^h 30^m a.m. l.m.t.Set off 2° 28' on my dial
arc and 54° 17' for my co-latitude and determine a true
meridian with the solar
at the cor of secs 1, 2, 35 & 36T₂₇ & 28 N. R. 3 W. Juneau DrumN 0° 1' W between secs 35 & 36
through dense brush

40.00

Set a limestone 16 x 6 x 4 ins 10 ins
in the ground for 1/4 sec cor.

marked 1/4 on N face. Dig pits

18 x 18 x 12 ins N + S of cor 3 ft dia

and raised a mound of earth 3 1/2

ft base 1 1/2 ft high N. of corner.

80.00

Set a limestone 24 x 16 x 6 ins 15 ins
in the ground for cor of secs 25,

26, 35, & 36, marked with 1 notch on

S & E ledges. dig pits 18 x 18 x

12 ins in each sec 5 1/2 ft dia

and raised a mound of earth

Subdivision of Tp. 28 N. R. 37 E.

Chains

4 ft base 2 ft high N of cor.
Land rolling.

Soil gravelly 3rd rate.

No Timber:

Dense Undergrowth Chico

Snak 80.00 chains

N 89° 58' E on a random
line between secs 25 + 36

40.00 Set temp 1/4 sec corner.

79.84 Interest E bdy of Tp 16 Sec.

South of the cor of secs 25, 30,
31 + 36 heretofore described.

Thence I run S 89° 5' 1" W on

a true line between secs. 25 + 36
through dense brush

39.92 Set a limestone, 26 X 10 X 3 ins

partly in ground and supported
by mound of stone for 1/4 sec cor.
marked 1/4 on N face. raised a
mound of stone 2 ft base 1 1/2

Subdivision of Twp. 28 N. R. 3 W.

Chains -

ft high N of cor. pits - impracticable

79.84

The cor of secs 25, 26, 35 + 36

Land rolling

Soil gravelly & rocky 3rd & 4th rate.

No Timber.

Dense undergrowth esp. brush 79.84 chm.

40.00

N 0° 1' W between secs 25 + 26,
through dense brushSet a limestone 16 x 8 x 4 ins, 10 ins
in the ground for 1/4 sec corner.marked 1/4 on N face, dug pits -
18 x 18 x 12 ins N. & S. of cor 3 ft dist
and raised a mound of earth 3 1/2
ft base 1 1/2 ft high N of Cor.

80.00

Set a limestone 16 x 10 x 4 ins
10 ins in the ground for cor ofsecs. 23, 24, 25 + 26, marked
with 2 notches on S, and 1 on E ^{edges} faces,Dug pits 18 x 18 x 12 ins in rock sec
5 1/2 ft dist and raised a mound

Subdivision of Tp 28 N R 3 W.

Chains.

of earth 4 ft base 2 ft high
N of corner.

Land rolling

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chick
brush 80 chains.

N 89° 51' E on a random
line between secs 24 + 25

40.00 Set temp 1/4 sec corner.

79.86 Intersect E. Ady of Tp. 9 lks
M. of the cor of secs 19, 24.
25 + 30. hereafter described.

Thence I run S 89° 55' W

on a true line between secs 24 + 25
through dense brush

39.93 Set a limestone 16 x 6 x 3 ins
10 ins in the ground for 1/4

sec cor marked 1/4 on N face

Dug pits 78 x 18 x 12 ins E. & W.

Subdivision of Sp. 25 N. R. 3 W.

Chains

of cor 3 ft dist and raised a mound of earth 3 1/2 ft base 1 1/2 ft high N. of corner.

79.86 The corner of secs 23, 24, 25 + 26.

Land rolling

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth & his brush
79.86 chains.

40.00 N 0° 1' W between secs 23 + 24 through dense brush

Set a limestone 18 X 8 X 4 ins. 12 ins in the ground for 1/4 sec cor.

mound 1/4 on W face, dug pits 18 X 18 X 12 ins N + S. of cor 3 ft dist and raised a mound of earth 3 1/2 ft base 1 1/2 ft high W of cor.

80.00 Set a limestone 24 X 12 X 8 ins. supported by mound of stone for the corner of secs 13, 14, 23 + 24

Subdivision of Sp. 28 N. R. 3 W.

Chains.

marked with 3 notches on S
and 1 notch on E edges.
raised a mound of stone 2 ft
base $1\frac{1}{2}$ ft high W of cor.

Pits impracticable.

Land level & rolling.

Soil gravelly & rocky 3rd & 4th note.
No Timber.

Dense undergrowth chic bush
80 chains.

. Sept 29th 1900

N. $89^{\circ}55'$ E on a random
line between sec 13 & 24

4000 Pit temp $\frac{1}{4}$ sec corner.

79.88 Intersect E. bdy of Sp at
the cor of sec 13, 18, 19
& 24 heretofore described -

Thence I run S $89^{\circ}55'$ W

on a true line between sec 13 & 24
through dense brush

39.94 Set a limestone $24 \times 12 \times 4$ ins

Subdivision of Tp 28 N.R. 37W.

Chains

supported by mound of stone for
 $\frac{1}{4}$ ac cor. marked $\frac{1}{4}$ on N
 face. raised a mound of stone
 2 ft base $1\frac{1}{2}$ ft high N of cor.
 pits impracticable.

79.88 The cor of secs 13, 14, 23 + 24.
 Land rolling.

Soil gravelly + rocky 3rd + 4th rate.
 No Timber.

Dense undergrowth chief brush
 79.88 chains.

40.00 N 0° 1' W between secs 13 + 14
 through dense brush
 Set a limestone 18 x 7 x 3 ins.

12 ins in the ground for $\frac{1}{4}$ ac cor.
 marked $\frac{1}{4}$ on N face. dug pits -
 18 x 18 x 12 ins N. + S. of cor 3 ft. dia.
 and raised a mound of earth $3\frac{1}{2}$
 ft base $1\frac{1}{2}$ ft high N of cor.

80.00 Set a limestone 18 x 12 x 3 ins. 12 ins

Subdivision of Sp. 28 N. R. 3 W.

Chains

in the ground, for cor of secs
11, 12, 13 + 14, marked with 4
notches on S and 1 on E. dug
pits 18 x 18 x 12 ins in each sec
5 1/2 ft dia and raised a
mound of earth 4 ft base 2 ft
high W of cor.

Land rolling

Soil gravelly loam 2nd + 3rd rate.

Dense undergrowth thick brush

80.00 chains.

N 89° 55' E on a random
line between secs 12 + 13,

40.00 Set temp 1/4 sec cor.

79.94 Intersect E sdy of Sp 7th of
the cor of secs 7, 12, 13 + 18

Therefore described. Hence true.

S 89° 58' W on a true line between
secs 12 + 13, through dense brush

Subdivision of Sp. 28 N, R. 3 W. "

Chains,

39.97 Set a limestone $17 \times 6 \times 4$ ins.
 10 ins in the ground for $\frac{1}{4}$
 sec cor. marked $\frac{1}{4}$ on N
 face. Dug pits $18 \times 18 \times 12$ ins
 E + W of cor 3 ft dist and
 raised a mound of earth $3\frac{1}{2}$
 ft base $1\frac{1}{2}$ ft high N of cor.

79.94 The cor of secs 11, 12, 13 + 14.
 Land rolling.

Soil gravelly 3rd rate

No Timber.

Dense undergrowth chio brush

79.94 Chains.

N $0^{\circ} 1' W$ between secs 11 + 12.
 through dense brush

40.00 Set a limestone $17 \times 8 \times 4$ ins.

for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on W. face

Dug pits $18 \times 18 \times 12$ ins N. + S. of cor

3 ft dist and raised a mound of
 earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of Cor.

Subdivision of Tp 28 N. R. 3 W.

Chains.

80.00 Set a limestone $20 \times 10 \times 8$ ins
 14 ins in the ground for cor of
 sec 1, 2, 11 & 12. marked with
 5 notches on S and 1 notch on
 E face. Dig pits $18 \times 18 \times 12$ ins
 in each sec $5\frac{1}{2}$ ft dist and
 raised a mound of earth 4 ft
 base 2 ft high N of corner.
 Land rolling.
 Soil gravelly 3rd & 4th rate.
 No timber.
 Dense undergrowth chis brush
 80.00 chains

N $89^{\circ} 58' E$ on a random
 line between sec 1 & 12.

40.00 Set temp $\frac{1}{4}$ sec cor.

79.97. Intersect E bdy of Tp 16
 line S of the cor of sec
 1, 6, 7 & 12 heretofore described

Sub division of T₂₈ N. R. 3 W.

Chains.

Thence I run S 89° 51' W

on a true line between sec 1 + 12,
through dense brush

39,985 - Set a limestone 18 X 10 X 3 ins

12 ins in ground for 1/4 sec cor.

marked 1/4 on N face. Dug pits

18 X 18 X 12 ins E. + W. of cor 3 ft

sist and raised a mound of

earth 3 1/2 ft base 1 1/2 ft high

N. of corner.

79,97 The cor of sec 1, 2, 11 + 12.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth ^{Chains} 79,97

N 0° 1' W on a true line between
sec 1 + 2, through dense brush

40,00 Set a limestone 16 X 6 X 4 ins

10 ins in ground for 1/4 sec cor.

marked 1/4 on W face. Dug

Subdivision of Tp. 28 N. R. 3 W.

Chairs,

pit 18 x 18 x 12 ins N. of cor
3 ft dist and raised a mound
of earth 3 1/2 ft base 1 1/2 ft
high N. of corner.

79.84

Intersect 7th Standard Parallel
4.23 links E. of D.C. of sec
35 + 36. which is a limestone
mound and witnessed as described
by the Surveyor General. I set a
limestone 20 x 12 x 3 ins. 12 ins in
the ground for closing corner of
sec. 1 + 2. marked C.C. on
S. with 1 notch on E + 5 notches
on N. face. Dug pits 24 x 18 x 12
ins crosswise on line E. + W.
3 ft. and south of cor 7 ft
dist and raised a mound of
earth 4 ft base 2 ft high S. of
corner.

Land rolling.

Subdivision of T_p, 28 N, R. 3 W.

chains.

Soil gravelly 2nd + 3rd rate,
No Timber.

Dense undergrowth of chick
brush 79.84 chains
Sept 30th 1900

Oct 1st 1900 8^h 30^m A.M. L.M.T. I
set off 3° 09' on my decl arc
and 54° 17' for my co latitude, and
determin a true meridian with the
solar at the cor of sec 2, 3.

34 + 35, T_p 27 + 28 N R 3 W. China

I run N 0° 1' W bet sec 34 + 35
through dense brush

40.00

Set a limestone 16 x 6 x 6 ins. 10 ins
in the ground for $\frac{1}{4}$ sec cor marked
 $\frac{1}{4}$ on N face. dug pits 18 x 18 x 12 ins
N x S. of cor 3 ft dist and raised a
mound of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high
W of corner.

80.00

Set a limestone 24 x 10 x 6 ins. 12 ins
in the ground for cor of sec

Subdivision of $\frac{1}{4}$ 28 N R 3 W.

Chains.

26, 27, 34 + 35 marked with 1 notch on A and 2 notches on B edges, dug pits 18 x 18 x 12 ins in each sec 5 1/2 ft dist and raised a mound of earth 4 ft base 2 ft high W of cor.

Land rolling.

Soil gravelly & rocky 3rd + 4th rate

No Timber

Dense undergrowth chis brush
80.00 chains.

N. 89° 58' E on a random line
between secs 26 + 35

40.00 Set temporary $\frac{1}{4}$ sec cor

80.22 Instruct N. + S. line at the cor
of secs 25, 26, 35 + 36 thence I run
S. 89° 58' W. on a true line between
secs 26 + 35, through dense brush

40.11 Set a limestone 18 x 10 x 3 ins. 10 ins

Subdivision of Sp. 28 N.R.B.W.

Chains.

in the ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins E + W of cor 3 ft dist and
 raised a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of corner.

80.22 The cor of secs 26, 27, 34 + 35
 Land rolling.

Soil gravelly + rocky 3rd + 4th rate.

No Timber.

Dense undergrowth chic brush

80.22, Chains.

40.00 N $0^{\circ} 1' W$ between secs 26 + 27
 through dense brush

Set a limestone $15 \times 8 \times 4$ ins, 10
 ins in the ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins N + S. of cor 3 ft dist. and
 raised a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high W of corner.

80.00 Set a limestone $15 \times 8 \times 8$ ins, 10 ins

Subdivision of Tp. 28 N, R. 3 W.

Chains

in the ground, for the cor of
secs 22, 23, 26 & 27, marked
with 2 notches in S & E edges.
Dug pits 18 X 18 X 12 ins in each sec.
5 1/2 ft dist and raised a mound
of earth 4 ft base 2 ft high W
of corner.

Land level.

Soil loam & gravelly 2nd & 3rd rate.

No Timber.

Dense undergrowth chief brush

80.00 chains.

N 89° 58' E on a random line.

between secs 23 & 26 through dense
brush.

40.00 Set temp 1/4 sec corner.

79.92 Intersect N. & S. line 7 links S
of the cor of secs 23, 24, 25 & 26
Thence I run S 89° 55' W
on a true line between secs 23 & 26

Subdivision of Sp 28 N R 3 W.

Chains.

39.96 Set a limestone $16 \times 8 \times 7$ ins 10 ins
in the ground for $\frac{1}{4}$ sec corner,
marked $\frac{1}{4}$ on N. face. dug pits
 $18 \times 18 \times 12$ ins E & W of cor. 3 ft dist
and raised a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N of corner.

79.92 The cor of sec 22, 23, 26 & 27

Land rolling.

Soil gravelly 3rd rate

No Timber,

Dense undergrowth chico brush

79.92. Chains.

N $0^{\circ} 1' W$ between sec 22 & 23
through dense brush

40.00 Set a limestone $16 \times 12 \times 8$ ins, 10 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N face. dug pits $18 \times 18 \times 12$
ins. N. & S. of cor. 3 ft dist and
raised a mound of earth $3\frac{1}{2}$ ft
base $1\frac{1}{2}$ ft high N of corner.

Subdivision of Sp. 28 N. R. 3 W.

Chains

80.00 Set a limestone 20 x 8 x 7 ins
12 ins in the ground for cor of sec
14. 15. 22 + 23. marked with 3
notches on S and 2 notches on
E. edge, dug pits 18 x 18 x 12 ins
in each sec 5 1/2 ft dist and
raised a mound of earth 4 ft base
2 ft high W of corner.

Land rolling.

Soil gravelly 2nd + 3rd rate.

No timber.

Dense undergrowth chie brush

80.00 chains.

N 89° 55' E on a random line
between sec 14 + 23

40.00 Set temp 1/4 sec corner.

80.05 Intersect N + S line. 2 links
N of the corner of sec 13, 14, 23
+ 24. Thence S run

Subdivision of Sp. 28 N. R. 37W.

Chains.

S $89^{\circ}56'$ W. between secs 14 & 23.
through dense brush

40.025' Set a limestone $24 \times 12 \times 12$ ins
supported by mound of stone
for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on
N. face. raised a mound of
stone 2 ft base $1\frac{1}{2}$ ft high
N of cor. pits impracticable

80.05' The cor of secs 14, 15, 22 & 23
Land rolling.

Soil rocky & gravelly 3rd & 4th rate.
No Timber.

Dense undergrowth chief brush

80.05' chains.

N $0^{\circ}1'$ W between secs 14 & 15
through dense brush

40.00 Set a limestone $16 \times 8 \times 5$ ins 10 ins
in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N face. dug pits
 $18 \times 18 \times 12$ ins. N. & S. of cor 3 ft dist
and raised a mound of earth $3\frac{1}{2}$

Subdivision of Twp. 28 N., R. 3 W.

Chains.

ft base $1\frac{1}{2}$ ft high W of cor.

80.00 Set a limestone $22 \times 10 \times 3$ ins
 12 ins in the ground for. cor
 of secs 10, 11, 14 & 15. marked
 with 4 notches on S & 2 notches
 on E edges. Dug pits $18 \times 18 \times 12$
 ins in each sec $5\frac{1}{2}$ ft dist and
 raised a mound of earth 4 ft base
 2 ft high W of corner.

Land rolling.

Soil, gravelly 3rd rate.

No Timber.

Dense undergrowth chin. brush

80.00 chains.

N $89^{\circ}56'E$ on a random line
 between ^{secs.} 11 & 14.

40.00 Set temp $\frac{1}{4}$ sec cor.

79.68 Intersect N. & S. line 5 chs W of the
 corner of secs 11, 12, 13 & 14

Subdivision of Sp 28 N R 3 W.

Chains.

Then I run $\angle 89^{\circ} 58' W$ on a true line between sec 11 + 14 through dense brush

39.84 Set a limestone $17 \times 9 \times 3$ ins, 10 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N face. Dug pits $18 \times 18 \times 12$ ins E + W of cor 3 ft dist and raised a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N of corner.

79.68 The corner of sec 10, 11, 14 + 15.
Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chico brush

79.68 chains.

N $0^{\circ} 1' W$ between sec 10 + 11 through dense brush

40.00 Set a limestone $20 \times 6 \times 4$ ins, 12 ins in the ground for $\frac{1}{4}$ sec corner marked $\frac{1}{4}$ on W face dug pits $18 \times 18 \times 12$ ins N + S. of cor 3 ft dist.

Subdivision of Sp. 28 N. R. 3 W.

Chains.

- raised a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of cor.
- 80.00 Set a limestone $24 \times 10 \times 4$ ins
14 ins in the ground for cor of
secs 2, 3, 10 & 11 marked with
5 notches on S and 2 notches
on E edge. raised a mound of
stone 3 ft base $1\frac{1}{2}$ ft high W of
corner. pits impracticable
Land rolling.
Soil. gravelly & rocky 3rd & 4th rates
No Timber.
Dense undergrowth chie. brush
80.00 chains.

N $89^{\circ}58'E$ on a random
line between secs 2 & 11.

- 40.00 Set temp $\frac{1}{4}$ sec cor.
49.66 Intersect N. & S. line 9 lines
S. of the cor of secs 1, 2, 11 & 12

Subdivision of Tp. 28 N. R. 3 W.

Chains.

- 39.83 Three Run S 89° 54' W on
a true line between Secs 2 & 11
through dense brush
Set a limestone 20 x 12 x 3 ins
12 ins in the ground for 1/4 sec
corner. marked 1/4 on N face.
Dug pits 18 x 18 x 12 ins E & W
of cor 3 ft dist and raised a
mound of earth 3 1/2 ft base 1 1/2
ft high N of corner.
- 49.66 The cor of sec 2, 3, 10 & 11
Land calling.
Soil gravelly 3rd rate.
No Timber.
Dense undergrowth chico brush
49.66 Chain.
- 4000 N 0° 1' W on a true line
between Secs 2 & 3,
through dense brush
Set a limestone 22 x 6 x 4 ins, 12 ins
in the ground for 1/4 sec cor.

Subdivision of Sp 28 NR 3W

Chains.

marked $\frac{1}{4}$ on W face, dug pits 18x18x12 ins N. & S. of cor 3 ft dist and raised a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of corner.

79.90 Intersect 7th Standard Parallel 4.68 links E of S.C. of sec 34 & 35. which is a limestone 6x5 ins 9 ins above ground marked and witnessed as described by the Surveyor General I set a limestone 20x10x10 ins, 12 ins in the ground for closing corner of sec 2 & 3. marked C.C. on S. with 2 notches on E & W on N. faces, dug pits 24x18x12 ins crosswise on each line E & W 3 ft dist and south of stone 7 ft dist and raised a mound of earth 4 ft base 2 ft high S. of cor.

Subdivision of Tp 28 N R. 3 W.

Chains.

Land rolling.

Soil, gravelly 3rd rate.

No Timber.

Dense undergrowth chic brush

79.90 chains.

Oct 2nd 1900Oct 3rd 1900 at 9^h - am l.mt. Setoff $3^{\circ}56'$ on my dial arc and
 $54^{\circ}17'$ for my co latitude and determinea true meridian with the solar at
the cor of sec 3, 4, 33 + 34, Tps

27 + 28 N R 3 W. Thence I run

N $0^{\circ}2'$ W between sec 33 + 34
through dense brushSet a limestone $20 \times 10 \times 5$ ins11 ins in the ground for $\frac{1}{4}$ seccorner marked $\frac{1}{4}$ in. W faceDug pits $18 \times 18 \times 12$ ins N + S of cor

3 ft dist and raised a mound

of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft

high W of corner

40.00

Subdivision of Sp. 28 N.R. 378.

Chains.

80.00 Set a limestone $18 \times 10 \times 6$ ins 10
ins in ground for cor of sec 27
28.33 & 34. Marked 1 notch on A
and 3 notches on E edges. raised
a mound of stone 2 ft base $1\frac{1}{2}$ ft
high W of cor. pits impracticable.
Land rolling.
Soil gravelly 3rd rate.
No timber,
Dense undergrowth chic brush
80.00 chains.

N $89^{\circ}58'E$ on a random line
between sec 27 & 34.

40.00 Set Temp $\frac{1}{4}$ sec cor.

80.06 Intersect N + S. line 5 links S.
of the cor of sec 26, 27, 34 & 35.
Thence I run S $89^{\circ}56'W$ on
a true line between sec 27 & 34
through dense brush
40.03 Set a limestone $20 \times 8 \times 3$ ins

Subdivision of Sp 28 NRB.N.

Chains.

12 ins in the ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on N face. Dug pits -
 18 x 18 x 12 ins E + W of cor 3 ft
 dist and raise a mound of soil
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N of cor.

80.06 The cor of secs 27, 28, 33 + 34.
 Lond rolling.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth chico brush

80.06 chains.

North $0^{\circ} 2' W$ between secs 27 + 28.
 through dense brush.

40.00 Set a limestone $16 \times 6 \times 4$ ins. 10

ins in the ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on N face. Raised a
 mound of stone 2 ft base $1\frac{1}{2}$ ft
 high N of corner. pits impracticable

80.00 Set a limestone $20 \times 8 \times 4$ ins.

12 ins in the ground for cor of

Subdivision of $\frac{1}{4}$ Sec 28 N. R. 3 W.

Chains.

Secs 21, 22, 27, & 28 marked
with 2 notches on S and 3 on E
edges, raised a mound of stone
2 ft base $1\frac{1}{2}$ ft high W of Cor.
parts impractical

Land rolling.

Soil gravelly & rocky 3rd & 4th rates.

No Timber.

Dense undergrowth chief brush

80.00 chains.

N $89^{\circ}56'E$ on a random line
between Secs 22 & 27,

40.00 Set temp $\frac{1}{4}$ sec cor.

80.07 Intersect N. & S. line 2 lines

S. of the cor of secs 22, 23, 26 & 27

thence I run S $89^{\circ}55' W$

on a true line between secs 22 & 27
through dense brush

40.035 Set a limestone 16 X 8 X 6 ins.

12 ins in the ground for $\frac{1}{4}$ sec cor.

Subdivision of Sp. 28 N, R. 3 W.

marked $\frac{1}{4}$ on N face. dug pits
 18x18x12 ins E + W of cor. 3 ft dist
 and raised a mound of earth
 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N of cor.

80.07 The cor of sec 21, 22, 27 + 28,
 Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chico brush

80.07 chains.

N 0° 2' W between pica 21 + 22
 -through dense brush

40.00 Set a limestone 18 x 6 x 4 ins.

10 ins in ground. for $\frac{1}{4}$ sec cor.

marked $\frac{1}{4}$ on W face. Dug pits
 18x18x12 ins N. + S. of cor 3 ft dist
 and raised a mound of earth 3 $\frac{1}{2}$
 ft base 1 $\frac{1}{2}$ ft high W of corner.

80.00 Set a limestone 20 x 10 x 3 ins. 12 ins
 in the ground for cor of sec

Subdivision of Twp. 28 N. R. 3 W.

Chains.

15, 16, 21 & 22 marked with 3 notches on S. & E. edges. 28 N on N.E. 3 W on S.E. face. Dry pits 18 X 18 X 12 ins in each sec 5 1/2 ft dist and raised a mound of earth 4 ft base 1 1/2 ft high W of corner.

Land rolling

Soil. gravelly & rocky 3rd & 4th rote.

No Timber.

Dense undergrowth thick brush 80 chns.

N 89° 55' E on a random line between Secs 15 & 22.

40.00 Set temp 1/4 sec cor.

80.02 Intersect N & S line 2 links N of the cor of secs 14, 16, 22 & 23.

Thence I run S 89° 56' W on a true line, between Secs 15 & 22 through dense brush

40.01 Set a limestone 16 X 12 X 3 ins.

10 ins in the ground for 1/4 sec cor.

Subdivision of T₂₈ N. R. 3 W.

Chains.

marked $\frac{1}{4}$ on N. face. Dug pits
18 X 18 X 12 ins E. + W of cor 3 ft dist
and raised a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N of corner.

80.02 The cor of secs 15, 16, 21 + 22

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chain brush

80.02 chains.

N 0° 2' W between secs 15 + 16.
through dense brush

40.00 Set a limestone 17 X 8 X 8 ins 10 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N face. Dug pits 18 X 18 X 12 ins
N. + E. of cor 3 ft dist and raise
a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of corner.

80.00 Set a limestone 20 X 6 X 3 ins. 12 ins
in ground for cor of secs. 9, 10. N

Subdivision of Twp 28 N R. 3 W.

Chains

916. marked with 4 notches on
 A and 3 notches on B edges.
 raised a mound of stone 2 ft
 base $1\frac{1}{2}$ ft high W of corner

Pite impracticable.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chips brush.

80.00 chains.

N $89^{\circ}56'E$ on a random line
 between Secs. 10 + 15.

40.00 Set temp $\frac{1}{4}$ sec cor.

80.32 Intersect N + S line 5th 1/2 W of the
 corner of sec 10. 11. 14 + 15

Thence I run S $89^{\circ}58'W$

on a true line between Secs 10 X 15
 through dense brush

40.16 Set a limestone 16 X 9 X 4 in.

10 in in the ground for $\frac{1}{4}$ sec

Subdivision of $\frac{1}{2}$ Sec 28 N. R. 3 W.

Chains.

cor. marked $\frac{1}{4}$ on N face, raised
a mound of stone 2 ft base $1\frac{1}{2}$ ft
high N. of cor. pits impracticable

80.32 The cor of secs 10, 11, 14 + 15.

Land rolling.

Soil gravelly 3rd rate.

No timber.

Dense undergrowth chic brush

80.32 chains,

N. $0^{\circ} 2' W$ between secs 9 + 10.
through dense brush

40.00 Set a limestone $18 \times 6 \times 12$ ins. 12 ins

in the ground for $\frac{1}{4}$ sec cor. marked

$\frac{1}{4}$ on N face, dug pits $18 \times 18 \times$

12 ins N. + S. of cor 3 ft dia and

raise a mound of earth $3\frac{1}{2}$ ft

base $1\frac{1}{2}$ ft high N. of corner.

80.00 Set a limestone $24 \times 8 \times 11$ ins.

14 ins in the ground for cor of sec.

3, 4, 9 + 10, marked with 5

Subdivision of Sp 28 N. R. 37.

Chains.

notches on A and 3 notches on
E edges. Dug pits 78x18x12 in
in each sec 5 1/2 ft dist and
raised a mound of earth 4 ft base
2 ft high N of corner.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chis
brush 80.00 chains.

N 89°58'E on a random line
between sec 3+10,

40.00 Set temp 1/4 sec corner.

80.34 Intersect N. & S. line 7 miles
S of the cor of sec 2.3.10+11
Thence I run S 89°55'W

on a true line between sec 3+10
through dense brush

40.17 Set a limestone 20x8x7 in 12
in in ground for 1/4 sec cor.

Subdivision of P. 28 N. R. 3. W.

Chains

marked $\frac{1}{4}$ on N face, raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N of cor. Pits impracticable.

80.34

The cor of secs. 3, 4, 9 + 10,

land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chic brook

80.34 chains!

$\text{N } 0^{\circ} 2' \text{ W}$ between Secs 3 + 4 on a true line through dense brush

40.00

Set a limestone $18 \times 8 \times 6$ ins. 10 ins in ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N face, raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N of cor. Pits impracticable.

79.88

Intersect 7th Standard Parallel 3.86 lines E of S. L. of sec 33 + 34 which is a limestone

Subdivision of Sp. 28 N, R. 3 W.

Chains

8x5-6 ins above ground, marked and witnessed as described by the Surveyor General. I set a limestone 20x10x4 ins. 10 ins in ground for closing corner of sec 3+4, marked C.C. on S with 3 notches on E. & W. edges. Dug pits 24x18x12 ins crosswise on line E & W 3 ft dist and S. of cor 7 ft dist and raised a mound of earth 4 ft base 2 ft high S of corner.

Land rolling -

Soil gravelly & rocky 3rd + 4th rate.

Dense undergrowth chips.

Brush 7988 chains.

From the cor of sec 4, S. 32
+ 33 on the South boundary of
the Sp. I run

BOOK 1124
Subdivision of Sp. 28 N, R. 3, W.

39

Chains.

No. 1124

40.00 N $0^{\circ} 3' W$ between sec 32 + 33
through dense brush
Set a limestone $16 \times 10 \times 4$ ins. 10 ins
in ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N face. Dig pits $18 \times 18 \times 12$ ins
N + S of cor. 3 ft dist and raised
a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$
ft high N of corner.

80.00 Set a limestone $20 \times 10 \times 3$ ins. 12 ins
in the ground for cor of sec. 28, 29,
32 + 33. marked 1 notch on E and
4 notches on S edges. Dig pits $18 \times$
 18×12 ins. in each sec $5\frac{1}{2}$ ft dist
and raised a mound of earth 4 ft
base 2 ft high N of corner.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chis brush

80.00 chains

Subdivision of Sp. 28 N. R. 3' W.

Chains.

- N. $89^{\circ}58'E$ on a random line between sec 28 + 33.
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.08 Intersect N. + S. line 3 bars S of the cor of sec 27. 28. 33 + 34
Then I run $S 89^{\circ}57' W$ on a true line between sec 28 + 33 through dense brush
- 40.04 Set a limestone $24 \times 10 \times 3$ ins $\frac{1}{6}$ inches in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face. Dig pits $18 \times 18 \times 12$ ins E. + W. of cor and 3 ft dist and raised a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of corner.
- 63.65 Cross road, course N $10^{\circ} W$.
- 80.08 The cor of sec 28. 29. 32 + 33.
Land rolling.
Soil gravelly + rocky 3rd + 4th rate.
No timber.
Dense undergrowth chic brush 80.08 chns.

Subdivision of Sp. 28 N, R. 3 W.

Chains.

Oct 5th 1900 at 8^h - a.m. P.mt.

I set off $4^{\circ} 41'$ on my decl arc
and $54^{\circ} 16'$ for my co latitude
and determine a true meridian with
the solar at the cor of secs 28, 29
32 + 33. Hence I run

N $0^{\circ} 3' W$ between secs 28 + 29
through dense brush

40.00

Set a limestone $20 \times 10 \times 3$ ins

10 ins in the ground for $\frac{1}{4}$ sec cor.

marked 44 on W face raised
a mound of stone 2 ft base $1\frac{1}{2}$
ft high N of corner, pits impracticable

47.30

Cross road Course N $25^{\circ} W$.

80.00

Set a conglomerate stone. $18 \times 10 \times 4$ ins

10 ins in ground for cor of secs 20, 21,

28 + 29 marked with 2 notches on

S + 4 on E. edges. Dug pits $7.8 \times$

18×12 ins in each sec $5\frac{1}{2}$ ft dist

and raise a mound of earth

4 ft base 2 ft high W of cor.

Chains -

Land rolling.

Soil gravelly & rocky 3rd + 4th rate.

No. Timber.

Dense undergrowth chick brush

80 chains.

N 89° 57' E. on a random line
between secs 21 + 28

40.00 Set temp 1/4 sec cor.

80.08 Intersect N. + S. line 5 links S
of the cor of secs 21, 22, 27 + 28Thence I run S 89° 55' W. on
a true line between secs 21 + 28
through dense brush40.04 Set a limestone 18 X 8 X 6 ins. 12 ins
in the ground for 1/4 sec cor.marked 1/4 on N face. deep pits
18 X 18 X 12 ins E + W of cor 3 ft dist
and raised a mound of earth 3 1/2
ft base 1 1/2 ft high N. of corner.

80.08 The cor of secs 20, 21, 28 + 29 -

Subdivision of Tp 28 N R. 3 W.

Chains.

Land rolling

Soil gravelly loam 2nd + 3rd rate.

No Timber.

Dense undergrowth chico brush

80.08 Chains.

40.00

N 0° 3' W between sec 20 + 21
through dense brush

Set a limestone 16 x 10 x 4 ins

10 ins in ground for 1/4 sec cor.

marked 1/4 on W face. dug pits

18 x 18 x 12 ins N. & S. of cor. 3 ft dist

and raised a mound of earth 3 1/2 ft

base 1 1/2 ft high W of corner.

80.00

Set a limestone 22 x 8 x 4 ins .12

ins in ground for cor of sec 16

17, 20 + 21. marked with 3 notches

on A and 4 notches on B. edges

dug pits 18 x 18 x 12 ins in each sec

5 1/2 ft dist and raise a mound of

earth 4 ft base 2 ft high W of cor.

Subdivision of Sp. 28 N. R. 3 W.

Chains.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth ches brush 80 chns

N 89°55'E on a random line
between sec 16 + 21.

40.00 Set temp 1/4 sec cor.

80.06 Intersect N + S. line 2 lines N.
of the cor of sec 15, 16, 21 + 22

Since I run S 89°56' N on
a true line betw sec 16 + 21
through dense brush

40.03 Set a limestone 20 x 8 x 5 ins. 12
ins in ground for 1/4 sec cor.

marked 1/4 on N face, raised a
mound of stone 2 ft base 1 1/2 ft
high N. of cor, pits impracticable

80.06 The cor of sec 16, 17, 20 + 21

Land rolling

Soil gravelly + rocky 3rd + 4th rate.

Chains.

No Timber.

Dense undergrowth of chico brush

80.06 chains

40.00 N 0° 3' W between secs 16 + 17
through dense brush
Set a limestone 24 x 16 x 8 ins

supported by mound of stone

for 1/4 sec cor. marked 1/4 on
W face. raised a mound of stone

2 ft base 1 1/2 ft high W of cor

Pit impracticable

80.00 Set a limestone 28 x 8 x 6 ins

18 ins in ground for cor of secs

8, 9, 16 + 17, marked with 4 notches

on S + E edges. raised a mound

of stone 2 ft base 1 1/2 ft high W of cor.

Pit impracticable

Hard rolling. Soil rocky 3rd & 4th rate.

No Timber.

Dense undergrowth of chico brush 80 chns.

Subdivision of T₂ N. R. 37_W.

Chains.

- N 89°56'E on a random line
between secs 9+16
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.00 Intersect N. + S. line 2 lines N.
of the cor of sec 9, 10, 15+16
Thence I run S 89°57' W. on a
true line between secs 9+16
through dense brush
- 40.00 Set a limestone 20 x 10 x 4 ins. 12
ins in the ground. for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N face. dug pits 18 x
18 x 12 ins E + W of cor 3 ft dist
and raise a mound of earth 3 $\frac{1}{2}$
ft base 1 $\frac{1}{2}$ ft high N of cor.
- 80.00 The cor of secs 8, 9, 16+17.
Land rolling.
Soil gravelly 3rd rate.
No Timber
Dense undergrowth of Chico
brush 80.00 chains.

Subdivision of Sp. 28 N. R. 3 W.

Chains.

40.00 N. $0^{\circ} 3' W$ between sec 8 + 9
through dense brush
Set a limestone $14 \times 8 \times 6$ ins
9 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face dug pits
 $18 \times 18 \times 12$ ins N. + S. of cor 3 ft dist
and raised a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of cor.

80.00 Set a limestone $18 \times 6 \times 6$ ins 12 ins
in the ground for cor of sec 4.5
8 + 9. marked with 5 notches on
S and 4 notches on E. edges
Dug pits $18 \times 18 \times 12$ ins in each
sec $5\frac{1}{2}$ ft dist and raised a
mound of earth 4 ft base 2 ft high
W of corner.

Land rolling

Soil gravelly + rocky 3rd + 4th note.

No Timber.

Dense undergrowth of chies brush

80.00 Chains.

Subdivision of Tp. 28 N. R. 3 W.

Chains.

- N 89° 57' E on a random line
between sec 4 + 9
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 79.98 Intersect N. + S. line at
the cor of sec 3, 4, 9 + 10.
Thence I run S 89° 57' W on
a true line between sec 4 + 9,
through dense brush
- 39.99 Set a limstone 20 x 10 x 3 ins 12
ins in ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N face. dug pits 18 x 18 x 2
ins E. + W. of cor 3 ft dia and
raised a mound of earth $3\frac{1}{2}$ ft
base $1\frac{1}{2}$ ft high N. of corner.
- 79.98 The cor of sec 4, 5, 8 + 9.
Land rolling
Soil gravelly + rocky 3rd + 4th rate.
No Timber.
Dense undergrowth chips trash
79.98 Chains.

Subdivision of Sp. 28 N. R. 3 W.

Chains.

N $0^{\circ} 3' W$ on a true line between
secs 4 & 5. through dense brush.

40.00 Set a limestone $17 \times 9 \times 3$ ins
10 ins in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W face, dug pits
 $18 \times 18 \times 12$ ins N & S. of cor 3 ft dist
and raise a mound of earth $3\frac{1}{2}$ ft
base $1\frac{1}{2}$ ft high W of corner.

79.99 Intersect 7th Standard Parallel
4.16 Chain E of S.C. of secs
32 & 33. which is a limestone 5×7
6 ins above ground marked and witnessed
as described by the Surveyor General
Set a limestone $18 \times 8 \times 6$ ins 12 ins
in the ground for closing corner of
secs. 4 & 5. marked C.C. on S. with
4 notches on E and 2 notches on W edge
Dug pits $24 \times 18 \times 12$ ins. crosswise on
line E. & W of cor 3 ft dist. and
S of cor. 7 ft dist. and raised

Subdivision of T_p, 28 N., R. 3 W.

Chains.

a mound of earth 4 ft base
2 ft high S. of corner.

Land rolling

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth chic bush

79.99 Chains. Oct 5th 1900

Oct 6th 1900 at 8^h - a.m. l.m.t.

I set off 5° 04' on my dial arc
and 54° 17' for my co latitude and
determined a true meridian with
the solar at the cor of sec =
5.6.31 + 32, T_ps 27 + 28 N., R.
3 W. Thence I run

N. 0° 4' W between sec 31 + 32.
Through dense brush

40.00

Set a limestone 15 X 6 X 5 ino.

10 ins in the ground for 1/4 sec

cor. marked 1/4 on N face.

Dug pits 18 X 18 X 12 ino. N. + S.

Subdivision of Sp. 28 N. R. 3 W.

Chains.

of cor 3 ft. dist and raised a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of corner.

80.00

Set a limestone $18 \times 8 \times 6$ ins 12 ins in ground for cor of sec 29, 30, 31 & 32. Marked with 1 notch on S and 5 notches on E. edges. Deep pits $18 \times 18 \times 12$ ins in each sec $5\frac{1}{2}$ ft dist and raise a mound of earth 4 ft base 2 ft high W of corner.
Land rolling.

Soil. gravelly & rocky 3rd & 4th rate.
No Timber.

Dense undergrowth chis brush 80.00
chains.

N $89^{\circ}58'E$ on a random line.

between secs 29 & 32.

40.00

Set Stamp $\frac{1}{4}$ sec corner

Subdivision of Sp. 28 N. R. 3 W.

Chains

80.00

Intersect N. + S. line at the
cor of sec 28, 29, 32 + 33

Thence I run S $89^{\circ}58'W$
on a true line between sec
29 + 32, through dense brush

40.00

Set a limestone $24 \times 8 \times 4$ ins
14 ins in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N. dug pits $18 \times$
 18×12 ins. E. + W. of cor 3 ft dist
and raise a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N of corner.

80.00

The cor. of sec 29, 30, 31 + 32.
Land rolling.

Soil gravelly + rocky 3rd + 4th rate.

No Timber.

Dense undergrowth Ohio brush

80.00 chains.

S $89^{\circ}58'W$ on a random
line between sec 30 + 31

Subdivision of Sp. 28 N. R. 3 W.

Chains.

40.00 Set temp $\frac{1}{4}$ sec cor.78.31 Intersect N. bdy of Sp. 9
lines. N of the cor of sec
25, 30, 31 + 36, heretofore describedThence I run $N 89^{\circ} 54' E$ on a
true line between sec 30 + 31
through dense brush38.31 Set a limestone $16 \times 7 \times 6$ in
12 ins. in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N face. dug
pits $18 \times 18 \times 12$ ins E + W. of cor 3 ft
dist and raised a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of cor.48.31 The cor of sec 29, 30, 31 + 32.
Land level.Soil gravelly 3rd rate.

No Timber.

Dense Undergrowth of
Chic brush 78.31 chains. $N 0^{\circ} 4' W$ between sec 29 + 30

Subdivision of Tp. 28 N. R. 3 W.

Chains through dense brush
 40.00 Set a limestone $20 \times 12 \times 3$ ins
 14 ins in the ground for $\frac{1}{4}$ sec
 corner, marked $\frac{1}{4}$ on N face.
 Dug pits $18 \times 18 \times 12$ ins N. & S. of
 cor., 3 ft dist and raised a mound
 of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 W of corner.

80.00 Set a limestone $20 \times 12 \times 6$ ins
 12 ins in the ground for cor of
 sec. 19, 20, 29 & 30, marked
 with 2 notches on S and 5 notches
 on E. edges, dug pits $18 \times 18 \times$
 12 ins in each sec $5\frac{1}{2}$ ft dist
 and raised a mound of earth 4
 ft base 2 ft high W of corner.
 Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth this tract
 80.00 chains).

Subdivision of Sp 28 NR 34W.

Chains.

N 89°58' E on a random line
between secs 20 + 29.

40.00 Set temp 1/4 sec. cor.

80.00 Intract N + S. line 2 links
S of the cor of secs 20, 21, 28 + 29

Thence I run S 89°54' W on
a true line ^{through dense brush} between secs 20 + 29.

10.00 Cross road, course N 10° W,

40.00 Set a limestone 16 x 12 x 5 ins. 20 ins

in the ground for 1/4 sec cor. marked

1/4 on N face, dug pits 18 x 18 x 12

ins E. & W. of cor 3 ft dia and

raise a mound of earth 3 1/2 ft

base 1 1/2 ft high N. of corner.

70.00 Cross ridges by N 10° W.

80.00 The corner of secs 19, 20, 29 + 30

Land level

Soil, gravelly 3rd rate.

No Timber.

Dense undergrowth Chic brush

80.00 Chains.

Subdivision of Tp 28 N, R. 3 W.

Chains

- S $89^{\circ}54'N$ on a random line between sec 19 + 30.
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 78.23 Intersect E boundary of Township at the cor of sec. 19, 24, 25 + 30. Hence I run N $89^{\circ}54'E$ on a true line between sec 19 + 30 through dense brush
- 38.23 Set a limestone $20 \times 10 \times 6$ ins 12 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face, deep pits $18 \times 18 \times 12$ ins E. + W. of cor 3 ft dirt and raised a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of cor.
- 78.23 The corner of sec 19, 20, 29 + 30. Land rolling. Soil, gravelly 3rd rate. No Timber.
- Dense undergrowth chips brush 78.23 Chas.

Subdivision of Sp. 28 N. R. 3 W.

Chains.

N 0° 4' W between secs 19 + 20,
through dense brush

40.00

Set a limestone 20 x 10 x 4 ins.

12 ins in the ground for $\frac{1}{4}$ sec cor.

marked $\frac{1}{4}$ on W face, dig pits

18 x 18 x 12 ins, N. & S. of cor 3 ft. dist

and raised a mound of earth $3\frac{1}{2}$

ft base $1\frac{1}{2}$ ft high W. of cor.

80.00

Set a limestone 20 x 16 x 4 ins.

12 ins in the ground for cor of secs

17, 18, 19 + 20, marked with 3 notches

on S, 3 notches on E. edges, dig

pits 18 x 18 x 12 ins in each sec

$5\frac{1}{2}$ ft dist and raised a mound

of earth 4 ft base 2 ft high

W of corner.

Land level

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chips brush.

80.00 chains.

Subdivision of Tp. 28 N., R. 3 W.

Chains.

Oct 8th 1900 at 9^h a.m. l.m.t.

I set off $5^{\circ}52'$ on my decl arc
and $54^{\circ}14'$ for my co latitude
and determine a true meridian
with the Solar at the corner of
secs 17, 18, 19 + 20. Thence I run
 $N 89^{\circ}57' E$ on a random line
between secs 17 + 20.

40.00 Set temp $\frac{1}{4}$ sec corner.

80.09 Intersect $N + S$ line 2 links
S of the corner of secs 16, 17,
20 + 21. Thence I run
 $S 89^{\circ}56' W$ on a true line between
secs 17 + 20 through dense brush.

33.45 Cross road course $N. 15^{\circ} W.$

40.045 Set a limestone $20 \times 12 \times 3$ ins,
12 ins in the ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N -face, dug pits
 $18 \times 18 \times 12$ ins, E + W. of cor 3 ft dist
and raised a mound of earth

Subdivision of Tp 28 N., R. 37 W.

Chains.

3 1/2 ft base 1 1/2 ft high N. of cor.

80.09 The cor of sec. 17, 18, 19 + 20

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chic brush

80.09 chains,

S 89° 54' N on a random line
between sec 18 + 19.

40.00 Set temp 1/4 sec cor.

78.08 Intersect N. bdy of Tp 5 lines
S. of the cor of sec 13, 18, 19 + 24There I run N 89° 56' E. on
a true line between sec 18 + 19
through dense brush38.08 Set a limestone 22 x 12 x 3 ins 12
ins in the ground for 1/4 sec cor.

marked 1/4 on N. face. dig pits 18 x

18 x 12 ins. E. + W. of Cor 3 ft dist and

raise a mound of earth 3 1/2 ft base

Subdivision of Sp. 28 N. R. 3 W.

Chains.

- 1 1/2 ft high N. of cor.
- 78.08 The cor of sec 17, 18, 19 + 20
Land rolling,
Soil gravelly 3rd rate
No Timber,
Dense undergrowth of Chis
bush 78.08 chains.
-
- N 0° 4' W between sec 17 + 18
through dense brush
- 40.00 Set a limestone 22 x 12 x 3 ins
14 ins in ground for 1/4 sec cor
marked 1/4 on N. face. dug pits 18
x 18 x 12 ins N. + S. of cor 3 ft dist
and raised a mound of earth,
3 1/2 ft base 1 1/2 ft high N. of cor
- 80.00 Set a limestone 20 x 10 x 3 ins
12 ins in ground for cor of sec
7, 8, 17 + 18. marked with 4 notches
on S and 5 notches on E edges
Dug pits 18 x 18 x 12 ins in each

Concluded, Book 1125.