

I

SUBDIVISIONS

OF

BOOK 1126

~~FRACTIONAL~~

T. 28 N, RAW GIRARD, D.S.

4-671

BOOK 1126

1126

FIELD NOTES
GENERAL LAND OFFICE.

No. 1126

Names and duties of Assistants

BOOK 1126

John A. Randall Chairman
 Wm N. Lockridge Chairman
 Amos Adams Moundman
 E. D. Stafford Moundman
 Russell Stone Armon
 Chas. N. Wolf Armon
 P. W. Lattimer Flagman

Index
for

BOOK 1126

BOOK 1127

Index

T. 28 N. R. 4 W.

6	67-8	5	50-1	4	38-9	3	26-7	2	14-15	1
66-7		65-6		49		37		25		12-13
7	64-5	8	48	9	36	10	24	11	11-12	12
63-4		62-3		47		35		23		10-11
18	61-2	17	46	16	34	15	22	14	9-10	13
60		58-9		45		33		21		8-9
19	57-8	20	44	21	32	22	19-20	23	7-8	24
56-7		55-6		43		31		18-19		6-7
30	54-5	29	42	28	30	27	17-18	26	5-6	25
53-4		52-3		40-1		28-9		16-17		4-5
31	51-2	32	39-40	33	27-8	34	15-16	35	3-4	36

Subdivision of Sp 28 N. R. 4 W.

Oct 13th 1900 at 9^h am l.m.t.
 I set off $7^{\circ}45'$ on my dial
 arc and $54^{\circ}17'$ for my co latitude
 and determine a true meridian with
 the solar, at the cor of secs 12,
 35 & 36 Sp 27 & 28 N. R. 4. W.

Hence I run

$N. 0^{\circ}1' W$ between Sec 35 & 36
 through dense brush
 40.00 Set a limestone $20 \times 8 \times 3$ ins. 14 ins
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W face. raised a mound of
 rock 2 ft base $1\frac{1}{2}$ ft high W of
 cor. pits impracticable.

80.00 Set a limestone $18 \times 8 \times 6$ ins. 12 ins
 in the ground for cor of secs. 25, 26
 35 & 36, marked with 1 notch on
 S. and E edges. raised a mound
 of stone 2 ft base $1\frac{1}{2}$ ft high W of
 corner pits impracticable.

Road rolling.

Subdivision of Sp 28 NR 4 W.

Chains.

Soil sandy 3rd rate.

No Timber,

Dense undergrowth chico brush

80.00 chains

N 89° 56' E on a random
line between secs 25 + 36

40.00 Set temp 1/4 sec cor.

80.02 Intersect E. bdy of Sp. 14
links S. of the corner of secs
25, 30, 31 + 36 heretofore described

Hence I run S 89° 50' W on
a true line between sec 25 + 36
through dense brush

40.01 Set a limestone 20 x 10 x 4 ins
12 ins in the ground for 1/4 sec
cor. marked 1/4 on N face, dug
pile 18 x 18 x 12 ins E. & W. of an
3 ft disk and raise at mound
of earth 3 1/2 ft base 1 1/2 ft
high N. of corner.

BOOK 1126
Subdivision of Sp, 28 N, R. 4. W.

5

Chains.

80.02

The cor of sec 25, 26, 35 + 36
Land rolling, Soil sandy 2nd
and 3rd rate.

No Timber.

Dense undergrowth chief
brush 80.02 chains.

40.00

N. 0° 1' W between sec 25 + 26
through dense brush

Set a limestone 18 X 18 X 4 ins

12 ins in the ground for $\frac{1}{4}$ sec

corner marked $\frac{1}{4}$ on N face

Dug pits 18 X 18 X 12 ins N. & E. of

cor 3 ft dist and raise a

mound of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$
ft high N of corner.

80.00

Set a limestone 20 X 10 X 8 ins

12 ins in ground for cor of sec

23, 24, 25 + 26. marked with 2

notches on S. & 1 on E edges, raised

a mound of stone 2 ft base

Subdivision of Tp 28 N R 4 W.
Chains.

1 1/2 ft high W of corner pits
impracticable
Land rolling
Soil gravelly 3rd rate.
No Timber,
Dense undergrowth chief
brush 80,00 chains

N 89°50'E on a random
line between secs 24 + 25

40.00 Set temp 1/4 sec corner.

80.02 Intersect E. bdy of Tp 5
links N of the corner of secs
19, 24, 25 + 30. Hereafter de-
scribed. Hence I run

S 89°52'W on a true line
between secs 24 + 25
through dense brush

40.01 Set a limestone 16 x 12 x 4 ins
12 ins in the ground for 1/4
sec corner, marked 1/4 on

Subdivision of Sp. 25 N. R. 4 W.

Chains,

N. face dug pits 18x18x12
ins. E. & W. of cor 3 ft dist
and raised a mound of earth
3 1/2 ft base 1 1/2 ft high N
of corner

80.02 The corner of Secs 23, 24, 25 & 26
Land, level

Soil gravelly loam 2nd & 3rd rates
No Timber.

Dense undergrowth of chieo
brush 80.02 chains.

N. 0° 1' W. between Secs 23 & 24
through dense brush
40.00 Set a limestone 20x8x3 ins
12 ins in the ground for 1/4 sec. cor.
marked 1/4 on N. face, dug pits
18x18x12 ins N. & S. of cor 3 ft dist
and raised a mound of earth
3 1/2 ft base 1 1/2 ft high N. of cor.

80.00 Set a limestone 24x8x3 ins, 14 ins.

Subdivision of T₄ 28 N R 4 W

Chains.

in the ground. For cor of sec
13, 14, 23 & 24, marked with 3
notches on S and 1 notch on E edges
dig pits 18x18x12 ins in each sec.,
5 1/2 ft dist and raised a mound
of earth 4 ft base 2 ft high W.
of corner.

Land level

Soil gravelly 3rd rate.

No Timber

Dense undergrowth of Ohio
brush 80.00 chains.

N 89° 52' E on a random line
between sec 24 & 13

40.00 Set temp 1/4 sec cor.

80.07 Intersect E. bdy of T₄
at the cor of sec 13, 18, 19 & 24Thence I run S 89° 52' W
on a true line between sec

Subdivision of Sp. 28 N. R. 4 W.

Chains.

13 + 24 through dense brush
 40,035 Set a limestone 24 x 6 x 3 ins
 18 ins in the ground for 1/4 sec cor.
 marked 1/4 on N. face. dug pits
 18 x 18 x 12 ins E. & W. of cor. 3 ft
 dist and raised a mound of
 earth 3 1/2 ft base 1 1/2 ft high
 N. of corner.

80,07 The cor of sec 13, 14, 23 + 24
 Land rolling.
 Soil gravelly loam 2nd & 3rd rate.
 No Timber.
 Dense undergrowth Chic brush
 80,07 chains.

N. 0° 1' W between sec 13 + 14
 through dense brush
 40,00 Set a limestone 22 x 10 x 3 ins.
 12 ins in the ground for 1/4 sec cor.
 marked 1/4 on N face. raised
 a mound of stone 2 ft base 1 1/2 ft

Subdivision of Sp. 28 N. R. 4 W.
Chains.

high W of cor pits impracticable
80.00 Set a limestone 20 x 9 x 4 ins
12 ins in the ground. for cor of
sec 11, 12, 13 & 14 marked
with 4 notches on A and 1
notch on B edges. raised
a mound of stone 2 ft base
1 1/2 ft high W of corner. pits
impracticable.

Low level

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of Chic
bush 80.00 chains.

N. 89° 52' E. on a random
line between sec 12 & 13.

40.00 Set trap 1/4 sec cor.

80.06 Intersect E. bdy of Sp. 5 lines
N. of the cor of sec 7, 12, 13

Subdivision of Tp. 28 N., R. 4 W.

418. True Run S 89° 54' W
on a true line between sec
12 & 13, through dense brush
- 40.03 Set a limestone 24 x 6 x 3 ins
14 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N face. dug pits
18 x 18 x 12 ins East W of cor 3 ft
dist and raised a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N of corner. -
- 80.06 The cor of sec 11, 12, 13 & 14
Land rolling.
Soil gravelly 3rd rate.
No Timber.
Dense undergrowth of Chic
bush 80.06 Chains
- 40.00 N 0° 1' W between sec 11 & 12
through dense brush
Set a limestone 17 x 10 x 3 ins, 11 ins
in the ground for $\frac{1}{4}$ sec cor.

Subdivision of Tp 28 N. R. 4 W.
Chains.

marked $\frac{1}{4}$ on N face, dug
pits $18 \times 18 \times 12$ ins N. + S. of cor
3 ft dist and raised a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft
high N. of corner.

80.00 Set a limestone $24 \times 6 \times 4$ ins
14 ins in the ground for cor of
secs 1, 2, 11 + 12, marked with
5 notches on S and 1 on E edge
raised a mound of stone 2 ft base
 $1\frac{1}{2}$ ft high N of cor pits im-
practicable.

Hard rolling

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of Chicx
brush 80.00 Chains,

N $89^{\circ}54'E$ on a random
line between secs 1 + 12.

Subdivision of Tp. 25 N. R. 4 W.

Chains.

40.00 Set temp $\frac{1}{4}$ sec cor.80.07 Intersect E bdy of the Tp.
12 lines N of the cor of sec
1.6. 7 + 12. Thence I runS $89^{\circ}59'$ W on a true linebetween sec 1 + 12 through
dense brush40.035' Set a limestone $20 \times 8 \times 3$ ins 12 ins in the ground for $\frac{1}{4}$ sec
corner, marked $\frac{1}{4}$ on N face.Dig pits $18 \times 18 \times 12$ ins E. + W. ofcor 3 ft dist and raised a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high

N. of corner.

80.07 The cor of sec 1.2. 11 + 12.

Land rolling.

Soil gravelly loam 2nd + 3rd rate

No Timber.

Dense undergrowth of
Chico brush 80.07 Chains.

Subdivision of Tp 28N R. 4 W.

Chains.

- N $0^{\circ} 1' W$ on a true line
 between Secs 1. + 2. through
 dense brush
 40.00 Set a limestone $20 \times 10 \times 3$ ins
 12 ins in the ground for $\frac{1}{4}$
 sec cor. marked $\frac{1}{4}$ on W
 face, raised a mound of stone
 2 ft base $1\frac{1}{2}$ ft high N of
 corner. pits impracticable
- 79.85 Intersect 7th Standard ^{North} Parallel
 6.08 Chains E of S. C. of secs
 35 + 36, which is a limestone
 $14 \times 5-6$ ins above ground marked
 and witnessed as described
 by the Surveyor General. Set
 a limestone $24 \times 16 \times 4$ ins
 14 ins in ground for closing
 cor. of sec 1 + 2 marked C.C.
 on S. with 5 notches on W.
 and 1 notch on E edges.
 Pits impracticable.

Subdivision of Tp 28 NR 4 W.

Chains.

Land rolling.

Soil gravelly 3rd rate.

No Timber -

Dense undergrowth of Chico
brush 79.85 Chains.

Oct 14th 1900

From the cor of sec 2, 3, 34
& 35 on the S. boundary of
the Sp. & run

N 0° 1' W between sec 34 & 35
through dense brush

29.90 Cross road, course N 15° W.

40.00 Set a limestone 16 x 9 x 8 ins, 10
ins in the ground for 1/4 sec

corner. marked 1/4 on W face

dig pits 18 x 18 x 12 ins N & S. of cor

3 ft dist and raised a mound

of earth 3 1/2 ft base 1 1/2 ft high

N. of cor.

80.00 Set a limestone 18 x 8 x 8 ins

Subdivision of Tp 28 N R. 4 W.
Chains.

12 ins in the ground for cor
of sec 26, 27, 34 & 35, marked
with 1 notch on S and 2 on E. Edges
Dug pits 18 X 18 X 12 ins in
each section 5 1/2 ft dist and
raised a mound of earth 4 ft
base 2 ft high N. of corner
Land rolling.
Soil sandy & gravelly 3rd rate,
No Timber Dense undergrowth
of Chic brush 80.00 Chas.

N 89° 56' E on a random
line between sec 26 + 35
40.00 Set temp 1/4 sec. cor.
80.07 Intersect N. & S. line at its
corner of sec 25, 26, 35 + 36
Thence I run S 89° 56' W
on a true line between sec
26 & 35 through dense

Subdivision of Sp. 28 N, R. 4 W.

Chain. brush

40.035' Set a limestone 20x11x3 ins
13 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face, dug
pits 18x18x12 ins. E. & W. of cor.
3 ft dist and raised a mound
of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high
N. of corner.

80.07 The corner of sec 26, 27, 34 & 35 -
Land rolling.

Soil sandy & rocky 3rd & 4th rate.
No Timber.

Dense undergrowth chies brush
80.07 Cons.

N. 0° 1' W. between Sec 26 & 27
through dense brush

40.00 Set a limestone 18x6x4 ins
10 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N face, dug
pits 18x18x12 ins. N. & S of cor
3 ft dist and raised a mound

Subdivision of Tp 28 N R. 4 W.

Chains.

of earth $3\frac{1}{2}$ ft base ^{$\frac{1}{2}$ ft high} W of cor.
 80.00 Set a limestone $20 \times 10 \times 4$ ins
 12 ins in the ground. for cor of
 sec 22, 23, 26 + 27, marked
 with 2 notches on N. & E. edge
 Dig pits $18 \times 18 \times 12$ ins in each
 sec $5\frac{1}{2}$ ft dist and raised a
 mound of earth 4 ft base 2
 ft high. W. of corner.

Land rolling.

Soil, sand loam & rocky 2nd + 4th rate.

No Timber.

Dense undergrowth of Chis
 brush 80.00 chains,N. $89^{\circ}56'$ E on a random
 line between sec 23 + 26.40.00 Set temp $\frac{1}{4}$ sec cor.80.03 Intersect N. + S line 3 links
 South of the corner of sec

Subdivision of Tp. 28 N., R. 4 W.

Chains

23, 24, 25 + 26, Thence I run
 S $89^{\circ} 55'$ W. on a true line
 between sec 23 + 26
 through dense brush
 40.015 Set a limestone $28 \times 14 \times 4$ ins
 18 ins in the ground for $\frac{1}{4}$
 sec corner. marked $\frac{1}{4}$ on N
 face. Dug pits $18 \times 18 \times 12$ ins E +
 W of corner 3 ft dist and
 raised a mound of earth $3\frac{1}{2}$
 ft base $1\frac{1}{2}$ ft high N of cor.

80.03 The corner of sec 22, 23, 26 + 27
 Land rolling.

Soil gravelly 3rd rate
 No timber.

Dense undergrowth chief
 brush 80.03 chains.

N $0^{\circ} 15'$ W between sec 22 + 23
 through dense brush
 40.00 Set a limestone $16 \times 8 \times 4$ ins
 12 ins in ground for $\frac{1}{4}$ sec cor.

Subdivision of Sp, 28 N, R, 4 W.
Chains.

marked $\frac{1}{4}$ on N. face. Dug
pits 18x18x12 ins N. & S. of
cor 3 ft dist and raised a
mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of corner.

80.00 Set a limestone 18x8x6 ins
12 ins in the ground for cor
of sec 14, 15, 22 & 23, marked
with 3 notches on S. and 2
on E edges. Dug pits 18x18x
12 ins in each sec $5\frac{1}{2}$ ft
dist and raised a mound
of earth 4 ft base 2 ft high
N. of corner.

Land rolling.

Soil gravelly 2nd + 3rd rate.

No Timber.

Dense undergrowth of Chic
brush 80.00 chains.

Subdivision of Tp 28 N R 4 W.

Chains

N 89° 55' E on a random
line between Secs 14 + 23

40.00 Set temp 1/4 sec cor

80.02 Intersect N. & S. line 3/4 sec of the
cor of Secs 13, 14, 23 + 24.

Thence I run S 89° 56' W on
a true line between Secs 14 +
23 through dense brush

40.01 Set a limestone 22 x 5 x 4 ins
14 ins in the ground for 1/4 sec
cor. marked 1/4 on N face.

Dug pits 18 x 18 x 12 ins E. & W.
of cor. 3 ft dist and raised a
mound of earth 3 1/2 ft base 1 1/2
ft. high N. of corner

80.02 The cor of Secs 14, 15, 22 + 23

Land rolling

Soil gravelly 3rd rate. No Timber
Dense undergrowth of Chic
brush 80.02 chains

Subdivision of Sp. 28 N. R. 4 W.

Chains.

- N. 0° 1' W between sec 14 + 15
through dense brush
- 40.00 Set a limestone 16 x 8 x 4 ins.
10 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N. face.
Dig pits 18 x 18 x 12 ins N. & S.
of cor 3 ft dist and raised
a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of corner.
- 80.00 Set a limestone 18 x 6 x 6 ins 12
ins in the ground for cor of
sec 10, 11, 14 + 15. marked with
4 notches on S and 2 on E. edges
Dig pits 18 x 18 x 12 ins in each sec
 $5\frac{1}{2}$ ft dist and raised a mound
of earth 4 ft base 2 ft high N.
of corner.

Last rolling.

Soil gravelly loam 2nd + 3rd rate.

No Timber.

Dense undergrowth of Chico brush 80 chains.

Subdivision of T₂, 28 N., R. 4 W.,
Chain.

- N 89° 56' E on a random line
between sec 11 + 14,
- 40.00 Set temp 1/4 sec cor.
- 80.00 Intersect N. + S. line 2 lines
S. of the corner of sec 11, 12, 13 + 14
Thence I run S 89° 55' W. on
a true line between sec 11 + 14
through dense brush
- 40.00 Set a limestone 20 x 9 x 3 ins
12 ins in the ground for 1/4 sec
corner marked 1/4 on N. face, dug
pits 18 x 18 x 12 ins E. + W. of cor 3 ft
dist and raised a mound of earth
3 1/2 ft base 1 1/2 ft high N. of corner.
- 80.00 The cor of sec 10, 11, 14 + 15.
Sand chert
Soil gravelly 2nd + 3rd rote.
No Timber.
Dense undergrowth of Chic
brush 80.00 chain.

Subdivision of Tr 28 N. R. 4 W.

Chains.

40.00 N $0^{\circ}1'W$ between Sec 10 & 11
through dense brush
Set a limestone $16 \times 10 \times 4$ ins.

12 ins in the ground for $\frac{1}{4}$ sec
corner. marked $\frac{1}{4}$ on W. face.

Dug pits $18 \times 18 \times 12$ ins N. & S. of
cor 3 ft dist and raised a
mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high W. of corner.

44.50 Cross road. Course N. 15° E.

80.00 Set a limestone $18 \times 10 \times 4$ ins. 12 ins
in the ground for cor of secs 2, 3, 10 & 11
marked with 5 notches on S and 2 on
edges.

E. dug pits $18 \times 18 \times 12$ ins in each sec
 $5\frac{1}{2}$ ft dist and raised a mound
of earth 4 ft base 2 ft high W. of cor.
Road rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of Chis
brush 80.00 chains.

Subdivision of Sp. 28 N., R. 4 W.

Chains.

N $89^{\circ}55'E$ on a random line
between sec 2 + 11

40.00 Set temp $\frac{1}{4}$ sec corner.

79.97 Intersect N. + S. line 2nd 1/2 of the cor
of sec 1, 2, 11 + 12. Thence from
S. $89^{\circ}56'W$. on a true line.

between sec 2 + 11 through
dense brush

39,985 Set a limestone 15 x 12 x 6 ins.
10 ins in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face. dug pits
18 x 18 x 12 ins E. + W of cor 3 ft dist
and raised a mound of earth
3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N of cor.

73.00 Cross road, course N, $10^{\circ}E$.

79.97 The cor of sec 2, 3, 10 + 11
Land rolling

Soil gravelly 2nd + 3rd rate.
No Timber.

Dense undergrowth of Chies
brush 79,97 chains

Subdivision of Tp 28 NR 4 W.

Chains.

N. $0^{\circ}1'W$. on a true line between
 sec 2 & 3 through dense brush.
 48.00 Set a limestone $18 \times 6 \times 4$ ins
 12 ins in the ground for $\frac{1}{4}$ sec
 corner, marked $\frac{1}{4}$ on W. face.
 Dig pits $18 \times 18 \times 12$ ins N. & S.
 of cor 3 ft dist and raised
 a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of corner.

79.74 Intersect 7th Standard Parallel
 5.93 chain E of S.C. of sec
 24 & 35 which is a limestone
 $15 \times 6 - 6$ ins above ground marked
 and witnessed as described by
 the Surveyor General. Set a
 limestone $18 \times 10 \times 5$ ins 12 ins
 in the ground for closing corner
 of sec 2 & 3, marked C.C.
 on S. with 2 notches on E. end
 4 on W. edged, dig pits 18×24

Subdivision of Tp. 28 N. R. 4 W.

Chains.

X12 ins crosswise on line E. & W.
of cor 3 ft and South of cor
9 ft dist and raised a mound
of earth 4 ft base 2 ft high S
of corner.

Land rolling.

Soil gravelly 3rd rate

No Timber.

Dense undergrowth of Chico
brush 79.74 chains

Oct 16th 1900

Oct 17th 1900 at 8^h a.m. l.m.t.

Set off $90^{\circ}12'$ on my decl
arc and $54^{\circ}17'$ for my co-
latitude and determine a

true Meridian with the solar at the
cor of sec 3, 4, 33 & 34 on the

South bdy of the Tp. Thence I run
through dense brush

$N0^{\circ}2'W$ between sec 33 & 34.

40.00 Set a limestone $18 \times 7 \times 5$ ins

Subdivision of Sp 28 N R 4 W

Chains.

12 ins in the ground for $\frac{1}{4}$ sec
corner marked $\frac{1}{4}$ on W face
Dug pits $18 \times 18 \times 12$ ins N. & S. of cor
3 ft dist and raised a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N
of corner.

80.00 Set a limestone $24 \times 10 \times 8$ ins
14 ins in the ground for cor of sec
27, 28, 33 & 34. marked with 1 notch
on S and 3 on E edges. Dug pits
 $18 \times 18 \times 12$ ins in each sec $5\frac{1}{2}$ ft dist
and raised a mound of earth 4 ft
base 2 ft high N. of corner.

Land level

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of Chies
Brush 80.00 Chains.

N $89^{\circ} 56'$ E on a random

Subdivision of Tp 28 N R 4 W,

Chains.

line between secs 27 + 34

40.00 Set temp $\frac{1}{4}$ sec cor.80.00 Intersect N. + S. line. at the
cor. of sec 26, 27, 34 + 35. Thence
I run S $89^{\circ}56'W$ on a trueline between Sec 27 + 34,
through dense brush11.40 Cross road, bro N $15^{\circ}W$.40.00 Set a limestone $20 \times 8 \times 3$ ins
14 ins in the ground. for ~~cor~~ $\frac{1}{4}$
sec cor. marked $\frac{1}{4}$ on N. of cor.Dig pits $18 \times 18 \times 12$ ins E. + W. of cor
3 ft dirt and raised a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft
high N. of corner.80.00 The cor of sec 27, 28, 33 + 34
Land levelSoil sandy loam $\approx 3^{rd}$ rate.

No Timber.

Dense undergrowth of Ches

brush 80.00 Chains

Subdiv **BOOK 11267** of Sp. 28 N. R. 4 W.

Chains.

- N 0.2' W between sec 27 & 28
through dense brush
- 40.00 Set a limestone 16x6x6 ins
10 ins in the ground for 1/4 sec
corner marked 1/4 on W face
Dug pits 18x18x12 ins N. & S.
of cor. 3 ft dist and raised a mound
of earth 3 1/2 ft base 1 1/2 ft high
W. of cor.
- 80.00 Set a limestone 18x8x4 ins
12 ins in the ground for cor of
sec 21, 22, 27 & 28, marked
with 2 notches on A and 3 on B.
edges, dug pits 18x18x12 ins in
each sec 5 1/2 ft dist and
raised a mound of earth 4 ft
base 2 ft high W. of corner.
Land level
Soil gravelly 3rd rate.
No Timber. Dense undergrowth
of chico brush 80.00 chains -

Subdivision of Tp 28 N R. 4 W.

Chains

N 89°56' E on a random
line between sec 22 + 27,

40.00 Set temp 1/4 sec cor.

80.11 Intersect N. & S. line 5 links
N of the corner of sec 22, 23, 26 + 27
Thence I run S 89°58' W on a
true line between sec 22 + 27
through dense brush

30.81 Cross road, course N. & S.

40.055 Set a limestone 20 x 8 x 3 ins
14 ins in the ground for 1/4 sec
corner. marked 1/4 on N face
Dig pits 18 x 18 x 12 ins E. & W.
of cor 3 ft dist and raised a
mound of earth 3 1/2 ft base 1 1/2
ft high N. of corner.

80.11 The cor of sec 21, 22, 27 + 28.

Land rolling -

Soil sandy loam & rocky 2nd + 4th rate.

No. Timber, dense undergrowth of
Chic brush 80.11 chains

Subdivision of Sp 28 N. R. 4 W.

Chains

- N 0° 2' W between Secs 21 & 22
through dense brush
- 40.00 Set a limestone 16 x 6 x 4 ins.
10 ins in the ground for 1/4
sec cor. marked 1/4 on W face
Dug pits 18 x 18 x 12 ins N. & S. of
cor. 3 ft dist and raised a mound
of earth 3 1/2 ft base 1 1/2 ft high
N. of corner.
- 80.00 Set a limestone 30 x 12 x 4 ins
supported by mound of stone for
cor of Secs 15, 16, 21 & 22. Marked
28 N. on N.E. 4 W on S.E. faces.
with 3 notches on S. and E. edges,
raised a mound of stone 2 ft base
1 1/2 ft high N of cor. pits impracticable.
Rand. rolling.
Soil gravelly & rocky 3rd and 4th rates,
No timber,
Dense undergrowth of Chick.
brush 80.00 Chains

Subdivision of $\frac{1}{4}$ 28 N. R. 4 W.

Chains.

N $89^{\circ}58'E$ on a random
line between secs 15 + 22,

40.00 Set temp $\frac{1}{4}$ sec cor.

80.00 Intersect N. & S. line, 2 lines

S. of the cor of secs 14, 15, 22 + 23

thence I run S $89^{\circ}57'W$ on

a true line between secs 15 + 22
through dense brush

23.80 cross road, course N. $15^{\circ}E$,

40.00 Set a limestone $18 \times 6 \times 6$ ins. 12

ins in the ground for $\frac{1}{4}$ sec

cor. marked $\frac{1}{4}$ on N. face

dig pits $18 \times 18 \times 12$ ins. E + W

of cor. 3 ft dist and raised a

mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft

high N. of corner.

80.00 The cor of secs 15, 16, 21 + 22

Land rolling.

Soil gravelly 3rd rate.

No Timber: Dense undergrowth of

chick brush 80.00 chains.

Subdivision of Twp. 28 N. R. 4 W.

Chairs.

N. $0^{\circ} 2' W$, between Secs 15 & 16
 through dense brush
 40.00 Set a limestone $18 \times 8 \times 6$ ins
 12 ins in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ on W face. dug
 pits $18 \times 18 \times 12$ ins N.E. S of cor
 3 ft dist and raised a mound of
 earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 W. of corner.

80.00 Set a limestone $18 \times 8 \times 8$ ins, 10 ins
 in ground, for cor of secs 9, 10, 15
 & 16 marked with 4 notches on S.
 and 3 notches on E edge, raised
 a mound of stone 2 ft base $1\frac{1}{2}$ ft
 high W. of corner. Pits impracticable
 land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chie
 bush 80.00 chairs.

Subdivision of Tr. 28 N., R. 4 W.

Chains.

- N. $89^{\circ}57'E$ on a random line between sec 10 & 15.
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.11 Intersect N. & S. line 2^{ds} S. of cor of sec 10, 11, 14 & 15. Thence I run S. $89^{\circ}56' W.$ on a true line between sec 10 & 15, through dense brush
- 12.81 Cross road, bet. N. & S.
- 40.055 Set a limestone 22 x 8 x 6 ins, partly in ground and supported by mound of stone for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face. raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N. of corner. pits impracticable.
- 80.11 The cor of sec 9, 10, 15 & 16
Land rolling.
Soil gravelly & sandy 3rd & 4th rate.
No Timber.
Dense undergrowth of chio-
brush 80.11. Chains.

Subdivision of Tp. 28 N. R. 4 W.

Chains,

- N. 0° 2' W between sec 9 + 10,
through dense brush
- 40.00 Set a limestone 18 x 7 x 6 ins
12 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on W face, dig
pits 18 x 18 x 12 ins. N. + S. of cor
3 ft dist and raise a mound
of earth, $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
W. of corner.
- 80.00 Set a limestone 18 x 10 x 5 ins
12 ins in the ground for cor of
sec 3, 4, 9 + 10, marked with
5 notches on S. and 3 on E. edge
raised a mound of stone 2 ft
base $1\frac{1}{2}$ ft high W. of corner.
- Land rolling.
Soil gravelly 3rd rate.
No Timber.
Dense undergrowth of
chico brush 80.00 chains.

Subdivision of Sp. 28 N. R. 4 W.

Chains.

N 89°56' E on a random
line between sec 3 + 10,

40.00 Set temp 1/4 sec cor.

80.00 Intersect N. + S. line 5 links
S. of the cor of sec 2, 3, 10 + 11

Thence I run S 89°54' W
on a true line between sec 3 + 10,
through dense brush

40.00 Set a limestone 20 x 6 x 4 ins.

12 ins in the ground for 1/4 sec
cor. marked 1/4 on N. face dig

pits 18 x 18 x 12 ins E. + W. of cor

3 ft dist and raised a mound of

earth 3 1/2 ft base 1 1/2 ft high,

N of corner.

80.00 The cor of sec 3, 4, 9 + 10,

Land rolling.

Soil. gravelly loam, 2nd + 3rd rate.

Dense undergrowth of

Chic brush 80.00 chains.

Subdivision of Sp. 28 N. 10, 4 W.

Chains,

N 0° 2' W between sees 3 + 4
 through dense brush
 40.00 Set a limestone 18 x 5 x 4 ins.
 12 ins in the ground for 1/4 sec
 cor marked 1/4 on W. face.
 Dug pits 18 x 18 x 12 ins. N + S.
 of cor. 3 ft dist and raised a
 mound of earth 3 1/2 ft base 1 1/2
 ft high W of corner.

79.85 Intersect 7th Standard Parallel ^{North}
 5.89 chains E of S. C. of sees
 33 + 34, which is a limestone 10 x
 4-6 ins above ground marked and
 witnessed as described by
 the Surveyor General. Set a
 limestone 20 x 8 x 6 ins 12 ins in the
 ground for closing corner of sees
 3 + 4, marked c.c. on S, with
 3 notches on E + W. edge, dug pits
 24 x 18 x 12 ins crosswise on line E +
 W, 3 ft. and south of corner

Subdivision of Sp. 25 N. R. 4 W.

Chains.

7 ft dist and raised a mound
of earth 4 ft base 2 ft high S.
of corner.

Land rolling -

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chick
brush. 79.85 Chains.

Oct 18th 1900

Oct 19th 1900 at 9^h 30^m A.M. l.m.t.

I set off 9° 58' on my decl arc
and 57° 17' for my co latitude
and determine a true meridian

with the solar at the cor of
sea 45.32 + 33 on the South

Bdy of the Sp. Thence I run

N 0° 3' W between ^{poles} 32 + 33
through dense brush.

40.00 Set a limestone 16 x 8 x 4 in

10 in in the ground for 1/4 sec

corner, mound 1/4 on N face

Subdivision of Sp 2 & N.R. 4 W.

Chains

Dug pits 18x18x12 ins N. & S.
of cor 3 ft dist and raised
a mound of earth 3½ ft base
1½ ft high N. of corner.

80.00 Set a limestone 24x8x4 ins
14 ins in the ground for cor of
sec 28, 29, 32 & 33. Mounded
with 1 notch on S and 4 notches
on E. ^{edges}

Dug pits 18x18x12 ins.
in each sec 5½ ft dist and
raised a mound of earth 4 ft
base 2 ft high N. of corner.

Land Rolling.

Soil sandy & gravelly 3rd rate.

No Timber,

Dense undergrowth of chie
brush 80.00 chains.

N. 89° 56' E on a random
line between sec 28 & 33

Subdivision of Tp 28 N R 4 W,

Chains, No. 1126

- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.06 Intersect N & S. line 2 links.
N. of the corner of sec 27, 28,
33 & 34, thence I run S $89^{\circ}57'$
W on a true line between Sec
28 & 33 through dense brush
- 40.03 Set a limestone $16 \times 6 \times 4$ ins,
11 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N. face;
Dig pits $18 \times 18 \times 12$ ins E & W
of cor 3 ft dist and raised
a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of corner.
- 80.06 The cor of sec 28, 29, 32 & 33
Land rolling,
Soil gravelly 3rd rate,
No Timber.
Dense undergrowth of Chies
brush 80.06 chains

Subdivision of $\frac{1}{4}$ Sec. 28 N.R. 4th W.

Chains.

- $N 0^{\circ} 3' W$ between Sec 28 & 29.
through dense brush
- 40.00 Set a limestone $16 \times 8 \times 4$ ins
10 ins in the ground for $\frac{1}{4}$ sec
corner. marked $\frac{1}{4}$ on W face
Dug pits $18 \times 18 \times 12$ ins N. & S. of
Cor 3 ft dia and raised a
mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$
ft high N. of corner.
- 80.00 Set a limestone $20 \times 8 \times 4$ ins.
12 ins in the ground for cor of
sec 20, 21, 28 & 29 marked
with 2 notches on S and 4 notches
on E edges. Dug pits $18 \times 18 \times 12$
ins in each sec $5\frac{1}{2}$ ft dia and
raised a mound of earth 4 ft
base 2 ft high N. of corner.
Land rolling.
Soil gravelly 3rd rate.
No Timber. Dense undergrowth
of Chis brush 80.00 Chains.

Subdivision of Sp. 28 N. R. 4 W.

Chains.

N. $89^{\circ}57'$ E on a random line
between sec 21 + 28.

40.00 Set temp $\frac{1}{4}$ sec cor.

80.06 Intersect N. + S line 2nd line S of
corner of sec 21. 22. 27 + 28.

Then I run S $89^{\circ}56'$ W on
a true line between sec 21 + 28
through dense brush

40.03 Set a limestone $26 \times 6 \times 4$ ins
18 ins in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face, dug pits
 $18 \times 18 \times 12$ ins E. + W. of cor 3 ft dist
and raised a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N. of corner.

80.06 The cor of sec 20. 21. 28 + 29.

Land level.

Soil gravelly + loam 2nd + 3rd sets.

No Timber

Dense undergrowth of
Chico brush 80.06 chains.

Subdivision of Sp. 2 & N. R. 4 N.

Chains.

- N. $0^{\circ} 3' W$ between sec 20 & 21
through dense brush
- 40.00 Set a limestone $18 \times 6 \times 4$ ins, 12 ins
in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face. dug pits
 $18 \times 18 \times 12$ ins N. & S. of cor 3 ft dist
and raised a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of cor.
- 80.00 Set a limestone $20 \times 6 \times 8$ ins, 12 ins
in the ground for the cor of sec
16, 17, 20 & 21 marked with 3 notches
on S and 4 notches on E edges.
dug pits $18 \times 18 \times 12$ ins in each sec
 $5\frac{1}{2}$ ft dist and raised a mound of
earth 4 ft base 2 ft high N of
corner.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of Chies
brush 80.00 chains.

Subdivision of Sp. 28 N. R. 4. W.

Chains.

N 89°56' E on a random
line between Secs 16 + 21

40.00 Set temp 1/4 sec cor.

80.08 Intersect N. + S. line. 7 links
S. of the corner of sec 15, 16, 21
+ 22. True Iron S 89°53' W

on a true line between Secs 16 + 21
through dense brush

40.04 Set a limestone 20 x 9 x 3 ins
12 ins in the ground for 1/4 sec
corner, marked 1/4 in N. face. Dry
pits 18 x 18 x 12 ins E. + W. of cor
3 ft dist and raised a mound
of earth 3 1/2 ft base 1 1/2 ft high
N. of corner.

80.08 The cor of sec 16, 17, 20 + 21

Land rolling,

Soil gravelly 3rd rate,

No. Timber.

Dense undergrowth of chick
brush 80.08 Chains.

Subdivision of Tp 28 N., R. 4 W.

Chains.

- N. $0^{\circ} 3' W$ between Secs 16 + 17
 through dense brush
 40.00 Set a limestone $18 \times 8 \times 6$ ins. 12
 ins in the ground for $\frac{1}{4}$ sec cor,
 marked $\frac{1}{4}$ on N. face. dug pits
 $18 \times 18 \times 12$ ins. N. + S. of corner 3 ft
 dist and raised a mound of
 earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 N. of corner.
- 80.00 Set a limestone $20 \times 6 \times 6$ ins. 12
 ins in the ground for cor of sec
 8, 9, 16 + 17, marked with 4 notches
 on S + E edges, dug pits 18×18
 $\times 12$ ins in each sec 5 ft dist
 and raised a mound of earth 4 ft
 base 2 ft high N. of corner.
- Land rolling
 Soil sandy + gravelly 3rd rate.
 No Timber -
 Dense undergrowth of Chic. brush
- 80.00 Chains

Subdivision of T₂S. N. R. 4 W.

Chains.

N 89° 53' E on a random
line between sec 9 + 16.

40.00 Set temp $\frac{1}{4}$ sec cor.

80.09 Intersect N. + S. line 9 lines
N of the cor of sec 9, 10, 15 + 16.

Thence I run S 89° 57' W
on a true line between sec 9 + 16
through dense brush

40.045 Set a limestone 22 x 7 x 4 ins.
supported by mound of stone-
for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on
N. face, raised a mound of
stone 2 ft base 1 $\frac{1}{2}$ ft high N.
of corner, pits impracticable.

80.09 The cor of sec 8, 9, 16 + 17,
Land rolling.

Soil gravelly + rocky 3rd + 4th rate.
No Timber.

Dense undergrowth of chics
brush 80.09 chains.

Subdivision of Sp. 28 N, R. 4 W.

Chains

40.00 N $0^{\circ}3'W$ between secs 8 + 9
through dense brush
Set a limestone $18 \times 6 \times 4$ ins, 12
ins in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W face, dug pits
 $18 \times 18 \times 12$ ins N. & S of cor 3 ft dist
and raised a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high W. of the
corner.

80.00 Set a limestone $18 \times 10 \times 5$ ins
12 ins in the ground for cor of
secs 4, 5, 8 + 9, marked with 5 notch
on A, and 4 on B edges, dug pits
 $18 \times 18 \times 12$ ins in each sec $5\frac{1}{2}$ ft dist and
raised a mound of earth 4 ft base 2 ft high
W. of cor.

Land rolling.

Soil gravelly + rocky 3rd + 4th sets.

No Timber.

Druse undergrowth of Chics
brush 80.00 Chains.

Subdivision of P. 28 N. R. 4 W.

Chains.

N. $89^{\circ}57'6''$ on a random line
between sec 4 + 9.

40.00 Set temp $\frac{1}{4}$ sec corner.

80.15 Intersect N. & S line 2 hrs S of
cor of sec 3, 4, 9 + 10. Thence
Drun S $89^{\circ}57'6''$ on a true
line between sec 4 + 9,
through dense brush

40.075 Set limestone $16 \times 12 \times 10$ ins.
10 ins in the ground for $\frac{1}{4}$ sec cor,
marked $\frac{1}{4}$ on N. face. Dug
pits $18 \times 18 \times 12$ ins E. & W. of cor 3 ft
dist and raised a mound of soil $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N. of corner.

80.15 The cor of sec. 4, 5, 8 + 9.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chico
brush 80.15 chains.

Subdivision of Sp. 28 N. R. 4 '17.

Chains.

N $0^{\circ} 3' W$ on a true line
 between sees 4 + 5
 through dense brush
 40.00 Set a limestone $18 \times 5 \times 4$ ins
 12 ins in the ground for $\frac{1}{4}$ sec
 corner, marked $\frac{1}{4}$ on N. face
 dig pits $18 \times 18 \times 12$ ins N. E. S. of
 cor 3 ft dist and raised a mound
 of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 N. of corner.

79.86 Intersect 7th Standard Parallel ^{North}
 5.59 chains E. of S. C. of sees
 32 + 33 which is a limestone $13 \times$
 4×6 ins. above ground marked
 and witnessed as described by
 the Surveyor General. Set a
 limestone $18 \times 8 \times 6$ ins 12 ins in
 ground for closing corner of
 sees 4 + 5. marked C. C. on South,
 with 4 notches on E + 2 on N edges.
 Raised a mound of stone 2 ft

Subdivision of Tp. 28 N. R. 4. W.

Chains.

base $1\frac{1}{2}$ ft high. Sof cor.

Pits impracticable.

Road rolling.

Soil. Stony + gravelly 3^{rd} + 4^{th} rate.

No Timber.

Dense undergrowth of chies,

brush 79.86 Chains.

From the cor of sec 5.6.31 + 32

on the South bdy of the Tp.

I run $N 0^{\circ} 4' W$ between sec.

31 + 32, through dense brush

40.00 Set a limestone $18 \times 10 \times 3$ ins 12

ins in the ground for $\frac{1}{4}$ sec. cor.

marked $\frac{1}{4}$ on W face. dug pits 18×18

$\times 12$ ins. N. + S. of cor 3 ft dist and

raised a mound of earth $3\frac{1}{2}$ ft base

$1\frac{1}{2}$ ft high. N. of corner.

80.00 Set a limestone $18 \times 8 \times 6$ ins. 12 ins

in ground. for cor of sec 29, 30.

Subdivision of Tp 28 N R 4 W

Chains.

31 & 32 marked with 1 notch on
S and 5 notches on E. edges
Dug pits 18x18x12 ins in each
sec 5 1/2 ft dia and raised a
mound of earth 4 ft base 2 ft
high N. of corner.

Land level

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of Chies
brush 80.00 chains.

N 89°56'E on a random
line between secs 29 & 32.

40.00 Set temp 1/4 sec cor.

80.03 Intersect N. & S line at
the cor of secs 28, 29, 32 & 33

Thence I run S 89°56'W on

a tree line between secs 29 & 32
through dense brush

40.015 Set a limestone 17x8x5 ins.

Subdivision of Tp 28 N R 4 W.

Chains

12 ins in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ on N. face. dug
 pits 18X18X12 ins E + W. of cor
 3 ft dist and raised a mound
 of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 N. of. corner.

80.03

The cor of secs 29, 30, 31 + 32,
 Land rolling.

Soil gravelly loam 2nd + 3rd rate.

No Timber.

Runse under mouth of chies

Bush 80.03 chains

S $89^{\circ}56'N$ on a random line
 between secs 30 + 31.

40.00

Set temp $\frac{1}{4}$ sec cor.

76.79

Intersect N. bdy of Tp, 5 lines
 S. of the cor of secs 25, 30, 31 +
 36. herefore described thence I

run N $89^{\circ}58'E$ on a true line
 between secs. 30 + 31

Subdivision of Sp. 28 N. R. 4 N.

Chains through dense brush
 36.79 Set a limestone $20 \times 12 \times 3$ ins
 12 ins in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ on N. face, dug
 pits $18 \times 18 \times 12$ ins, E. & W. of cor.
 3 ft dist and raised a mound
 of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft
 high N. of corner

46.79 The cor of secs 29, 30, 31 + 32
 Land level

Soil loam & gravelly 2nd + 3rd pits

No Timber,

Dense undergrowth of chies
 brush 76.79 chains

N. $0^{\circ}4'$ W between secs 29 + 30
 through dense brush
 40.00 Set a limestone $24 \times 8 \times 3$ ins,
 14 ins in the ground for $\frac{1}{4}$
 sec cor. marked $\frac{1}{4}$ on N face
 dug pits $18 \times 18 \times 12$ ins, N. & S.
 of cor 3 ft dist and raised

Subdivision of Tp 28 N R 4 W,

Chains,

a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of corner.

80.00 Set a limestone $22 \times 8 \times 3$ ins
 $\frac{1}{4}$ ins in the ground for cor of
 sec 19, 20, 29 & 30, marked
 with 2 notches on S and 3 on E
 edges, dug pits $18 \times 18 \times 12$ ins in
 each sec $5\frac{1}{2}$ ft dist and raised
 a mound of earth 4 ft base 2 ft
 high N. of corner.

Land rolling.

Soil gravelly loam 2nd & 3rd rate,

No Timber,

Dense undergrowth of Chico brush,

80.00 Chains.

N, $89^{\circ} 56'$ E on a random line
 between sec 20 & 29

40.00 Set temp $\frac{1}{4}$ sec cor.

80.00 Intersect N & S. line 2 times S.

Subdivision of Tp. 28 N. R. 47 W.

Chains.

- of the cor of secs 20, 21, 28 & 29
 Hence I run S $89^{\circ}55'W$
 on a true line between secs 20 & 29
 through dense brush
 40.00 Set a limestone $18 \times 5 \times 5$ ins.
 12 ins in the ground for $\frac{1}{4}$ sec
 corner, marked $\frac{1}{4}$ on N. face.
 Dig pits $18 \times 18 \times 12$ ins E. & W.
 of cor 3 ft diam and raised a
 mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$
 ft high N. of corner.
 80.00 The cor of secs 19, 20, 29 & 30
 Land rolling.
 Soil gravelly loam 2^{nd} & 3^{rd} rate
 No Timber.
 Dense undergrowth of chico
 brush 80.00 chains.

S $89^{\circ}58'W$ on a random
 line between secs 19 & 30
 40.00 Set temp $\frac{1}{4}$ sec cor.

Subdivision of Tp 28 N, R. 4 W.

Chains.

- 76.80 Intersect W boundary of Tp
5 lines S of the cor of secs
19, 24, 25 + 30. Thence I run
East on a true line between
Secs 19 + 30, through dense
brush
- 36.80 Set a limestone 18 X 6 X 6 ins 12 ins
in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face. Dug pits
18 X 18 X 12 ins, E. + W. of cor 3 ft dist
and raised a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N. of cor.
- 76.80 The cor of secs 19, 20, 29 + 30
Land rolling,
Soil, gravelly loam 2nd, 3rd rate.
No timber.
Dense undergrowth of chies
bush 76.80 chains

40.00 N $0^{\circ} 4' W$ between Secs 19 + 20
through dense brush.
Set a limestone 18 X 6 X 4 ins. 12 ins.

Subdivision of Tp, 28 N, R, 4 W.

Chains.

in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W face, dug pits
18x18x12 ins N. & S. of cor 3 ft dist and
raised a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of corner.

80.00 Set a limestone 18x10x9 ins. 12 ins
in the ground for cor of sec 17.
18, 19, & 20 marked with 3 notches
on S and 5 on E edge, dug pits
18x18x12 ins in each sec $5\frac{1}{2}$ ft
dist and raised a mound of earth
4 ft base 2 ft high N. of cor.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of ches.

Bush 80.00 Chains.

N $89^{\circ}55'E$ on a random
line between Secs 17 & 20

Subdivision of TP 28 N R 4 W.

Chains

40.00 Set temp $\frac{1}{4}$ sec corner.79.95 Intersect N + S line 2 lines
S. of the corner of sec 16, 17,
20 + 21. Thence I runS $89^{\circ}52'$ W on a true line
between sec 17 + 20, through
dense brush39.975 Set a limestone $18 \times 9 \times 3$ ins
12 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N face, dug
pits $78 \times 18 \times 12$ ins E. + W. of cor
3 ft dist and raised a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft
high N. of corner.

79.95 The cor of sec 17, 18, 19 + 20

Land rolling,

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chico
brush 79.95 chains,

Subdivision of Tp 28 N R 4 W,

Chico.

West, on a random line between
secs 18 & 19.

40,00 Set temp $\frac{1}{4}$ sec cor.

76,84 Intersect N. bdy of Tp 12 line N of the
cor of secs 13, 18, 19 & 24, thence I run
N $89^{\circ}55'$ on a true line between secs 18 & 19
through dense brush

36,84 Set a Limestone $20 \times 8 \times 5$ ins 12 ins in the
ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N face
Dug pits $18 \times 18 \times 12$ ins E. & W. of cor 3
ft dist and raised a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N of corner.

76,84 The cor of sec 17, 18, 19 & 20

Land rolling
Soil gravelly 3rd rate.
No Timber.

Dense undergrowth of
Chico brush 76,84 chains

Oct 21st 1900

Concluded, Book 1127