

"D"
(1)

SUBDIVISIONS
of

T. 29, N., R. 3, W.

by

Carl R. Gaudle.

BOOK 1132

4-671

FIELD NOTES

GENERAL LAND OFFICE.

No. 1132

1132

No. 1132

BOOK 1132

Field Notes
of the survey of the
Subdivisional Lines
of
T. 29, N., R. 3, W.
of the
Gila and Salt-River
Base and Meridian
Territory of Arizona,
as surveyed by
Carl R. Candler,
U. S. Dep. Surv.
under his
Contract No. 70, Ariz.,
dated June 10th 1900.

Survey commenced Oct. 5th 1900.
Survey completed Oct. 17th 1900.

(4-674.)

Township 29 N. R. 3 W.
BOOK 1132
BOOK 1133

Index for

6	96	5	71	4	55	3	39	2	21	1
94	93		70		54		37		20	
7	92	8	68	9	52	10	36	11	18	12
90	88		67		51		34		17	
18	87	17	65	16	50	15	33	14	15	13
85	84		64		48		31		14	
19	82	20	63	21	47	22	30	23	12	24
81	79		61		45		28		11	
30	78	29	60	28	43	27	26	26	9	25
76	75		58		42		25		8	
31	73	32	57	33	40	34	23	35	6	36

For Preliminary Oaths.
see Book "B".

Subdivision of T. 29 N. R. 3 W

Survey commenced October 4, 1900, and executed with a W. & L. G. Yerley light mountain transit (not numbered) with solar attachment, and Jones Patent Latitude arc.

For complete description and test of instrument, see Book B, Vol. I. of this series.

In order to test the adjustment of my solar, I proceed as follows;

At the standard Cor. of Tps. 29 N.

Rs. 2 & 3 W, Latitude $35^{\circ}48'55''$,
^{35 49.23" N.}

Longitude $112^{\circ}31'45''$ W

from, east, I set off $4^{\circ}25\frac{1}{2}'$ S. on the

decl. arc; $35^{\circ}49'$ on the lat. arc,

and determine a true meridian

with the solar, which coincides

with the meridian established

Subdivision of T. 29 N. R. 3 V. 2

from Polaris Aug. 28, 1900.

Oct. 4, 1900

Oct. 5; at 7^h 52^m a. m., cont., I set off
 $4^{\circ} 41' S.$ on the decl. arc; $35^{\circ} 49' SW$
 the lat. arc; and determine a
 true meridian with the solar,
 which coincides with the Polaris
 meridian established Aug. 28, 1900.

Therefore I conclude the adjustment
 of my solar is satisfactory.

The magnetic bearing of the true
 meridian at 8^h a. m. is $N. 14^{\circ} 14' W.$
 which reduced by the table page 100
 of the manual gives the mean
 mag. decl. $14^{\circ} 11' E.$

From the S. E. cor. of the T. p. already
 described I run
 West, on the 7th Standard Parallel

Subdivision of T. 29 N. R. 3 W.

North, and S. ldy. of sec. 36, and
 at 40.10 chs., intersect the $\frac{1}{4}$ sec.
 cor., and at 80.20 intersect the
 standard cor. of secs. 35 & 36.
 Therefore the line bears West, and is
 as stated by the Surveyor General.
 I begin at the standard cor. of secs.
 35 & 36, which is a limestone
 20 x 12 x 20 ins., above ground firmly
 set, marked and witnessed as
 described by the Surveyor General.
 Thence I run

N. 0° 01' W.

bet. secs. 35 & 36

Over Rolling land covered with

0.60 dense chipmunk growth.
 Road, bear E. & W.
 40.00 Set a limestone 16 x 10 x 5 ins., 11

ins in the ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ on W. & 36 on E. face;

Subdivision of T. 29 N. R. 8 W.

dig pits 18 X 18 X 12 ins, N. & S. of stone
3 ft. dist.; and raise a mound of
earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.

70.00 Flat Drain, course N.E.

73.00 Ascend rocky S. slope

80.00 Top of rocky hill 60 ft. high base S. & W.

Set a limestone 15 X 10 X 7 ins, 10 ins.
in the ground for cor. of sec. 35,
26, 35 & 36, marked with 1 notch
on S. & E. edge; and raise a mound
of stone 2 ft. base, 1 1/2 ft. high W. of cor.
Pits impracticable.

Land, Rolling & Mountainous, 7000

Soil, sandy & stony 3000 & 4000

No timber.

Mountainous, or land covered
with dense undergrowth, 2000

East

Subdivision of T. 29 N. R 3 W.

- 40.00 on a random line bet. sec. 25 & 36
Set temp. $\frac{1}{4}$ sec. cor.
- 50.26 Intersect E. bdy. of Tp. 7 lks. N.
of the cor. of secs. 25, 30, 31, & 36
which I established Aug. 29, 1900.
Thence I run
N. 89° 57' W
on a true line bet. secs. 25 & 36
Over Rolling land covered with
dense thick undergrowth
- 23.80 Dism Road bears N. 88° 45' E.
- 40.13 Set a limestone 24 x 12 x 10 ins,
18 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. & 36. on S. face;
dig pits 18 x 18 x 12 ins. E. & W.
of stone 3 ft. dist.; and raise
a mound of earth $3\frac{1}{2}$ ft. base
 $9\frac{1}{2}$ ft. high N. of cor.
- 50.00 Flat Dism, course N. 8,

Subdivision of T. 29 N. R. 8 W.

66.00 Ascend rocky slope bears N. & S.

80.26 Top 60 ft. ascent.

The cor. of sec. 25, 26, 35 & 36

Land, Rolling & Mountainous 4.26 chs.

Soil. sandy & stony, 3rd & 4th Rate.

No timber,

Land covered with dense chid
undergrowth 80.26 chs.

N. 0° 01' W.

bet. sec. 25 & 26.

Over rough stony land, gradually
ascending through chid brush.

18.00 Ridge soft. above cor bears E. & W.

4000 Set a limestone 18 X 12 X 8 ins., 12 ins.
in the ground for $\frac{1}{4}$ sec. cor, marked
 $\frac{1}{2}$ on W & 25 on E face; dig pits
18 X 18 X 12 ins., on N. & S. of stone soft
dist.; and raise a mound of earth

Subdivision of T. 29 N. R. 3 W.

- 3½ ft. base, 1½ ft. high W. of cor.
- 46.00 Foot gradual descent of 75 ft. bears E. & W., flat drain 300 ch. wide course E.
- 49.00 Ascend, bears E. & W.
- 60.00 Top ascent of 60 ft. bears E. & W.
- 80.00 Set a limestone 15 x 8 x 10 ins., 10 ins. in the ground for cor. of sec. 23, 24, 25 & 26, marked with 2 notches on S. & 1 notch on E. edges; dig pits 18 x 18 x 2 ins., in each sec., 5½ ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
- Land Mountainous, 27,000 ch., and Rolling
Soil, stony & the Rate
No timber,
Mountainous or land covered with
dense undergrowth 80,000 ch.

Subdivision of T. 29 N. R. 3 W.

Oct. 5; at this cor. I set off $7^{\circ}46'S$
 on the decl. arc; and at 11^h48^m mean,
 but, observe the sun on the meridian;
 the resulting lat. is $35^{\circ}50'40''$.

S. $89^{\circ}57'E$.

on a random line bet. secs. 24 & 25,

4 000 Set temp $\frac{1}{4}$ sec. cor.

50.24 Enter sec E. bdy. of Tp. at the cor.
 of secs. 19, 24, 25, & 30, which I
 established Aug. 29, 1900.

Thence I run,

N. $89^{\circ}57'W$.

on a true line bet. secs. 24 & 25,

Over Rolling land, covered with
 dense chieo undergrowth

26.00 Second bear N. $60^{\circ}E$, 45.60 SW.

29.00 At foot descent of 40 ft., Flat Iron
 4. ch. wide course N. $60^{\circ}E$.

40.12

Set a limestone 24 x 18 x 6 ins., 18 ins.
in the ground for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. & 25 on S. faces; dig pit
18 x 18 x 12 ins., & 4 in. of stone 3 ft.
dist.; and raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high
N. of cor.

This cor. is in a flat Indian corner ^{S.E.}

58.00

Road bears NW & SE.

80.24

The cor. of secs. 23, 24, 25 & 26.

Land, Rolling.

Soil, Stony & sandy, 3rd Rate.

No timber.

Land covered with dense under
growth, 80.24 chs.

N. 0° 01' W.

bet. secs. 23 & 24,

Over Rolling land covered with

Subdivision of T. 29 N. R. 9 W.

dense chie slender growth.

38.50 Road, bears N. 75° E.

4000 Set a limestone $12 \times 10 \times 6$ ins., 8 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on W. & 24 on E. face; dig pits
 $18 \times 18 \times 12$ ins., N. & S. of stone 3 ft. deep;
and raise a mound of earth $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high W. of cor.

8000 Set a limestone $12 \times 10 \times 10$ ins., 8 ins.
in the ground for. core of ins.
13, 14, 23 & 24. marked with
3 notches on S. & 1 notch on E. edge;
dig pits $18 \times 18 \times 12$ ins. in each
sec. $5\frac{1}{2}$ ft. deep; and raise a
mound of earth 4 ft. base, 2 ft.
high W. of cor.

Land, Rolling,

Soil, sandy & stony 3rd Rate.

No timber.

Subdivision of T. 29N. R. 3W.

Land covered with dense undergrowth 80,000 chs.

S. 89° 57' E.

on a random line bet. secs. 13 & 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.20 Intersect E. bdy. of T. 7 lks S.
of the cor. of secs. 13, 15, 19, & 24,
which I established Aug. 29, 1900
Thence I run

West

on a true line bet. secs. 13 & 24.

Over Rolling land covered with
dense chis undergrowth,

40.10 Set a limestone 15 X 14 X 4 ins., 10
ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. & 24 on S. face;
dig pits 18 X 18 X 12 ins., E. & W. of
stone 3 ft. dist.; and raise a mound

Subdivision of T. 29 N. R. 3 W.

of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high

N. of cor.

80,20

The cor. of sec. 13, 14, 23 & 24.

Land, Rolling,

Soil, sandy 3rd Rate.

No timber.

Land covered with dense chics

undergrowth 80,20 chs.

Oct. 5, 1900.

Oct. 6; at 7^h 5^m A.M., lat., I set
off $5^{\circ} 04' S.$ on the decl. arc; 35°
 $51' 30''$ on the lat. arc; and determine
a true meridian with the solar

Thence I run

$N 0^{\circ} 01' W.$

bet. sec. 13 & 14.

Over Rolling land covered
with dense chics undergrowth.

BOOK 1132

Subdivision of T. 29 N. R. 3 W

- 40.00 Set a sandstone 16X12X6 ins, 11
ins. in the ground for $\frac{1}{4}$ sec. cor.
marked 4 on W & 13 on E, face; dig
pits 18X18X12 ins, N. & S. of stone
3 ft. dist.; and raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 49.00 Drain, course E. ascend
- 51.00 Top percent of 60 ft. bears E. & W.
- 80.00 Set a sandstone 24X8X6 ins, 18 ins
in the ground for cor. of sec.
11, 12, 13, & 14, marked with 4
notches on S. & 1 notch on E. edges;
dig pits 18X18X12 ins, in each
sec. $5\frac{1}{2}$ ft. dist.; and raise a
mound of earth 4 ft. base, 2 ft.
high W. of cor.

Land, Rolling.

Soil, sandy & stony & ~~shaly~~ shaly.

No timber.

Land covered with dense undergrowth, 5000 chs.

East

on a random line bet. secs. 12 & 13.

4000 Set temp. $\frac{1}{4}$ sec. cor.

80.22 Intersect E. bdy. of Twp. 11 lks. N. of the Cor. of secs. 7, 3, 13, & 18 which I established Aug. 29, 1900

Thence I run

N. 89° 55' W.

on a true line bet. secs. 12 & 13.

Over Rolling land covered with dense chics undergrowth.

34.00 Small Train corner S.E.

40.11 Set a limestone 16 x 10 x 10 ins., 11 ins. in the ground for $\frac{1}{4}$ sec. cor., marked ~~by~~ on N. & 13 on S. faces; dig pits 10 x 18 x 12 ins., E. & W. of stone 3 ft. dist.;

Subdivision of T. 29 N. R. 8 W.

- and raise a mound of earth $3\frac{1}{2}$ ft.
 base, $1\frac{1}{2}$ ft. high N. of cor.
- 53.00 Drain, course, S.E.
- 74.00 Drain, course S.E.
- ~~80.22~~ The cor. of sec. 11, 12, 13, & 14.
 Land, Rolling,
 Soil, sandy, 4th Rate,
 No timber
 Land covered with dense chie
 undergrowth 80.22 chs.

N. 0° 01' W.

bet. sec. 11 & 12

- Over Rolling land covered with
 dense chie undergrowth
- 9.00 Ascend, bears E & W
- 11.00 Top ascent of 40 ft. bears E & W
- 40.00 Set a line to the 12 x 10 x 6 in, pins
 in the ground for $\frac{1}{4}$ sec. cor. marked

Subdivision of T. 29 N. R. 3 W.

$\frac{1}{4}$ on W. & 12 on 2 faces; dig pits
18 X 18 X 12 ins, N. & S. of stone 3 ft
dist.; and raise a mound of earth
 $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft. high W. of cor.

51.00 Drain, course E.

79.00 Drain, course E.

80.00 Set a limestone 20 X 10 X 4 ins, 15 ins
in the ground for cor. of res. 1, 2, 11,
& 12, marked with 5 notches on S.
and 1 notch on E. edges; and raise
a mound of stone 2 ft. base, $1\frac{1}{2}$ ft.
high W. of cor. Ret. in practical.

Land, Rolling.

Soil, sandy & stony, 4th date.

Not timbered.

Land covered with dense
undergrowth & brush.

BOOK 1132

Subdivision of T. 29 N. R. 3 W.

S. $89^{\circ}55'E$

on a random line bet. sec. 14 & 12.

4 00 Set trap. $\frac{1}{4}$ sec. cor.80. 16 Intersect E. bdy. of T. 11 lks.
S. of the cor. of sec. 1, 6, 7 & 12
which I established Aug. 29, 1900.

Thence I run

West

on a true line bet. sec. 14 & 12.

Over Rolling land covered with
dense thick undergrowth.Oct. 6; at this cor. I set off 5009' S.
on the decl. arc; and at $11^{\text{h}}48.1^{\text{m}}$
am, but, observe the sun on
the meridian; the resulting
lat. is $35^{\circ}53'20''$ 7. 00 Ridge 30 ft. above cor. bears N. $75^{\circ}E$ 22. 00 Second. bear N. $75^{\circ}W$.

40. 08 Set a limestone 16 X 7 X 5 ins., 11 lbs

Subdivision of T. 29 N. R. 8 W.

- in the ground for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. & 12 on S. face; dig pits 8x
 1, 8x12 ins., E. & W. of stone 3 ft. dist.
 and raise a mound of earth $3\frac{1}{2}$
 ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 47.00 At foot descent of ^{1.30 Chs} 100 ft. wide flat
 Drain, course N.
- 50.00 Enter Drain at mouth.
- 75.00 Leave Drain, course from S.W. to E.
- 80.16 The cor. of secs. 1, 2, 11 & 12,
 Land, Rolling,
 Soil, sandy & stony, 4th Rate.
 No timber.
 Land covered with dense chics
 undergrowth 80.16 chs.
-
- N 0° 01' W,
 on a random line bet. secs. 1 & 2
- 84.00 Set temp. $\frac{1}{4}$ sec. cor.

Subdivision of T. 29 N. R. 8 W.

79.96 Intersect N. ldy. of T. p. 9 lks. W. of
the cor. of secs. 1, 2, 35 & 36,
which I established Sept. 4, 1900

Thence I run

S. 0° 03' W.

on a true line bet. secs. 1 & 2,
Over Rolling land, covered with
dense chips & undergrowth

37.00 Descend bears E. 7 W.

39.96 Set a limestone 16 x 12 x 5 ins., 11
ins. in the ground for 1/4 sec. cor.,
marked 7/8 on W. & 1 on E. face; ~~and~~
raise a mound of stone 2 ft. high, 1/2 ft.
high W. of cor. Pits impracticable

41.00 Ravine 4 ft. deep, course E

44.00 Top ascent 45 ft. bears E. 7 W.

79.96 The cor. of secs. 1, 2, 11, & 12,
Land, Rolling & Mountainous, etc.,
Soil, sandy & stony, 4th class.

Subdivision of T. 29 N. R. 3 W.

No timber.

Land covered with dense under-
growth 79.96 acs.

Oct. 6, 1900

Oct. 8; at 4^h 52^m a.m., but, set
off, 5° 5' S. on the decl. arc, 35° 49'
on the lat. arc; and determine a
true meridian with the solar
at the standard Cor. of sec. 34 & 35,
which is a limestone 12 x 8 x 6 ins.,
above ground, firmly set, marked
and witnessed as described by
the Surveyor General.

Thence I run

N. 0° 01' W.

bet. sec. 34 & 35,

Over Rolling land covered with
dense chie's undergrowth

BOOK 1132
 Subdivision of T. 29 N. R. 8 W.

- 1.70 Road, bears E. & W.
- 31.00 Small drain, course N₂
- 38.50 Descend, bear E. & W.
- 40.00 Set a limestone 14 x 8 x 6 ins., 9 ins.
 in the ground for 1/4 sec. cor. marked
 1/4 on N. & 35 on E. face; and raise
 a mound of stone 2 ft. base, 1 1/2 ft.
 high, W. of cor. Pits unpracticable
- 42.00 Fast descent of 60 ft. bear E. & W.
 Thence across level bottom course E.
- 57.00 Leave bottom, ascend gradually.
- 80.00 Set ~~a~~ limestone 14 x 8 x 6 ins., 9 ins.
 in the ground for cor. of secs. 26, 27,
 34 & 35, marked with 1 notch
 on S. & 2 notches on E. edges; dig
 pits 18 x 18 x 2 ins., in each sec.
 3 1/2 ft. dist.; and raise a mound
 of earth 4 ft. base, 2 ft. high W. of
 Land, ball and rolling.

Subdivision of T. 29 N. R. 3 W.

Soil, sandy & stony, 4th Rate,
No timber

Land covered with dense under
growth & ooche.

East

on a random line bet. sec. 26 & 35,

4000 Set trap $\frac{1}{4}$ sec. cor

7996 Intersect N. 45 line 11 lbs. N. of
the cor of sec. 25, 26, 35 & 36,

Thence down

N. 89° 55' W.

on a true line bet. sec. 26 & 35-

Over rough stony land, covered
with dense Quia undergrowth,

29.00 Descend, bears N. E. & S. W.

36.00 Foot descent of 4 ft, thence across
nearly level bottom, course S. E.

39.98 Set a limestone 18 x 12 x 6 ins., 12 ins. in

Subdivision of T. 29 N. R. 3 W.

- the ground for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. & 35 on S. face; dig pits
 18 X 18 X 12 ins., E. & W. of stone 3 ft.
 dist.; and raise a mound of earth
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
- 62.00 Leave bottom and ascend gentle E, slope
- 7996 The cor. of secs. 26, 27, 34 & 35;
 Land Maintenance 36.00 chs. &
 Rolling.
 Soil, sandy & stony 14th State
 No timber.
 Mountainous or land covered
 with dense undergrowth 7996 chs.

N. 0° 0' 1" W.

bet. secs. 26 & 27

Over Rolling land, covered
 with dense thick undergrowth

2950 Ridge bears E & W, Enter scattering

Subdivision of T. 29 N. R. 3 W.

Cedar timber.

- 4000 Set a limestone $18 \times 18 \times 5$ ins, 12 ins,
in the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on W. & 26. on E. faces; dig pits
 $18 \times 18 \times 12$ ins, N. & S. of stone 3 ft
dist.; and raise a mound of earth
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 44.00 Drain, course SE
- 6000 Top cent of Coft. beam E.W.
- 7000 Second. beam N.W. & S.E.
- 8000 Set a limestone $24 \times 10 \times 9$ ins, 6
ins. in the ground (cannot set deeper)
and in mound of stone 12 ins. high,
for cor. of sec. 2, 2, 2, 3, 26, & 27,
marked with 2 notches on S. & E.
edges; and raise a mound of stone
2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
Pits impracticable
- Land, Rolling & Measurement, 5000 ch.

Subdivision of T. 29 N. R. 3 W.

Soil, stony, & ^{the} R. 3 W.

Timber, scattering scrubby
cedar & Pinon.

Mountainous land or land
covered with dense undergrowth 8900 lbs.

Oct. 8; at this cor. I set off $5^{\circ}55'$
on the decl. arc; and at $11^{\text{h}}47.5^{\text{m}}$
A.M., next, observe the sun on the
meridian; the resulting lat.
is $35^{\circ}58'40''$, which is correct.

$S. 89^{\circ}55' E.$

on a random line bet. secs. 23 & 26.

4000 ~~S~~ steep $\frac{1}{4}$ sec. cor.

8008 Intersect N. 45 line 4 lbs. S. of
the cor. of secs. 23, 24, 25, & 26.

Thence I run

$N. 89^{\circ}57' W.$

on a true line bet. sec. 23 & 26.

Subdivision of T. 29 N. R. 3 W.

- Over Rolling land. Covered with
dense chie's undergrowth
- 29.00 Descend, bear N. 45.
- 35.00 Foot descent of soft. bears N. 45.
Thence over bottom course S.E.
- 40.04 Set a limestone 14 X 10 X 6 ins, 9 ins, in
the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{2}$ on
N. & 26. on S. face; dig pits 8 X 18 X 12
ins., 6. & 11. of stone 3 ft. dist; and
raise a mound of earth $3\frac{1}{2}$ ft. base
 $1\frac{1}{2}$ ft. high N. of cor.
- 70.00 Ascend over stony rough bears N 45.
- 80.08 The cor. of secs. 22, 23, 26, 27.
Land Rolling & Mountainous 1000 elev
Soil sandy & stony, 4th state.
Timber, scattering cedar.
Land covered with dense chie's
undergrowth. 80.08 chs.

N. 0° 51' W.

bet. secs, 22 & 23,

Over mountainous land covered
with dense *Chic* undergrowth.

5.00 Drain, course E. 40 ft. below cor.

19.00 Leave scattering scrubby cedars
bears $NW, \text{ } \frac{1}{2} SE$.30.50 Ridge 100 ft. high, bears $NW, \text{ } \frac{1}{2} SE$.40.00 Set a limestone 16 X 10 X 4 ins., 11 ins. in
the ground for $\frac{1}{4}$ sec, cor. marked
 $\frac{1}{2}$ on W. & 2 3 on E. face; dig pits
18 X 18 X 12 ins., N. 95. of stone 3 ft
dist.; and raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.74.50 ~~Drain Road~~, bears $NW, \text{ } \frac{1}{2} SE$.80.00 Set a limestone 16 X 10 X 6 ins., 11
ins. in the ground for cor. of secs
14, 15, 22 & 23, marked with
3 notches on S. & 2 notches on E. edge;

Subdivision of T. 29 N. R. 3 W.

Dig pits 18 X 18 X 12 ins, in each
sec. 5 1/2 ft. dia.; and raise a mound
of earth 4 ft. base, 2 ft. high W. of cor.
Land, Mountainous 30.50 chs. +

Rolling.

Soil, stony, 4th R. etc.

Timber, scattering scrubby cedars

Land covered with dense under
growth, 8000 chs.

S. 8905 7 1/2 E.

on a random line bet. secs. 14 & 23

4000 Set temp. 1/4 sec. cor.

79.88 Intersect N. 75. line 7 chs. S. of
the cor. of sec. 13, 14, 23 & 24.

Thence I run

West

on a true line bet. secs. 14 & 23.

Over Rolling land covered with

Subdivision of T. 29 N. R. 3 W.

- dense *Chio* undergrowth,
- 19.25 Road bears NW, 75 E.
- 39.94 Set a limestone 20 X 13 X 5 ins., 15
ins. in the ground for $\frac{1}{4}$ sec. cor,
marked $\frac{1}{4}$ on N. & 25 on S. face; dig
pits 18 X 18 X 12 ins., 8 cor. of stars
2 ft. dist.; and raise a mound
of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high
N. of cor.
- 57.00 Edge of wide drain course N.
- 7000 Leaved rain or bottom surface
gradually, to
- 79.88 The cor. of sec. 14, 15, 22, & 23,
Land, Rolling.
Soil sandy & stony, 4th state.
No timber.
Land covered with dense *Chio*
undergrowth 79.88 chs
Oct. 8, 1900

Subdivision of T. 29 N. R. 3 W.

Oct. 9: at 8 h. a.m. last, I set off
 $6^{\circ} 13' S.$ on the decl. arc; $35^{\circ} 51' 30''$
 on the lat. arc; and determine
 a true meridian with the solar.

Thence I run

$N. 0^{\circ} 01' W.$

bet. secs. 14 & 15.

Over Rolling land covered with
 dense thick undergrowth.

- 5.00 Drain, course NE to E.
- 7.00 Low Ridge bears N.W. & S.E. to E.
- 40.00 Set a limestone $16 \times 12 \times 6$ ins., 11
 ins. in the ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ on W. & 14 on E. face; dig
 pits $18 \times 18 \times 12$ ins., N. & S. of stone
 3 ft. dist.; and raise a mound of
 earth $3\frac{1}{2}$ ft. diam, $1\frac{1}{2}$ ft. high
 W. of cor.
- 47.75 Drain, course E.

Subdivision of T. 29 N. R. 3 W.

8200 Set a limestone $18 \times 12 \times 8$ ins., 12
 ins. in the ground for cor. of sec.
 10, 11, 14 & 15 marked with 4
 notches on S; & 2 notches on E. edge;
 dig pits $18 \times 18 \times 12$ ins. in each sec.
 $5\frac{1}{2}$ ft. dist.; and raise a mound of
 earth 4 ft. base, 2 ft. high N. of cor.
 Land, Rolling,
 Soil, sandy & stony, $\frac{1}{4}$ the acre.
 No timber.
 Land covered with dense chieo
 undergrowth 8000 ch.

East,

on a random line bet. sec. 11 & 14

4000 Set trap, $\frac{1}{4}$ sec. cor.

79.84 Intersect N. & S. line 14 lbs. N.
 of the cor. of sec. 11, 12, 13 & 14.
 Thence I run

Subdivision of T. 29 N. R. 8 W.

N. 89° 54' W.

on a true line bet. secs 11 & 14

Over Rolling land, covered
with dense chio undergrowth

39.92 Set a limestone $12 \times 12 \times 8$ ins, 8 ins,
in the ground for 4 sec. cor, marked
 $\frac{1}{4}$ on N. & 14 on S. face; dig pits
 $18 \times 18 \times 12$ ins, E. & W. of stone 3 ft.
dist.; and raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high
N. of cor

55.90 Road, bears N. 21° W. & S. E.

79.84 The cor. of secs 10, 11, 14 & 15,

Land, Rolling.

Soil, sandy, 1st Rate.

No timber.

Land covered with dense
undergrowth 79.84 also

Subdivision of T. 29 N. R. 3 W.

N. 0° 01' W.

bet. secs. 10 & 11.

Over Rolling land covered
with dense chieo undergrowth.

38.00 Wide drain, course, E.

40.00 Set a limestone 12 x 8 x 6 ins.,
8 ins. in the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on W. & 11 on E.
faces; dig pits 18 x 18 x 12 ins. N. &
S. of stone 3 ft. dist.; and raise
mound of earth $3\frac{1}{2}$ ft. low, $1\frac{1}{2}$ ft.
high, W. of cor.

52.00 Road, bear N. 30° W. & S. 30° E.

80.00 Set a limestone 16 x 12 x 10 ins.,
4 ins. in the ground for cor. of secs.
2, 3, 10, & 11, marked with 5 notches
on S. & 2 notches on E. edges; dig
pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft.
dist.; and raise a mound of earth

Subdivision of T. 29 N. R. 8 W.

4 ft. base, 2 ft. high W. of cor.

Land Rolling,

Soil, sandy & stony, 4th Rate.

No timber,

Land covered with dense
undergrowth 80, 50 chs.

Oct. 9. at this cor. I set off

$6^{\circ}18' S.$ on the decl. arc; and at

$11^h 47.3^{m} A.$, on. but, above the

sun on the meridian; the

resulting lat. is $35^{\circ}53'26''$

$S. 89^{\circ}54' E.$

on a random line bet. sec. 2 & 11.

4000 Set temp. $\frac{1}{4}$ sec. cor.

79.78 Intersect N. & S. line 4th l^{ts},

N. of the cor. of sec. 12, 11 & 12,

Thence down

$N. 89^{\circ}52' W.$

Subdivision of T. 29 N. R. 3 W.

- on a true line bet. sec. 2 & 11.
 Over Rolling land covered
 with dense chie undergrowth.
- 28.00 Ridge, bears N. & S.
- 39.89 Set a limestone 14 X 10 X 4 ins.,
 9 ins. in the ground for $\frac{1}{4}$ sec. cor.;
 marked $\frac{1}{2}$ on N. & 11 on S faces,
 dig pits 18 X 18 X 12 ins., E. & W. of
 stone 3 ft. dist.; and raise a
 mound of earth $3\frac{1}{2}$ ft. base, $\frac{1}{2}$
 ft. high N. of cor.
- 68.00 Drain, Course N.
- 79.78 The cor. of sec. 2, 3, 10 & 11.
 Land, Rolling,
 Soil, sandy & stony. 4th Rate.
 No timber.
 Land covered with dense
 chie undergrowth 79.78 sh.

Subdivision of T. 29 N. R. 3 W.

N. 0° 01' W.

on a random line bet. sec. 2 & 3.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.84 Intersect $\frac{1}{2}$ cdy. of Tp. 18 lks. E.
of the cor. of sec. 2, 3, 34 & 35,
which I established Sept. 4, 1900.

Thence I run

S. 0° 09' E.

on a true line bet. sec. 2 & 3.

Over Rolling land covered
with dense wild brush.

39.84 Set a line stone 15 x 8 x 6 ins., 100 lbs.,
in the ground for $\frac{1}{4}$ sec. cor.

marked $\frac{1}{4}$ on W. & 3 on E. faces;

dig pits 18 x 18 x 12 ins., N. & S.

of stone 3 ft. dist.; and raise a
mound of earth $3\frac{1}{2}$ ft. base,

$1\frac{1}{2}$ ft. high W. of cor.

79.84 The cor. of sec. 2, 3, 10, & 11.

Subdivision of T 29 N. R. 3 W.

Land, Rolling,

Soil, sandy, 2nd Rate.

No timber.

Land covered with dense under-

growth 79, 84 chs.

Oct 9, 1900.

Oct. 10; At 8^h 11^m a.m. local, but,
I set off $6^{\circ}36' S.$ on the decl.
arc; $35^{\circ}49'$ on the lat. arc; and
determine a true meridian
with the solar at the standard
con. of sec. 33 & 34, which is a
limestone $10 \times 10 \times 6$ ins, above
ground, firmly set, marked
and witnessed as described
by the Surveyor General.

Thence I run

$N. 0^{\circ} 00' W.$

Subdivision of T. 29 N. R. 8 W.

- bet. secs. 33 & 34,
 Over Rolling land, covered
 with dense Chics undergrowth
- 23.00 Ridge 60 ft. above cor. bears E & W,
- 40.00 Flat drain course N.E.,
 Set a limestone 16 x 8 x 6 ins., 11 ins.
 in the ground for $\frac{1}{4}$ ac. cor.,
 marked $\frac{1}{2}$ on W. & S.E. on E. face;
 dig pits 18 x 18 x 12 ins., N & S.
 of stone 3 ft. dict.; and raise
 a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
 ft. high W. of cor.
- 54.00 Ridge, bears N.E. & S.W.
- 66.00 Drain, course E.
- 74.00 Ridge, bears E & W,
- 80.00 Set a limestone 16 x 8 x 5 ins.,
 11 ins. in the ground for cor. of
 secs. 27, 28, 33 & 34, marked
 with 1 notch on S. & 3 notches

BOOK 1132
 Subdivision of T. 29 N. R. 3 W.

on E. edges; dig pits 18 x 18 x
 12 ins., in each sec. 5 1/2 ft. dist.;
 and raise a mound of earth
 4 ft. base, 2 ft. high W. of cor.
 Land, Rolling.
 Soil, sandy & stony, 4th rate.
 No timber.

Land, covered with dense under-
 growth 8000 chs.

East

on a random line bet. Secs. 26 & 34,
 4000 Set temp. 1/4 sec. cor.

80.70 Intersect N. & S. line 7 lks. N.
 of the cor. of secs. 26, 27, 34 & 35.

Thence I run
 N. 89° 05' 7" W.

one true line bet. secs. 27 & 34,
 Over Rolling land, covered with

Subdivision of T. 29 N. R. 3 W.

Dense chio undergrowth.

20.00 Low Ridge, bears N. & S.

28.00 Train, Course S.

40.05 Set a limestone $18 \times 9 \times 4$ ins., 12 ins.,
in the ground for $\frac{1}{4}$ sec. cor.,
marked $\frac{1}{4}$ on N. & S. faces;
Diggins $18 \times 18 \times 12$ ins., 8, 705 of stone
3 ft. dirt.; and raise a mound
of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

80.10 The cor. of secs. 27, 28, 33, & 34,
Land. Rolling.

Soil, sandy, 3rd Rate.

No timber.

Land covered with dense under-
growth 80.10 chs.

N. 0° 02' W.

bet. secs. 27 & 28.

Subdivision of T. 29 N. R. 3 W.

Over Rolling land, covered
with dense chics undergrowth.

- 5.00 Drain, course, E.
- 22.00 Drain, course S.E.
- 39.00 Ridge, bearng. E. 45°
- 40.00 Set a limestone $12 \times 9 \times 7$ ins., 8 in.
in the ground for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on W. & 27 on E. faces; dig pit $18 \times 18 \times$
 12 ins., N. & S. of stone 3 ft. dist.; and
raise a mound of earth $3\frac{1}{2}$ ft. base, $\frac{1}{2}$
ft. high. W. of cor.
- 52.00 Drain, course E.
- 80.00 Set a limestone $15 \times 12 \times 10$ ins., 10
ins in the ground for cor. of sec.
21, 22, 23 & 28, marked with
2 notches on S. & 3 notches on E.
edges; dig pit $18 \times 18 \times 12$ ins.
in each, sec. 5 ft. dist.; and raise
a mound of earth 4 ft. base

Subdivision of T. 29 N. R. 3 W.

2 ft. high w. of cor.

Land. Rolling.

Soil. sandy & stony. 4th Rate.

No timber.

Land. Covered with dense under-
growth & s.s. etc.

Oct. 10; at this cor. I set off $6^{\circ} 40\frac{1}{2}' S.$
on the decl. arc; and at 11^h 47^m
am, just, observe the sun on the
meridian; the resulting lat.
is $35^{\circ} 50' 40''$ which is correct.

S. $89^{\circ} 57' E.$

on a random line bet. secs. 22 & 27.

4000 Set Recp. 4 sec. cor.

80.08 Intersect N. & S. line 2 lts. S. of the cor.
of secs. 22, 23, 26, & 27.

Thence I run

N. $89^{\circ} 58' W.$

bet. secs. 22 & 27.

- Over rough stony land, covered with dense chin's brush & scattering cedar timber, around from cor.
- 20.00 Lease, Cedars bears N. 45.
- 40.00 Set a limestone $12 \times 12 \times 4$ ins., 8 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. & 27, on S. face; dig pits $18 \times 18 \times 12$ ins., E. & W. of stone 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 45.00 Ridge 100 ft. above sec. cor., bears N. 48.
- 80.08 The cor. of secs. 21, 22, 27, & 28.
Land, mountainous & 5.00 ch. & rolling.
Soil, stony & sandy, & slate.
Timber, scattering scrubby cedar.
Land covered with dense undergrowth
80.08 ch.

Subdivision of T. 29 N. R. 3 W.

N. 0° 02' W.

bet. secs. 21 & 22.

Over Rolling land, covered with
dense chic. undergrowth.

41.50 Ridge bears E. 90°

Set a limestone 20x12x4 ins., 15 ins.
in the ground for $\frac{1}{2}$ sec. cor. marked
 $\frac{1}{2}$ on W. & 22 on E. face; dig pits 18x18x
12 ins., N. & S. of stone 3 ft. dist.; and
raise a mound of earth $3\frac{1}{2}$ ft. base,
1 $\frac{1}{2}$ ft. high N. of cor.

80.00 Set a limestone 18x10x7 ins., 12 ins.
in the ground for cor. of secs. 15, 16
21, & 22, marked

T. 29 N. on NE,

R. 3 W. on S.E., with 3 notches on
S. & E. edges; dig pits 18x18x12 ins.,
in each sec. $5\frac{1}{2}$ ft. dist.; and
raise a mound of earth 4 ft. base, 2 ft.

Subdivision of T. 29 N. R. 3 W.

high W. of cor.
 Land, Rolling,
 Soil, sandy, 2nd Rate.
 No timber,
 Land covered with dense under-
 growth. Sosocho.

S. 89058'E.

on a random line bet. sec. 15 & 22

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.24 Intersect N. 75, line 10 lbs. S. of
 the cor. of sec. 14, 15, 22 & 23

Thence 1 run

S. 89057' W.

on a true line bet. sec. 15 & 22.

Over Rolling land covered with
 dense chis undergrowth,

3.00 Strain, course N.E.

27.00 Ridge, bears N. 7 S.

Subdivision of T. 29 N. R. 3 W.

- 40.12 Set a limestone $12 \times 10 \times 10$ ins., 8 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. & 22. on S. face; dig pits $18 \times 18 \times 12$ ins., 6. in. of stone 3 ft. diet.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 60.00 Ridge, bears N. 8. & 5. W.
- 68.00 Drain, course N. E.
- 85.24 The cor. of secs 15 & 16, 21 & 22.
Land Rolling
Soil, sandy, 3rd Rate,
No timber.
Land covered with dense undergrowth 85.24 chs.

Oct, 10, 1900.

Oct. 11: at 8 hours, but, set off $6^{\circ} 58\frac{1}{2}'$ S. on the decl. arc; $35^{\circ} 51' 30''$ on the lat. arc; and determine a true

Subdivision of T. 29 N. R. 3 W

meridian with the solar

Then a line

N. 0° 02' W.

bet. sec. 15 & 16,

Over Rolling land, covered with
dense birch undergrowth

36.75 Road, bears N. 30° W. & S. 30° E.

40.00 Set a limestone 15 x 7 x 6 ins., 10 ins
in the ground for 1/4 sec., cor., marked
1/4 on N. & 1/5 on E. face; dig pits
18 x 18 x 12 ins., N. & S. of stone 3 ft.
dist.; and raise a mound of earth
3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

50.00 Set a limestone 15 x 10 x 6 ins., 10 ins
in the ground for cor. of sec.,
9, 10, 15 & 16, marked with 25
notches on S. & 3 notches on E. edges;
dig pits 18 x 18 x 12 ins., in each
sec. 5 1/2 ft. dist.; and raise a

Subdivision of T. 29 N. R. 3 W.

mound of earth 4 ft. base, 2 ft.
high N. of cor.
Land, Rolling.
Soil, sandy, 2nd Rate.
No timber,
Land covered with dense undergrowth
scrubs.

N. 89° 55' E.

on a random line bet. sec. 10 & 15

4000 Set.ump. 1/4 sec. cor.

5000 Intersect N. 45 line 2 chs. N. of the
cor. of sec. 10, 11, 14 & 15

Thence True

S. 89° 58' W.

on a true line bet. sec. 10 & 15

Over Rolling land, covered with
dense shrub undergrowth.

4010 Set a limestone 14x10x6 ins., 9 ins. in

Subdivision of T. 29 N. R. 3 W.

- in the ground for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. & 15 on S. face; and raise
 a mound of stone 2 ft. base, $\frac{1}{2}$ ft.
 high N. of cor. Pits impracticable
- 68.00 Ridge bears N. 75 E.
- 80.20 The cor. of sec. 9, 10, 15, & 16
 Land Rolling
 Soil, stony, 4th Rate
 No timber
 Land covered with dense under-
 growth 8000 chs.

 N. 00 02' W.

bet. sec. 9 & 10.

- Over Rolling land covered
 with dense chieftain undergrowth
- 40.00 Set a limestone 12 x 8 x 6 ins,
 8 ins. in the ground for $\frac{1}{4}$ sec. cor.,
 marked $\frac{1}{4}$ on W. & 10 on E. face;

Subdivision of T. 29 N. R. 3 W.

Dig pits $18 \times 18 \times 12$ ins., N. & S., of stone
3 ft. dist.; and raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

7000 Ridge bears, E. & W.

8000 Set a limestone $16 \times 12 \times 10$ ins., 11 ins.,
in the ground for cor. of sec. 3, 4,
9, & 10, marked with 5 notches on 3 & 4
3 notches on 8. edges; dig pits $18 \times 18 \times$
 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and
raise a mound of earth $4\frac{1}{2}$ ft. base,
2 ft. high W. of cor.

Land, Rolling.

Soil, sandy, 3rd Rate.

No timber.

Land, covered with dense under-
growth of s. o. o. chs.

Note - It being cloudy at noon no
bat chs. could be taken.

Subdivision of T. 29 N. R. 3 W.

N. 89° 58' E.

on a random line bet sec. 9 & 10.

4000 Set temp $\frac{1}{4}$ sec. cor.

8010 Intersect N. + S. line 2 lks. S. of the cor. of sec. 2, 3, 10, & 11.

Thence down

S. N. 89° 57' W.

on a true line bet sec. 9 & 10.

Over Rolling land covered with dense Chick seedling with.

1200 Road bears N.W. 45° E.

2500 Ridge bears N.W. 45° E.

4005 Set a limestone 16 x 8 x 8 ins., 11 ins.

in in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. + S. face; dig pits 18 x 18 x 12 ins., E. & W. of stone 2 ft. dist; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

Subdivision of T. 29 N. R. 3 W.

80.10 The cor. of sec. 3, 4, 9 & 10,
 Land, Rolling,
 Soil, Sandy, 3rd Rate
 No timber,
 Land covered with dense under-
 growth, 80.10 chs.

N. 0° 02' W.

on a random line bet. sec. 3 & 4

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect N. edge of T. 2 lbs. W. of
 the cor. of sec. 2, 4, 33 & 34, which
 established Sept. 4, 1900.

There is a run

S. 0° 01' E.

on a true line bet. sec. 3 & 4,

Over Rolling land, covered with
 dense chis undergrowth.

22.00 Drain, Course N. & W.

Subdivision of T. 29 N. R. 3 W.

3998 Set a limestone $12 \times 8 \times 6$ ins., 8 ins.
in the ground for 4 cor. marked
 $\frac{1}{4}$ on W & 3 on E. face; dig pits 8 & 15 & 2
ins. N. & S. of stone 3 ft. dist.; and
raise a mound of earth $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high W. of cor.

54.00 Same 2 min, course N.E.

79.98 The cor. of sec. 3, 4, 9, & 10.

Land Rolling.

Soil. sandy 3rd Rate

No timber.

Land covered with dense under-
growth 79.98 ac.

Oct. 11, 1900.

Oct. 12; at 8 h a.m., but, set
off $70^{\circ} 21' S.$ on the led. arc;
 $35^{\circ} 49'$ on the lat arc, and determine
a true meridian with the solar

Subdivision of T. 29 N. R. 3 W.

at the standard Cor. of sec. 32 & 33, which is a limestone 12x10x6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General.

Thence from

N. 0° 03' W.

bet. sec. 32 & 33.

Over Rolling land covered with dense Chico undergrowth,

20.00 Set a limestone 12x8x6 ins., 8 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. & S. on E. faces; dig pits 8x8 x 12 ins. N. 45. of stone 2 ft. dist.; and raise a mound of earth $\frac{3}{4}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

47.00 Same course S.E.

57.00 Same course S.W.

80.00 Set a limestone 18x6x5 ins., 12 ins. in

Subdivision of T. 29 N. R. 8 W.

the ground for cor. of secs. 28, 29,
32, 33, marked with 1 notch on
S. & 4 notches on E. edge; dig pits
18x18x12 ins, in each sec, 5½ ft
dit.; and raise a mound of earth 4
ft. base, 2 ft. high W. of cor.
Land, Rolling.
Soil, sandy, 3rd Rate.
No timber.
Land covered with dense under-
growth, 8000 chs.

Fact

On a random line bet. secs. 28 & 33

40.00 Set to cap. ¼ sec. cor.

80.04 Intersect N. W. line 2 lks. S. of
the cor. of secs. 27, 28, 33 & 34

Thence I run

S. 89° 59' W.

Subdivision of T. 29 N. R. 3 W.

on a true line bet. secs. 28 & 33.

Over Rolling land covered with
dense chic undergrowth

- 18.00 Ridge bears N.W. 45 E
- 23.00 Train, course S.E.
- 32.00 Ridge bears N.W. 45 E.
- 40.02 Set a limestone 16x12x8 ins., 11 ins
in the ground for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. & S on S. face; dig pits 18x15
12 ins., E. & W. of stave 3 ft. dist.; and
raise a mound of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high N. of cor.
- 46.00 Train, course S.E.
- 53.00 Train, course S.E.
- 75.00 Ridge bears N.W. 45 E.
- 80.04 The cor. of secs. 28, 29, 32 & 33.
Land, Rolling,
Soil, sandy, 3rd Rate
No timber.

Subdivision of T. 29 N. R. 3 W.

Land covered with dense chips
undergrowth, 80.00 ds.

N. 0003' W.

bet. secs. 28 & 29,

Over Rolling land, covered with
dense chips undergrowth

4.50 Ridge, bear N.W., 75.0,

4.00 Set a limestone 16x8x6 ins., 11 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on W. & 28 on E. face; dig pits
15x18x12 ins., N. W. of stone, 3 ft
dist.; and raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

60.00 Train course N.W.

80.00 Set a limestone 15x10x5 ins., 10
ins. in the ground for Cor. of
secs. 20, 21, 28 & 29, marked
with 2 notches on S. & 4 notches

Concluded, Book 1153.